



**Province of British Columbia**  
**Ministry of Health**

**BRITISH COLUMBIA  
ALCOHOL AND DRUG PROGRAMS  
ADOLESCENT SURVEY: 1987**

...

**TECHNICAL REPORT**

BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS

ADOLESCENT SURVEY: 1987

...

TECHNICAL REPORT

by

Richard Chamberlayne,  
Research and Evaluation

William Kierans,  
Research and Evaluation

Larry Fletcher,  
Alcohol and Drug Programs

June, 1988

British Columbia Ministry of Health  
Victoria, British Columbia V8W 3C8





TABLE OF CONTENTS

|                                                          |            |
|----------------------------------------------------------|------------|
| TABLE OF CONTENTS .....                                  | i          |
| LIST OF FIGURES.....                                     | ii         |
| LIST OF TABLES .....                                     | iv         |
| BACKGROUND .....                                         | 1          |
| METHODS .....                                            | 2          |
| Questionnaire Design .....                               | 2          |
| Sample Design .....                                      | 3          |
| Precision .....                                          | 8          |
| Limitations and Biases .....                             | 9          |
| RESULTS .....                                            | 11         |
| Overview .....                                           | 11         |
| Substance Use .....                                      | 15         |
| Availability .....                                       | 23         |
| Drinking Contexts .....                                  | 23         |
| Reasons for Use of Alcohol and Cannabis .....            | 25         |
| Problem Behaviour .....                                  | 31         |
| Motivation to Change Alcohol or Drug Use .....           | 41         |
| Alcohol and Drug Education .....                         | 45         |
| CONCLUSIONS .....                                        | 47         |
| REFERENCES .....                                         | 49         |
| TEXT OF SURVEY QUESTIONNAIRE .....                       | Appendix A |
| CONFIDENCE INTERVAL TABLES .....                         | Appendix B |
| 95% Confidence Intervals Around Single Percentage Values |            |
| 95% Confidence Intervals for Differences Between         |            |
| Two Percentages                                          |            |
| ITEM RESPONSES BY DEMOGRAPHIC VARIABLES .....            | Appendix C |
| ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION         |            |
| (bound separately) .....                                 | Appendix D |

LIST OF FIGURES

| <u>Figure</u>                                                                  | <u>Page</u> |
|--------------------------------------------------------------------------------|-------------|
| 1. Use of Various Substances in Past 12 Months (by sex) .....                  | 14          |
| 2. Frequency of Alcohol Use in Past Four Weeks (by sex) .....                  | 16          |
| 3. Frequency of Cannabis Use in Past Four Weeks (by sex) .....                 | 16          |
| 4. Frequency of Tobacco Use in Past Four Weeks (by sex) .....                  | 17          |
| 5. Alcohol and Cannabis Use by Grade .....                                     | 18          |
| 6. Alcohol, Tobacco, and Inhalant Use by Grade .....                           | 19          |
| 7. Usual Marks by Frequency of Alcohol Use .....                               | 20          |
| 8. Spending Money by Frequency of Alcohol Use .....                            | 21          |
| 9. Difficulty in Getting Substances: Grades 8 and 12 .....                     | 22          |
| 10. Drinking Contexts (by sex) .....                                           | 22          |
| 11. Drinking Contexts by Frequency of Drinking .....                           | 23          |
| 12. Reasons for First Trying Alcohol (by sex) .....                            | 24          |
| 13. Reasons for Stopping Alcohol Use (by sex) .....                            | 24          |
| 14. Reasons for Continuing Alcohol Use (by sex) .....                          | 26          |
| 15. Reasons for First Trying Cannabis (by sex) .....                           | 26          |
| 16. Reasons for Not Trying Cannabis (by sex) .....                             | 27          |
| 17. Reasons for Stopping Cannabis Use (by sex) .....                           | 28          |
| 18. Reasons for Continuing Cannabis Use (by sex) .....                         | 28          |
| 19. Problems as a Result of Drinking or Drugs (by sex) .....                   | 30          |
| 20. Problems as a Result of Drinking or Drugs<br>(by drinking frequency) ..... | 30          |
| 21. Frequency of Alcohol Use (by sex) .....                                    | 32          |
| 22. Drinking Abuse: Having 5 or More Drinks .....                              | 32          |

| <u>Figure</u>                                                                     | <u>Page</u> |
|-----------------------------------------------------------------------------------|-------------|
| 23. Drinking Abuse: Times Having 5 or More Drinks (by sex) ....                   | 33          |
| 24. Drinking Abuse: Getting "Tight" or "Drunk" (by grade) .....                   | 34          |
| 25. Average Drinks at One Time: Beer (by sex)<br>(less frequent drinkers) .....   | 34          |
| 26. Average Drinks at One Time: Wine (by sex)<br>(less frequent drinkers) .....   | 35          |
| 27. Average Drinks at One time: Liquor (by sex)<br>(less frequent drinkers) ..... | 36          |
| 28. Average Drinks at One Time: Beer (by sex)<br>(more frequent drinkers) .....   | 36          |
| 29. Average Drinks at One Time: Wine (by sex)<br>(more frequent drinkers) .....   | 37          |
| 30. Average Drinks at One time: Liquor (by sex)<br>(more frequent drinkers) ..... | 37          |
| 31. Drinking/Driving Problems (by sex) .....                                      | 38          |
| 32. Accidents in Last 12 Months by Alcohol Use .....                              | 38          |
| 33. Wish to Use Alcohol Less (by sex within grade) .....                          | 40          |
| 34. Wish to Use Drugs Less (by sex within grade) .....                            | 40          |
| 35. Parents Think you Drink Too Much Alcohol<br>(by sex within grade) .....       | 41          |
| 36. Wish to Use Alcohol Less than Do Now by Alcohol Use .....                     | 42          |
| 37. Parents Think that You Drink Too Much by Alcohol Use .....                    | 42          |
| 38. Wish to Use Alcohol Less than Do Now by Number of Problems                    | 43          |
| 39. Wish to Use Drugs Less than Do Now, by Cannabis Use .....                     | 44          |
| 40. Drug Arrests/Warnings, by Cannabis Use .....                                  | 44          |
| 41. Alcohol and Drug Education Ever (by sex) .....                                | 45          |
| 42. Alcohol and Drug Education Since September (by grade) .....                   | 46          |
| 43. Substance Use Interprovincial Comparison .....                                | 46          |

LIST OF TABLES

| <u>Table</u>                                                                                                                             | <u>Location</u> |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 1. Sample Characteristics (unweighted) .....                                                                                             | Page 4          |
| 2. Sample Characteristics (weighted) .....                                                                                               | Page 6          |
| 3. Age by Grade (unweighted) .....                                                                                                       | Page 10         |
| 4. Percentages of Respondents Who Have Used Alcohol or<br>Other Drugs in the Last 12 Months by Demographic<br>Variables (weighted) ..... | Page 13         |
| Item Responses by Demographic Variables (weighted) .                                                                                     | Appendix C      |
| Item Responses by Sex within Grade within Region<br>(weighted).....                                                                      | Appendix D      |

## B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987

### TECHNICAL REPORT

#### BACKGROUND

The British Columbia Alcohol and Drug Programs Adolescent Survey: 1987 was initiated by the Alcohol and Drug Programs Division (A.D.P.) of the B.C. Ministry of Health early in 1986. It was carried out as a combined effort of the Research and Evaluation Branch and A.D.P., with data being collected in April and May of 1987.

Alcohol and Drug Programs has responsibility for planning, executing, and monitoring direct service and funded agency programs dealing with substance use problems. This survey was carried out to facilitate the implementation of its mandate for youth. It was designed to gather information on the endemic levels of use of various substances among young people.

In this survey a 62 question multiple-choice type questionnaire was administered to Grade 8 through Grade 12 public school students in a random selection of 615 classes from 151 secondary schools throughout British Columbia.

This is the first time such a survey has been run on a province-wide basis in British Columbia. A previous series of surveys was carried out in the Vancouver School District, every four years, from 1970 to 1982. The data from the current survey are not comparable to those in the previous series, since the present design does not allow analysis by school district. This report aggregates responses by sex, grade, and the five A.D.P. administrative regions (see the map below). The Lower Mainland Region is

#### Alcohol and Drug Programs Regions:

1. Lower Mainland
2. Fraser Valley
3. Central and  
Southeast
4. North
5. Vancouver I.,  
Gulf Is., and  
Powell River





not identical with the Vancouver School District and thus cannot validly be used to compare current incidence levels with those in the previous series of substance use surveys.

In April, 1988 Alcohol and Drug Programs was moved from the Ministry of Health to the Ministry of Labour and Consumer Services.

#### METHODS

This survey employed standard methods for determining prevalence of drug use in an adolescent population. It is modelled on surveys regularly run by Ontario's Addiction Research Foundation and by the University of Michigan's Survey Research Center. Individuals from each of these institutions were most helpful in providing advice when this survey was being planned.

A machine-readable copy of the survey data file is available to bona fide researchers through the University of British Columbia Data Library.

#### Questionnaire Design

The questionnaire used in this survey was based on Health and Welfare Canada's Guidelines for the Development of Canadian Surveys of Alcohol and Drug Use Among Students. It consisted of 62 questions, requiring 107 responses (see Appendix A for the complete text), and took about 40 minutes to complete. Although it had a self-administering format, a trained data collector was on-hand in the classroom to distribute and introduce it, to supervise its use, and to collect it when completed.

The individuals who were asked to fill out the questionnaire were assured that they were doing so on an anonymous basis, that all information generated from the survey would be treated confidentially, and that their participation was voluntary.

The layout and printing of the questionnaire and the reading of the completed forms were handled by the Educational Measurement Research Group at the University of British Columbia on their National Computer Systems' Transoptic equipment.

Two of the questions in the questionnaire are not discussed in this report. Question 62 was an attempt to elicit the actual sequence of initial use of all nineteen substances asked about in the survey. Although many individuals gave usable responses, the overall reliability of the output from this question was not high enough to include in a

general report such as this. Question 38 was inadvertently printed without the full set of required responses. This resulted in a very poor response rate for this item, making the question unusable.

#### Sample Design

Two major considerations in designing this survey were representativeness and sample size. The intention was to make the survey results as close to representative of the B.C. adolescent population as was practical. It was also important to obtain a large enough sample for valid comparisons between adolescents in different grades and regions of the province.

Alcohol and Drug Programs has divided the province into five regions for the purposes of program planning and service delivery. These regions are: Lower Mainland; Fraser Valley; Central and Southeast; North; and Vancouver Island, Gulf Islands and Powell River (see the map above). Considering the much greater expense of drawing a sample from the population of absolutely all adolescents in B.C., for the sake of economy it was decided that the sample would be drawn from the individuals in public school grades 8 through 12. This includes about 185,500 of the approximately 200,000 total adolescents in the age range from 13 to 17 years.

Comparisons between grade-within-region groupings were required of the survey results. In order to have sufficient reliability for these comparisons, especially if males and females were considered separately, a sample of 500 to 600 in each of the 25 grade by region subgroups was needed. The overall sample size required was therefore about 15,000.

In order to obtain enough completed questionnaires to satisfy the above requirements, a stratified, modified multistage cluster design was employed. The sample was stratified on grade and region with disproportionate selection from each of the 25 region/grade combinations, resulting in a distribution of respondents between the region/grade combinations which was more even than the actual population. Table 1 shows the number of respondents in each of the sex-within-grade-by-region cells of the total sample matrix.

The first stage of clustering was by school district. Five districts were randomly selected (without replacement) in each A.D.P. region. The second stage of clustering was by school. Schools were randomly chosen (with replacement) within each region/grade/district combination until



- Table 1 -

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

SAMPLE CHARACTERISTICS (UNWEIGHTED)

| TOTAL SAMPLE: 14,712 |                                 | ADP REGION     |               |            |       |              | PROVINCIAL TOTAL |  |
|----------------------|---------------------------------|----------------|---------------|------------|-------|--------------|------------------|--|
| GRADE                | SEX                             | LOWER MAINLAND | FRASER VALLEY | CENTRAL/SE | NORTH | ISLAND/COAST |                  |  |
| 8                    | MALE                            | 383            | 332           | 273        | 285   | 315          | 1588             |  |
|                      | %                               | 2.60           | 2.26          | 1.86       | 1.94  | 2.14         | 10.79            |  |
|                      | FEMALE                          | 337            | 286           | 270        | 284   | 300          | 1477             |  |
|                      | %                               | 2.29           | 1.94          | 1.84       | 1.93  | 2.04         | 10.04            |  |
|                      | MISSING/<br>INVALID<br>RESPONSE | 5              | 6             | 7          | 2     | 8            | 28               |  |
|                      | %                               | 0.03           | 0.04          | 0.05       | 0.01  | 0.05         | 0.19             |  |
| 9                    | MALE                            | 342            | 271           | 234        | 258   | 307          | 1412             |  |
|                      | %                               | 2.32           | 1.84          | 1.59       | 1.75  | 2.09         | 9.60             |  |
|                      | FEMALE                          | 346            | 319           | 280        | 253   | 328          | 1526             |  |
|                      | %                               | 2.35           | 2.17          | 1.90       | 1.72  | 2.23         | 10.37            |  |
|                      | MISSING/<br>INVALID<br>RESPONSE | 7              | 5             | 7          | 6     | 3            | 28               |  |
|                      | %                               | 0.05           | 0.03          | 0.05       | 0.04  | 0.02         | 0.19             |  |
| 10                   | MALE                            | 695            | 595           | 521        | 517   | 638          | 2966             |  |
|                      | %                               | 4.72           | 4.04          | 3.54       | 3.51  | 4.34         | 20.16            |  |
|                      | FEMALE                          | 340            | 308           | 305        | 284   | 326          | 1563             |  |
|                      | %                               | 2.31           | 2.09          | 2.07       | 1.93  | 2.22         | 10.62            |  |
|                      | MISSING/<br>INVALID<br>RESPONSE | 5              | 4             | 5          | 3     | 3            | 20               |  |
|                      | %                               | 0.03           | 0.03          | 0.03       | 0.02  | 0.02         | 0.14             |  |
| 11                   | MALE                            | 686            | 589           | 563        | 559   | 577          | 2974             |  |
|                      | %                               | 4.66           | 4.00          | 3.83       | 3.80  | 3.92         | 20.21            |  |

:: 4 ::

... CONTINUED

... CONTINUED \* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
SAMPLE CHARACTERISTICS (UNWEIGHTED)

| TOTAL SAMPLE: 14,712 |                                 |   | ADP REGION     |               |            |       |              | PROVINCIAL<br>TOTAL |
|----------------------|---------------------------------|---|----------------|---------------|------------|-------|--------------|---------------------|
|                      |                                 |   | LOWER MAINLAND | FRASER VALLEY | CENTRAL/SE | NORTH | ISLAND/COAST |                     |
| 11                   | SEX                             |   |                |               |            |       |              |                     |
|                      | MALE                            | N | 348            | 287           | 244        | 215   | 275          | 1369                |
|                      |                                 | % | 2.37           | 1.95          | 1.66       | 1.46  | 1.87         | 9.31                |
|                      | FEMALE                          | N | 354            | 323           | 270        | 241   | 287          | 1475                |
|                      |                                 | % | 2.41           | 2.20          | 1.84       | 1.64  | 1.95         | 10.03               |
|                      | MISSING/<br>INVALID<br>RESPONSE | N | 8              | 3             | 6          | 3     | 4            | 24                  |
| 12                   | SEX                             |   |                |               |            |       |              |                     |
|                      | MALE                            | N | 364            | 278           | 249        | 255   | 287          | 1433                |
|                      |                                 | % | 2.47           | 1.89          | 1.69       | 1.73  | 1.95         | 9.74                |
|                      | FEMALE                          | N | 324            | 298           | 242        | 253   | 245          | 1362                |
|                      |                                 | % | 2.20           | 2.03          | 1.64       | 1.72  | 1.67         | 9.26                |
|                      | MISSING/<br>INVALID<br>RESPONSE | N | 1              | 5             | 4          | 1     | 5            | 16                  |
| GRADE<br>TOTAL       | SEX                             |   |                |               |            |       |              |                     |
|                      | MALE                            | N | 1777           | 1476          | 1305       | 1297  | 1510         | 7365                |
|                      |                                 | % | 12.08          | 10.03         | 8.87       | 8.82  | 10.26        | 50.06               |
|                      | FEMALE                          | N | 1702           | 1503          | 1315       | 1303  | 1408         | 7231                |
|                      |                                 | % | 11.57          | 10.22         | 8.94       | 8.86  | 9.57         | 49.15               |
|                      | MISSING/<br>INVALID<br>RESPONSE | N | 26             | 23            | 29         | 15    | 23           | 116                 |
| SEX<br>TOTAL         |                                 | % | 0.18           | 0.16          | 0.20       | 0.10  | 0.16         | 0.79                |
|                      | N                               |   | 3505           | 3002          | 2649       | 2615  | 2941         | 14712               |
|                      | %                               |   | 23.82          | 20.41         | 18.01      | 17.77 | 19.99        | 100.00              |

:: UN ::

- Table 2 -

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

| TOTAL SAMPLE: 14,712 |                                 | ADP REGION     |               |            |       |              |  | PROVINCIAL TOTAL |
|----------------------|---------------------------------|----------------|---------------|------------|-------|--------------|--|------------------|
| GRADE                | SEX                             | LOWER MAINLAND | FRASER VALLEY | CENTRAL/SE | NORTH | ISLAND/COAST |  |                  |
| 8                    | MALE                            | 479            | 334           | 276        | 211   | 278          |  | 1577             |
|                      | %                               | 3.25           | 2.27          | 1.88       | 1.43  | 1.89         |  | 10.72            |
|                      | FEMALE                          | 423            | 289           | 271        | 200   | 264          |  | 1448             |
|                      | %                               | 2.88           | 1.97          | 1.84       | 1.36  | 1.80         |  | 9.84             |
|                      | MISSING/<br>INVALID<br>RESPONSE | 7              | 6             | 7          | 1     | 7            |  | 28               |
|                      | %                               | 0.04           | 0.04          | 0.05       | 0.01  | 0.05         |  | 0.19             |
| 9                    | SEX TOTAL                       | 909            | 629           | 554        | 412   | 549          |  | 3053             |
|                      | %                               | 6.18           | 4.28          | 3.77       | 2.80  | 3.73         |  | 20.75            |
|                      | SEX                             |                |               |            |       |              |  |                  |
|                      | MALE                            | 439            | 277           | 241        | 176   | 281          |  | 1413             |
|                      | %                               | 2.98           | 1.88          | 1.64       | 1.19  | 1.91         |  | 9.60             |
|                      | FEMALE                          | 456            | 316           | 289        | 177   | 304          |  | 1541             |
| 10                   | %                               | 3.10           | 2.15          | 1.97       | 1.20  | 2.06         |  | 10.47            |
|                      | MISSING/<br>INVALID<br>RESPONSE | 10             | 5             | 8          | 4     | 3            |  | 30               |
|                      | %                               | 0.07           | 0.03          | 0.05       | 0.03  | 0.02         |  | 0.20             |
|                      | SEX TOTAL                       | 904            | 597           | 539        | 356   | 587          |  | 2984             |
|                      | %                               | 6.15           | 4.06          | 3.66       | 2.42  | 3.99         |  | 20.28            |
|                      | SEX                             |                |               |            |       |              |  |                  |
| 10                   | MALE                            | 494            | 318           | 311        | 191   | 307          |  | 1621             |
|                      | %                               | 3.36           | 2.16          | 2.12       | 1.30  | 2.08         |  | 11.02            |
|                      | FEMALE                          | 500            | 287           | 263        | 181   | 234          |  | 1465             |
|                      | %                               | 3.40           | 1.95          | 1.79       | 1.23  | 1.59         |  | 9.96             |
|                      | MISSING/<br>INVALID<br>RESPONSE | 6              | 4             | 5          | 2     | 3            |  | 21               |
|                      | %                               | 0.04           | 0.03          | 0.04       | 0.02  | 0.02         |  | 0.14             |
| 10                   | SEX TOTAL                       | 1001           | 609           | 580        | 374   | 543          |  | 3107             |
|                      | %                               | 6.80           | 4.14          | 3.94       | 2.54  | 3.69         |  | 21.12            |

... CONTINUED

| TOTAL SAMPLE: 14,712 |                                 |   | ADP REGION     |               |            |       | ISLAND/COAST | PROVINCIAL<br>TOTAL |
|----------------------|---------------------------------|---|----------------|---------------|------------|-------|--------------|---------------------|
|                      |                                 |   | LOWER MAINLAND | FRASER VALLEY | CENTRAL/SE | NORTH |              |                     |
| 11                   | SEX                             |   |                |               |            |       |              |                     |
|                      | MALE                            | N | 479            | 278           | 248        | 140   | 248          | 1392                |
|                      |                                 | % | 3.26           | 1.89          | 1.68       | 0.95  | 1.68         | 9.46                |
|                      | FEMALE                          | N | 497            | 310           | 279        | 153   | 258          | 1497                |
|                      |                                 | % | 3.38           | 2.11          | 1.90       | 1.04  | 1.75         | 10.18               |
| 12                   | MISSING/<br>INVALID<br>RESPONSE | N | 11             | 3             | 6          | 2     | 4            | 25                  |
|                      |                                 | % | 0.07           | 0.02          | 0.04       | 0.01  | 0.02         | 0.17                |
|                      | SEX<br>TOTAL                    | N | 987            | 591           | 533        | 294   | 509          | 2915                |
|                      |                                 | % | 6.71           | 4.02          | 3.63       | 2.00  | 3.46         | 19.81               |
|                      |                                 |   |                |               |            |       |              |                     |
| GRADE<br>TOTAL       | SEX                             |   |                |               |            |       |              |                     |
|                      | MALE                            | N | 521            | 234           | 231        | 139   | 240          | 1364                |
|                      |                                 | % | 3.54           | 1.59          | 1.57       | 0.94  | 1.63         | 9.27                |
|                      | FEMALE                          | N | 458            | 256           | 218        | 135   | 209          | 1276                |
|                      |                                 | % | 3.11           | 1.74          | 1.48       | 0.92  | 1.42         | 8.67                |
|                      | MISSING/<br>INVALID<br>RESPONSE | N | 2              | 4             | 3          | 1     | 4            | 14                  |
|                      |                                 | % | 0.01           | 0.03          | 0.02       | 0.00  | 0.03         | 0.09                |
|                      | SEX<br>TOTAL                    | N | 980            | 494           | 452        | 275   | 453          | 2654                |
|                      |                                 | % | 6.66           | 3.36          | 3.07       | 1.87  | 3.08         | 18.04               |
|                      |                                 |   |                |               |            |       |              |                     |
|                      | SEX                             |   |                |               |            |       |              |                     |
|                      | MALE                            | N | 2412           | 1440          | 1307       | 855   | 1353         | 7367                |
|                      |                                 | % | 16.39          | 9.79          | 8.88       | 5.81  | 9.20         | 50.07               |
|                      | FEMALE                          | N | 2335           | 1459          | 1320       | 846   | 1269         | 7228                |
|                      |                                 | % | 15.87          | 9.91          | 8.97       | 5.75  | 8.63         | 49.13               |
|                      | MISSING/<br>INVALID<br>RESPONSE | N | 35             | 22            | 30         | 10    | 20           | 117                 |
|                      |                                 | % | 0.24           | 0.15          | 0.21       | 0.07  | 0.13         | 0.80                |
|                      | SEX<br>TOTAL                    | N | 4781           | 2920          | 2657       | 1711  | 2642         | 14712               |
|                      |                                 | % | 32.50          | 19.85         | 18.06      | 11.63 | 17.96        | 100.00              |
|                      |                                 |   |                |               |            |       |              |                     |

sufficient classes had been selected to make up a proportion of the sample equal to that district's proportion of the regional enrolment. Classes were the sampling units. Individuals are the units of analysis.

A total of 14,790 completed questionnaires were received. Questionnaires with a missing or invalid response for grade or region were omitted from further analysis, leaving a total of 14,712 valid questionnaires, upon which this report is based.

In order to report statistics aggregated across the disproportionately sampled region and grade groupings, a weighting scheme was devised. The application of these weights allows the individual responses to be grouped into regional, grade, or provincial aggregations. Table 2 shows the sex-within-grade-by-region cells of the total sample matrix.

The field work of questionnaire administration and data collector logistics was carried out by Campbell Goodell Consultants Ltd. of Vancouver.

### Precision

All percentages reported for this survey are, in reality, approximations of the percentages which exactly describe the B.C. adolescent population (i.e., the percentages which would be gotten if a complete census of the B.C. Grade 8 through Grade 12 population had been carried out). The sampling method used in this survey was designed to accurately, efficiently, and economically make estimates of the actual population parameters. To the degree that this type of survey can be free of error the results reported here are accurate.

A standard way of describing the precision of the percentages in tables such as those presented in this report is through the use of "confidence intervals". These convert each discrete percentage reported in the tables to a range of values by defining the upper and lower limits of the range. For example, if the tabled percentage was 43%, the confidence interval might indicate that a range of two percentage points should be added above and below, resulting in a range from 41% (43-2) to 45% (43+2). It could then be said that the true value of the parameter being estimated was somewhere in the range from 41% to 45%. In addition, a degree of certainty (or "confidence") is usually quoted by saying that such statements (about the percentage band within which the parameter will be found) will be true 19 times out of 20, 99 times out of 100, or at some other level.



In general, the more responses used to compute a percentage, the narrower (i.e., more precise) will be the band defined by the confidence interval. Also, the further from 50% a stated percentage is, the narrower the band.

The computation of confidence intervals for a survey of this complexity is a difficult and very time consuming task. It was decided that such an expenditure could not be justified. Instead, confidence intervals have been estimated, using the computations carried out for comparable surveys by Ontario's Addiction Research Foundation and the University of Michigan's Institute for Survey Research. Percentages in this report should be examined using the confidence intervals in Table B1 in Appendix B. To determine the statistical significance of a difference between two tabled percentages, use the confidence intervals in Table B2 in Appendix B.

Design and analysis advice was provided by two consultants: Daniel Koenig, Sociology Department, University of Victoria and David Bates, Institute for Social Research, York University.

#### Limitations and Biases

In addition to the precision of the results, the matter of bias should be addressed. As mentioned above, this study did not survey all adolescents in British Columbia. It was carried out in the public schools and cannot, strictly, be generalized to those adolescents in other schools or those not enrolled in school at all. In the schools where the survey was run, responses were not available from those students absent on the day of surveying. Also, as participation was voluntary, a small number of individuals present chose not to fill out the questionnaire. To the degree that these two groups (those absent and those choosing not to fill out the form) differ from those who participated, some bias will have been introduced.

Numerically, the survey respondents are a sample of the 185,500 Grade 8 through Grade 12 students in public schools. As there are about 200,000 individuals in the 13 years to 17 years age range in British Columbia, the sampling procedure excluded about 14,500 of the British Columbia adolescent population. In the classes included in the sample, 14.6% of students enrolled were not present in the classroom on the day of the survey. 1.33% of those who were present declined to participate.

Individual questions in the survey had various degrees of success in eliciting responses. Note the figures in the upper left corner of each of the tables in Appendix C and



- Table 3 -

\*\*\* BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
AGE BY GRADE (UNWEIGHTED)

| AGE               | GRADE |       |      |       |      |       |      |       |      |       |       |       |   |   | ALL |  |
|-------------------|-------|-------|------|-------|------|-------|------|-------|------|-------|-------|-------|---|---|-----|--|
|                   | 8     |       | 9    |       | 10   |       | 11   |       | 12   |       |       |       |   |   |     |  |
|                   | N     | %     | N    | %     | N    | %     | N    | %     | N    | %     | N     | %     | N | % |     |  |
| 10 YEARS OR UNDER | 0     | 0.0   | 0    | 0.0   | 1    | 0.0   | 0    | 0.0   | 1    | 0.0   | 2     | 0.0   |   |   |     |  |
| 11 YEARS          | 0     | 0.0   | 0    | 0.0   | 0    | 0.0   | 0    | 0.0   | 0    | 0.0   | 0     | 0.0   |   |   |     |  |
| 12 YEARS          | 18    | 0.6   | 0    | 0.0   | 0    | 0.0   | 0    | 0.0   | 0    | 0.0   | 18    | 0.1   |   |   |     |  |
| 13 YEARS          | 1604  | 51.9  | 17   | 0.6   | 0    | 0.0   | 0    | 0.0   | 0    | 0.0   | 1621  | 11.0  |   |   |     |  |
| 14 YEARS          | 1255  | 40.6  | 1493 | 50.4  | 17   | 0.6   | 1    | 0.0   | 0    | 0.0   | 2766  | 18.8  |   |   |     |  |
| 15 YEARS          | 194   | 6.3   | 1283 | 43.3  | 1528 | 51.4  | 17   | 0.6   | 0    | 0.0   | 3022  | 20.6  |   |   |     |  |
| 16 YEARS          | 15    | 0.5   | 151  | 5.1   | 1236 | 41.6  | 1558 | 54.3  | 16   | 0.6   | 2976  | 20.2  |   |   |     |  |
| 17 YEARS          | 2     | 0.1   | 15   | 0.5   | 171  | 5.7   | 1116 | 38.9  | 1535 | 54.7  | 2839  | 19.3  |   |   |     |  |
| 18 YEARS          | 0     | 0.0   | 3    | 0.1   | 16   | 0.5   | 161  | 5.6   | 1069 | 38.1  | 1249  | 8.5   |   |   |     |  |
| 19 YEARS          | 0     | 0.0   | 0    | 0.0   | 4    | 0.1   | 13   | 0.5   | 152  | 5.4   | 169   | 1.1   |   |   |     |  |
| 20 YEARS OR OLDER | 2     | 0.1   | 2    | 0.1   | 1    | 0.0   | 1    | 0.0   | 34   | 1.2   | 40    | 0.3   |   |   |     |  |
| ALL               | 3090  | 100.0 | 2964 | 100.0 | 2974 | 100.0 | 2867 | 100.0 | 2807 | 100.0 | 14702 | 100.0 |   |   |     |  |

Appendix D; these indicate the number of individuals, out of the provincial or regional totals, who gave valid responses to a specific question. The smaller the number, the more chance there is that some bias will have been introduced by failing to get the answers of the nonresponders.

## RESULTS

In Appendix C is a series of tables, one for each questionnaire item, which gives response percentages, overall and broken down by sex, grade, and Alcohol and Drug Programs region. For each item the number of individuals who responded to that question (out of the provincial total of 14,712) is indicated in its table. These tables will be useful in getting the most simple, unadorned look at the distribution of responses and the number of individuals who actually gave an answer to each item.

In Appendix D are six series of tables, one for each of the five A.D.P. regions plus one for the whole province, in which each questionnaire item's response percentages are broken down by sex and grade, arranged hierarchically. The set of six tables, together, is a complete breakdown of questionnaire response percentages by sex within grade within region. As was reported in the tables in Appendix C, in the upper left of each table, the number of respondents giving valid responses is indicated. In this case, the number should be compared to the total number of useable questionnaires received for that specific region. These regional totals are as follows: Lower Mainland, 3505; Fraser Valley, 3002; Central and Southeast, 2649; North, 2615; and Vancouver Island, Gulf Islands and Powell River, 2941.

The modal ages for the five grades, 8 through 12, are the five ages, 13 years through 17 years respectively. Table 3 shows the breakdown of ages by grades.

In the next sections various topic areas are discussed, with tables and graphs to illustrate the points being made. Reference to individual questionnaire items is made by prefixing the item number with a "Q" (e.g. item 7 will be referred to as Q7).

## Overview

Alcohol was used by a higher proportion of British Columbia adolescents than any other drug studied. Three-quarters of those surveyed had used alcohol during the year preceding the survey. Substantial rates of use were also observed for cannabis, tobacco, hallucinogens, and prescription depressants.

There were no gender differences in terms of the percentages of males and females who had used alcohol during the past year. Males, however, were somewhat heavier drinkers than females, although differences in body weight should be taken into consideration. Males were also more likely to have demonstrated problem behaviour due to alcohol use.

A higher percentage of females than males used tobacco, but rates of utilization for most other drugs did not differ a great deal by gender.

Regional differences in the consumption of alcohol and other drugs were rather small. No definitive regional patterns emerged, although generally the Fraser Valley region, the North region and the Vancouver Island, Gulf Islands and Powell River region more frequently demonstrated higher rates of use than did the other two regions of the Province.

Substantial differences in most survey items by grade were apparent. For most drugs, the percentage of users and the amount consumed increased with grade. The greatest rate of increase in users of tobacco, alcohol, and cannabis occurred between grades 8 and 9. The use of glue and solvents, however, was highest among those in grade 8 and decreased with increasing grade. No consistent grade differences were observed in the use of non-prescription and prescription stimulants, tranquilizers, and barbiturates.

Alcohol was the easiest drug for British Columbia adolescents to obtain. While it was probably expected that a high percentage of grade 12 adolescents would find it "fairly easy" or "very easy" to get alcohol, it may be surprising that three-quarters of grade 8 adolescents also found alcohol relatively easy to obtain. Ease of access to most drugs increased with increasing grade.

Survey results indicate that a significant proportion of British Columbia adolescents consume substantial amounts of alcohol and have demonstrated some personal or social difficulties due to alcohol. For example, almost one-quarter (23.6 %) had been drunk at least once in the previous four weeks and almost one-third (32.0%) stated that they had had five or more drinks on at least one occasion during this period. More than one in five adolescents (21.1%) had gone on a weekend drinking spree three or more times in their lives, 18.5 percent had demonstrated aggressive or destructive behaviour due to alcohol, and 12.2 percent had been warned by the police because of alcohol use. More than one in four adolescents

- Table 4 -

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
PERCENTAGES OF RESPONDENTS WHO HAVE USED ALCOHOL OR OTHER DRUGS  
IN LAST 12 MONTHS BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES<br>VARIES FROM 14,424 TO 14,575 | ALL  |      | SEX  |        | GRADE |      |      |      |      |      |         |        | ADP REGION |       |        |   |   |   |
|-----------------------------------------------------------|------|------|------|--------|-------|------|------|------|------|------|---------|--------|------------|-------|--------|---|---|---|
|                                                           | %    | MALE |      | FEMALE |       | 8    | 9    | 10   | 11   | 12   | L. MAIN | VALLEY | CEN/SE     | NORTH | ISLAND |   |   |   |
|                                                           |      | %    | %    | %      | %     |      |      |      |      |      |         |        |            |       |        | % | % | % |
| TOBACCO: Q8                                               | 28.5 | 25.0 | 31.9 | 19.3   | 27.4  | 29.2 | 33.8 | 33.4 | 28.3 | 30.2 | 21.4    | 31.6   | 32.0       |       |        |   |   |   |
| ALCOHOL: Q9                                               | 74.4 | 75.0 | 73.8 | 55.5   | 69.6  | 78.6 | 83.8 | 86.0 | 67.7 | 74.3 | 79.1    | 79.2   | 78.7       |       |        |   |   |   |
| CANNABIS: Q10                                             | 30.0 | 31.1 | 28.8 | 12.9   | 24.2  | 32.3 | 40.6 | 41.7 | 27.6 | 28.8 | 26.7    | 37.1   | 34.6       |       |        |   |   |   |
| GLUE: Q11                                                 | 2.7  | 3.1  | 2.2  | 3.8    | 3.5   | 2.7  | 1.5  | 1.6  | 2.8  | 3.5  | 1.9     | 1.9    | 2.8        |       |        |   |   |   |
| SOLVENTS (PAINT THINNER, GAS): Q12                        | 3.8  | 4.0  | 3.6  | 5.9    | 5.2   | 3.5  | 2.2  | 2.0  | 3.8  | 4.4  | 3.0     | 3.9    | 4.0        |       |        |   |   |   |
| * INHALANTS (GLUE OR SOLVENTS)                            | 4.9  | 5.4  | 4.4  | 7.3    | 6.5   | 4.8  | 3.0  | 2.7  | 4.8  | 6.1  | 3.8     | 4.6    | 5.1        |       |        |   |   |   |
| LSD: Q26                                                  | 8.8  | 10.1 | 7.5  | 4.8    | 7.9   | 9.3  | 10.5 | 12.0 | 8.8  | 10.6 | 5.2     | 8.9    | 10.5       |       |        |   |   |   |
| PCP: Q24                                                  | 1.9  | 2.3  | 1.6  | 2.7    | 2.2   | 1.8  | 1.5  | 1.3  | 1.7  | 2.3  | 1.7     | 2.2    | 2.0        |       |        |   |   |   |
| HALLUCINOGENS (EXCL. LSD & PCP): Q25                      | 11.3 | 12.9 | 9.6  | 5.1    | 8.9   | 12.3 | 14.6 | 16.1 | 8.4  | 10.6 | 12.1    | 15.4   | 13.9       |       |        |   |   |   |
| * ANY HALLUCINOGEN                                        | 14.2 | 15.8 | 12.4 | 7.6    | 11.9  | 15.3 | 17.1 | 19.7 | 11.8 | 14.4 | 13.3    | 17.9   | 16.7       |       |        |   |   |   |
| COCAINE: Q17                                              | 6.1  | 6.9  | 5.4  | 3.2    | 4.2   | 5.1  | 8.6  | 10.0 | 6.5  | 7.2  | 3.3     | 6.6    | 6.9        |       |        |   |   |   |
| CRACK: Q18                                                | 1.6  | 2.0  | 1.3  | 2.0    | 1.7   | 1.5  | 1.5  | 1.6  | 1.3  | 2.2  | 1.3     | 2.2    | 1.7        |       |        |   |   |   |
| HEROIN: Q15                                               | 1.7  | 2.0  | 1.3  | 2.3    | 1.7   | 1.6  | 1.1  | 1.6  | 1.4  | 2.0  | 1.5     | 2.2    | 1.6        |       |        |   |   |   |
| SPEED: Q16                                                | 6.8  | 7.3  | 6.3  | 4.5    | 6.3   | 6.9  | 8.4  | 8.0  | 5.9  | 9.1  | 4.7     | 8.2    | 7.2        |       |        |   |   |   |
| STIMULANTS (W/O PRESCRIPTION): Q20                        | 9.1  | 6.7  | 11.5 | 5.6    | 10.0  | 10.5 | 10.6 | 9.1  | 8.9  | 9.7  | 7.8     | 10.3   | 9.6        |       |        |   |   |   |
| STIMULANTS (W. PRESCRIPTION): Q21                         | 6.3  | 6.3  | 6.3  | 6.6    | 7.2   | 6.5  | 6.0  | 5.1  | 5.6  | 6.4  | 5.7     | 7.7    | 7.0        |       |        |   |   |   |
| BARBITURATES (W/O PRESCRIPTION): Q13                      | 4.6  | 4.1  | 5.0  | 3.1    | 4.9   | 5.0  | 5.4  | 4.4  | 4.1  | 5.1  | 4.0     | 5.9    | 4.7        |       |        |   |   |   |
| TRANQUILIZERS (W/O PRESCR.): Q22                          | 5.0  | 4.5  | 5.6  | 3.4    | 5.6   | 5.5  | 6.0  | 4.5  | 4.7  | 5.7  | 4.3     | 4.9    | 5.6        |       |        |   |   |   |
| * DEPRESSANTS (W/O PRESCRIPTION)                          | 7.8  | 7.0  | 8.6  | 5.4    | 8.6   | 8.6  | 9.1  | 7.3  | 7.1  | 8.9  | 6.7     | 8.9    | 8.3        |       |        |   |   |   |
| BARBITURATES (W. PRESCRIPTION): Q14                       | 11.3 | 10.7 | 11.9 | 9.7    | 11.6  | 10.8 | 13.3 | 10.9 | 9.3  | 10.4 | 11.6    | 15.1   | 13.0       |       |        |   |   |   |
| TRANQUILIZERS (W. PRESCRIPTION): Q23                      | 6.0  | 5.4  | 6.5  | 4.9    | 6.4   | 5.8  | 6.4  | 6.4  | 5.2  | 7.1  | 5.3     | 5.5    | 7.1        |       |        |   |   |   |
| * DEPRESSANTS (WITH PRESCRIPTION)                         | 15.1 | 14.1 | 16.0 | 12.7   | 15.7  | 14.6 | 17.2 | 15.2 | 12.7 | 15.2 | 15.0    | 18.4   | 17.1       |       |        |   |   |   |
| * PRESCRIPTION (STIM, BARB, TRANO)                        | 18.2 | 17.4 | 19.1 | 16.2   | 19.3  | 18.0 | 19.8 | 17.8 | 15.9 | 18.4 | 17.9    | 22.1   | 20.1       |       |        |   |   |   |


NOTES: \* REPRESENTS A COMBINATION OF DRUGS. "INHALANTS" REFERS TO USE OF GLUE OR SOLVENTS. "ANY HALLUCINOGEN" REFERS TO USE OF LSD, PCP OR OTHER HALLUCINOGENS. "DEPRESSANTS (W/O PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITHOUT A PRESCRIPTION. "DEPRESSANTS (WITH PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITH A PRESCRIPTION. "PRESCRIPTION (STIM, BARB, TRANO)" REFERS TO USE OF STIMULANTS, BARBITURATES, OR TRANQUILIZERS WITH A PRESCRIPTION.

TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE.

REFER TO APPROPRIATE QUESTIONNAIRE ITEMS TO DETERMINE WHAT INDIVIDUAL DRUGS ARE INCLUDED WITHIN EACH DRUG CATEGORY.

.. 13 ..

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Use of Various Substances in Past 12 Months**



- Figure 1 -



(29.3%) reported that their parents do not know how much they drink.

The use of prescription depressants was relatively high among those surveyed and did not differ a great deal by sex, grade, or region. More than 15 percent of adolescents had used tranquilizers or barbiturates during the past year with a doctor's prescription. Frequency of use is difficult to interpret because of the wording of the survey questions. For example, the response category "3 to 5 times" could mean 3 to 5 pills or 3 to 5 prescriptions and the quantity per prescription is not known.

Use of crack within the past year was reported by 1.6 percent of British Columbia adolescents. However, one in ten grade 12 adolescents reported that they had used cocaine during this period.

#### Substance Use

Table 4 and Figure 1 show the prevalence of use of the eighteen substances inquired about in this survey (Q8-Q26). The term "use" here constitutes any consumption of a substance in the twelve months preceding the administration of the survey. For alcohol and tobacco those who had only a single sip or only one cigarette were not considered to be users.


It is clear that alcohol is the substance used by the greatest number of adolescents in B.C., with almost three quarters (74.4%) indicating some use. Cannabis and tobacco are the next most frequently encountered substances, each being used by between one quarter and one third of adolescents (cannabis: 30%, tobacco: 28.5%).

Hallucinogens and prescription barbiturates were each encountered by about one in ten adolescents (11.3% each). Other substances in Figure 1 were reported by less than ten percent. It is useful to note that for a fictitious substance (bindro) use was indicated by 0.8% of respondents. Although there was no corresponding item to check underreporting, it should be kept in mind, especially when reading the data for low incidence substances, that a survey such as this can be prey to both over- and underreporting. As well, the survey error inherent in data generated through sampling procedures must be kept ever in mind, especially when looking at statistics for low incidence items or at small differences between substances.

Frequency of use for alcohol, cannabis, and tobacco is shown in Figures 2-4. In these graphs, based on use over the previous four weeks (Q27-Q29), alcohol is again, clearly, the substance used by the greatest number of




**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Frequency of Alcohol Use in Past Four Weeks**




- Figure 2 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Frequency of Cannabis Use in Past Four Weeks**



- Figure 3 -

**\*\* B. C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Frequency of Tobacco Use in Past Four Weeks**



- Figure 4 -

individuals, followed by tobacco, with cannabis used by the fewest, of the three substances - a reversal from Figure 1 of the relative positions of cannabis and tobacco. The pattern of use for tobacco differs from the other two substances. Tobacco is used more than once per day by a significant proportion of its users, while there are very few alcohol or cannabis users who report such high frequency use. Alcohol and cannabis are used more in a weekly pattern or even less frequently.


Substantial differences by grade were apparent in most survey items. For most drugs, the percentage of users increased with grade. The greatest rate of increase in users of tobacco, alcohol, and cannabis occurred between grades 8 and 9. The use of glue and solvents, however, was highest among those in grade 8 and decreased with increasing grade. No consistent grade differences were observed in the use of nonprescription and prescription stimulants, tranquilizers, and barbiturates.

Use does not differ dramatically between males and females for most substances. An exception is tobacco, where the proportion of females using clearly exceeds the that of males. Female users of stimulants, without prescription, also outnumber male users. Other substance use differences between the sexes are not as great and in many cases cannot

even be considered to be statistically significant. The general pattern of these differences can be described quite succinctly, however: more females than males use tobacco and medical substances (stimulants, barbiturates, and tranquilizers); more males than females use nonmedical substances other than tobacco.

Figures 5 and 6 show patterns of incidence for several substances across grades. Although this sort of analysis does not provide the detail that would be available from a longitudinal study, it does provide a rough look at the effect of maturation. Figure 5 compares the use of alcohol and cannabis. The slope of the curve for each substance is about the same, with the distance between them the same in grade 8 and grade 12. While alcohol incidence is always greater than that for cannabis, roughly the same numbers are recruited to the two substances over the span of grades.

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Alcohol and Cannabis Use by Grade**




- Figure 5 -

Figure 6 compares alcohol to tobacco and inhalants (glue or solvents). Here three quite different curves are seen. The curve for tobacco is less steeply sloped than that for alcohol: fewer individuals are recruited to tobacco between grades eight and twelve. Inhalants, on the other hand is sloped downward: users actually decrease over the period of the high school years. These two graphs also show the lack of distinction between the behaviors of females and males, except with regards to tobacco use.

Looking at the prevalence of substance use across the five Alcohol and Drug Programs regions in Table 4, a general pattern emerges: the regions with the greatest number of users are, consistently, the Fraser Valley Region, the North Region, and the Vancouver Island, Gulf Islands, and Powell River Region. The Lower Mainland Region and the Central and Southeast Region were almost always the regions with the smallest proportion of users.

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Alcohol, Tobacco, and Inhalant Use by Grade**




- Figure 6 -

Figure 7 shows the interaction of frequency of drinking with school marks (Q4). For each level of marks the proportion of adolescents who are high frequency drinkers (once/week or more often) and low frequency drinkers (less than once/week or nondrinkers) is shown. There is a clear progression of an increasing proportion of high frequency drinkers as marks fall.

In Figure 8 a series of graphs shows the relationship between amount of spending money available (Q7) and drinking frequency. At each of three grade levels, grades 8, 10, and 12, the proportion of high frequency drinkers (once/week or more often) to low frequency drinkers (less than once/week or nondrinkers) is shown for the range of spending money responses. Clearly, there is a positive correlation between spending money available and the proportion of more frequent drinkers. This sequence also shows the increasing proportion of higher frequency drinkers with increasing grade level.


**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Usual Marks by Frequency of Alcohol Use**



- Figure 7 -




**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Spending Money by Frequency of Alcohol Use**




- Figure 8 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Difficulty in Getting Substances: Grades 8 and 12**



- Figure 9 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Drinking Contexts**



- Figure 10 -


### Availability

The survey included a question which asked respondents to indicate how easy they thought each of several substances was or would be to get (Q30). Figure 9 shows the percentage of those in grade 8 or grade 12 who thought the respective substance was "fairly easy" or "very easy" to get. It is clear that alcohol, tobacco, and solvents were easy to obtain by a majority in both grade levels and that by grade 12 cannabis as well was quite easily obtained.

### Drinking Contexts


Information was collected on the extent of drinking in each of six contexts (Q61). Figure 10 lists the six situations in the order of their popularity for drinking. Females and males differ very little in their use of these various contexts for drinking. Figure 11 displays the six situations, in the same order, but showing the percentages drinking for high frequency (once/week or more) drinkers and low frequency (less than once/week) drinkers. Drinking over the past year (Q9) is the criterion for level of drinking of an individual. The contexts where there are the greatest disparities between high frequency and low frequency drinkers are those with the greatest societal sanction against drinking.

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Drinking Contexts by Frequency of Drinking**




- Figure 11 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Reasons for First Trying Alcohol**



- Figure 12 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Reasons for Stopping Alcohol Use**



- Figure 13 -


### Reasons for Use of Alcohol and Cannabis

The survey contained questions on the reasons for initiation, noninitiation, cessation, and continuation of use of cannabis and alcohol. See Q31, Q33-Q35, and Q37-Q40 in Appendix A for the full question texts. Each question presented a forced-choice situation where one reason from several offered had to be chosen as the most central to the individual's motivation.

Figures 12-14 show the reasons given for initiation, cessation, and continuation of alcohol. Due to a technical problem the question on noninitiation of alcohol will not be reported. In Figure 12 the most frequently indicated reason for first using alcohol (Q37) was "I wanted to see what it was like". This response was chosen by close to half (45.3%) of those who had tried alcohol. In general, the responses to this question indicate that the initiation of alcohol use is more a matter of curiosity or social pressure and less a way of dealing with problems.


In Figure 13, displaying the reasons for stopping alcohol use (Q39), the three reasons which were most often chosen (by those who have stopped drinking) are "I was just experimenting with it and did not intend to use it again" (23.8%), "I have other things which I enjoy doing" (14.6%), and "I am not interested in using it anymore" (14.3%). These responses suggest that the decision to cease drinking was made, in the majority of cases, not so much to avoid alcohol related problems but rather because of the relative lack of appeal of alcohol use.

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Reasons for Continuing Alcohol Use**



- Figure 14 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Reasons for First Trying Cannabis**



- Figure 15 -




In Figure 14, showing the reasons indicated by current drinkers for continuing to drink (Q40), the most frequently chosen response was "It is fun" (33.9%). The second and third most frequently chosen responses are "I am old enough to drink carefully" (12.5%) and "It makes me feel good" (10.9%). These responses, like those for the initiation of drinking, suggest that most alcohol users drink because of alcohol's positive attractiveness, rather than its utility for dealing with other, negative aspects of their lives.

Figures 15-18 show the reasons for initiation, noninitiation, cessation, and continuation of cannabis. Figure 15 displays the reasons for using cannabis which were chosen by individuals who have used it (Q31). This graph is much like the comparable one for alcohol discussed above. Three fifths (59.7%) of cannabis users indicated that the reason they first used it was "I wanted to see what it was like". Escaping problems of life appears to be a motivation reported relatively rarely compared to curiosity.


**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***

**Reasons for Not Trying Cannabis**




- Figure 16 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Reasons for Stopping Cannabis Use**



- Figure 17 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Reasons for Continuing Cannabis Use**



- Figure 18 -


Figure 16 shows the levels of response by lifetime cannabis abstainers to various reasons for not using it (Q33). Disinterest accounted for over half of the responses, with "I am not interested in it" drawing 44.3% of responses and "I have other things I enjoy doing" drawing 10.5%. Over one quarter of abstaining individuals indicated that they never used cannabis because of concern for their individual well-being. "I think it might be harmful to my health" was indicated by 22.2% of nonusers; 7.8% chose "I am afraid of what it might do to me".

In Figure 17 are reasons for halting their cannabis use by former users (Q34). The three most frequently chosen reasons concerned novelty or general lack of interest and accounted for over half of the responses: "I am not interested in using it any more" (20.3%), "I was just experimenting with it and did not intend to use it again" (19.3%), and "I have other things I enjoy doing" (15.1%). Reasons relating to individual effects added up to more than another quarter of the responses: "I thought it might be harmful to my health" (14.5%), "I did not like what it did to me" (11.5%), and "I thought it might be addictive" (3.7%).

The final graph in this group is Figure 18. Here are the responses to various reasons for continuing to use cannabis (Q35). Like the reasons for continuing to use alcohol, the most frequently chosen are those relating to the enjoyment of the substance, which account for almost half of the responses: "It is fun" (30.4%) and "It makes me feel good" (18.4%). The next most frequently chosen reasons had to do (unlike those for alcohol) with life problems: "It helps me forget about problems at home and school" (9.5%) and "I am bored, there is nothing else to do" (5.5%).


An interesting curiosity in these data on alcohol and cannabis reasons is that, although there is little difference overall in the responses for the two sexes, males very consistently showed more concern for those reasons which referred to health. When offered as a reason for avoiding or stopping use of alcohol or cannabis, and even when included in the list of reasons for continuing each substance, health was more likely to be given as a reason by males.

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Problems as a Result of Drinking or Drugs**



- Figure 19 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Problems as a Result of Drinking or Drugs**




- Figure 20 -

### Problem Behaviour

Figures 19 and 20 display the percentages of individuals who ever experienced each of eleven problems related to alcohol and drug use. See Q44-Q47, Q51-Q55, Q57, and Q58 in Appendix A for the exact text of questions. Figure 19 shows the lifetime prevalence of these problems in the general population, specified by sex. Weekend sprees and memory loss have each occurred once or more often in over 25% of the adolescent population. Aggressive behaviour, drinking with or before breakfast, and police warnings each have occurred in over ten percent of adolescents. Not only are the differences between males and females in some of these behaviours quite clear, but the percentages for males is greater than that for females for every question. Despite the fact that the male half of the adolescent population has a greater proportion of individuals who experience various alcohol and drug problems, a substantial proportion of females does experience several of these difficulties.


When the population of adolescents is restricted to those who have used alcohol in the past year and is separated into those who drank once a week or more often and those who drank less frequently, the difference in prevalence of the eleven problems is, not surprisingly, much more distinct between the two groups. Figure 20 shows the prevalence for these two subgroups (note the change of scale from Figure 19). A much greater proportion of high frequency drinkers experience such problems than do those who drink less frequently.

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Frequency of Alcohol Use**



- Figure 21 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Drinking Abuse: Having 5 or more Drinks**




- Figure 22 -



Figure 21 gives a summary, for the total population, of how often individuals drink. Those who had not drunk (or only had one sip) made up one quarter (25.6%) of adolescents. Those who had drunk but did so less often than once per week made up almost three fifths (57%) of adolescents. Those who had drunk once per week or more often made up a bit less than a final fifth (17.3) of adolescents. Females and males do not differ much in this regard, although the tendency is for females to drink less often than males.


Figures 22 and 23 show results for Q43 which asked how often in the past four weeks an individual had had five or more drinks on the same occasion. In Figure 22 the dark bars show the progression of incidence across grades for those who had drunk in the past four weeks. The light bars show the same progression for all adolescents. With increasing grade, the prevalence of this type of abuse rises in the general population and also rises in the population of drinkers. The curves described by these two groups necessarily tend to converge as the proportion of drinkers increases in the higher grades. Figure 23 shows how often individuals engage in this type of abuse.

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Drinking Abuse: Times Having 5 or more Drinks**




- Figure 23 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Drinking Abuse: Getting "Tight" or "Drunk"**



- Figure 24 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Average Drinks at One Time: Beer**




- Figure 25 -

Whereas the incidence of individuals who had had five or more drinks on one occasion rises across grades, the proportion of individuals who said they got either "tight" or "drunk" (Q41, Q42) does not rise (see Figure 24). Increasing proportions of young people are engaging in heavy drinking, but the proportion of them who see themselves as having these specific effects from drinking remains relatively constant.


Figures 25 - 30 show results from the three questions which asked for information on how much individuals drank at one time (Q48-Q50). Data for those who drank less than once a week are graphed in Figures 25, 26, and 27. For more frequent drinkers, see Figures 28, 29, and 30. For each group, results are shown for three types of alcoholic drinks: beer, wine, and liquor. For each type of drink, those who drink more frequently tend to drink more at one time as well. Drinkers of wine display the greatest moderation, with beer drinkers being the most immoderate.

\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*  
Average Drinks at One Time: Wine




- Figure 26 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Average Drinks at One Time: Liquor**




- Figure 27 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Average Drinks at One Time: Beer**




- Figure 28 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Average Drinks at One Time: Wine**




- Figure 29 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Average Drinks at One Time: Liquor**




- Figure 30 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Drinking/Driving Problems**



- Figure 31 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Accidents in Last 12 Months by Alcohol Use**




- Figure 32 -




Figures 31 and 32 show the effects of drinking on driving (see Q56, Q57, and Q58 in Appendix A). Figure 31 shows the proportion of all adolescents who report having been involved in an accident while driving, and as well shows the comparable proportion for adolescents who reported drinking in the past year. This figure also shows the proportion of the total adolescent population who have been involved in drinking-driving accidents and those who have been convicted of a drinking-driving offence. Although the difference in accidents between all adolescents and drinkers does not appear great, Figure 32 provides another look at the effect of drinking on the incidence of accidents. Higher frequency drinkers make up a minor segment of the population, but the rate of accidents among them is markedly greater.

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Wish to Use Alcohol Less**



- Figure 33 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Wish to Use Drugs Less**




- Figure 34 -

### Motivation to Change Alcohol or Drug Use

Five questions were asked about the individual's desire to use alcohol less or other drugs less (Q54 and Q52), about interaction with police regarding alcohol use and other drug use (Q53 and Q51), and about the individual's parents' opinions about the individual's alcohol use. See Appendix A for exact wording of the questions and Appendix C for the univariate results for each question.


Figures 33 and 34 show the level of concern by the individual about excessive use of alcohol and other drugs (Q54, Q52). Figure 35 shows the extent of concern of individuals' parents about their drinking (as perceived by the individual adolescents)(Q55). For all three of these questions concern is never expressed by more than one tenth of individuals. Individuals' own concern about reduction of substance use is fairly consistent across grades. The perceived concern of individuals' parents tends to rise with increasing grade level

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Parents Think You Drink Too Much Alcohol**




- Figure 35 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Wish to Use Alcohol Less than Do Now by Alcohol Use**



- Figure 36 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Parents Think that You Drink Too Much by Alcohol Use**




- Figure 37 -

Figures 36 and 37 show adolescents' and parents' concern about drinking (Q54, Q55), broken down by the frequency of drinking over the past year (Q9). At low drinking frequencies individuals concerned exceed parents concerned. At higher drinking frequencies this relationship reverses: more individuals perceive their parents to be concerned about their drinking than are concerned themselves.

Figure 38 shows another analysis of individuals' wishes to reduce alcohol use. This graph displays the percentage of individuals who wish to use alcohol less, broken down by the number of alcohol related problems they indicated having. The problems included in this analysis are those regarding drinking sprees (Q44), drinking before breakfast (Q45), aggressive behaviour (Q46), memory loss (Q47), police warnings (Q53), drinking-driving accidents (Q57), and drinking-driving convictions (Q58). Clearly, there are greater proportions of individuals who wish to reduce alcohol use among those reporting more problems. A note of caution: the number of respondents who actually reported seven problems related to alcohol was only twenty-three; of the twenty-three only four said they wished to drink less. Nevertheless, the trend shown in this graph is clear even though the absolute value of some of the percentages is less so.

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Wish to Use Alcohol Less than Do Now by Number of Problems**




- Figure 38 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***

**Wish to Use Drugs Less than Do Now, by Cannabis Use**

Frequency of Cannabis Use  
in Past 4 Weeks:




- Figure 39 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***

**Drug Arrests/Warnings, by Cannabis Use**

Frequency of Cannabis Use  
in Past 4 Weeks:



- Figure 40 -




Figure 39 shows, similarly to Figure 36, the effect of frequency of use on motivation to use less. In general, for comparable frequency of use levels, cannabis users are more highly motivated to cut down use. Like alcohol users, cannabis users show an unclear trend toward stronger motivation with more frequent use.

A clearer trend is shown in Figure 40. Here the percentage of adolescents who have been arrested or warned regarding drug use is broken down by the frequency of cannabis use in the past four weeks. Not surprisingly, more frequent use is associated with more police involvement.

#### Alcohol and Drug Education


Figure 41 shows the number of alcohol and drug education classes reported by adolescents (Q60). Two thirds (67.8%) have had no more than two classes in their lives. Figure 42 shows the number of individuals who reported having had any alcohol and drug education classes since the beginning of the school year (Q59). The proportion of students who receive this sort of class clearly is greater in the initial three years of high school.

#### **\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*** **Alcohol and Drug Education Ever**




- Figure 41 -

**\*\* B.C. ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\***  
**Alcohol and Drug Education Since September**



- Figure 42 -

**\*\* B.C. ALCOHOL AND DRUG ADOLESCENT SURVEY: 1987 \*\***  
**Substance Use Interprovincial Comparison**



- Figure 43 -

## CONCLUSIONS

As this is the first time that adolescent substance use has been surveyed province-wide in British Columbia, there is no possibility of comparing the present statistics with those from an earlier time. It is possible, however, to compare the British Columbia survey with those from other jurisdictions to try to place these results in a context.

There are two Canadian surveys of adolescent substance use which were based on a similar design. The Alcohol and Drug Dependency Commission of New Brunswick surveyed grade 7 through grade 12 public school students in 1986. The Addiction Research Foundation in Ontario surveyed students in grades 7, 9, 11, and 13 in 1987. These two studies are used here for purposes of contrast.

In an attempt to make the results as directly comparable as possible, the New Brunswick grade 8 through grade 12 statistics have been averaged, rather than using their published overall results, which include grade 7 students. The curve of incidence of use across grades is more steeply sloped at the lower grades surveyed than at the higher. Therefore, the Ontario survey, spanning a range of alternate years from one grade below those surveyed in British Columbia to one grade above, will likely be biased slightly downward, relative to this report's results, when overall, provincial figures are used.

The published New Brunswick statistics for alcohol and tobacco use include the responses "had a sip to try it" and "tried once", respectively. To make their statistics comparable to those for British Columbia and Ontario, where these two responses were not included in those indicating use, the New Brunswick incidence levels have been reduced accordingly from what was shown in their Preliminary Report.

Taking into consideration the above, plus the fact that New Brunswick's survey was run in the year previous to the other two, the surveys run in the three provinces can be usefully compared.

Figure 43 shows the incidence of use of alcohol, cannabis, and tobacco in British Columbia, Ontario, and New Brunswick. Adolescent use of alcohol and cannabis in British Columbia exceeds such use in either of the other two provinces. The proportion of British Columbia's adolescents who use alcohol (74.4%) is slightly more than 6% greater than either of the other two provinces. Ontario's adolescent use rate for cannabis (15.9%) is slightly more than half of British Columbia's (30%). For

tobacco, British Columbia's incidence of adolescent use is about halfway between the other two provinces, with New Brunswick the highest at 33.7% and Ontario the lowest at 24%.

In summary, then, while British Columbia is roughly similar to other provinces in proportion of adolescent substance users, more of its adolescents use alcohol and cannabis than do those of either of the two provinces available for direct comparison.

REFERENCES

- Bachman JG, Johnstone LD, and O'Malley PM. Monitoring the Future - Questionnaire Responses from the Nation's High School Seniors: 1984. Ann Arbor, Michigan: Institute for Social Research, University of Michigan, 1985.
- Campbell E. Preliminary Report of the 1986 Provincial School Drug Survey. Fredericton, New Brunswick: The Alcoholism and Drug Dependency Commission of New Brunswick, 1987.
- Kish L. Survey Sampling. New York: John Wiley and Sons, Inc., 1965.
- Moser CA and Kalton G. Survey Methods in Social Investigation (Second Edition). New York: Basic Books, Inc., 1971.
- Smart RG. Guidelines for the Development of Canadian Surveys of Alcohol and Drug Use Among Students. Ottawa: Ministry of National Health and Welfare, 1985.
- Smart RG, Adlaf EM, and Goodstadt MS. Alcohol and Other Drug Use Among Students in 1985, and Trends Since 1977. Toronto, Ontario: Alcoholism and Drug Addiction Research Foundation, 1985.
- Smart RG, and Adlaf EM. Alcohol and Other Drug Use Among Ontario Students in 1987, and Trends Since 1977. Toronto, Ontario: Addiction Research Foundation, 1987.





## APPENDIX A

## TEXT OF SURVEY QUESTIONNAIRE

Province of British Columbia      Ministry of Health  
Alcohol and Drug Programs      1515 Blanshard Street  
Victoria, BC. V8W 3C8  
Telephone: (604)387-3166

### Instructions

This questionnaire is part of a Province-wide study of high school students in which your school is participating. The questions ask what students like yourself know about alcohol and other drugs, how you feel about those substances and what you do about using them. There is no assumption that students who answer the questionnaire have ever used alcohol or other drugs.

DO NOT PUT YOUR NAME ON THE QUESTIONNAIRE. The information you give is to be kept completely confidential. No one will ever be able to connect the information you put down with you personally. We ask you, therefore, to be completely honest and accurate when you answer the questions. If you do not wish to answer a question, please leave it blank.

THANK YOU FOR YOUR HELP.

USE PENCIL ONLY

Fill in circles completely.  
Erase completely any changes.  
DO NOT make stray marks on the pages.

1. How old are you?
- ☐ 10 years of age or younger
- ☐ 11 years
- ☐ 12 years
- ☐ 13 years
- ☐ 14 years
- ☐ 15 years
- ☐ 16 years
- ☐ 17 years
- ☐ 18 years
- ☐ 19 years
- ☐ 20 years or older
2. Are you male or female?
- ☐ Male ☐ Female

3. What grade are you in?
- ☐ Grade 7
  - ☐ Grade 8
  - ☐ Grade 9
  - ☐ Grade 10
  - ☐ Grade 11
  - ☐ Grade 12
4. What marks do you usually get in all your subjects at school?  
(Check your overall average)
- ☐ A - 86% - 100%
  - ☐ B - 73% - 85%
  - ☐ C - 60% - 72%
  - ☐ P - 50% - 59%
  - ☐ F - below 50%
5. What is your father's employment status?
- ☐ Permanently employed (working full-time for himself or someone else)
  - ☐ Unemployed permanently (disabled or retired)
  - ☐ Seasonally employed (fishing, road maintenance, construction, etc.)
  - ☐ Intermittently employed (no steady job)
  - ☐ Do not know or no longer living
6. What is your mother's employment status?
- ☐ Full-time homemaker (does not have a job outside the home)
  - ☐ Permanently employed
  - ☐ Unemployed permanently (disabled or retired)
  - ☐ Seasonally employed
  - ☐ Intermittently employed
  - ☐ Do not know or no longer living
7. How much money do you have to spend each week (from jobs, allowances, etc.)?
- ☐ Less than \$5
  - ☐ Between \$5 and \$10
  - ☐ Between \$10 and \$20
  - ☐ Between \$20 and \$30
  - ☐ Between \$30 and \$50
  - ☐ Over \$50
8. In the last 12 months, how often did you use tobacco?
- ☐ I did not use tobacco in the last 12 months.
  - ☐ I tried one cigarette in the last 12 months.
  - ☐ I had less than 1 cigarette a day.
  - ☐ I had 1 or 2 cigarettes a day.
  - ☐ I had 3 to 5 cigarettes a day.
  - ☐ I had 6 to 10 cigarettes a day.
  - ☐ I had 11 to 15 cigarettes a day.
  - ☐ I had 16 to 20 cigarettes a day.
  - ☐ I had more than 20 cigarettes a day.

9. In the last 12 months, how often have you used alcohol - Liquor (rum, whisky, etc.), Wine or Beer?
- ☐ I did not drink alcohol at all in the last 12 months.
  - ☐ I had a sip of alcohol to see what it is like.
  - ☐ I only drank at special events (e.g. Christmas or weddings).
  - ☐ I drank alcohol once a month or less often.
  - ☐ I drank alcohol about 2 or 3 times a month.
  - ☐ I drank alcohol about once a week.
  - ☐ I drank alcohol about 2 or 3 times a week.
  - ☐ I drank alcohol about 4 or 5 times a week.
  - ☐ I drank alcohol almost every day -- 6 or 7 times a week.
10. In the last 12 months, how often did you use cannabis (also known as Marijuana, "Grass", "Pot", Hashish, "Hash", Hash Oil)?
- ☐ I do not know what cannabis is
  - ☐ I did not use cannabis in the last 12 months
  - ☐ I used cannabis 1 or 2 times
  - ☐ I used cannabis 3 to 5 times
  - ☐ I used cannabis 6 to 9 times
  - ☐ I used cannabis 10 to 19 times
  - ☐ I used cannabis 20 to 39 times
  - ☐ I used cannabis 40 or more times
11. In the last 12 months, how often did you sniff glue (e.g., airplane glue, contact cement, etc.) in order to get high?
- ☐ I did not sniff glue to get high in the last 12 months
  - ☐ I sniffed glue to get high 1 or 2 times
  - ☐ I sniffed glue to get high 3 to 5 times
  - ☐ I sniffed glue to get high 6 to 9 times
  - ☐ I sniffed glue to get high 10 to 19 times
  - ☐ I sniffed glue to get high 20 to 39 times
  - ☐ I sniffed glue to get high 40 or more times
12. In the last 12 months, how often did you sniff solvents (such as nail polish remover, paint thinner or gasoline, etc.) in order to get high?
- ☐ I did not sniff a solvent to get high in the last 12 months
  - ☐ I sniffed a solvent to get high 1 or 2 times
  - ☐ I sniffed a solvent to get high 3 to 5 times
  - ☐ I sniffed a solvent to get high 6 to 9 times
  - ☐ I sniffed a solvent to get high 10 to 19 times
  - ☐ I sniffed a solvent to get high 20 to 39 times
  - ☐ I sniffed a solvent to get high 40 or more times
13. In the last 12 months, how often did you take barbiturates (e.g. "Bombers", Seconal, Amytal, etc.) without a prescription or without a doctor telling you to take them?
- ☐ I do not know what barbiturates are.
  - ☐ I did not take any barbiturates in the last 12 months w/o a prescription or w/o a doctor telling me to.

13. (continued)

- ☐ I took barbiturates 1 or 2 times w/o a prescription.
- ☐ I took barbiturates 3 to 5 times w/o a prescription.
- ☐ I took barbiturates 6 to 9 times w/o a prescription.
- ☐ I took barbiturates 10 to 19 times w/o a prescription.
- ☐ I took barbiturates 20 to 39 times w/o a prescription.
- ☐ I took barbiturates 40 or more times w/o a prescription.

14. In the last 12 months, how often did you take barbiturates with a prescription or because a doctor told you to take them?

- ☐ I do not know what barbiturates are.
- ☐ I did not take any barbiturates in the last 12 months with a prescription or with a doctor telling me to.
- ☐ I took barbiturates 1 or 2 times with a prescription.
- ☐ I took barbiturates 3 to 5 times with a prescription.
- ☐ I took barbiturates 6 to 9 times with a prescription.
- ☐ I took barbiturates 10 to 19 times with a prescription.
- ☐ I took barbiturates 20 to 39 times with a prescription.
- ☐ I took barbiturates 40 or more times with a prescription.

15. In the last 12 months, how often did you use heroin (also known as "H", "Junk", or "Smack")?

- ☐ I do not know what heroin is.
- ☐ I did not use heroin in the last 12 months.
- ☐ I used heroin 1 or 2 times.
- ☐ I used heroin 3 to 5 times.
- ☐ I used heroin 6 to 9 times.
- ☐ I used heroin 10 to 19 times.
- ☐ I used heroin 20 to 39 times.
- ☐ I used heroin 40 or more times.

16. In the last 12 months, how often did you use the drug called "Speed"?

- ☐ I do not know what speed is.
- ☐ I did not use speed in the last 12 months.
- ☐ I used speed 1 or 2 times.
- ☐ I used speed 3 to 5 times.
- ☐ I used speed 6 to 9 times.
- ☐ I used speed 10 or 19 times.
- ☐ I used speed 20 to 39 times.
- ☐ I used speed 40 or more times.

17. In the last 12 months, how often did you use cocaine (also known as "Coke", "Snow", "Snort", "Blow", etc.)?

- ☐ I do not know what cocaine is
- ☐ I did not use cocaine in the last 12 months
- ☐ I used cocaine 1 or 2 times
- ☐ I used cocaine 3 to 5 times
- ☐ I used cocaine 6 to 9 times
- ☐ I used cocaine 10 to 19 times
- ☐ I used cocaine 20 to 39 times
- ☐ I used cocaine 40 or more times

18. In the last 12 months, how often did you use "crack"?  
[ ] I do not know what crack is.  
[ ] I did not use crack in the last 12 months.  
[ ] I used crack 1 or 2 times.  
[ ] I used crack 3 to 5 times.  
[ ] I used crack 6 to 9 times.  
[ ] I used crack 10 to 19 times.  
[ ] I used crack 20 to 39 times.  
[ ] I used crack 40 or more times.
19. In the last 12 months, how often did you use bindro (flake or power) in order to get high?  
[ ] I do not know what bindro is.  
[ ] I did not use bindro in the last 12 months.  
[ ] I used bindro 1 or 2 times.  
[ ] I used bindro 3 to 5 times.  
[ ] I used bindro 6 to 9 times.  
[ ] I used bindro 10 to 19 times.  
[ ] I used bindro 20 to 39 times.  
[ ] I used bindro 40 or more times.
20. In the last 12 months, how often did you use stimulants other than cocaine (such as "Uppers", "Beans", "Christmas Tree", "Black Beauties", Diet Pills, et.) without a prescription or without a doctor telling you to take them?  
[ ] I do not know what stimulant pills are.  
[ ] I did not use stimulant pills in the last 12 months w/o a prescription or w/o a doctor telling me to.  
[ ] I used stimulant pills 1 or 2 times w/o a prescription.  
[ ] I used stimulant pills 3 to 5 times w/o a prescription.  
[ ] I used stimulant pills 6 to 9 times w/o a prescription.  
[ ] I used stimulant pills 10 to 19 times w/o a prescription.  
[ ] I used stimulant pills 20 to 39 times w/o a prescription.  
[ ] I used stimulant pills 40 or more times w/o a prescription.
21. In the last 12 months, how often did you use stimulant pills with a prescription or because a doctor told you to take them?  
[ ] I do not know what stimulant pills are.  
[ ] I did not use stimulant pills in the last 12 months w/o a prescription or without a doctor telling me to.  
[ ] I used stimulant pills 1 or 2 times with a prescription.  
[ ] I used stimulant pills 3 to 5 times with a prescription.  
[ ] I used stimulant pills 6 to 9 times with a prescription.  
[ ] I used stimulant pills 10 to 19 times with a prescription.  
[ ] I used stimulant pills 20 to 39 times with a prescription.  
[ ] I used stimulant pills 40 or more times with a prescription.

22. In the last 12 months, how often did you use tranquilizers (such as Valium, Librium, Serax, "Tranqs", "5's", etc.) w/o a prescription or w/o a doctor telling you to take them?

☐ I do not know what tranquilizers pills are.  
☐ I did not use tranquilizers pills in the last 12 months without a prescription or w/o a doctor telling me to.  
☐ I used tranquilizers pills 1 or 2 times w/o a prescription.  
☐ I used tranquilizers pills 3 to 5 times w/o a prescription.  
☐ I used tranquilizers pills 6 to 9 times w/o a prescription.  
☐ I used tranquilizers pills 10 to 19 times w/o a prescription.  
☐ I used tranquilizers pills 20 to 39 times w/o a prescription.  
☐ I used tranquilizers pills 40 or more times w/o a prescription.

23. In the last 12 months, how often did you use tranquilizers (such as Valium, Librium, Serax, "Tranqs", "5's", etc.) with a prescription or because a doctor told you to take them?

☐ I do not know what tranquilizers pills are.  
☐ I did not use tranquilizers pills in the last 12 months with a prescription or because a doctor told me to take them.  
☐ I used tranquilizers pills 1 or 2 times with a prescription.  
☐ I used tranquilizers pills 3 to 5 times with a prescription.  
☐ I used tranquilizers pills 6 to 9 times with a prescription.  
☐ I used tranquilizers pills 10 to 19 times with a prescription.  
☐ I used tranquilizers pills 20 to 39 times with a prescription.  
☐ I used tranquilizers pills 40 or more times with a prescription.

24. In the last 12 months, how often did you use the drug PCP (also known as "Angel Dust", "Dust", "Horse Tranquilizer", etc.)?

☐ I do not know what PCP is.  
☐ I did not use PCP in the last 12 months.  
☐ I used PCP 1 or 2 times.  
☐ I used PCP 3 to 5 times.  
☐ I used PCP 6 to 9 times.  
☐ I used PCP 10 to 19 times.  
☐ I used PCP 20 to 39 times.  
☐ I used PCP 40 or more times.

25. In the last 12 months, how often did you use hallucinogens, other than LSD or PCP (e.g., Mescaline and Psilocybin, "Magic Mushrooms", "Mesc", etc.)?

☐ I do not know what hallucinogens are.  
☐ I did not use hallucinogens in the last 12 months.  
☐ I used hallucinogens 1 or 2 times.  
☐ I used hallucinogens 3 to 5 times.  
☐ I used hallucinogens 6 to 9 times.  
☐ I used hallucinogens 10 to 19 times.  
☐ I used hallucinogens 20 to 39 times.  
☐ I used hallucinogens 40 or more times.



26. In the last 12 months, how often did you use LSD or "Acid"?

- ☐ I do not know what LSD is.
- ☐ I did not use LSD in the last 12 months.
- ☐ I used LSD 1 or 2 times.
- ☐ I used LSD 3 to 5 times.
- ☐ I used LSD 6 to 9 times.
- ☐ I used LSD 10 or 19 times.
- ☐ I used LSD 20 to 39 times.
- ☐ I used LSD 40 or more times.

The next three questions ask about the use of substances during the last four weeks.

27. During the last four weeks, how often did you smoke cigarettes?

- ☐ I did not smoke cigarettes at all in the last 4 weeks.
- ☐ I smoked cigarettes 1 or 2 times in the last 4 weeks.
- ☐ I smoked cigarettes 1 or 2 times each week in the last 4 weeks.
- ☐ I smoked cigarettes 3 or 4 times each week in the last 4 weeks.
- ☐ I smoked cigarettes 5 or 6 times each week in the last 4 weeks.
- ☐ I smoked cigarettes once each day in the last 4 weeks.
- ☐ I smoked cigarettes more than once each day in the last 4 weeks.

28. During the last four weeks, how often (if ever) did you use cannabis (Marijuana, "Grass", "Pot", Hashish)?

- ☐ I do not know what cannabis is.
- ☐ I did not use cannabis at all in the last 4 weeks.
- ☐ I used cannabis 1 or 2 times in the last 4 weeks.
- ☐ I used cannabis 1 or 2 times each week in the last 4 weeks.
- ☐ I used cannabis 3 or 4 times each week in the last 4 weeks.
- ☐ I used cannabis 5 or 6 times each week in the last 4 weeks.
- ☐ I used cannabis once each day in the last 4 weeks.
- ☐ I used cannabis more than once each day in the last 4 weeks.

29. During the last four weeks, how often did you drink alcohol (liquor, wine or beer)?

- ☐ I did not drink alcohol at all in the last 4 weeks.
- ☐ I drank alcohol 1 or 2 times in the last 4 weeks.
- ☐ I drank alcohol 1 or 2 times each week in the last 4 weeks.
- ☐ I drank alcohol 3 or 4 times each week in the last 4 weeks.
- ☐ I drank alcohol 5 or 6 times each week in the last 4 weeks.
- ☐ I drank alcohol once each day in the last 4 weeks.
- ☐ I drank alcohol more than once each day in the last 4 weeks.

30. Some drugs are easier to get w/o a doctor's order than other drugs. How easy or difficult was it (or would it have been) to get each of the drugs listed below in the last 12 months, even if you did not use them or want to use them?

|                                | Impossible<br>to Get     | Difficult<br>to Get      | Fairly<br>Easy to<br>Get | Very<br>Easy<br>to Get   | I don't<br>Know          |
|--------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Alcohol                        | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Tobacco                        | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Cannabis (Marijuana, Hashish)  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Hallucinogens (LSD, PCP, etc.) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Amphetamines (Speed, etc.)     | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Heroin                         | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Cocaine (Coke)                 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Crack                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Bindro                         | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Tranquilizers                  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Barbiturates                   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Glue/Solvents                  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

The next six questions ask about the use of Cannabis (also known as Marijuana, "Grass", "Pot", Hashish, "Hash", Hash Oil). Please answer all six questions even if you do not use Cannabis now.

31. Which one of the following comes closest to the reason you tried cannabis the First time? (Fill in one answer only)

- ☐ I do not know what cannabis is.  
☐ I have never tried cannabis.

I TRIED CANNABIS BECAUSE:

- ☐ I wanted to see what it was like.  
☐ My friends were using it.  
☐ It seemed like fun.  
☐ I thought it would calm me down.  
☐ I wanted to escape from worries about home or school.  
☐ I was old enough to use it safely.  
☐ I heard it could make me feel good.  
☐ I was bored, there was nothing else to do.  
☐ Some other reason.

32. When (if ever) did you first try cannabis?

- ☐ I do not know what cannabis is.
- ☐ I have never tried cannabis.
- ☐ I first tried cannabis in Grade 4 or before.
- ☐ I first tried cannabis in Grade 5.
- ☐ I first tried cannabis in Grade 6.
- ☐ I first tried cannabis in Grade 7.
- ☐ I first tried cannabis in Grade 8.
- ☐ I first tried cannabis in Grade 9.
- ☐ I first tried cannabis in Grade 10.
- ☐ I first tried cannabis in Grade 11.
- ☐ I first tried cannabis in Grade 12.

33. If you have never tried cannabis, which one of the following comes closest to your reason for not trying it? (Fill in one answer only.)

- ☐ I do not know what cannabis is.

I HAVE NEVER TRIED CANNABIS BECAUSE:

- ☐ I think it might be harmful to my health.
- ☐ I think it might be addictive.
- ☐ It is illegal to use it.
- ☐ I would get into trouble with my parents or teachers.
- ☐ I would get into trouble with the police.
- ☐ I can not get any.
- ☐ I can not afford it.
- ☐ I am not interested in it.
- ☐ I am afraid of what it might do to me.
- ☐ I have other things I enjoy doing.
- ☐ My friends do not use it.
- ☐ Some other reason.

- ☐ I have tried cannabis at least once.

34. If you have tried cannabis but do not use it now, which one of the following comes closest to your reason for not using it now? (Fill in one answer only)

- ☐ I do not know what cannabis is.
- ☐ I have never used cannabis.

34. (Continued)

I STOPPED USING CANNABIS BECAUSE:

- ☐ I thought it might be harmful to my health.
- ☐ I thought it might be addictive.
- ☐ My parents made me stop.
- ☐ It is illegal to use it.
- ☐ I was just experimenting with it and did not intend to use it again.
- ☐ I am not interested in using it anymore.
- ☐ I got into trouble (with my parents or teachers) because I had used it.
- ☐ My friends stopped using it.
- ☐ I got into trouble with the police because I had used it.
- ☐ I did not like what it did to me.
- ☐ I have other things I enjoy doing.
- ☐ I was convinced to stop by educational efforts.
- ☐ Some other reason.
- ☐ I still use cannabis.

35. If you are still using cannabis, which one of the following comes closest to the reason you are still using it? (Fill in one answer only.)

- ☐ I do not know what cannabis is.
- ☐ I have never used cannabis.
- ☐ I have stopped using cannabis.

I HAVE CONTINUED USING CANNABIS BECAUSE:

- ☐ It is fun.
  - ☐ My friends still use it.
  - ☐ I find I cannot stop using it.
  - ☐ It help me get along with my friends.
  - ☐ It makes it easier to do school work.
  - ☐ It is good for my health.
  - ☐ It calms me down.
  - ☐ It helps me forget about problems at home and school.
  - ☐ Adults say it is not a good thing to do.
  - ☐ I am bored, there is nothing else to do.
  - ☐ I am old enough to use it carefully.
  - ☐ It makes me feel good.
  - ☐ Other reasons (specify below).
-

36. During the last month how often did you use cannabis?

- ☐ I do not know what cannabis is
- ☐ I did not use cannabis in the last month
- ☐ I used cannabis 1 or 2 times in the last month.
- ☐ I used cannabis 3 to 5 times in the last month.
- ☐ I used cannabis 6 to 9 times in the last month.
- ☐ I used cannabis 10 to 19 times in the last month.
- ☐ I used cannabis 20 to 39 times in the last month.
- ☐ I used cannabis 40 or more times in the last month.

The next fifteen questions ask about the use of alcohol, that is, beer, wine and liquor. Please answer all fifteen questions even if you do not use alcohol.

37. Which one of the following comes closest to the reason you tried alcohol for the first time? (Fill in one answer only)

- ☐ I have never tried alcohol.
- ☐ I wanted to see what it was like.
- ☐ My friends were drinking.
- ☐ It seemed like fun.
- ☐ I thought it would calm me down.
- ☐ I wanted to escape from worries about home or school.
- ☐ I was old enough to use it safely.
- ☐ I heard it could make me feel good.
- ☐ I was bored, there was nothing else to do.
- ☐ Some other reason.

38. If you have never tried alcohol, which one of the following comes closest to your reason for not trying it? (Fill in one answer only)

- ☐ I think it might be harmful to my health.
- ☐ I think it might be addictive.
- ☐ It's illegal for me to drink.
- ☐ I would get into trouble with my parents or teachers.
- ☐ I would get into trouble with the police.
- ☐ I can not get any.
- ☐ I can not afford it.
- ☐ I am not interested in it.
- ☐ I am afraid of what it might do to me.
- ☐ I have other things I enjoy doing.
- ☐ My friends do not drink.
- ☐ It's against my religion.
- ☐ Some other reason.

39. If you used to drink alcohol but do not drink now, which one of the following comes closest to your reason for not drinking now? (Fill in one answer only.)

☐ I have never drunk alcohol.

I STOPPED USING ALCOHOL BECAUSE:

- ☐ I think it might be harmful to my health.  
☐ I think it might be addictive.  
☐ My parents made me stop.  
☐ It is illegal to use it.  
☐ I was just experimenting with it and did not intend to use it again.  
☐ I am not interested in using it anymore.  
☐ I got into trouble (with my parents or teachers) because I had used it.  
☐ My friends stopped using it.  
☐ I got into trouble with the police because I had used it.  
☐ I did not like what it did to me.  
☐ I have other things I enjoy doing.  
☐ I was convinced to stop by educational efforts.  
☐ Some other reason.

☐ I still use alcohol.

40. If you are still drinking alcohol which one of the following comes closest to the reason you are still using it? (Fill in one answer only)

- ☐ I do not know what alcohol is.  
☐ I have never drunk alcohol.  
☐ I have stopped drinking alcohol.

I HAVE CONTINUED DRINKING ALCOHOL BECAUSE

- ☐ It is fun.  
☐ My friends still drink it.  
☐ I find I cannot stop drinking.  
☐ It help me get along with my friends.  
☐ It makes it easier to do school work.  
☐ It is good for my health.  
☐ It calms me down.  
☐ It helps me forget about problems at home and school.  
☐ Adults say it is not a good thing to do.  
☐ I am bored, there is nothing else to do.  
☐ I am old enough to drink carefully.  
☐ It makes me feel good.  
☐ Other reasons (specify below).
-



41. How many times in the last four weeks has drinking alcohol made you tight (that is, you had enough to drink so that it became difficult for you to walk properly or talk clearly?)
- ☐ I do not drink alcohol.
  - ☐ I have not had a drink of alcohol in the last 4 weeks.
  - ☐ I have not been tight in the last 4 weeks.
  - ☐ I have been tight 1 time in the last 4 weeks.
  - ☐ I have been tight 2 times in the last 4 weeks.
  - ☐ I have been tight 3 times in the last 4 weeks.
  - ☐ I have been tight 4 times in the last 4 weeks.
  - ☐ I have been tight 5 or more times in the last 4 weeks.
42. How many times in the last four weeks has drinking alcohol made you drunk (that is, you had so much to drink that you could not do what you wanted to do, or you threw up)?
- ☐ I do not drink alcohol.
  - ☐ I have not had a drink of alcohol in the last 4 weeks.
  - ☐ I have not been drunk in the last 4 weeks.
  - ☐ I have been drunk 1 time in the last 4 weeks.
  - ☐ I have been drunk 2 times in the last 4 weeks.
  - ☐ I have been drunk 3 times in the last 4 weeks.
  - ☐ I have been drunk 4 times in the last 4 weeks.
  - ☐ I have been drunk 5 or more times in the last 4 weeks.
43. How many times in the last four weeks have you had five or more drinks of alcohol on the same occasion?
- ☐ I do not drink alcohol.
  - ☐ I have not had a drink of alcohol in the last 4 weeks.
  - ☐ I have not had five or more drinks on the same occasion in the last 4 weeks.
  - ☐ Once in the last 4 weeks I had five or more drinks on the same occasion.
  - ☐ Twice in the last 4 weeks I had five or more drinks on the same occasion.
  - ☐ Three times in the last 4 weeks I had five or more drinks on the same occasion.
  - ☐ Four times in the last 4 weeks I had five or more drinks on the same occasion.
  - ☐ Five or more times in the last 4 weeks I had five or more drinks on the same occasion.
44. How often have you gone on weekend drinking sprees, that is, have you been high or tight for most of Saturday or Sunday?
- ☐ I have never drunk alcohol
  - ☐ Never in my life
  - ☐ Once in my life
  - ☐ Twice in my life
  - ☐ Three or more times in my life

45. How often have you had one or more alcoholic drinks before breakfast or instead of breakfast?  
☐ I have never drunk alcohol.  
☐ Never in my life.  
☐ Once in my life.  
☐ Twice in my life.  
☐ Three or more times in my life.
46. How often has your drinking alcohol led to aggressive or destructive behaviour like picking fights for no reason, damaging parked cars or other property, playing dangerous jokes on others, etc.?  
☐ I have never drunk alcohol.  
☐ Never in my life.  
☐ Once in my life.  
☐ Twice in my life.  
☐ Three or more times in my life.
47. How often have you awakened after a party or drinking spree with no idea of where you have been or what you did after a certain point, although you had not passed out?  
☐ I have never drunk alcohol.  
☐ Never in my life.  
☐ Once in my life.  
☐ Twice in my life.  
☐ Three or more times in my life.
48. On the average, how much beer do you usually drink at any one time?  
☐ None: I do not drink beer.  
☐ 1-3 bottles of beer.  
☐ 4-6 bottles of beer.  
☐ 7 or more bottles of beer.
49. On the average, how much wine do you usually drink at any one time?  
☐ None: I do not drink wine.  
☐ 1-3 glasses of wine.  
☐ 4-6 glasses of wine.  
☐ 7 or more glasses of wine.
50. On the average, how much hard liquor (e.g. rum, whiskey or vodka, etc.) do you usually drink at any one time?  
☐ None: I do not drink hard liquor.  
☐ 1-3 drinks of hard liquor.  
☐ 4-6 drinks of hard liquor.  
☐ 7 or more drinks of hard liquor.

51. Have you ever been arrested or warned by the police because of your use of a drug other than alcohol?  
☐ I do not use drugs.  
☐ Yes  
☐ No
52. Do you wish you could use drugs less than you do now?  
☐ I do not use drugs.  
☐ Yes  
☐ No
53. Have you ever been warned by the police because of your use of alcohol?  
☐ I do not use alcohol.  
☐ Yes  
☐ No
54. Do you wish you could drink less than you do now?  
☐ I do not use alcohol.  
☐ Yes  
☐ No
55. Do your parents think that you drink too much alcohol?  
☐ I do not use alcohol.  
☐ Yes  
☐ No  
☐ I do not know  
☐ My parents do not know how much alcohol I drink
56. How often, in the last 12 months, were you involved in an accident while you were driving?  
☐ Never  
☐ Once  
☐ Twice  
☐ Three times  
☐ Four times  
☐ Five times or more
57. How often, in the last 12 months, were you involved in a n accident while you were driving after drinking?  
☐ Never  
☐ Once  
☐ Twice  
☐ Three times  
☐ Four times  
☐ Five times or more

58. Have you ever been convicted of a drinking-driving offense (such as impaired driving, exceeding 80 mg. [the legal blood-alcohol level], or refusal to provide a breath sample)?

- ☐ Never
- ☐ Once
- ☐ Twice
- ☐ Three times
- ☐ Four times
- ☐ Five times or more

59. Have you had any alcohol or drug education in school since September?

- ☐ Yes
- ☐ No
- ☐ I do not know

60. How many classes or lectures have you ever had which talked about alcohol or drugs?

- ☐ None
- ☐ 1 or 2
- ☐ 3 to 5
- ☐ 6 to 10
- ☐ 11 to 20
- ☐ More than 20

61. Please indicate how often you drink beer, wine or liquor in each of the following settings, places or occasions. Indicate your answer for each question -- one answer in each row. (If you do not drink at all please indicate at the bottom of the question).

|                                                                                                     | Do not<br>Drink in<br>This<br>Setting | Sometimes                | Frequently               | Most of<br>the Time      |
|-----------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------|--------------------------|--------------------------|
| At teenage parties when others are drinking and your parents or other adults <u>are not</u> present | <input type="checkbox"/>              | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| At home on special occasions, such as birthdays, or holidays such as Thanksgiving, etc.             | <input type="checkbox"/>              | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Driving around or sitting in a car at night.                                                        | <input type="checkbox"/>              | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| At dinner at home with the family                                                                   | <input type="checkbox"/>              | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

61. (Continued)

Do not  
Drink in  
This  
Setting Sometimes Frequently Most of  
the Time

At places where teenagers hang  
around when their parents or  
other adults are not present

[ ] [ ] [ ] [ ]

During or after a school  
activity such as a dance or  
football game when your parents  
or other adults you know are  
not present or cannot see you

[ ] [ ] [ ] [ ]

I do not drink beer, wine or liquor at all.

[ ]

In this next question we are interested in knowing the substances that  
you have ever used in your lifetime and the order in which you first  
used them

62. FIRST, fill in the N in the column nearest the name of the drug  
if you have NEVER used it or if you do not know what the drug is.  
NEXT, for each drug that you have used at some time, please fill  
in the appropriately numbered circle in the order in which you  
have used it (e.g. if tobacco was the first drug you ever used,  
fill in the circle marked (1); then, opposite the second drug you  
ever used, fill in the circle marked (2). Continue until you  
have ordered all the drugs that you have ever used. When you  
have finished, you should have filled in a circle opposite every  
substance listed, indicating that you have either never used the  
drug, or showing the order in which you first used the drug.

Alcohol N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19

Tobacco N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19

Cannabis (Marijuana, "Grass",  
Hashish, Hash Oil) N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19

Glue (airplane glue, contact  
cement) N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19

62. (Continued)

|                                                                                |   |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |
|--------------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|
| Solvents (nail polish remover, gasoline)                                       | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Barbiturates <u>w/o Dr.'s advice</u><br>("Bombers", Seconal, Amytal)           | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Barbiturates <u>with Dr.'s advice</u>                                          | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Heroin ("H", "Junk", "Smack")                                                  | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Speed                                                                          | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Cocaine ("Coke", "Snort", "Snow")                                              | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Crack                                                                          | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Bindro                                                                         | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Stimulants <u>w/o Dr.'s advice</u><br>("Uppers", "Black Beauties", diet pills) | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Stimulants <u>with Dr.'s advice</u>                                            | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Tranquilizers <u>w/o Dr.'s advice</u> (Valium, Librium Serax)                  | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Tranquilizers <u>with Dr.'s advice</u>                                         | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| LSD ("Acid")                                                                   | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| PCP ("Dust", "Horse Tranquilizers", "Angel Dust")                              | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Hallucinogens, other than LSD or PCP ("Magic Mushrooms", Psilocybin)           | N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |



## APPENDIX B

TABLE B1

### 95% Confidence Intervals Around Single Percentage Values

#### Instructions

To compute a confidence interval around any of the tabled percentage values in Appendix C or Appendix D, follow the four steps below.

Step 1. Compute an Adjusted N value based on the "NUMBER OF VALID RESPONSES TO:" figure in the upper left corner of the tables in Appendix C or Appendix D. For Appendix C percentages, divide the corner figure by the amount in the chart below according to the column in which the percentage of interest is found.

| ALL | SEX  |        | GRADE |    |    |    |    | ADP REGION |        |        |       |        |
|-----|------|--------|-------|----|----|----|----|------------|--------|--------|-------|--------|
|     | MALE | FEMALE | 8     | 9  | 10 | 11 | 12 | L. MAIN    | VALLEY | CEN/SE | NORTH | ISLAND |
| 3   | 6    | 6      | 15    | 15 | 15 | 15 | 15 | 13         | 15     | 17     | 17    | 15     |

For Appendix D percentages, divide the figure by the amount in the chart below according to the column in which the percentage of interest is found.

| GRADE |        |     |      |        |     |      |        |     |      |        |     |      |        |     | ALL GRADES |        |     |
|-------|--------|-----|------|--------|-----|------|--------|-----|------|--------|-----|------|--------|-----|------------|--------|-----|
| 8     |        |     | 9    |        |     | 10   |        |     | 11   |        |     | 12   |        |     |            |        |     |
| MALE  | FEMALE | ALL | MALE | FEMALE | ALL | MALE | FEMALE | ALL | MALE | FEMALE | ALL | MALE | FEMALE | ALL | MALE       | FEMALE | ALL |
| 30    | 30     | 15  | 30   | 30     | 15  | 30   | 30     | 15  | 30   | 30     | 15  | 30   | 30     | 15  | 6          | 6      | 3   |

Step 2. Locate the row in Table B1 with the "Adjusted N" label closest to the Adjusted N value computed in Step 1.

Step 3. Locate the column in Table B1 with the "Observed Percentages" label which is closest to the percentage of interest. For percentages below 50, look along the labels at the tops of the columns. For percentages above 50 look among labels at the bottoms of the columns.

Step 4. Read along (up or down) the column located in Step 3 to the point where it intersects with the row defined by the Adjusted N value located in Step 2. At this intersection of the appropriate row and column, read a pair of figures. These two figures should then be arithmetically related to the percentage of interest using the function indicated ("+" or "-") in the box adjacent to appropriate "Observed Percentages" label.

TABLE B1 (continued)

An example:

Consider the percentage of grade 10 individuals who smoked only one cigarette in the past year. The response category "TRIED ONE CIGARETTE" under the "GRADE 10" group for "Q8: TOBACCO USE IN LAST 12 MO." in Appendix C is "14.6". What is the 95% confidence interval around this statistic?

1. Calculate the Adjusted N value for the percentages under the "GRADE 10" column for "Q8: TOBACCO USE IN LAST 12 MO." in Appendix C: divide 14,424 by 15, resulting in a value of 961.6.
2. The "Adjusted N" label in Table B1 which is closest to 961.6 is "1000".
3. The "OBSERVED PERCENTAGES" label in Table B1 which is nearest to 14.6% is "15%"
4. The intersection of the "15%" column with the row labeled "1000" yields the figures "2.1" and "2.3". The operators under the "15%" column label indicate that 2.1 should be subtracted from 14.6% and 2.3 should be added to 14.6%. This results in an interval from 12.5% to 16.9%. Statistically speaking, the true percentage of grade 8 students (i.e. the percentage which would be determined by a complete census of all grade 8 students) who tried one cigarette in the past year is between 12.5% and 16.9% and the confidence with which this statement can be made is such that the statement will be true 19 times out of 20 (i.e. at the 95% level).

Note: Tables B1 and B2 and their instructions are adapted from Smart, RG; Adlaf, EM; and Goodstadt, MS, Alcohol and Other Drug Use Among Ontario Students in 1985, and Trends Since 1977. Toronto: Alcoholism and Drug Addiction Research Foundation, 1985.

### 95% Confidence Intervals Around Single Percentage Values

| For observed percentages up to 50%, read <u>DOWN</u> the appropriate column:    |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |   |
|---------------------------------------------------------------------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
|                                                                                 |      | 1%  |     | 3%  |     | 5%  |     | 10% |     | 15% |     | 20% |     | 30% |     | 50% |   |
|                                                                                 |      | -   | +   | -   | +   | -   | +   | -   | +   | -   | +   | -   | +   | -   | +   | -   | + |
| Adjusted N:                                                                     | 100  | 0.8 | 4.4 | 2.0 | 5.5 | 2.8 | 6.2 | 4.5 | 7.4 | 5.7 | 8.3 | 6.7 | 8.9 | 8.1 | 9.6 | 9.6 |   |
|                                                                                 | 200  | 0.7 | 2.6 | 1.6 | 3.4 | 2.3 | 4.0 | 3.4 | 4.9 | 4.3 | 5.6 | 5.0 | 6.1 | 5.9 | 6.7 | 6.9 |   |
|                                                                                 | 300  | 0.7 | 1.9 | 1.4 | 2.6 | 1.9 | 3.1 | 2.9 | 3.9 | 3.6 | 4.5 | 4.1 | 4.9 | 4.9 | 5.4 | 5.6 |   |
|                                                                                 | 400  | 0.6 | 1.5 | 1.3 | 2.2 | 1.7 | 2.6 | 2.6 | 3.3 | 3.2 | 3.8 | 3.6 | 4.2 | 4.3 | 4.7 | 4.9 |   |
|                                                                                 | 500  | 0.6 | 1.3 | 1.2 | 1.9 | 1.6 | 2.3 | 2.3 | 2.9 | 2.9 | 3.4 | 3.3 | 3.7 | 3.9 | 4.2 | 4.4 |   |
|                                                                                 | 700  | 0.5 | 1.0 | 1.0 | 1.5 | 1.4 | 1.9 | 2.0 | 2.4 | 2.5 | 2.8 | 2.8 | 3.1 | 3.3 | 3.5 | 3.7 |   |
|                                                                                 | 1000 | 0.5 | 0.8 | 0.9 | 1.3 | 1.2 | 1.5 | 1.7 | 2.0 | 2.1 | 2.3 | 2.4 | 2.6 | 2.8 | 2.9 | 3.1 |   |
|                                                                                 | 1500 | 0.4 | 0.6 | 0.8 | 1.0 | 1.0 | 1.2 | 1.4 | 1.6 | 1.7 | 1.9 | 1.9 | 2.1 | 2.3 | 2.4 | 2.5 |   |
|                                                                                 | 2000 | 0.4 | 0.5 | 0.7 | 0.8 | 0.9 | 1.0 | 1.2 | 1.4 | 1.5 | 1.6 | 1.7 | 1.8 | 2.0 | 2.0 | 2.2 |   |
|                                                                                 | 3000 | 0.3 | 0.4 | 0.6 | 0.7 | 0.7 | 0.8 | 1.0 | 1.1 | 1.2 | 1.3 | 1.4 | 1.5 | 1.6 | 1.7 | 1.8 |   |
| 4000                                                                            | 0.3  | 0.4 | 0.5 | 0.6 | 0.6 | 0.7 | 0.9 | 1.0 | 1.1 | 1.1 | 1.2 | 1.3 | 1.4 | 1.4 | 1.5 |     |   |
| 5000                                                                            | 0.2  | 0.3 | 0.4 | 0.5 | 0.6 | 0.6 | 0.8 | 0.9 | 1.0 | 1.0 | 1.1 | 1.1 | 1.3 | 1.3 | 1.4 |     |   |
|                                                                                 |      | -   | +   | -   | +   | -   | +   | -   | +   | -   | +   | -   | +   | -   | +   | ±   |   |
|                                                                                 |      | 99% |     | 97% |     | 95% |     | 90% |     | 85% |     | 80% |     | 70% |     | 50% |   |
| For observed percentages of 50% or over, read <u>UP</u> the appropriate column: |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |   |

TABLE B2

95% Confidence Intervals for Differences Between  
Two Percentages

Instructions

To compute a confidence interval around the difference between two percentage values from the tables in Appendix C or Appendix D, follow the five steps below.

Step 1. Locate the sub-table in Table B2 which is labeled with the percentage value which is closest to the two percentages being compared.

Step 2. Compute an Adjusted N value for each of the two percentages being compared. Use Step 1. from the instructions for Table B1 to determine each of the Adjusted N values.

Step 3. Find the row and column headed with "Adjusted N" labels which are closest to the two values computed in Step 2.

Step 4. Locate the value at the intersection of the row and column headed with the two Adjusted N labels found above.

Step 5. Take the value located in Step 4 and add it to and subtract it from the difference between the two percentages being compared. The resultant limits define the 95% confidence interval for the difference.

Step 6. If the table entry from Table B2 is smaller than the difference between the two percentages being compared, then the difference is significant at the 95% level. If the Table B2 entry is larger than the difference, the resultant confidence interval will contain the value zero, indicating that the difference is not distinct from zero, and therefore is not statistically significant.

An example:

Consider the percentages for "MALE" and "FEMALE" groups to the response "NONE" for "Q8: TOBACCO USE IN LAST 12 MO." in Appendix C. The percentages are 61.8 and 52.1, respectively. The difference between these two percentages is 9.7. Is this difference significant?

1. The sub-table labeled "p = 50%" is the one most appropriate to the two percentages.

TABLE B2 (continued)

2. To find the Adjusted N values for these two groups ("MALE" and "FEMALE"), divide 14,424 by 6 for each, resulting in both values being 2404.

3. The nearest labels to 2404 in the "ADJUSTED N" column and row heads are "2000" and "2000".

4. The intersection of the row labeled "2000" and the column labeled "2000" yields the value "3.1".

5. Adding 3.1 to 9.7 gives 12.8; subtracting 3.1 from 9.7 gives 6.6. The 95% confidence interval around the difference 9.7 is from 6.6 to 12.8.

6. The table entry, 3.1, is smaller than the difference, 9.7, therefore there is a statistically significant difference between the proportion of males who did not smoke in the past year and the proportion of females who did not smoke.

#### 95% Confidence Intervals for Differences Between Two Percentages

|             |      | Adjusted N: |     |     |     |     |     |      |      |      |      |      |      |  |
|-------------|------|-------------|-----|-----|-----|-----|-----|------|------|------|------|------|------|--|
|             |      | 100         | 200 | 300 | 400 | 500 | 700 | 1000 | 1500 | 2000 | 3000 | 4000 | 5000 |  |
| Adjusted N: | 100  | 2.8         |     |     |     |     |     |      |      |      |      |      |      |  |
|             | 200  | 2.4         | 2.0 |     |     |     |     |      |      |      |      |      |      |  |
|             | 300  | 2.3         | 1.8 | 1.6 |     |     |     |      |      |      |      |      |      |  |
|             | 400  | 2.2         | 1.7 | 1.5 | 1.4 |     |     |      |      |      |      |      |      |  |
|             | 500  | 2.1         | 1.6 | 1.4 | 1.3 | 1.2 |     |      |      |      |      |      |      |  |
|             | 700  | 2.1         | 1.6 | 1.3 | 1.2 | 1.1 | 1.0 |      |      |      |      |      |      |  |
|             | 1000 | 2.0         | 1.5 | 1.3 | 1.2 | 1.1 | 1.0 | 0.9  |      |      |      |      |      |  |
|             | 1500 | 2.0         | 1.5 | 1.2 | 1.1 | 1.0 | 0.9 | 0.8  | 0.7  |      |      |      |      |  |
|             | 2000 | 2.0         | 1.4 | 1.2 | 1.1 | 1.0 | 0.9 | 0.8  | 0.7  | 0.6  |      |      |      |  |
|             | 3000 | 2.0         | 1.4 | 1.2 | 1.0 | 0.9 | 0.8 | 0.7  | 0.6  | 0.6  | 0.5  |      |      |  |
|             | 4000 | 2.0         | 1.4 | 1.2 | 1.0 | 0.9 | 0.8 | 0.7  | 0.6  | 0.5  | 0.5  | 0.4  |      |  |
|             | 5000 | 2.0         | 1.4 | 1.2 | 1.0 | 0.9 | 0.8 | 0.7  | 0.6  | 0.5  | 0.5  | 0.4  | 0.4  |  |

p = 1% or 99%

|             |      | 100 | 200 | 300 | 400 | 500 | 700 | 1000 | 1500 | 2000 | 3000 | 4000 | 5000 |
|-------------|------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| Adjusted N: | 100  | 4.7 |     |     |     |     |     |      |      |      |      |      |      |
|             | 200  | 4.1 | 3.3 |     |     |     |     |      |      |      |      |      |      |
|             | 300  | 3.9 | 3.1 | 2.7 |     |     |     |      |      |      |      |      |      |
|             | 400  | 3.7 | 2.9 | 2.6 | 2.4 |     |     |      |      |      |      |      |      |
|             | 500  | 3.7 | 2.8 | 2.4 | 2.2 | 2.1 |     |      |      |      |      |      |      |
|             | 700  | 3.6 | 2.7 | 2.3 | 2.1 | 2.0 | 1.8 |      |      |      |      |      |      |
|             | 1000 | 3.5 | 2.6 | 2.2 | 2.0 | 1.8 | 1.6 | 1.5  |      |      |      |      |      |
|             | 1500 | 3.5 | 2.5 | 2.1 | 1.9 | 1.7 | 1.5 | 1.4  | 1.2  |      |      |      |      |
|             | 2000 | 3.4 | 2.5 | 2.1 | 1.8 | 1.7 | 1.5 | 1.3  | 1.1  | 1.1  |      |      |      |
|             | 3000 | 3.4 | 2.4 | 2.0 | 1.8 | 1.6 | 1.4 | 1.2  | 1.1  | 1.0  | 0.9  |      |      |
|             | 4000 | 3.4 | 2.4 | 2.0 | 1.8 | 1.6 | 1.4 | 1.2  | 1.0  | 0.9  | 0.8  | 0.7  |      |
|             | 5000 | 3.4 | 2.4 | 2.0 | 1.7 | 1.6 | 1.3 | 1.2  | 1.0  | 0.9  | 0.8  | 0.7  | 0.7  |

p = 3% or 97%

TABLE B2 (continued)

|             |      | Adjusted N: |     |     |     |     |     |      |      |      |      |      |      |  |
|-------------|------|-------------|-----|-----|-----|-----|-----|------|------|------|------|------|------|--|
|             |      | 100         | 200 | 300 | 400 | 500 | 700 | 1000 | 1500 | 2000 | 3000 | 4000 | 5000 |  |
| Adjusted N: | 100  | 6.0         |     |     |     |     |     |      |      |      |      |      |      |  |
|             | 200  | 5.2         | 4.3 |     |     |     |     |      |      |      |      |      |      |  |
|             | 300  | 4.9         | 3.9 | 3.5 |     |     |     |      |      |      |      |      |      |  |
|             | 400  | 4.8         | 3.7 | 3.3 | 3.0 |     |     |      |      |      |      |      |      |  |
|             | 500  | 4.7         | 3.6 | 3.1 | 2.9 | 2.7 |     |      |      |      |      |      |      |  |
|             | 700  | 4.6         | 3.4 | 2.9 | 2.7 | 2.5 | 2.3 |      |      |      |      |      |      |  |
|             | 1000 | 4.5         | 3.3 | 2.8 | 2.5 | 2.3 | 2.1 | 1.9  |      |      |      |      |      |  |
|             | 1500 | 4.4         | 3.2 | 2.7 | 2.4 | 2.2 | 2.0 | 1.7  | 1.6  |      |      |      |      |  |
|             | 2000 | 4.4         | 3.2 | 2.6 | 2.3 | 2.1 | 1.9 | 1.7  | 1.5  | 1.4  |      |      |      |  |
|             | 3000 | 4.3         | 3.1 | 2.6 | 2.3 | 2.1 | 1.8 | 1.6  | 1.4  | 1.2  | 1.1  |      |      |  |
| 4000        | 4.3  | 3.1         | 2.6 | 2.2 | 2.0 | 1.8 | 1.5 | 1.3  | 1.2  | 1.0  | 1.0  |      |      |  |
| 5000        | 4.3  | 3.1         | 2.5 | 2.2 | 2.0 | 1.7 | 1.5 | 1.3  | 1.1  | 1.0  | 0.9  | 0.9  |      |  |

|             | 100 | 200 | 300 | 400 | 500 | 700 | 1000 | 1500 | 2000 | 3000 | 4000 | 5000 |
|-------------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| Adjusted N: |     |     |     |     |     |     |      |      |      |      |      |      |
| 100         | 8.3 |     |     |     |     |     |      |      |      |      |      |      |
| 200         | 7.2 | 5.9 |     |     |     |     |      |      |      |      |      |      |
| 300         | 6.8 | 5.4 | 4.8 |     |     |     |      |      |      |      |      |      |
| 400         | 6.6 | 5.1 | 4.5 | 4.2 |     |     |      |      |      |      |      |      |
| 500         | 6.4 | 4.9 | 4.3 | 3.9 | 3.7 |     |      |      |      |      |      |      |
| 700         | 6.3 | 4.7 | 4.1 | 3.7 | 3.4 | 3.1 |      |      |      |      |      |      |
| 1000        | 6.2 | 4.6 | 3.9 | 3.5 | 3.2 | 2.9 | 2.6  |      |      |      |      |      |
| 1500        | 6.1 | 4.4 | 3.7 | 3.3 | 3.0 | 2.7 | 2.4  | 2.1  |      |      |      |      |
| 2000        | 6.0 | 4.4 | 3.6 | 3.2 | 2.9 | 2.6 | 2.3  | 2.0  | 1.9  |      |      |      |
| 3000        | 6.0 | 4.3 | 3.6 | 3.1 | 2.8 | 2.5 | 2.1  | 1.9  | 1.7  | 1.5  |      |      |
| 4000        | 6.0 | 4.3 | 3.5 | 3.1 | 2.8 | 2.4 | 2.1  | 1.8  | 1.6  | 1.4  | 1.3  |      |
| 5000        | 5.9 | 4.2 | 3.5 | 3.1 | 2.8 | 2.4 | 2.0  | 1.7  | 1.6  | 1.4  | 1.2  | 1.2  |

|             | 100 | 200 | 300 | 400 | 500 | 700 | 1000 | 1500 | 2000 | 3000 | 4000 | 5000 |
|-------------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| Adjusted N: |     |     |     |     |     |     |      |      |      |      |      |      |
| 100         | 9.9 |     |     |     |     |     |      |      |      |      |      |      |
| 200         | 8.6 | 7.0 |     |     |     |     |      |      |      |      |      |      |
| 300         | 8.1 | 6.4 | 5.7 |     |     |     |      |      |      |      |      |      |
| 400         | 7.8 | 6.1 | 5.3 | 4.9 |     |     |      |      |      |      |      |      |
| 500         | 7.7 | 5.9 | 5.1 | 4.7 | 4.4 |     |      |      |      |      |      |      |
| 700         | 7.5 | 5.6 | 4.8 | 4.4 | 4.1 | 3.7 |      |      |      |      |      |      |
| 1000        | 7.3 | 5.4 | 4.6 | 4.1 | 3.8 | 3.4 | 3.1  |      |      |      |      |      |
| 1500        | 7.2 | 5.3 | 4.4 | 3.9 | 3.6 | 3.2 | 2.9  | 2.6  |      |      |      |      |
| 2000        | 7.2 | 5.2 | 4.3 | 3.8 | 3.5 | 3.1 | 2.7  | 2.4  | 2.2  |      |      |      |
| 3000        | 7.1 | 5.1 | 4.2 | 3.7 | 3.4 | 2.9 | 2.6  | 2.2  | 2.0  | 1.8  |      |      |
| 4000        | 7.1 | 5.1 | 4.2 | 3.7 | 3.3 | 2.9 | 2.5  | 2.1  | 1.9  | 1.7  | 1.6  |      |
| 5000        | 7.1 | 5.0 | 4.2 | 3.6 | 3.3 | 2.8 | 2.4  | 2.1  | 1.9  | 1.6  | 1.5  | 1.4  |



TABLE B2 (concluded)

|             |      | Adjusted N: |     |     |     |     |     |      |      |      |      |      |      |  |
|-------------|------|-------------|-----|-----|-----|-----|-----|------|------|------|------|------|------|--|
|             |      | 100         | 200 | 300 | 400 | 500 | 700 | 1000 | 1500 | 2000 | 3000 | 4000 | 5000 |  |
| Adjusted N: | 100  | 11.1        |     |     |     |     |     |      |      |      |      |      |      |  |
|             | 200  | 9.6         | 7.8 |     |     |     |     |      |      |      |      |      |      |  |
|             | 300  | 9.1         | 7.2 | 6.4 |     |     |     |      |      |      |      |      |      |  |
|             | 400  | 8.8         | 6.8 | 6.0 | 5.5 |     |     |      |      |      |      |      |      |  |
|             | 500  | 8.6         | 6.6 | 5.7 | 5.3 | 5.0 |     |      |      |      |      |      |      |  |
|             | 700  | 8.4         | 6.3 | 5.4 | 4.9 | 4.6 | 4.2 |      |      |      |      |      |      |  |
|             | 1000 | 8.2         | 6.1 | 5.2 | 4.6 | 4.3 | 3.9 | 3.5  |      |      |      |      |      |  |
|             | 1500 | 8.1         | 5.9 | 5.0 | 4.4 | 4.0 | 3.6 | 3.2  | 2.9  |      |      |      |      |  |
|             | 2000 | 8.0         | 5.8 | 4.9 | 4.3 | 3.9 | 3.4 | 3.0  | 2.7  | 2.5  |      |      |      |  |
|             | 3000 | 8.0         | 5.7 | 4.7 | 4.2 | 3.8 | 3.3 | 2.9  | 2.5  | 2.3  | 2.0  |      |      |  |
|             | 4000 | 7.9         | 5.7 | 4.7 | 4.1 | 3.7 | 3.2 | 2.8  | 2.4  | 2.1  | 1.9  | 1.8  |      |  |
|             | 5000 | 7.9         | 5.7 | 4.7 | 4.1 | 3.7 | 3.2 | 2.7  | 2.3  | 2.1  | 1.8  | 1.7  | 1.6  |  |

p = 20% or 80%

|             |      | 100  | 200 | 300 | 400 | 500 | 700 | 1000 | 1500 | 2000 | 3000 | 4000 | 5000 |
|-------------|------|------|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| Adjusted N: | 100  | 12.7 |     |     |     |     |     |      |      |      |      |      |      |
|             | 200  | 11.0 | 9.0 |     |     |     |     |      |      |      |      |      |      |
|             | 300  | 10.4 | 8.2 | 7.3 |     |     |     |      |      |      |      |      |      |
|             | 400  | 10.0 | 7.8 | 6.9 | 6.4 |     |     |      |      |      |      |      |      |
|             | 500  | 9.8  | 7.5 | 6.6 | 6.0 | 5.7 |     |      |      |      |      |      |      |
|             | 700  | 9.6  | 7.2 | 6.2 | 5.6 | 5.3 | 4.8 |      |      |      |      |      |      |
|             | 1000 | 9.4  | 7.0 | 5.9 | 5.3 | 4.9 | 4.4 | 4.0  |      |      |      |      |      |
|             | 1500 | 9.3  | 6.8 | 5.7 | 5.1 | 4.6 | 4.1 | 3.7  | 3.3  |      |      |      |      |
|             | 2000 | 9.2  | 6.7 | 5.6 | 4.9 | 4.5 | 3.9 | 3.5  | 3.1  | 2.8  |      |      |      |
|             | 3000 | 9.1  | 6.6 | 5.4 | 4.8 | 4.3 | 3.8 | 3.3  | 2.8  | 2.6  | 2.3  |      |      |
|             | 4000 | 9.1  | 6.5 | 5.4 | 4.7 | 4.3 | 3.7 | 3.2  | 2.7  | 2.5  | 2.2  | 2.0  |      |
|             | 5000 | 9.1  | 6.5 | 5.3 | 4.7 | 4.2 | 3.6 | 3.1  | 2.6  | 2.4  | 2.1  | 1.9  | 1.8  |

p = 30% or 70%

|             |      | 100  | 200 | 300 | 400 | 500 | 700 | 1000 | 1500 | 2000 | 3000 | 4000 | 5000 |
|-------------|------|------|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| Adjusted N: | 100  | 13.9 |     |     |     |     |     |      |      |      |      |      |      |
|             | 200  | 12.0 | 9.8 |     |     |     |     |      |      |      |      |      |      |
|             | 300  | 11.3 | 8.9 | 8.0 |     |     |     |      |      |      |      |      |      |
|             | 400  | 11.0 | 8.5 | 7.5 | 6.9 |     |     |      |      |      |      |      |      |
|             | 500  | 10.7 | 8.2 | 7.2 | 6.6 | 6.2 |     |      |      |      |      |      |      |
|             | 700  | 10.5 | 7.9 | 6.8 | 6.1 | 5.7 | 5.2 |      |      |      |      |      |      |
|             | 1000 | 10.3 | 7.6 | 6.5 | 5.8 | 5.4 | 4.8 | 4.4  |      |      |      |      |      |
|             | 1500 | 10.1 | 7.4 | 6.2 | 5.5 | 5.1 | 4.5 | 4.0  | 3.6  |      |      |      |      |
|             | 2000 | 10.0 | 7.3 | 6.1 | 5.4 | 4.9 | 4.3 | 3.8  | 3.3  | 3.1  |      |      |      |
|             | 3000 | 10.0 | 7.2 | 5.9 | 5.2 | 4.7 | 4.1 | 3.6  | 3.1  | 2.8  | 2.5  |      |      |
|             | 4000 | 9.9  | 7.1 | 5.9 | 5.1 | 4.6 | 4.0 | 3.5  | 3.0  | 2.7  | 2.4  | 2.2  |      |
|             | 5000 | 9.9  | 7.1 | 5.8 | 5.1 | 4.6 | 4.0 | 3.4  | 2.9  | 2.6  | 2.3  | 2.1  | 2.0  |

p = 50%



APPENDIX C

Item Responses by Demographic Variables

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\* \*\* \*  
PERCENTAGES OF RESPONDENTS WHO HAVE USED ALCOHOL OR OTHER DRUGS  
IN LAST 12 MONTHS BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES<br>VARIES FROM 14,424 TO 14,575 | ALL  | SEX  |        | GRADE |      |      |      |      |        |        |        | ADP REGION |        |  |  |
|-----------------------------------------------------------|------|------|--------|-------|------|------|------|------|--------|--------|--------|------------|--------|--|--|
|                                                           |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L.MAIN | VALLEY | CEN/SE | NORTH      | ISLAND |  |  |
|                                                           |      | %    | %      | %     | %    | %    | %    | %    | %      | %      | %      | %          | %      |  |  |
| TOBACCO: Q8                                               | 28.5 | 25.0 | 31.9   | 19.3  | 27.4 | 29.2 | 33.8 | 33.4 | 28.3   | 30.2   | 21.4   | 31.6       | 32.0   |  |  |
| ALCOHOL: Q9                                               | 74.4 | 75.0 | 73.8   | 55.5  | 69.6 | 78.6 | 83.8 | 86.0 | 67.7   | 74.3   | 79.1   | 79.2       | 78.7   |  |  |
| CANNABIS: Q10                                             | 30.0 | 31.1 | 28.8   | 12.9  | 24.2 | 32.3 | 40.6 | 41.7 | 27.6   | 28.8   | 26.7   | 37.1       | 34.6   |  |  |
| GLUE: Q11                                                 | 2.7  | 3.1  | 2.2    | 3.8   | 3.5  | 2.7  | 1.5  | 1.6  | 2.8    | 3.5    | 1.9    | 1.9        | 2.8    |  |  |
| SOLVENTS (PAINT THINNER, GAS): Q12                        | 3.8  | 4.0  | 3.6    | 5.9   | 5.2  | 3.5  | 2.2  | 2.0  | 3.8    | 4.4    | 3.0    | 3.9        | 4.0    |  |  |
| * INHALANTS (GLUE OR SOLVENTS)                            | 4.9  | 5.4  | 4.4    | 7.3   | 6.5  | 4.8  | 3.0  | 2.7  | 4.8    | 6.1    | 3.8    | 4.6        | 5.1    |  |  |
| LSD: Q26                                                  | 8.8  | 10.1 | 7.5    | 4.8   | 7.9  | 9.3  | 10.5 | 12.0 | 8.8    | 10.6   | 5.2    | 8.9        | 10.5   |  |  |
| PCP: Q24                                                  | 1.9  | 2.3  | 1.6    | 2.7   | 2.2  | 1.8  | 1.5  | 1.3  | 1.7    | 2.3    | 1.7    | 2.2        | 2.0    |  |  |
| HALLUCINOGENS (EXCL. LSD & PCP):Q25                       | 11.3 | 12.9 | 9.6    | 5.1   | 8.9  | 12.3 | 14.6 | 16.1 | 8.4    | 10.6   | 12.1   | 15.4       | 13.9   |  |  |
| * ANY HALLUCINOGEN                                        | 14.2 | 15.8 | 12.4   | 7.6   | 11.9 | 15.3 | 17.1 | 19.7 | 11.8   | 14.4   | 13.3   | 17.9       | 16.7   |  |  |
| COCAINE: Q17                                              | 6.1  | 6.9  | 5.4    | 3.2   | 4.2  | 5.1  | 8.6  | 10.0 | 6.5    | 7.2    | 3.3    | 6.6        | 6.9    |  |  |
| CRACK: Q18                                                | 1.6  | 2.0  | 1.3    | 2.0   | 1.7  | 1.5  | 1.5  | 1.6  | 1.3    | 2.2    | 1.3    | 2.2        | 1.7    |  |  |
| HEROIN: Q15                                               | 1.7  | 2.0  | 1.3    | 2.3   | 1.7  | 1.6  | 1.1  | 1.6  | 1.4    | 2.0    | 1.5    | 2.2        | 1.6    |  |  |
| SPEED: Q16                                                | 6.8  | 7.3  | 6.3    | 4.5   | 6.3  | 6.9  | 8.4  | 8.0  | 5.9    | 9.1    | 4.7    | 8.2        | 7.2    |  |  |
| STIMULANTS (W/O PRESCRIPTION): Q20                        | 9.1  | 6.7  | 11.5   | 5.6   | 10.0 | 10.5 | 10.6 | 9.1  | 8.9    | 9.7    | 7.8    | 10.3       | 9.6    |  |  |
| STIMULANTS (W. PRESCRIPTION): Q21                         | 6.3  | 6.3  | 6.3    | 6.6   | 7.2  | 6.5  | 6.0  | 5.1  | 5.6    | 6.4    | 5.7    | 7.7        | 7.0    |  |  |
| BARBITURATES (W/O PRESCRIPTION):Q13                       | 4.6  | 4.1  | 5.0    | 3.1   | 4.9  | 5.0  | 5.4  | 4.4  | 4.1    | 5.1    | 4.0    | 5.9        | 4.7    |  |  |
| TRANQUILIZERS (W/O PRESCR.): Q22                          | 5.0  | 4.5  | 5.6    | 3.4   | 5.6  | 5.5  | 6.0  | 4.5  | 4.7    | 5.7    | 4.3    | 4.9        | 5.6    |  |  |
| * DEPRESSANTS (W/O PRESCRIPTION)                          | 7.8  | 7.0  | 8.6    | 5.4   | 8.6  | 8.6  | 9.1  | 7.3  | 7.1    | 8.9    | 6.7    | 8.9        | 8.3    |  |  |
| BARBITURATES (W. PRESCRIPTION): Q14                       | 11.3 | 10.7 | 11.9   | 9.7   | 11.6 | 10.8 | 13.3 | 10.9 | 9.3    | 10.4   | 11.6   | 15.1       | 13.0   |  |  |
| TRANQUILIZERS (W. PRESCRIPTION):Q23                       | 6.0  | 5.4  | 6.5    | 4.9   | 6.4  | 5.8  | 6.4  | 6.4  | 5.2    | 7.1    | 5.3    | 5.5        | 7.1    |  |  |
| * DEPRESSANTS (WITH PRESCRIPTION)                         | 15.1 | 14.1 | 16.0   | 12.7  | 15.7 | 14.6 | 17.2 | 15.2 | 12.7   | 15.2   | 15.0   | 18.4       | 17.1   |  |  |
| * PRESCRIPTION (STIM,BARB,TRANQ)                          | 18.2 | 17.4 | 19.1   | 16.2  | 19.3 | 18.0 | 19.8 | 17.8 | 15.9   | 18.4   | 17.9   | 22.1       | 20.1   |  |  |

NOTES: \* REPRESENTS A COMBINATION OF DRUGS. "INHALANTS" REFERS TO USE OF GLUE OR SOLVENTS. "ANY HALLUCINOGEN" REFERS TO USE OF LSD, PCP, OR OTHER HALLUCINOGENS. "DEPRESSANTS (W/O PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITHOUT A PRESCRIPTION. "DEPRESSANTS (WITH PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITH A PRESCRIPTION. "PRESCRIPTION (STIM., BARB., TRANQ.)" REFERS TO USE OF STIMULANTS, BARBITURATES, OR TRANQUILIZERS WITH A PRESCRIPTION.

TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE.  
REFER TO APPROPRIATE QUESTIONNAIRE ITEMS TO DETERMINE WHAT INDIVIDUAL DRUGS ARE INCLUDED WITHIN EACH DRUG CATEGORY.

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q4 = 14,541 Q6 = 14,326<br>Q5 = 14,343 | ALL  | SEX  |        | GRADE |      |      |      |      |   | ADP REGION |        |        |       |        |   |
|-------------------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---|------------|--------|--------|-------|--------|---|
|                                                                         |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   |   | L. MAIN    | VALLEY | CEN/SE | NORTH | ISLAND |   |
|                                                                         |      | %    | %      | %     | %    | %    | %    | %    | % | %          | %      | %      | %     | %      | % |
| Q4: USUAL SCHOOL MARKS                                                  |      |      |        |       |      |      |      |      |   |            |        |        |       |        |   |
| A                                                                       | 9.5  | 8.2  | 10.9   | 12.9  | 10.0 | 10.0 | 7.2  | 7.0  |   | 10.8       | 8.1    | 7.8    | 8.3   | 11.1   |   |
| B                                                                       | 36.8 | 33.5 | 40.4   | 39.6  | 36.7 | 35.9 | 34.7 | 37.2 |   | 37.9       | 35.9   | 36.8   | 35.8  | 36.6   |   |
| C                                                                       | 44.1 | 46.5 | 41.5   | 37.4  | 42.7 | 44.0 | 46.6 | 48.5 |   | 42.1       | 40.3   | 45.8   | 45.4  | 42.8   |   |
| PASS                                                                    | 8.7  | 10.7 | 6.5    | 8.3   | 9.4  | 9.5  | 8.9  | 7.0  |   | 8.3        | 8.8    | 8.9    | 9.4   | 8.5    |   |
| FAIL                                                                    | 0.9  | 1.1  | 0.7    | 1.9   | 1.1  | 0.6  | 0.6  | 0.3  |   | 0.9        | 0.9    | 0.7    | 1.1   | 1.0    |   |
| Q5: FATHER'S EMPLOYMENT STATUS                                          |      |      |        |       |      |      |      |      |   |            |        |        |       |        |   |
| PERMANENTLY EMPLOYED FULLTIME                                           | 80.5 | 81.3 | 79.5   | 78.8  | 79.0 | 81.4 | 81.8 | 81.5 |   | 81.4       | 80.5   | 79.8   | 78.4  | 80.8   |   |
| UNEMPLOYED PERMANENTLY/RETIRED                                          | 2.7  | 2.8  | 2.7    | 1.6   | 2.3  | 2.5  | 3.1  | 4.4  |   | 3.5        | 2.0    | 2.8    | 2.4   | 2.3    |   |
| SEASONALLY EMPLOYED                                                     | 4.6  | 4.4  | 4.8    | 5.3   | 4.3  | 5.0  | 4.0  | 4.2  |   | 3.1        | 4.7    | 4.5    | 8.0   | 5.0    |   |
| INTERMITTENTLY EMPLOYED                                                 | 6.1  | 6.0  | 6.3    | 7.1   | 7.9  | 5.6  | 5.2  | 4.5  |   | 5.4        | 6.2    | 7.3    | 6.5   | 6.0    |   |
| DON'T KNOW OR NOT LIVING                                                | 6.1  | 5.4  | 6.8    | 7.2   | 6.5  | 5.5  | 5.9  | 5.4  |   | 6.7        | 6.6    | 5.6    | 4.7   | 5.9    |   |
| Q6: MOTHER'S EMPLOYMENT STATUS                                          |      |      |        |       |      |      |      |      |   |            |        |        |       |        |   |
| FULLTIME HOMEMAKER                                                      | 29.7 | 29.5 | 29.8   | 32.0  | 30.4 | 28.2 | 28.6 | 29.2 |   | 29.8       | 30.9   | 28.9   | 31.0  | 28.0   |   |
| PERMANENTLY EMPLOYED                                                    | 47.8 | 45.9 | 49.7   | 45.0  | 47.7 | 48.7 | 48.9 | 48.7 |   | 47.9       | 46.3   | 47.7   | 46.1  | 50.6   |   |
| UNEMPLOYED PERMANENTLY/RETIRED                                          | 2.0  | 2.3  | 1.8    | 2.1   | 2.0  | 2.1  | 1.6  | 2.4  |   | 2.5        | 1.4    | 1.9    | 2.1   | 1.9    |   |
| SEASONALLY EMPLOYED                                                     | 5.7  | 5.7  | 5.6    | 6.2   | 6.3  | 5.3  | 5.3  | 5.3  |   | 5.7        | 6.9    | 5.1    | 6.0   | 4.8    |   |
| INTERMITTENTLY EMPLOYED                                                 | 12.2 | 13.8 | 10.6   | 11.0  | 11.0 | 13.2 | 13.1 | 12.5 |   | 11.6       | 11.7   | 13.8   | 11.6  | 12.5   |   |
| DON'T KNOW OR NOT LIVING                                                | 2.6  | 2.7  | 2.5    | 3.7   | 2.6  | 2.4  | 2.5  | 1.9  |   | 2.5        | 2.9    | 2.6    | 3.1   | 2.3    |   |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q7 = 14,435<br>Q8 = 14,424 | ALL  | SEX  |        | GRADE |      |      |      |      |         | ADP REGION |        |       |        |
|-------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|------------|--------|-------|--------|
|                                                             |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY     | CEN/SE | NORTH | ISLAND |
|                                                             |      | %    | %      | %     | %    | %    | %    | %    | %       | %          | %      | %     | %      |
| Q7: WEEKLY SPENDING MONEY                                   |      |      |        |       |      |      |      |      |         |            |        |       |        |
| LESS THAN \$5                                               | 13.6 | 12.8 | 14.3   | 22.0  | 16.9 | 12.5 | 8.9  | 6.7  | 13.2    | 13.4       | 14.7   | 15.7  | 11.9   |
| \$5 TO \$10                                                 | 31.5 | 29.7 | 33.3   | 39.6  | 38.4 | 33.5 | 26.3 | 18.1 | 28.8    | 30.3       | 36.1   | 30.9  | 33.4   |
| \$10 TO \$20                                                | 26.3 | 25.3 | 27.3   | 22.7  | 25.5 | 29.2 | 28.3 | 25.8 | 27.6    | 25.8       | 24.4   | 26.6  | 26.5   |
| \$20 TO \$30                                                | 11.9 | 12.1 | 11.8   | 7.3   | 9.8  | 10.9 | 14.3 | 18.2 | 12.9    | 12.3       | 10.2   | 11.9  | 11.6   |
| \$30 TO \$50                                                | 7.9  | 8.6  | 7.2    | 4.2   | 5.1  | 6.9  | 10.3 | 13.7 | 8.6     | 8.6        | 6.7    | 7.1   | 7.5    |
| OVER \$50                                                   | 8.8  | 11.5 | 6.1    | 4.3   | 4.3  | 7.0  | 11.8 | 17.6 | 8.9     | 9.6        | 7.9    | 7.8   | 9.2    |
| Q8: TOBACCO USE IN LAST 12 MO.                              |      |      |        |       |      |      |      |      |         |            |        |       |        |
| NONE                                                        | 57.0 | 61.8 | 52.1   | 66.3  | 57.1 | 56.2 | 51.3 | 53.4 | 58.4    | 55.4       | 62.5   | 54.8  | 51.8   |
| TRIED ONE CIGARETTE                                         | 14.6 | 13.2 | 16.0   | 14.4  | 15.5 | 14.6 | 14.9 | 13.3 | 13.3    | 14.3       | 16.1   | 13.5  | 16.1   |
| LESS THAN 1 DAILY                                           | 9.0  | 7.9  | 10.1   | 6.2   | 9.2  | 9.4  | 11.0 | 9.3  | 10.6    | 8.4        | 6.7    | 7.9   | 9.9    |
| 1 TO 2 DAILY                                                | 3.5  | 2.6  | 4.4    | 3.6   | 4.5  | 3.9  | 2.9  | 2.5  | 3.4     | 3.7        | 3.2    | 3.7   | 3.7    |
| 3 TO 5 DAILY                                                | 5.3  | 4.7  | 5.9    | 4.2   | 5.6  | 5.9  | 5.6  | 5.0  | 5.2     | 5.8        | 4.2    | 6.2   | 5.3    |
| 6 TO 10 DAILY                                               | 5.0  | 4.0  | 5.9    | 2.4   | 4.5  | 5.0  | 6.5  | 6.7  | 4.6     | 5.5        | 3.4    | 6.4   | 5.9    |
| 11 TO 15 DAILY                                              | 2.7  | 2.6  | 2.8    | 1.0   | 1.8  | 2.5  | 3.6  | 4.8  | 2.0     | 3.5        | 1.9    | 3.4   | 3.5    |
| 16 TO 20 DAILY                                              | 2.0  | 1.9  | 2.0    | 0.7   | 0.9  | 1.5  | 3.2  | 3.7  | 1.5     | 2.3        | 1.2    | 2.6   | 2.9    |
| MORE THAN 20 DAILY                                          | 1.0  | 1.2  | 0.3    | 1.2   | 0.9  | 0.8  | 1.0  | 1.3  | 1.0     | 1.1        | 0.9    | 1.4   | 1.0    |



\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q9 = 14,575<br>Q10 = 14,515 | ALL<br>% | SEX       |             | GRADE  |        |         |         |         |              |             | ADP REGION  |            |             |  |  |
|--------------------------------------------------------------|----------|-----------|-------------|--------|--------|---------|---------|---------|--------------|-------------|-------------|------------|-------------|--|--|
|                                                              |          | MALE<br>% | FEMALE<br>% | 8<br>% | 9<br>% | 10<br>% | 11<br>% | 12<br>% | L. MAIN<br>% | VALLEY<br>% | CEN/SE<br>% | NORTH<br>% | ISLAND<br>% |  |  |
|                                                              |          |           |             |        |        |         |         |         |              |             |             |            |             |  |  |
| Q9: ALCOHOL USE IN LAST 12 MO.                               |          |           |             |        |        |         |         |         |              |             |             |            |             |  |  |
| NONE                                                         | 18.7     | 18.5      | 19.0        | 31.2   | 21.8   | 16.1    | 12.3    | 11.2    | 24.4         | 18.9        | 14.2        | 14.8       | 15.3        |  |  |
| ONE SIP                                                      | 6.9      | 6.5       | 7.3         | 13.3   | 8.7    | 5.4     | 3.9     | 2.8     | 7.9          | 6.8         | 6.7         | 6.0        | 5.9         |  |  |
| SPECIAL EVENTS ONLY                                          | 20.6     | 19.3      | 22.0        | 26.3   | 24.2   | 21.7    | 15.9    | 14.0    | 21.4         | 21.9        | 19.8        | 18.9       | 19.6        |  |  |
| ONCE MONTHLY OR LESS                                         | 19.9     | 18.5      | 21.3        | 13.0   | 19.8   | 21.8    | 23.9    | 21.4    | 16.5         | 20.4        | 22.3        | 21.1       | 22.4        |  |  |
| 2 TO 3 TIMES MONTHLY                                         | 16.5     | 16.9      | 16.1        | 8.0    | 13.8   | 18.8    | 21.1    | 21.5    | 14.0         | 15.0        | 19.4        | 18.4       | 18.5        |  |  |
| ONCE PER WEEK                                                | 9.6      | 10.8      | 8.4         | 4.1    | 7.2    | 10.0    | 12.5    | 14.9    | 8.4          | 9.3         | 10.4        | 10.5       | 10.7        |  |  |
| 2 OR 3 TIMES WEEKLY                                          | 6.3      | 7.6       | 5.0         | 2.5    | 3.2    | 5.3     | 9.2     | 12.2    | 6.1          | 5.7         | 5.9         | 8.3        | 6.5         |  |  |
| 4 OR 5 TIMES WEEKLY                                          | 0.8      | 1.0       | 0.6         | 0.5    | 0.9    | 0.6     | 0.8     | 1.3     | 0.6          | 1.3         | 0.8         | 1.1        | 0.7         |  |  |
| 6 TO 7 TIMES WEEKLY                                          | 0.6      | 0.9       | 0.4         | 1.1    | 0.5    | 0.4     | 0.5     | 0.7     | 0.6          | 0.6         | 0.6         | 1.0        | 0.5         |  |  |
| Q10: CANNABIS USE IN LAST 12 MONTHS                          |          |           |             |        |        |         |         |         |              |             |             |            |             |  |  |
| DON'T KNOW WHAT IT IS                                        | 9.0      | 9.0       | 9.1         | 15.2   | 10.1   | 7.8     | 6.3     | 5.4     | 12.7         | 8.8         | 6.8         | 7.4        | 6.1         |  |  |
| NONE                                                         | 60.9     | 59.9      | 62.1        | 71.9   | 65.7   | 60.0    | 53.0    | 52.9    | 59.7         | 62.4        | 66.5        | 55.6       | 59.3        |  |  |
| 1 OR 2 TIMES                                                 | 10.6     | 10.1      | 11.1        | 5.8    | 9.2    | 11.2    | 14.2    | 13.0    | 9.0          | 9.9         | 11.1        | 12.6       | 12.6        |  |  |
| 3 TO 5 TIMES                                                 | 5.1      | 4.8       | 5.3         | 2.1    | 4.4    | 5.9     | 6.4     | 6.8     | 4.8          | 4.8         | 4.6         | 6.1        | 5.6         |  |  |
| 6 TO 9 TIMES                                                 | 3.4      | 3.4       | 3.3         | 1.2    | 2.8    | 3.7     | 4.4     | 4.7     | 3.4          | 2.9         | 3.3         | 3.7        | 3.7         |  |  |
| 10 TO 19 TIMES                                               | 3.3      | 3.4       | 3.3         | 1.5    | 2.3    | 3.6     | 4.5     | 5.1     | 3.0          | 3.2         | 2.4         | 4.7        | 4.2         |  |  |
| 20 TO 39 TIMES                                               | 2.6      | 2.7       | 2.5         | 0.6    | 1.7    | 3.1     | 3.7     | 4.0     | 2.8          | 2.6         | 1.9         | 2.5        | 3.0         |  |  |
| 40 OR MORE TIMES                                             | 5.1      | 6.7       | 3.4         | 1.7    | 3.7    | 4.7     | 7.5     | 8.1     | 4.6          | 5.4         | 3.5         | 7.4        | 5.5         |  |  |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 FREQUENCY OF USE BY THOSE WHO HAVE USED TOBACCO, ALCOHOL, OR CANNABIS  
 IN LAST 12 MONTHS BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q8(MOD) = 4, 196<br>Q9(MOD) = 11,055<br>Q10(MOD) = 4,518 | ALL<br>% | SEX       |             | GRADE  |        |         |         |         |              | ADP REGION  |             |            |             |
|-------------------------------------------------------------------------------------------|----------|-----------|-------------|--------|--------|---------|---------|---------|--------------|-------------|-------------|------------|-------------|
|                                                                                           |          | MALE<br>% | FEMALE<br>% | B<br>% | 9<br>% | 10<br>% | 11<br>% | 12<br>% | L. MAIN<br>% | VALLEY<br>% | CEN/SE<br>% | NORTH<br>% | ISLAND<br>% |
|                                                                                           |          |           |             |        |        |         |         |         |              |             |             |            |             |
| Q8(MOD): TOBACCO USE IN LAST 12 MONTHS                                                    |          |           |             |        |        |         |         |         |              |             |             |            |             |
| LESS THAN 1 CIGARETTE DAILY                                                               | 31.5     | 31.7      | 31.7        | 32.1   | 33.4   | 32.2    | 32.4    | 27.9    | 37.4         | 27.8        | 31.2        | 24.9       | 30.7        |
| 1 TO 2 DAILY                                                                              | 12.3     | 10.6      | 13.7        | 18.6   | 16.3   | 13.5    | 8.6     | 7.6     | 12.1         | 12.2        | 14.8        | 11.8       | 11.4        |
| 3 TO 5 DAILY                                                                              | 18.6     | 18.8      | 18.5        | 21.8   | 20.5   | 20.4    | 16.6    | 15.0    | 18.5         | 19.3        | 19.6        | 19.6       | 16.6        |
| 6 TO 10 DAILY                                                                             | 17.5     | 16.1      | 18.5        | 12.3   | 16.6   | 17.3    | 19.2    | 20.1    | 16.2         | 18.1        | 15.7        | 20.1       | 18.4        |
| 11 TO 15 DAILY                                                                            | 9.5      | 10.5      | 8.7         | 5.4    | 6.5    | 8.5     | 10.7    | 14.5    | 7.0          | 11.5        | 9.0         | 10.8       | 10.8        |
| 16 TO 20 DAILY                                                                            | 6.9      | 7.6       | 6.4         | 3.5    | 3.4    | 5.3     | 9.5     | 11.1    | 5.2          | 7.5         | 5.7         | 8.3        | 9.0         |
| MORE THAN 20 DAILY                                                                        | 3.7      | 4.9       | 2.5         | 6.3    | 3.3    | 2.9     | 3.0     | 3.8     | 3.6          | 3.5         | 4.0         | 4.5        | 3.0         |
| Q9(MOD): ALCOHOL USE IN LAST 12 MONTHS                                                    |          |           |             |        |        |         |         |         |              |             |             |            |             |
| SPECIAL EVENTS ONLY                                                                       | 27.7     | 25.7      | 29.8        | 47.3   | 34.7   | 27.6    | 18.9    | 16.3    | 31.6         | 29.5        | 25.0        | 23.8       | 24.9        |
| ONCE MONTHLY OR LESS                                                                      | 26.8     | 24.7      | 28.9        | 23.4   | 28.4   | 27.8    | 28.5    | 24.9    | 24.4         | 27.4        | 28.2        | 26.7       | 28.4        |
| 2 TO 3 TIMES MONTHLY                                                                      | 22.2     | 22.6      | 21.8        | 14.5   | 19.9   | 23.9    | 25.1    | 25.0    | 20.7         | 20.3        | 24.5        | 23.2       | 23.5        |
| ONCE PER WEEK                                                                             | 12.9     | 14.4      | 11.3        | 7.4    | 10.4   | 12.7    | 14.9    | 17.3    | 12.5         | 12.6        | 13.1        | 13.3       | 13.5        |
| 2 OR 3 TIMES WEEKLY                                                                       | 8.5      | 10.1      | 6.8         | 4.5    | 4.6    | 6.7     | 10.9    | 14.2    | 9.1          | 7.7         | 7.5         | 10.4       | 8.2         |
| 4 OR 5 TIMES WEEKLY                                                                       | 1.1      | 1.4       | 0.8         | 0.9    | 1.2    | 0.8     | 1.0     | 1.5     | 0.8          | 1.7         | 1.0         | 1.4        | 0.9         |
| 6 TO 7 TIMES WEEKLY                                                                       | 0.8      | 1.1       | 0.6         | 2.0    | 0.7    | 0.5     | 0.6     | 0.8     | 0.9          | 0.8         | 0.8         | 1.2        | 0.6         |
| Q10(MOD): CANNABIS USE IN LAST 12 MONTHS                                                  |          |           |             |        |        |         |         |         |              |             |             |            |             |
| 1 OR 2 TIMES                                                                              | 35.4     | 32.5      | 38.5        | 45.2   | 38.2   | 34.6    | 34.8    | 31.3    | 32.6         | 34.4        | 41.3        | 34.1       | 36.5        |
| 3 TO 5 TIMES                                                                              | 16.9     | 15.4      | 18.5        | 16.2   | 18.1   | 18.3    | 15.7    | 16.2    | 17.6         | 16.5        | 17.0        | 16.6       | 16.2        |
| 6 TO 9 TIMES                                                                              | 11.2     | 11.0      | 11.4        | 9.4    | 11.8   | 11.6    | 10.9    | 11.3    | 12.2         | 10.0        | 12.5        | 10.0       | 10.7        |
| 10 TO 19 TIMES                                                                            | 11.1     | 11.0      | 11.3        | 11.5   | 9.5    | 11.1    | 11.0    | 12.3    | 10.9         | 11.2        | 8.9         | 12.8       | 12.0        |
| 20 TO 39 TIMES                                                                            | 8.6      | 8.7       | 8.5         | 4.7    | 7.1    | 9.7     | 9.2     | 9.5     | 10.1         | 9.0         | 7.1         | 6.7        | 8.7         |
| 40 OR MORE TIMES                                                                          | 16.8     | 21.4      | 11.7        | 13.0   | 15.2   | 14.7    | 18.4    | 19.5    | 16.7         | 18.9        | 13.2        | 19.9       | 15.9        |

NOTE: Q8(MOD), Q9(MOD), AND Q10(MOD) ARE MODIFIED RESPONSE SETS FOR Q8, Q9, AND Q10, RESPECTIVELY, AND INCLUDE ONLY THOSE WHO USED THESE DRUGS DURING THE LAST 12 MONTHS. TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE.

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q11 = 14,459<br>Q12 = 14,456 | ALL  | SEX  |        | GRADE |      |      |      |      |         |        | ADP REGION |       |        |  |      |  |
|---------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|--------|------------|-------|--------|--|------|--|
|                                                               |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY | CEN/SE     | NORTH | ISLAND |  |      |  |
|                                                               |      | %    | %      | %     | %    | %    | %    | %    | %       | %      | %          | %     | %      |  |      |  |
| Q11: GLUE USE IN LAST 12 MO.                                  |      |      |        |       |      |      |      |      |         |        |            |       |        |  |      |  |
| NONE                                                          | 97.3 | 96.9 | 97.8   | 96.2  | 96.5 | 97.3 | 98.5 | 98.4 | 97.2    | 96.5   | 98.1       | 98.1  | 97.2   |  | 97.2 |  |
| 1 OR 2 TIMES                                                  | 1.6  | 1.8  | 1.4    | 2.2   | 2.2  | 1.6  | 1.0  | 0.9  | 1.7     | 2.0    | 1.1        | 0.8   | 2.0    |  |      |  |
| 3 TO 5 TIMES                                                  | 0.3  | 0.4  | 0.2    | 0.4   | 0.5  | 0.5  | 0.0  | 0.1  | 0.3     | 0.5    | 0.2        | 0.3   | 0.2    |  |      |  |
| 6 TO 9 TIMES                                                  | 0.2  | 0.3  | 0.1    | 0.4   | 0.2  | 0.2  | 0.0  | 0.2  | 0.2     | 0.3    | 0.1        | 0.2   | 0.2    |  |      |  |
| 10 TO 19 TIMES                                                | 0.1  | 0.1  | 0.1    | 0.2   | 0.1  | 0.1  | 0.1  | 0.0  | 0.2     | 0.1    | 0.1        | 0.2   | 0.0    |  |      |  |
| 20 TO 39 TIMES                                                | 0.1  | 0.1  | 0.2    | 0.1   | 0.2  | 0.2  | 0.2  | 0.0  | 0.2     | 0.2    | 0.2        | 0.1   | 0.0    |  |      |  |
| 40 OR MORE TIMES                                              | 0.3  | 0.4  | 0.2    | 0.5   | 0.3  | 0.1  | 0.2  | 0.3  | 0.2     | 0.4    | 0.2        | 0.3   | 0.4    |  |      |  |
| Q12: SOLVENT USE IN LAST 12 MO.                               |      |      |        |       |      |      |      |      |         |        |            |       |        |  |      |  |
| NONE                                                          | 96.2 | 96.0 | 96.4   | 94.1  | 94.8 | 96.5 | 97.8 | 98.0 | 96.2    | 95.6   | 97.0       | 96.1  | 96.0   |  |      |  |
| 1 OR 2 TIMES                                                  | 2.5  | 2.7  | 2.4    | 4.0   | 3.4  | 2.4  | 1.6  | 1.2  | 2.4     | 3.1    | 2.1        | 2.5   | 2.6    |  |      |  |
| 3 TO 5 TIMES                                                  | 0.4  | 0.4  | 0.4    | 0.7   | 0.6  | 0.4  | 0.2  | 0.4  | 0.5     | 0.4    | 0.2        | 0.4   | 0.5    |  |      |  |
| 6 TO 9 TIMES                                                  | 0.2  | 0.2  | 0.3    | 0.4   | 0.5  | 0.2  | 0.1  | 0.1  | 0.3     | 0.1    | 0.2        | 0.4   | 0.3    |  |      |  |
| 10 TO 19 TIMES                                                | 0.2  | 0.2  | 0.1    | 0.3   | 0.2  | 0.2  | 0.1  | 0.1  | 0.1     | 0.3    | 0.0        | 0.2   | 0.2    |  |      |  |
| 20 TO 39 TIMES                                                | 0.1  | 0.1  | 0.1    | 0.0   | 0.1  | 0.1  | 0.1  | 0.0  | 0.1     | 0.0    | 0.1        | 0.0   | 0.0    |  |      |  |
| 40 OR MORE TIMES                                              | 0.4  | 0.5  | 0.3    | 0.6   | 0.4  | 0.2  | 0.3  | 0.3  | 0.4     | 0.4    | 0.3        | 0.3   | 0.4    |  |      |  |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSE DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q13 = 14,520<br>Q14 = 14,460 | ALL  | SEX       |             | GRADE  |        |         |         |         |              |             | ADP REGION  |            |             |  |  |
|---------------------------------------------------------------|------|-----------|-------------|--------|--------|---------|---------|---------|--------------|-------------|-------------|------------|-------------|--|--|
|                                                               |      | MALE<br>% | FEMALE<br>% | 8<br>% | 9<br>% | 10<br>% | 11<br>% | 12<br>% | L. MAIN<br>% | VALLEY<br>% | CEN/SE<br>% | NORTH<br>% | ISLAND<br>% |  |  |
|                                                               |      |           |             |        |        |         |         |         |              |             |             |            |             |  |  |
| Q13: BARBITURATE USE WITHOUT<br>PRESC. IN LAST 12 MONTHS      |      |           |             |        |        |         |         |         |              |             |             |            |             |  |  |
| DON'T KNOW WHAT IT IS                                         | 36.7 | 35.1      | 38.5        | 47.8   | 38.6   | 35.7    | 30.4    | 30.3    | 43.3         | 36.3        | 36.6        | 30.7       | 29.5        |  |  |
| NONE                                                          | 58.7 | 60.8      | 56.5        | 49.1   | 56.5   | 59.3    | 64.2    | 65.2    | 52.7         | 58.6        | 59.5        | 63.5       | 65.8        |  |  |
| 1 TO 2 TIMES                                                  | 2.8  | 2.6       | 3.0         | 1.7    | 3.2    | 2.9     | 3.3     | 2.8     | 2.5          | 2.8         | 2.5         | 3.9        | 2.8         |  |  |
| 3 TO 5 TIMES                                                  | 0.7  | 0.6       | 0.9         | 0.5    | 0.4    | 0.8     | 1.0     | 0.8     | 0.7          | 0.9         | 0.6         | 0.6        | 0.7         |  |  |
| 6 TO 9 TIMES                                                  | 0.4  | 0.3       | 0.4         | 0.1    | 0.5    | 0.5     | 0.5     | 0.2     | 0.3          | 0.5         | 0.2         | 0.5        | 0.4         |  |  |
| 10 TO 19 TIMES                                                | 0.3  | 0.3       | 0.3         | 0.2    | 0.3    | 0.4     | 0.1     | 0.4     | 0.2          | 0.3         | 0.3         | 0.3        | 0.3         |  |  |
| 20 TO 39 TIMES                                                | 0.1  | 0.1       | 0.2         | 0.1    | 0.2    | 0.2     | 0.1     | 0.1     | 0.1          | 0.2         | 0.1         | 0.1        | 0.1         |  |  |
| 40 OR MORE TIMES                                              | 0.3  | 0.3       | 0.3         | 0.6    | 0.2    | 0.2     | 0.3     | 0.2     | 0.3          | 0.4         | 0.2         | 0.5        | 0.3         |  |  |
| Q14: BARBITURATE USE WITH<br>PRESC. IN LAST 12 MONTHS         |      |           |             |        |        |         |         |         |              |             |             |            |             |  |  |
| DON'T KNOW WHAT IT IS                                         | 36.0 | 33.9      | 38.2        | 47.0   | 38.3   | 35.8    | 29.1    | 28.5    | 42.3         | 35.7        | 36.0        | 29.5       | 28.9        |  |  |
| NONE                                                          | 52.7 | 55.4      | 49.9        | 43.2   | 50.1   | 53.3    | 57.5    | 60.5    | 48.4         | 53.8        | 52.3        | 55.4       | 58.1        |  |  |
| 1 TO 2 TIMES                                                  | 7.3  | 7.3       | 7.2         | 6.5    | 6.3    | 7.0     | 9.1     | 7.5     | 6.4          | 6.2         | 7.5         | 9.7        | 8.1         |  |  |
| 3 TO 5 TIMES                                                  | 2.0  | 1.5       | 2.4         | 1.6    | 2.4    | 1.8     | 2.3     | 1.7     | 1.5          | 1.9         | 2.0         | 2.6        | 2.3         |  |  |
| 6 TO 9 TIMES                                                  | 0.7  | 0.6       | 0.9         | 0.5    | 1.4    | 0.6     | 0.5     | 0.7     | 0.5          | 0.9         | 0.9         | 1.1        | 0.8         |  |  |
| 10 TO 19 TIMES                                                | 0.6  | 0.4       | 0.7         | 0.5    | 0.5    | 0.7     | 0.7     | 0.4     | 0.4          | 0.6         | 0.6         | 0.8        | 0.6         |  |  |
| 20 TO 39 TIMES                                                | 0.3  | 0.3       | 0.4         | 0.2    | 0.6    | 0.3     | 0.3     | 0.2     | 0.2          | 0.3         | 0.3         | 0.4        | 0.6         |  |  |
| 40 OR MORE TIMES                                              | 0.4  | 0.4       | 0.4         | 0.4    | 0.4    | 0.5     | 0.4     | 0.3     | 0.1          | 0.5         | 0.5         | 0.5        | 0.5         |  |  |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q15 = 14,488<br>Q16 = 14,501 | ALL  | SEX       |             | GRADE |      |      |      |      |         |        | ADP REGION |       |        |   |
|---------------------------------------------------------------|------|-----------|-------------|-------|------|------|------|------|---------|--------|------------|-------|--------|---|
|                                                               |      | MALE<br>% | FEMALE<br>% | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY | CEN/SE     | NORTH | ISLAND |   |
|                                                               |      |           |             | %     | %    | %    | %    | %    | %       | %      | %          | %     | %      | % |
| Q15: HEROIN USE IN LAST 12 MO.                                |      |           |             |       |      |      |      |      |         |        |            |       |        |   |
| DON'T KNOW WHAT IT IS                                         | 7.5  | 7.1       | 7.9         | 12.8  | 8.0  | 6.4  | 5.4  | 4.7  | 10.6    | 7.1    | 5.4        | 7.1   | 5.0    |   |
| NONE                                                          | 90.8 | 90.8      | 90.8        | 85.0  | 90.2 | 92.0 | 93.5 | 93.7 | 88.1    | 90.8   | 93.1       | 90.7  | 93.4   |   |
| 1 TO 2 TIMES                                                  | 0.8  | 0.8       | 0.9         | 0.9   | 0.9  | 1.0  | 0.6  | 0.8  | 0.6     | 0.9    | 0.8        | 1.1   | 1.0    |   |
| 3 TO 5 TIMES                                                  | 0.2  | 0.2       | 0.1         | 0.3   | 0.1  | 0.2  | 0.0  | 0.2  | 0.1     | 0.3    | 0.2        | 0.3   | 0.0    |   |
| 6 TO 9 TIMES                                                  | 0.2  | 0.3       | 0.1         | 0.2   | 0.1  | 0.2  | 0.1  | 0.2  | 0.1     | 0.3    | 0.1        | 0.1   | 0.1    |   |
| 10 TO 19 TIMES                                                | 0.1  | 0.2       | 0.0         | 0.1   | 0.2  | 0.1  | 0.2  | 0.1  | 0.1     | 0.2    | 0.1        | 0.2   | 0.1    |   |
| 20 TO 39 TIMES                                                | 0.0  | 0.1       | 0.0         | 0.0   | 0.1  | 0.0  | 0.0  | 0.0  | 0.0     | 0.0    | 0.0        | 0.1   | 0.1    |   |
| 40 OR MORE TIMES                                              | 0.3  | 0.5       | 0.2         | 0.8   | 0.4  | 0.1  | 0.3  | 0.2  | 0.4     | 0.3    | 0.3        | 0.5   | 0.2    |   |
| Q16: SPEED USE IN LAST 12 MO.                                 |      |           |             |       |      |      |      |      |         |        |            |       |        |   |
| DON'T KNOW WHAT IT IS                                         | 14.1 | 13.7      | 14.5        | 25.9  | 15.2 | 11.1 | 8.6  | 9.0  | 19.8    | 12.8   | 10.9       | 11.7  | 9.9    |   |
| NONE                                                          | 79.1 | 79.0      | 79.2        | 69.6  | 78.5 | 82.0 | 83.0 | 83.0 | 74.3    | 78.2   | 84.3       | 80.2  | 82.9   |   |
| 1 TO 2 TIMES                                                  | 4.1  | 4.4       | 3.9         | 2.5   | 3.9  | 3.9  | 5.4  | 5.2  | 3.8     | 5.4    | 2.7        | 4.8   | 4.4    |   |
| 3 TO 5 TIMES                                                  | 1.0  | 1.1       | 0.9         | 0.6   | 1.0  | 1.1  | 1.2  | 1.2  | 0.6     | 1.1    | 0.9        | 1.6   | 1.3    |   |
| 6 TO 9 TIMES                                                  | 0.6  | 0.6       | 0.6         | 0.3   | 0.5  | 0.8  | 0.7  | 0.6  | 0.5     | 1.1    | 0.4        | 0.4   | 0.4    |   |
| 10 TO 19 TIMES                                                | 0.4  | 0.3       | 0.4         | 0.4   | 0.4  | 0.3  | 0.3  | 0.4  | 0.2     | 0.6    | 0.3        | 0.5   | 0.3    |   |
| 20 TO 39 TIMES                                                | 0.2  | 0.3       | 0.2         | 0.2   | 0.3  | 0.3  | 0.2  | 0.2  | 0.3     | 0.2    | 0.2        | 0.3   | 0.3    |   |
| 40 OR MORE TIMES                                              | 0.5  | 0.6       | 0.3         | 0.6   | 0.3  | 0.4  | 0.5  | 0.4  | 0.5     | 0.6    | 0.2        | 0.6   | 0.5    |   |



\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q17 = 14,454<br>Q18 = 14,478 | ALL<br>% | SEX  |        | GRADE |      |      |      |      |         | ADP REGION |        |       |        |
|---------------------------------------------------------------|----------|------|--------|-------|------|------|------|------|---------|------------|--------|-------|--------|
|                                                               |          | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY     | CEN/SE | NORTH | ISLAND |
|                                                               |          | %    | %      | %     | %    | %    | %    | %    | %       | %          | %      | %     | %      |
| Q17: COCAINE USE IN LAST 12 MO.                               |          |      |        |       |      |      |      |      |         |            |        |       |        |
| DON'T KNOW WHAT IT IS                                         | 4.4      | 4.2  | 4.6    | 7.1   | 4.6  | 4.1  | 2.8  | 3.1  | 6.2     | 4.0        | 3.0    | 4.8   | 2.8    |
| NONE                                                          | 89.5     | 88.9 | 90.0   | 89.7  | 91.2 | 90.7 | 88.5 | 86.8 | 87.3    | 88.9       | 93.7   | 88.6  | 90.4   |
| 1 TO 2 TIMES                                                  | 3.8      | 4.2  | 3.3    | 1.6   | 2.6  | 3.3  | 5.9  | 5.7  | 4.2     | 4.1        | 2.3    | 3.8   | 4.1    |
| 3 TO 5 TIMES                                                  | 1.0      | 1.1  | 1.0    | 0.5   | 0.7  | 0.8  | 1.3  | 1.9  | 0.8     | 1.5        | 0.3    | 1.3   | 1.5    |
| 6 TO 9 TIMES                                                  | 0.4      | 0.4  | 0.4    | 0.3   | 0.2  | 0.3  | 0.5  | 1.0  | 0.5     | 0.6        | 0.1    | 0.3   | 0.5    |
| 10 TO 19 TIMES                                                | 0.4      | 0.4  | 0.3    | 0.1   | 0.2  | 0.4  | 0.4  | 0.8  | 0.4     | 0.3        | 0.1    | 0.6   | 0.4    |
| 20 TO 39 TIMES                                                | 0.1      | 0.1  | 0.1    | 0.1   | 0.1  | 0.1  | 0.2  | 0.2  | 0.1     | 0.1        | 0.1    | 0.1   | 0.1    |
| 40 OR MORE TIMES                                              | 0.4      | 0.6  | 0.2    | 0.6   | 0.4  | 0.2  | 0.3  | 0.5  | 0.5     | 0.4        | 0.3    | 0.5   | 0.3    |
| Q18: CRACK USE IN LAST 12 MO.                                 |          |      |        |       |      |      |      |      |         |            |        |       |        |
| DON'T KNOW WHAT IT IS                                         | 14.7     | 11.1 | 18.4   | 20.7  | 15.8 | 13.2 | 11.3 | 12.3 | 20.0    | 15.0       | 10.7   | 14.8  | 8.8    |
| NONE                                                          | 83.6     | 86.9 | 80.4   | 77.3  | 82.5 | 85.3 | 87.3 | 86.1 | 79.7    | 22.7       | 88.0   | 83.0  | 89.5   |
| 1 TO 2 TIMES                                                  | 0.9      | 1.0  | 0.8    | 0.9   | 0.8  | 1.0  | 0.8  | 0.9  | 0.6     | 1.3        | 0.6    | 1.2   | 1.0    |
| 3 TO 5 TIMES                                                  | 0.3      | 0.3  | 0.2    | 0.2   | 0.3  | 0.3  | 0.2  | 0.2  | 0.2     | 0.3        | 0.3    | 0.2   | 0.5    |
| 6 TO 9 TIMES                                                  | 0.2      | 0.2  | 0.1    | 0.3   | 0.1  | 0.1  | 0.1  | 0.1  | 0.2     | 0.2        | 0.1    | 0.3   | 0.0    |
| 10 TO 19 TIMES                                                | 0.1      | 0.1  | 0.0    | 0.2   | 0.1  | 0.0  | 0.0  | 0.1  | 0.1     | 0.1        | 0.0    | 0.1   | 0.0    |
| 20 TO 39 TIMES                                                | 0.0      | 0.0  | 0.0    | 0.0   | 0.0  | 0.0  | 0.0  | 0.1  | 0.0     | 0.0        | 0.0    | 0.0   | 0.0    |
| 40 OR MORE TIMES                                              | 0.3      | 0.4  | 0.1    | 0.4   | 0.4  | 0.1  | 0.3  | 0.2  | 0.3     | 0.3        | 0.3    | 0.3   | 0.2    |



\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

| NUMBER OF VALID RESPONSES TO:<br>Q19 = 14,533<br>Q20 = 14,497 | ALL  | SEX  |        | GRADE |      |      |      |      |         | ADP REGION |        |       |        |
|---------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|------------|--------|-------|--------|
|                                                               |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY     | CEN/SE | NORTH | ISLAND |
|                                                               |      | %    | %      | %     | %    | %    | %    | %    | %       | %          | %      | %     | %      |
| Q19: BINDRO USE IN LAST 12 MO.                                |      |      |        |       |      |      |      |      |         |            |        |       |        |
| DON'T KNOW WHAT IT IS                                         | 49.9 | 48.8 | 51.1   | 50.6  | 44.6 | 48.8 | 48.9 | 57.2 | 54.5    | 50.1       | 46.5   | 45.5  | 47.5   |
| NONE                                                          | 49.3 | 50.1 | 48.4   | 48.3  | 54.5 | 50.5 | 50.4 | 42.2 | 44.6    | 49.1       | 52.9   | 53.4  | 51.9   |
| 1 TO 2 TIMES                                                  | 0.4  | 0.5  | 0.3    | 0.6   | 0.3  | 0.2  | 0.3  | 0.4  | 0.4     | 0.3        | 0.3    | 0.7   | 0.3    |
| 3 TO 5 TIMES                                                  | 0.2  | 0.2  | 0.1    | 0.1   | 0.2  | 0.3  | 0.1  | 0.0  | 0.2     | 0.2        | 0.1    | 0.2   | 0.1    |
| 6 TO 9 TIMES                                                  | 0.1  | 0.1  | 0.0    | 0.0   | 0.1  | 0.1  | 0.0  | 0.1  | 0.1     | 0.0        | 0.1    | 0.0   | 0.0    |
| 10 TO 19 TIMES                                                | 0.0  | 0.0  | 0.0    | 0.0   | 0.0  | 0.0  | 0.0  | 0.0  | 0.0     | 0.1        | 0.0    | 0.0   | 0.0    |
| 20 TO 39 TIMES                                                | 0.0  | 0.0  | 0.1    | 0.1   | 0.0  | 0.0  | 0.1  | 0.0  | 0.1     | 0.1        | 0.0    | 0.0   | 0.0    |
| 40 OR MORE TIMES                                              | 0.1  | 0.2  | 0.0    | 0.3   | 0.2  | 0.0  | 0.2  | 0.0  | 0.1     | 0.2        | 0.2    | 0.1   | 0.2    |
| Q20: STIMULANT USE WITHOUT PRESC. IN LAST 12 MONTHS           |      |      |        |       |      |      |      |      |         |            |        |       |        |
| DON'T KNOW WHAT IT IS                                         | 11.1 | 11.5 | 10.6   | 19.1  | 11.0 | 10.1 | 7.7  | 7.0  | 14.8    | 11.1       | 8.6    | 9.9   | 7.6    |
| NONE                                                          | 79.8 | 81.8 | 77.9   | 75.3  | 79.0 | 79.5 | 81.8 | 84.0 | 76.3    | 79.2       | 83.7   | 79.8  | 82.8   |
| 1 TO 2 TIMES                                                  | 5.2  | 3.8  | 6.6    | 3.2   | 6.3  | 5.6  | 5.8  | 5.0  | 4.9     | 5.0        | 4.8    | 6.1   | 5.7    |
| 3 TO 5 TIMES                                                  | 1.7  | 1.3  | 2.0    | 1.0   | 1.4  | 1.9  | 2.4  | 1.7  | 1.6     | 1.9        | 1.1    | 2.1   | 1.8    |
| 6 TO 9 TIMES                                                  | 0.9  | 0.7  | 1.0    | 0.4   | 0.8  | 1.3  | 0.9  | 0.8  | 0.8     | 1.1        | 0.8    | 0.9   | 0.7    |
| 10 TO 19 TIMES                                                | 0.6  | 0.3  | 0.8    | 0.5   | 0.6  | 0.7  | 0.6  | 0.6  | 0.6     | 0.7        | 0.3    | 0.6   | 0.7    |
| 20 TO 39 TIMES                                                | 0.3  | 0.2  | 0.5    | 0.1   | 0.4  | 0.5  | 0.4  | 0.2  | 0.4     | 0.3        | 0.4    | 0.2   | 0.3    |
| 40 OR MORE TIMES                                              | 0.5  | 0.4  | 0.6    | 0.5   | 0.5  | 0.3  | 0.5  | 0.7  | 0.5     | 0.7        | 0.4    | 0.4   | 0.4    |

NOTE: "BINDRO" IS A FICTITIOUS DRUG. IT WAS INCLUDED AS A QUESTIONNAIRE ITEM FOR PURPOSES OF EXAMINING RESPONSE VALIDITY.

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q21 = 14,455<br>Q22 = 14,455 | ALL  | SEX  |        | GRADE |      |      |      |      |         | ADP REGION |        |       |        |
|---------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|------------|--------|-------|--------|
|                                                               |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY     | CEN/SE | NORTH | ISLAND |
|                                                               |      | %    | %      | %     | %    | %    | %    | %    | %       | %          | %      | %     | %      |
| Q21: STIMULANT USE WITH<br>PRESC. IN LAST 12 MONTHS           |      |      |        |       |      |      |      |      |         |            |        |       |        |
| DON'T KNOW WHAT IT IS                                         | 12.3 | 12.3 | 12.4   | 21.0  | 13.1 | 11.1 | 8.3  | 7.5  | 16.2    | 12.0       | 10.0   | 11.0  | 8.9    |
| NONE                                                          | 81.4 | 81.5 | 81.3   | 72.4  | 79.7 | 82.4 | 85.7 | 87.4 | 78.1    | 81.6       | 84.3   | 81.2  | 84.1   |
| 1 TO 2 TIMES                                                  | 4.1  | 4.1  | 4.1    | 4.3   | 4.6  | 4.5  | 3.9  | 3.1  | 3.7     | 4.1        | 3.8    | 5.2   | 4.5    |
| 3 TO 5 TIMES                                                  | 1.0  | 0.9  | 1.0    | 1.0   | 1.1  | 0.9  | 0.9  | 0.9  | 1.0     | 0.7        | 0.8    | 1.2   | 1.2    |
| 6 TO 9 TIMES                                                  | 0.4  | 0.5  | 0.3    | 0.5   | 0.7  | 0.3  | 0.3  | 0.2  | 0.4     | 0.4        | 0.4    | 0.5   | 0.2    |
| 10 TO 19 TIMES                                                | 0.2  | 0.2  | 0.3    | 0.2   | 0.2  | 0.3  | 0.3  | 0.3  | 0.1     | 0.4        | 0.2    | 0.3   | 0.4    |
| 20 TO 39 TIMES                                                | 0.2  | 0.2  | 0.3    | 0.1   | 0.2  | 0.4  | 0.2  | 0.4  | 0.3     | 0.3        | 0.1    | 0.2   | 0.3    |
| 40 OR MORE TIMES                                              | 0.3  | 0.4  | 0.3    | 0.4   | 0.4  | 0.2  | 0.5  | 0.2  | 0.2     | 0.4        | 0.5    | 0.3   | 0.4    |
| Q22: TRANQUILIZER USE WITHOUT<br>PRESC. IN LAST 12 MONTHS     |      |      |        |       |      |      |      |      |         |            |        |       |        |
| DON'T KNOW WHAT IT IS                                         | 7.6  | 7.7  | 7.5    | 12.5  | 8.5  | 6.5  | 5.4  | 4.8  | 11.3    | 6.9        | 5.0    | 6.6   | 4.9    |
| NONE                                                          | 87.4 | 87.9 | 87.0   | 84.0  | 85.8 | 88.0 | 88.6 | 90.7 | 83.9    | 87.4       | 90.7   | 88.5  | 89.4   |
| 1 TO 2 TIMES                                                  | 3.0  | 2.4  | 3.6    | 1.9   | 3.5  | 3.5  | 3.6  | 2.6  | 2.9     | 3.1        | 2.9    | 2.8   | 3.3    |
| 3 TO 5 TIMES                                                  | 1.0  | 1.0  | 1.0    | 0.7   | 1.1  | 0.8  | 1.2  | 1.2  | 1.0     | 1.1        | 0.7    | 1.1   | 1.1    |
| 6 TO 9 TIMES                                                  | 0.4  | 0.3  | 0.5    | 0.3   | 0.3  | 0.5  | 0.6  | 0.2  | 0.3     | 0.6        | 0.2    | 0.5   | 0.4    |
| 10 TO 19 TIMES                                                | 0.3  | 0.3  | 0.2    | 0.1   | 0.3  | 0.5  | 0.3  | 0.2  | 0.2     | 0.4        | 0.2    | 0.2   | 0.3    |
| 20 TO 39 TIMES                                                | 0.1  | 0.1  | 0.1    | 0.1   | 0.1  | 0.0  | 0.1  | 0.2  | 0.1     | 0.1        | 0.0    | 0.0   | 0.1    |
| 40 OR MORE TIMES                                              | 0.3  | 0.3  | 0.2    | 0.4   | 0.3  | 0.1  | 0.4  | 0.2  | 0.3     | 0.4        | 0.2    | 0.2   | 0.3    |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q23 = 14,431<br>Q24 = 14,492 | ALL  | SEX  |        | GRADE |      |      |      |      |         | ADP REGION |        |       |        |  |  |
|---------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|------------|--------|-------|--------|--|--|
|                                                               |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY     | CEN/SE | NORTH | ISLAND |  |  |
|                                                               |      | %    | %      | %     | %    | %    | %    | %    | %       | %          | %      | %     | %      |  |  |
| Q23: TRANQUILIZER USE WITH<br>PRESC. IN LAST 12 MONTHS        |      |      |        |       |      |      |      |      |         |            |        |       |        |  |  |
| DON'T KNOW WHAT IT IS                                         | 7.6  | 8.0  | 7.3    | 12.6  | 8.7  | 6.5  | 5.4  | 4.6  | 11.4    | 7.0        | 4.7    | 6.6   | 5.1    |  |  |
| NONE                                                          | 86.4 | 86.6 | 86.2   | 82.5  | 84.9 | 87.7 | 88.2 | 89.0 | 83.4    | 85.9       | 89.9   | 87.9  | 87.9   |  |  |
| 1 TO 2 TIMES                                                  | 4.1  | 3.7  | 4.4    | 3.5   | 4.5  | 3.8  | 4.3  | 4.2  | 3.4     | 4.7        | 3.6    | 4.1   | 4.9    |  |  |
| 3 TO 5 TIMES                                                  | 0.9  | 0.8  | 1.0    | 0.5   | 0.9  | 1.1  | 1.0  | 1.0  | 0.9     | 1.1        | 0.9    | 0.7   | 0.8    |  |  |
| 6 TO 9 TIMES                                                  | 0.3  | 0.2  | 0.4    | 0.2   | 0.2  | 0.4  | 0.3  | 0.5  | 0.3     | 0.4        | 0.3    | 0.2   | 0.4    |  |  |
| 10 TO 19 TIMES                                                | 0.4  | 0.4  | 0.4    | 0.1   | 0.4  | 0.4  | 0.5  | 0.4  | 0.3     | 0.5        | 0.2    | 0.3   | 0.6    |  |  |
| 20 TO 39 TIMES                                                | 0.1  | 0.0  | 0.1    | 0.1   | 0.0  | 0.0  | 0.1  | 0.2  | 0.1     | 0.2        | 0.0    | 0.0   | 0.1    |  |  |
| 40 OR MORE TIMES                                              | 0.2  | 0.3  | 0.1    | 0.4   | 0.3  | 0.0  | 0.3  | 0.1  | 0.1     | 0.3        | 0.3    | 0.3   | 0.3    |  |  |
| Q24: PCP USE IN LAST 12 MONTHS                                |      |      |        |       |      |      |      |      |         |            |        |       |        |  |  |
| DON'T KNOW WHAT IT IS                                         | 11.7 | 10.5 | 12.9   | 18.4  | 13.0 | 10.8 | 7.6  | 8.2  | 16.8    | 10.9       | 8.2    | 9.6   | 8.3    |  |  |
| NONE                                                          | 86.4 | 87.3 | 85.6   | 78.8  | 84.8 | 87.4 | 91.0 | 90.5 | 81.5    | 86.8       | 90.1   | 88.3  | 89.8   |  |  |
| 1 TO 2 TIMES                                                  | 1.1  | 1.2  | 1.0    | 1.5   | 1.2  | 1.2  | 1.0  | 0.5  | 0.8     | 1.1        | 1.1    | 1.4   | 1.4    |  |  |
| 3 TO 5 TIMES                                                  | 0.2  | 0.3  | 0.2    | 0.3   | 0.3  | 0.2  | 0.1  | 0.3  | 0.2     | 0.5        | 0.1    | 0.2   | 0.2    |  |  |
| 6 TO 9 TIMES                                                  | 0.2  | 0.2  | 0.1    | 0.3   | 0.2  | 0.1  | 0.1  | 0.1  | 0.1     | 0.3        | 0.1    | 0.2   | 0.2    |  |  |
| 10 TO 19 TIMES                                                | 0.1  | 0.2  | 0.1    | 0.0   | 0.2  | 0.2  | 0.1  | 0.0  | 0.2     | 0.1        | 0.2    | 0.1   | 0.0    |  |  |
| 20 TO 39 TIMES                                                | 0.0  | 0.0  | 0.0    | 0.0   | 0.0  | 0.0  | 0.0  | 0.1  | 0.0     | 0.0        | 0.0    | 0.0   | 0.0    |  |  |
| 40 OR MORE TIMES                                              | 0.3  | 0.4  | 0.1    | 0.5   | 0.2  | 0.2  | 0.2  | 0.2  | 0.3     | 0.4        | 0.3    | 0.2   | 0.2    |  |  |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

| NUMBER OF VALID RESPONSES TO:<br>Q25 = 14,485<br>Q26 = 14,492 | ALL  | SEX  |        | GRADE |      |      |      |      |         |        |        | ADP REGION |        |  |  |
|---------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|--------|--------|------------|--------|--|--|
|                                                               |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY | CEN/SE | NORTH      | ISLAND |  |  |
|                                                               |      | %    | %      | %     | %    | %    | %    | %    | %       | %      | %      | %          | %      |  |  |
| Q25: HALLUCINOGEN USE IN LAST<br>12 MO. (EXCLUDING LSD & PCP) |      |      |        |       |      |      |      |      |         |        |        |            |        |  |  |
| DON'T KNOW WHAT IT IS                                         | 16.3 | 14.3 | 18.3   | 26.2  | 18.1 | 15.9 | 10.5 | 9.8  | 21.5    | 16.3   | 13.9   | 12.7       | 11.5   |  |  |
| NONE                                                          | 72.4 | 72.8 | 72.1   | 68.7  | 73.0 | 71.8 | 74.8 | 74.0 | 70.2    | 73.1   | 73.9   | 71.9       | 74.5   |  |  |
| 1 TO 2 TIMES                                                  | 6.4  | 6.7  | 6.2    | 3.0   | 5.5  | 7.2  | 7.8  | 8.9  | 5.1     | 6.1    | 7.0    | 8.5        | 7.3    |  |  |
| 3 TO 5 TIMES                                                  | 2.2  | 2.7  | 1.7    | 0.6   | 1.5  | 2.3  | 3.7  | 3.2  | 1.5     | 1.9    | 2.5    | 2.9        | 3.1    |  |  |
| 6 TO 9 TIMES                                                  | 1.0  | 1.4  | 0.7    | 0.4   | 0.7  | 1.0  | 1.2  | 2.1  | 0.7     | 1.0    | 1.0    | 1.6        | 1.4    |  |  |
| 10 TO 19 TIMES                                                | 0.8  | 1.0  | 0.6    | 0.2   | 0.6  | 1.2  | 1.0  | 1.1  | 0.4     | 0.7    | 0.9    | 1.3        | 1.2    |  |  |
| 20 TO 39 TIMES                                                | 0.3  | 0.4  | 0.2    | 0.2   | 0.3  | 0.1  | 0.4  | 0.4  | 0.2     | 0.3    | 0.3    | 0.5        | 0.3    |  |  |
| 40 OR MORE TIMES                                              | 0.5  | 0.8  | 0.3    | 0.7   | 0.4  | 0.5  | 0.7  | 0.5  | 0.4     | 0.7    | 0.5    | 0.6        | 0.6    |  |  |
| Q26: LSD USE IN LAST 12 MONTHS                                |      |      |        |       |      |      |      |      |         |        |        |            |        |  |  |
| DON'T KNOW WHAT IT IS                                         | 12.7 | 11.4 | 13.9   | 23.1  | 13.7 | 11.2 | 7.9  | 6.8  | 17.3    | 12.3   | 10.4   | 11.1       | 8.2    |  |  |
| NONE                                                          | 78.5 | 78.5 | 78.6   | 72.1  | 78.4 | 79.5 | 81.6 | 81.3 | 73.9    | 77.1   | 84.4   | 80.1       | 81.3   |  |  |
| 1 TO 2 TIMES                                                  | 4.7  | 5.0  | 4.3    | 2.6   | 4.4  | 4.6  | 5.1  | 6.7  | 4.5     | 5.5    | 3.0    | 5.1        | 5.4    |  |  |
| 3 TO 5 TIMES                                                  | 1.9  | 2.2  | 1.5    | 0.8   | 1.4  | 2.4  | 2.5  | 2.3  | 2.0     | 2.2    | 1.1    | 1.7        | 2.1    |  |  |
| 6 TO 9 TIMES                                                  | 0.9  | 1.1  | 0.6    | 0.4   | 0.9  | 0.9  | 1.0  | 1.3  | 0.5     | 1.2    | 0.5    | 0.9        | 1.5    |  |  |
| 10 TO 19 TIMES                                                | 0.8  | 0.8  | 0.7    | 0.3   | 0.7  | 1.0  | 0.8  | 1.1  | 1.1     | 0.7    | 0.2    | 0.6        | 0.9    |  |  |
| 20 TO 39 TIMES                                                | 0.3  | 0.4  | 0.2    | 0.2   | 0.2  | 0.1  | 0.5  | 0.2  | 0.3     | 0.3    | 0.1    | 0.2        | 0.3    |  |  |
| 40 OR MORE TIMES                                              | 0.4  | 0.6  | 0.2    | 0.4   | 0.4  | 0.3  | 0.6  | 0.4  | 0.3     | 0.7    | 0.3    | 0.5        | 0.3    |  |  |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q27 = 14,455<br>Q28 = 14,457 | ALL  | SEX  |      | GRADE  |      |      |      |      |      | ADP REGION |      |      |      |    |   |
|---------------------------------------------------------------|------|------|------|--------|------|------|------|------|------|------------|------|------|------|----|---|
|                                                               |      | MALE |      | FEMALE |      | 8    |      | 9    |      | 10         |      | 11   |      | 12 |   |
|                                                               |      | %    | %    | %      | %    | %    | %    | %    | %    | %          | %    | %    | %    | %  | % |
| Q27: CIGARETTE USE IN LAST 4 WEEKS                            |      |      |      |        |      |      |      |      |      |            |      |      |      |    |   |
| NONE                                                          | 70.4 | 74.0 | 66.8 | 78.3   | 70.9 | 70.7 | 65.3 | 66.3 | 71.4 | 69.0       | 75.9 | 67.9 | 66.2 |    |   |
| 1 OR 2 TIMES                                                  | 9.1  | 7.7  | 10.5 | 8.8    | 9.8  | 9.0  | 10.0 | 7.7  | 9.2  | 8.4        | 8.4  | 8.6  | 10.7 |    |   |
| 1 OR 2 TIMES WEEKLY                                           | 2.6  | 2.5  | 2.9  | 2.2    | 2.7  | 2.5  | 2.7  | 3.2  | 3.0  | 2.7        | 2.4  | 2.2  | 2.4  |    |   |
| 3 OR 4 TIMES WEEKLY                                           | 1.9  | 1.6  | 2.1  | 1.7    | 2.0  | 1.7  | 2.0  | 1.8  | 2.1  | 1.8        | 1.8  | 1.2  | 1.9  |    |   |
| 5 OR 6 TIMES WEEKLY                                           | 1.3  | 1.2  | 1.4  | 1.3    | 1.4  | 1.5  | 1.3  | 1.0  | 1.1  | 1.2        | 0.7  | 1.5  | 2.2  |    |   |
| ONCE DAILY                                                    | 1.2  | 0.9  | 1.4  | 0.9    | 1.4  | 1.2  | 1.3  | 1.1  | 1.1  | 1.2        | 1.0  | 1.6  | 1.2  |    |   |
| MORE THAN ONCE DAILY                                          | 13.5 | 12.0 | 14.8 | 6.8    | 11.7 | 13.5 | 17.3 | 18.9 | 12.0 | 15.6       | 9.7  | 17.1 | 15.3 |    |   |
| Q28: CANNABIS USE IN LAST 4 WEEKS                             |      |      |      |        |      |      |      |      |      |            |      |      |      |    |   |
| DON'T KNOW WHAT IT IS                                         | 7.4  | 7.3  | 7.4  | 11.5   | 8.3  | 6.3  | 5.6  | 4.7  | 10.7 | 7.3        | 5.4  | 5.7  | 4.6  |    |   |
| NONE                                                          | 74.3 | 72.4 | 76.4 | 80.3   | 76.8 | 74.7 | 69.6 | 69.5 | 71.9 | 75.4       | 79.9 | 69.6 | 74.9 |    |   |
| 1 OR 2 TIMES                                                  | 10.6 | 10.9 | 10.3 | 4.6    | 8.9  | 11.2 | 14.0 | 14.9 | 10.5 | 9.2        | 9.6  | 13.3 | 11.7 |    |   |
| 1 OR 2 TIMES WEEKLY                                           | 3.1  | 3.7  | 2.4  | 1.2    | 2.4  | 3.4  | 4.4  | 4.2  | 2.8  | 3.2        | 2.3  | 3.9  | 3.8  |    |   |
| 3 OR 4 TIMES WEEKLY                                           | 2.1  | 2.2  | 1.9  | 1.1    | 1.4  | 2.1  | 3.0  | 2.8  | 2.1  | 2.1        | 1.3  | 3.2  | 2.0  |    |   |
| 5 OR 6 TIMES WEEKLY                                           | 1.1  | 1.4  | 0.9  | 0.5    | 1.0  | 1.1  | 1.3  | 1.7  | 0.9  | 1.3        | 0.6  | 1.8  | 1.4  |    |   |
| ONCE DAILY                                                    | 0.3  | 0.5  | 0.2  | 0.1    | 0.3  | 0.3  | 0.5  | 0.5  | 0.2  | 0.5        | 0.3  | 0.4  | 0.4  |    |   |
| MORE THAN ONCE DAILY                                          | 1.1  | 1.7  | 0.5  | 0.6    | 0.8  | 1.0  | 1.6  | 1.6  | 1.0  | 1.1        | 0.7  | 2.0  | 1.2  |    |   |



\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

| NUMBER OF VALID RESPONSES TO:<br>Q29 = 14,499 Q308 = 14,215<br>Q30A = 14,215 | ALL  | SEX  |      | GRADE  |      |      |      |      |      | ADP REGION |         |        |        |       |        |
|------------------------------------------------------------------------------|------|------|------|--------|------|------|------|------|------|------------|---------|--------|--------|-------|--------|
|                                                                              |      | MALE |      | FEMALE |      | 8    | 9    | 10   | 11   | 12         | L. MAIN | VALLEY | CEN/SE | NORTH | ISLAND |
|                                                                              | %    | %    | %    | %      | %    | %    | %    | %    | %    | %          | %       | %      | %      | %     | %      |
| Q29: ALCOHOL USE IN LAST 4 WEEKS                                             |      |      |      |        |      |      |      |      |      |            |         |        |        |       |        |
| NONE                                                                         | 40.4 | 38.9 | 41.9 | 58.0   | 46.4 | 38.4 | 30.7 | 26.7 | 47.5 | 42.1       | 34.6    | 34.5   | 35.3   |       |        |
| 1 OR 2 TIMES                                                                 | 39.3 | 37.8 | 40.9 | 31.4   | 38.1 | 42.3 | 43.5 | 41.5 | 34.6 | 38.0       | 44.2    | 41.3   | 43.1   |       |        |
| 1 OR 2 TIMES WEEKLY                                                          | 14.4 | 16.2 | 12.6 | 6.3    | 10.6 | 14.2 | 19.2 | 22.8 | 12.6 | 13.7       | 15.2    | 16.9   | 16.2   |       |        |
| 3 OR 4 TIMES WEEKLY                                                          | 3.9  | 4.7  | 3.1  | 2.4    | 2.9  | 3.7  | 4.3  | 6.5  | 3.3  | 4.2        | 4.1     | 5.1    | 3.6    |       |        |
| 5 OR 6 TIMES WEEKLY                                                          | 1.2  | 1.4  | 1.0  | 0.8    | 1.1  | 0.9  | 1.6  | 1.7  | 1.2  | 1.1        | 1.3     | 1.4    | 1.1    |       |        |
| ONCE DAILY                                                                   | 0.2  | 0.3  | 0.1  | 0.2    | 0.2  | 0.2  | 0.1  | 0.4  | 0.2  | 0.3        | 0.2     | 0.2    | 0.2    |       |        |
| MORE THAN ONCE DAILY                                                         | 0.5  | 0.7  | 0.3  | 0.8    | 0.6  | 0.3  | 0.4  | 0.4  | 0.5  | 0.6        | 0.4     | 0.6    | 0.5    |       |        |
| Q30A: DIFFICULTY GETTING ALCOHOL                                             |      |      |      |        |      |      |      |      |      |            |         |        |        |       |        |
| IMPOSSIBLE                                                                   | 1.4  | 1.5  | 1.3  | 3.2    | 1.7  | 1.0  | 0.7  | 0.4  | 1.5  | 1.5        | 1.2     | 1.5    | 1.1    |       |        |
| DIFFICULT                                                                    | 4.8  | 5.7  | 4.0  | 9.3    | 7.0  | 3.8  | 2.3  | 1.4  | 5.0  | 5.8        | 3.9     | 5.2    | 4.2    |       |        |
| FAIRLY EASY                                                                  | 31.8 | 30.7 | 33.0 | 35.6   | 35.2 | 37.0 | 29.3 | 20.7 | 32.1 | 31.0       | 32.0    | 30.0   | 33.3   |       |        |
| VERY EASY                                                                    | 56.4 | 56.6 | 56.2 | 39.7   | 49.3 | 54.3 | 65.3 | 75.4 | 55.2 | 55.2       | 58.6    | 58.1   | 56.6   |       |        |
| DON'T KNOW                                                                   | 5.5  | 5.5  | 5.5  | 12.2   | 6.7  | 3.9  | 2.4  | 2.0  | 6.2  | 6.4        | 4.3     | 5.2    | 4.7    |       |        |
| Q30B: DIFFICULTY GETTING TOBACCO                                             |      |      |      |        |      |      |      |      |      |            |         |        |        |       |        |
| IMPOSSIBLE                                                                   | 2.4  | 2.4  | 2.4  | 6.7    | 2.9  | 0.8  | 1.0  | 0.5  | 2.7  | 2.4        | 2.7     | 1.8    | 2.0    |       |        |
| DIFFICULT                                                                    | 3.0  | 3.0  | 3.0  | 6.6    | 3.7  | 2.8  | 1.2  | 0.7  | 4.2  | 2.6        | 3.0     | 2.7    | 1.7    |       |        |
| FAIRLY EASY                                                                  | 10.3 | 9.6  | 11.0 | 17.5   | 12.9 | 9.7  | 6.2  | 4.5  | 11.2 | 10.2       | 11.0    | 9.7    | 8.5    |       |        |
| VERY EASY                                                                    | 75.4 | 76.6 | 74.2 | 53.5   | 69.5 | 79.9 | 85.9 | 89.7 | 72.4 | 75.6       | 74.1    | 78.1   | 80.3   |       |        |
| DON'T KNOW                                                                   | 8.8  | 8.4  | 9.3  | 15.7   | 11.0 | 6.8  | 5.8  | 4.6  | 9.5  | 9.3        | 9.2     | 7.7    | 7.5    |       |        |



\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q30C = 13,729<br>Q30E = 14,127 | ALL<br>% | SEX  |        | GRADE |      |      |      |      |         | ADP REGION |        |       |        |  |  |  |
|-----------------------------------------------------------------|----------|------|--------|-------|------|------|------|------|---------|------------|--------|-------|--------|--|--|--|
|                                                                 |          | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY     | CEN/SE | NORTH | ISLAND |  |  |  |
|                                                                 |          | %    | %      | %     | %    | %    | %    | %    | %       | %          | %      | %     | %      |  |  |  |
| Q30C: DIFFICULTY GETTING<br>CANNABIS                            |          |      |        |       |      |      |      |      |         |            |        |       |        |  |  |  |
| IMPOSSIBLE                                                      | 7.3      | 7.7  | 6.9    | 16.5  | 8.5  | 6.0  | 2.8  | 2.3  | 9.5     | 7.3        | 6.8    | 5.5   | 5.1    |  |  |  |
| DIFFICULT                                                       | 11.4     | 11.6 | 11.2   | 18.6  | 13.5 | 11.0 | 7.3  | 6.0  | 12.9    | 10.5       | 11.9   | 9.4   | 10.5   |  |  |  |
| FAIRLY EASY                                                     | 30.5     | 30.1 | 31.0   | 17.6  | 27.0 | 34.1 | 36.8 | 37.8 | 28.1    | 29.8       | 30.8   | 33.1  | 33.8   |  |  |  |
| VERY EASY                                                       | 22.0     | 25.2 | 18.6   | 8.8   | 17.3 | 22.7 | 29.8 | 32.5 | 19.3    | 23.0       | 19.7   | 26.1  | 25.5   |  |  |  |
| DON'T KNOW                                                      | 28.7     | 25.3 | 32.4   | 38.4  | 33.7 | 26.2 | 23.3 | 21.5 | 30.3    | 29.4       | 30.8   | 25.9  | 25.0   |  |  |  |
| Q30D: DIFFICULTY GETTING<br>HALLUCINOGENS                       |          |      |        |       |      |      |      |      |         |            |        |       |        |  |  |  |
| IMPOSSIBLE                                                      | 11.7     | 13.3 | 10.0   | 21.0  | 14.3 | 10.5 | 6.4  | 5.6  | 12.9    | 11.6       | 11.9   | 11.6  | 9.4    |  |  |  |
| DIFFICULT                                                       | 20.8     | 23.2 | 18.2   | 19.6  | 21.1 | 21.4 | 22.2 | 19.6 | 19.5    | 20.7       | 20.2   | 23.7  | 22.0   |  |  |  |
| FAIRLY EASY                                                     | 14.1     | 14.4 | 13.8   | 6.6   | 11.4 | 15.5 | 17.4 | 20.2 | 13.9    | 14.8       | 13.0   | 12.2  | 16.2   |  |  |  |
| VERY EASY                                                       | 5.1      | 6.0  | 4.1    | 2.9   | 4.0  | 5.1  | 6.9  | 6.6  | 5.9     | 5.2        | 3.8    | 3.1   | 5.9    |  |  |  |
| DON'T KNOW                                                      | 48.3     | 43.1 | 53.8   | 49.9  | 49.2 | 47.5 | 47.1 | 47.9 | 47.8    | 47.7       | 51.0   | 49.3  | 46.6   |  |  |  |
| Q30E: DIFFICULTY GETTING<br>AMPHETAMINES                        |          |      |        |       |      |      |      |      |         |            |        |       |        |  |  |  |
| IMPOSSIBLE                                                      | 11.0     | 12.7 | 9.3    | 20.6  | 13.2 | 10.0 | 6.2  | 4.4  | 12.0    | 10.5       | 11.7   | 10.9  | 9.1    |  |  |  |
| DIFFICULT                                                       | 19.7     | 22.7 | 16.5   | 17.6  | 19.4 | 21.2 | 20.4 | 19.8 | 18.4    | 17.9       | 21.2   | 20.1  | 22.1   |  |  |  |
| FAIRLY EASY                                                     | 16.3     | 14.9 | 17.8   | 9.0   | 15.0 | 16.2 | 20.9 | 21.2 | 16.3    | 20.1       | 13.4   | 15.0  | 16.0   |  |  |  |
| VERY EASY                                                       | 5.5      | 5.7  | 5.2    | 3.9   | 4.7  | 5.0  | 6.8  | 7.2  | 5.7     | 7.5        | 3.6    | 4.9   | 5.0    |  |  |  |
| DON'T KNOW                                                      | 47.5     | 44.0 | 51.3   | 49.0  | 47.7 | 47.6 | 45.8 | 47.4 | 47.6    | 44.0       | 50.1   | 49.1  | 47.7   |  |  |  |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q30F = 14,108 Q30H = 14,124<br>Q30G = 14,133 Q30I = 14,032 | ALL  | SEX  |        | GRADE |      |      |      |      |         |        | ADP REGION |       |        |  |
|---------------------------------------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|--------|------------|-------|--------|--|
|                                                                                             |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY | CEN/SE     | NORTH | ISLAND |  |
|                                                                                             |      | %    | %      | %     | %    | %    | %    | %    | %       | %      | %          | %     | %      |  |
| Q30F: DIFFICULTY GETTING HEROIN                                                             |      |      |        |       |      |      |      |      |         |        |            |       |        |  |
| IMPOSSIBLE                                                                                  | 18.6 | 21.4 | 15.6   | 25.9  | 19.9 | 19.1 | 14.8 | 12.6 | 18.8    | 18.6   | 20.1       | 18.4  | 16.8   |  |
| DIFFICULT                                                                                   | 21.4 | 23.2 | 19.6   | 19.7  | 21.0 | 21.6 | 21.7 | 23.2 | 21.2    | 21.1   | 20.5       | 22.5  | 22.4   |  |
| FAIRLY EASY                                                                                 | 6.7  | 6.2  | 7.2    | 5.6   | 6.7  | 7.3  | 7.6  | 6.1  | 7.0     | 7.9    | 4.7        | 6.3   | 7.1    |  |
| VERY EASY                                                                                   | 2.1  | 2.6  | 1.6    | 2.6   | 1.9  | 1.9  | 2.0  | 1.9  | 2.2     | 2.6    | 1.7        | 1.6   | 1.9    |  |
| DON'T KNOW                                                                                  | 51.2 | 46.6 | 56.1   | 46.1  | 50.5 | 50.2 | 53.8 | 56.1 | 50.8    | 49.8   | 52.9       | 51.2  | 51.9   |  |
| Q30G:DIFFICULTY GETTING COCAINE                                                             |      |      |        |       |      |      |      |      |         |        |            |       |        |  |
| IMPOSSIBLE                                                                                  | 16.0 | 18.8 | 13.0   | 26.0  | 19.5 | 15.9 | 10.2 | 7.3  | 16.4    | 16.4   | 18.2       | 14.9  | 13.3   |  |
| DIFFICULT                                                                                   | 21.4 | 23.4 | 19.3   | 19.1  | 20.9 | 21.5 | 23.1 | 22.3 | 21.1    | 20.2   | 21.0       | 23.5  | 22.2   |  |
| FAIRLY EASY                                                                                 | 14.0 | 12.6 | 15.3   | 8.3   | 10.7 | 14.6 | 16.9 | 19.9 | 15.5    | 14.7   | 9.6        | 13.1  | 15.4   |  |
| VERY EASY                                                                                   | 5.0  | 5.3  | 4.7    | 4.3   | 4.1  | 4.0  | 5.8  | 7.0  | 5.6     | 5.8    | 3.2        | 4.7   | 5.0    |  |
| DON'T KNOW                                                                                  | 43.7 | 39.9 | 47.7   | 42.4  | 44.7 | 43.9 | 44.0 | 43.5 | 41.5    | 43.0   | 48.1       | 43.7  | 44.1   |  |
| Q30H: DIFFICULTY GETTING CRACK                                                              |      |      |        |       |      |      |      |      |         |        |            |       |        |  |
| IMPOSSIBLE                                                                                  | 19.2 | 23.1 | 15.3   | 27.0  | 21.5 | 19.2 | 14.8 | 13.1 | 18.3    | 18.1   | 22.7       | 20.7  | 17.7   |  |
| DIFFICULT                                                                                   | 17.1 | 18.7 | 15.5   | 14.2  | 16.7 | 17.8 | 18.9 | 18.2 | 16.8    | 17.3   | 15.5       | 17.8  | 18.9   |  |
| FAIRLY EASY                                                                                 | 7.9  | 7.5  | 8.2    | 6.6   | 7.8  | 8.7  | 7.9  | 8.3  | 9.1     | 8.9    | 5.8        | 5.9   | 7.9    |  |
| VERY EASY                                                                                   | 3.0  | 3.3  | 2.6    | 3.6   | 2.9  | 3.0  | 2.3  | 3.0  | 3.3     | 3.5    | 2.2        | 2.0   | 3.1    |  |
| DON'T KNOW                                                                                  | 52.8 | 47.4 | 58.4   | 48.6  | 51.1 | 51.3 | 56.1 | 57.4 | 52.5    | 52.1   | 53.8       | 53.6  | 52.4   |  |
| Q30I: DIFFICULTY GETTING BINDRO                                                             |      |      |        |       |      |      |      |      |         |        |            |       |        |  |
| IMPOSSIBLE                                                                                  | 14.8 | 17.6 | 11.9   | 22.6  | 16.9 | 14.3 | 10.4 | 9.2  | 15.0    | 15.0   | 15.8       | 15.1  | 13.1   |  |
| DIFFICULT                                                                                   | 11.6 | 13.0 | 10.2   | 11.5  | 12.4 | 12.7 | 11.4 | 10.0 | 11.0    | 11.7   | 11.3       | 12.6  | 12.3   |  |
| FAIRLY EASY                                                                                 | 3.3  | 3.3  | 3.3    | 3.2   | 3.3  | 3.6  | 3.3  | 3.3  | 3.0     | 4.1    | 3.1        | 3.7   | 3.1    |  |
| VERY EASY                                                                                   | 1.5  | 1.7  | 1.2    | 1.7   | 1.7  | 1.5  | 1.4  | 1.0  | 1.7     | 1.6    | 1.4        | 1.0   | 1.3    |  |
| DON'T KNOW                                                                                  | 68.8 | 64.3 | 73.3   | 61.0  | 65.7 | 67.9 | 73.4 | 76.6 | 69.3    | 57.5   | 68.4       | 67.7  | 70.1   |  |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

| NUMBER OF VALID RESPONSES TO:<br>Q30J = 14,111 Q30L = 14,162<br>Q30K = 14,028 | ALL  | SEX  |      | GRADE  |      |      |      |      |      | ADP REGION |         |        |        |       |        |
|-------------------------------------------------------------------------------|------|------|------|--------|------|------|------|------|------|------------|---------|--------|--------|-------|--------|
|                                                                               |      | MALE |      | FEMALE |      | 8    | 9    | 10   | 11   | 12         | L. MAIN | VALLEY | CEN/SE | NORTH | ISLAND |
|                                                                               | %    | %    | %    | %      | %    | %    | %    | %    | %    | %          | %       | %      | %      | %     | %      |
| Q30J: DIFFICULTY GETTING<br>TRANQUILIZERS                                     |      |      |      |        |      |      |      |      |      |            |         |        |        |       |        |
| IMPOSSIBLE                                                                    | 9.6  | 11.8 | 7.3  | 17.0   | 11.2 | 8.6  | 6.0  | 4.7  | 10.4 | 10.0       | 9.8     | 9.1    | 7.7    |       |        |
| DIFFICULT                                                                     | 16.1 | 17.9 | 14.2 | 16.5   | 16.6 | 16.9 | 15.8 | 14.6 | 16.4 | 15.8       | 16.3    | 16.4   | 15.5   |       |        |
| FAIRLY EASY                                                                   | 20.3 | 17.0 | 23.6 | 15.4   | 18.7 | 21.6 | 22.7 | 23.3 | 19.9 | 19.6       | 20.4    | 19.2   | 22.3   |       |        |
| VERY EASY                                                                     | 10.1 | 9.4  | 10.9 | 7.8    | 9.4  | 10.1 | 11.2 | 12.2 | 10.2 | 11.5       | 9.2     | 8.3    | 10.5   |       |        |
| DON'T KNOW                                                                    | 43.9 | 43.9 | 44.1 | 43.2   | 44.1 | 42.8 | 44.4 | 45.2 | 43.1 | 43.2       | 44.2    | 46.9   | 44.0   |       |        |
| Q30K: DIFFICULTY GETTING<br>BARBITURATES                                      |      |      |      |        |      |      |      |      |      |            |         |        |        |       |        |
| IMPOSSIBLE                                                                    | 11.0 | 13.0 | 8.9  | 19.5   | 13.1 | 10.1 | 6.4  | 5.1  | 11.9 | 11.7       | 11.0    | 9.8    | 9.0    |       |        |
| DIFFICULT                                                                     | 13.5 | 15.6 | 11.4 | 12.6   | 13.7 | 13.7 | 14.6 | 13.1 | 13.2 | 12.6       | 14.1    | 13.8   | 14.4   |       |        |
| FAIRLY EASY                                                                   | 10.9 | 10.8 | 11.0 | 7.2    | 9.6  | 11.1 | 13.0 | 14.0 | 9.8  | 11.4       | 10.2    | 12.0   | 12.5   |       |        |
| VERY EASY                                                                     | 5.2  | 5.4  | 5.0  | 3.9    | 4.9  | 5.2  | 5.7  | 6.6  | 5.1  | 5.6        | 4.7     | 4.7    | 6.0    |       |        |
| DON'T KNOW                                                                    | 59.3 | 55.2 | 63.7 | 56.8   | 58.7 | 59.9 | 60.3 | 61.2 | 60.0 | 58.6       | 60.0    | 59.7   | 58.1   |       |        |
| Q30L: DIFFICULTY GETTING<br>SOLVENTS                                          |      |      |      |        |      |      |      |      |      |            |         |        |        |       |        |
| IMPOSSIBLE                                                                    | 2.2  | 2.3  | 2.0  | 4.4    | 2.6  | 1.6  | 1.3  | 1.0  | 2.7  | 2.2        | 2.2     | 2.2    | 1.4    |       |        |
| DIFFICULT                                                                     | 1.4  | 1.4  | 1.4  | 2.7    | 1.6  | 1.1  | 1.0  | 0.7  | 1.4  | 1.7        | 1.5     | 1.2    | 1.2    |       |        |
| FAIRLY EASY                                                                   | 8.3  | 6.6  | 10.0 | 9.8    | 9.2  | 8.7  | 7.4  | 6.1  | 8.7  | 9.0        | 7.2     | 8.6    | 7.6    |       |        |
| VERY EASY                                                                     | 72.1 | 75.0 | 69.2 | 64.4   | 71.2 | 74.2 | 74.8 | 76.4 | 68.8 | 71.7       | 75.9    | 70.7   | 75.5   |       |        |
| DON'T KNOW                                                                    | 16.0 | 14.6 | 17.3 | 18.7   | 15.4 | 14.5 | 15.5 | 15.8 | 18.3 | 15.4       | 13.1    | 17.3   | 14.4   |       |        |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

| NUMBER OF VALID RESPONSES TO:<br>Q31 = 13,215<br>Q31(MOD) = 5,037                  | ALL  | SEX  |        | GRADE |      |      |      |      |         |        | ADP REGION |       |        |  |
|------------------------------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|--------|------------|-------|--------|--|
|                                                                                    |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY | CEN/SE     | NORTH | ISLAND |  |
|                                                                                    |      | %    | %      | %     | %    | %    | %    | %    | %       | %      | %          | %     | %      |  |
| Q31: REASON FOR TRYING CANNABIS                                                    |      |      |        |       |      |      |      |      |         |        |            |       |        |  |
| DON'T KNOW WHAT IT IS                                                              | 4.2  | 3.8  | 4.6    | 7.1   | 4.7  | 3.6  | 2.9  | 2.5  | 6.1     | 4.0    | 3.5        | 3.3   | 2.3    |  |
| NEVER TRIED IT                                                                     | 59.2 | 58.0 | 60.7   | 77.4  | 67.4 | 57.9 | 46.3 | 45.2 | 61.8    | 60.3   | 60.7       | 52.9  | 55.9   |  |
| TO SEE WHAT IT WAS LIKE                                                            | 21.8 | 21.7 | 21.9   | 6.8   | 13.9 | 23.5 | 32.3 | 34.2 | 20.0    | 20.2   | 22.3       | 25.5  | 24.1   |  |
| FRIENDS WERE USING IT                                                              | 3.0  | 3.2  | 2.7    | 1.3   | 2.9  | 2.8  | 3.8  | 4.3  | 2.0     | 3.1    | 3.0        | 4.1   | 3.9    |  |
| SEEMED LIKE FUN                                                                    | 3.5  | 3.9  | 3.1    | 1.4   | 2.5  | 3.4  | 5.5  | 4.9  | 3.5     | 3.6    | 3.0        | 3.7   | 3.8    |  |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.2  | 0.1  | 0.2    | 0.1   | 0.2  | 0.1  | 0.3  | 0.1  | 0.0     | 0.4    | 0.1        | 0.1   | 0.2    |  |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 2.0  | 2.0  | 1.9    | 1.7   | 2.3  | 1.9  | 2.2  | 1.8  | 1.7     | 2.3    | 1.5        | 2.4   | 2.4    |  |
| OLD ENOUGH TO USE SAFELY                                                           | 0.3  | 0.5  | 0.1    | 0.3   | 0.2  | 0.3  | 0.2  | 0.4  | 0.2     | 0.4    | 0.2        | 0.3   | 0.4    |  |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 1.2  | 1.4  | 1.0    | 0.9   | 1.4  | 1.0  | 1.4  | 1.3  | 1.0     | 1.3    | 1.0        | 1.8   | 1.3    |  |
| BORED, NOTHING ELSE TO DO                                                          | 1.4  | 1.8  | 1.1    | 0.7   | 1.1  | 1.8  | 1.8  | 1.9  | 1.3     | 1.1    | 1.3        | 2.3   | 1.7    |  |
| OTHER REASON                                                                       | 3.2  | 3.7  | 2.7    | 2.3   | 3.5  | 3.7  | 3.3  | 3.3  | 2.5     | 3.3    | 3.3        | 3.8   | 4.1    |  |
| Q31(MOD): REASON FOR TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |      |      |        |       |      |      |      |      |         |        |            |       |        |  |
| TO SEE WHAT IT WAS LIKE                                                            | 59.7 | 56.6 | 63.1   | 43.7  | 49.7 | 61.2 | 63.6 | 65.4 | 62.3    | 56.5   | 62.5       | 58.2  | 57.6   |  |
| FRIENDS WERE USING IT                                                              | 8.1  | 8.4  | 7.8    | 8.2   | 10.4 | 7.2  | 7.4  | 8.2  | 6.2     | 8.6    | 8.4        | 9.3   | 9.3    |  |
| SEEMED LIKE FUN                                                                    | 9.6  | 10.2 | 9.0    | 9.2   | 9.1  | 8.8  | 10.9 | 9.4  | 10.9    | 10.1   | 8.5        | 8.4   | 9.1    |  |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.5  | 0.4  | 0.6    | 0.5   | 0.7  | 0.3  | 0.6  | 0.3  | 0.1     | 1.2    | 0.3        | 0.2   | 0.5    |  |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 5.5  | 5.2  | 5.5    | 11.1  | 8.1  | 5.0  | 4.4  | 3.5  | 5.3     | 6.4    | 4.3        | 5.4   | 5.7    |  |
| OLD ENOUGH TO USE SAFELY                                                           | 0.7  | 1.2  | 0.2    | 1.9   | 0.5  | 0.7  | 0.4  | 0.8  | 0.5     | 1.2    | 0.5        | 0.6   | 0.8    |  |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 3.2  | 3.5  | 2.8    | 5.9   | 4.9  | 2.5  | 2.7  | 2.6  | 3.0     | 3.8    | 2.7        | 4.1   | 3.0    |  |
| BORED, NOTHING ELSE TO DO                                                          | 4.0  | 4.7  | 3.2    | 4.5   | 4.0  | 4.6  | 3.5  | 3.7  | 4.1     | 3.0    | 3.7        | 5.1   | 4.1    |  |
| OTHER REASON                                                                       | 8.8  | 9.7  | 7.8    | 14.9  | 12.5 | 9.7  | 6.5  | 6.3  | 7.6     | 9.3    | 9.1        | 8.7   | 9.7    |  |

NOTE: Q31(MOD) IS A MODIFIED RESPONSE SET FOR Q31 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS.



\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q32 = 14,179<br>Q32(MOD) = 5,803                 | ALL  | SEX  |      | GRADE  |   |      |      |      |      |      |         | ADP REGION |        |       |        |
|-----------------------------------------------------------------------------------|------|------|------|--------|---|------|------|------|------|------|---------|------------|--------|-------|--------|
|                                                                                   |      | MALE |      | FEMALE |   | 8    | 9    | 10   | 11   | 12   | L. MAIN | VALLEY     | CEN/SE | NORTH | ISLAND |
|                                                                                   | %    | %    | %    | %      | % | %    | %    | %    | %    | %    | %       | %          | %      | %     | %      |
| Q32: WHEN FIRST TRIED CANNABIS                                                    |      |      |      |        |   |      |      |      |      |      |         |            |        |       |        |
| DON'T KNOW WHAT IT IS                                                             | 3.8  | 3.6  | 4.0  |        |   | 6.5  | 4.4  | 3.1  | 2.5  | 2.4  | 5.6     | 3.7        | 3.0    | 2.4   | 2.3    |
| NEVER TRIED IT                                                                    | 56.9 | 55.3 | 58.7 |        |   | 76.5 | 65.1 | 55.9 | 43.4 | 41.9 | 59.6    | 58.2       | 58.7   | 49.9  | 53.2   |
| GRADE 4 OR BEFORE                                                                 | 1.5  | 2.1  | 0.9  |        |   | 1.9  | 1.9  | 1.2  | 1.4  | 1.2  | 1.0     | 1.8        | 1.7    | 1.4   | 2.2    |
| GRADE 5                                                                           | 1.5  | 2.2  | 0.9  |        |   | 1.9  | 1.5  | 1.5  | 1.6  | 1.1  | 1.2     | 1.6        | 1.3    | 2.3   | 1.7    |
| GRADE 6                                                                           | 2.8  | 3.5  | 2.0  |        |   | 2.8  | 2.8  | 2.7  | 2.8  | 2.9  | 2.4     | 2.6        | 2.7    | 3.6   | 3.2    |
| GRADE 7                                                                           | 6.5  | 7.2  | 5.7  |        |   | 5.8  | 7.3  | 6.4  | 6.2  | 6.7  | 5.2     | 6.8        | 5.5    | 8.6   | 8.0    |
| GRADE 8                                                                           | 10.8 | 10.4 | 11.1 |        |   | 4.3  | 11.6 | 12.2 | 13.4 | 12.5 | 9.4     | 11.0       | 8.8    | 15.0  | 12.2   |
| GRADE 9                                                                           | 8.5  | 7.6  | 9.3  |        |   | 0.1  | 5.2  | 11.7 | 13.4 | 12.3 | 8.5     | 7.3        | 8.6    | 9.2   | 9.2    |
| GRADE 10                                                                          | 5.0  | 5.0  | 5.0  |        |   | 0.0  | 0.1  | 5.3  | 10.6 | 9.6  | 4.4     | 4.3        | 6.5    | 5.2   | 5.3    |
| GRADE 11                                                                          | 2.2  | 2.5  | 1.9  |        |   | 0.0  | 0.0  | 0.0  | 4.7  | 6.9  | 2.2     | 2.4        | 2.4    | 1.8   | 2.1    |
| GRADE 12                                                                          | 0.5  | 0.5  | 0.5  |        |   | 0.1  | 0.1  | 0.0  | 0.0  | 2.5  | 0.5     | 0.2        | 0.7    | 0.5   | 0.6    |
| Q32(MOD): WHEN FIRST TRIED CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |      |      |      |        |   |      |      |      |      |      |         |            |        |       |        |
| GRADE 4 OR BEFORE                                                                 | 3.9  | 5.2  | 2.5  |        |   | 11.3 | 6.3  | 2.9  | 2.6  | 2.1  | 2.8     | 4.8        | 4.4    | 2.9   | 4.9    |
| GRADE 5                                                                           | 3.9  | 5.2  | 2.5  |        |   | 11.3 | 4.9  | 3.7  | 2.9  | 2.1  | 3.6     | 4.3        | 3.5    | 4.7   | 3.8    |
| GRADE 6                                                                           | 7.1  | 8.5  | 5.5  |        |   | 16.4 | 9.2  | 6.5  | 5.1  | 5.2  | 7.0     | 6.9        | 7.5    | 7.5   | 7.1    |
| GRADE 7                                                                           | 16.5 | 17.6 | 15.2 |        |   | 34.2 | 23.8 | 15.7 | 11.4 | 12.0 | 15.0    | 18.0       | 14.3   | 18.0  | 17.9   |
| GRADE 8                                                                           | 27.4 | 25.4 | 29.6 |        |   | 25.2 | 38.0 | 29.7 | 24.8 | 22.5 | 27.0    | 28.8       | 23.1   | 31.6  | 27.4   |
| GRADE 9                                                                           | 21.6 | 18.4 | 25.0 |        |   | 0.6  | 17.1 | 28.5 | 24.8 | 22.1 | 24.4    | 19.1       | 22.5   | 19.4  | 20.7   |
| GRADE 10                                                                          | 12.8 | 12.2 | 13.3 |        |   | 0.2  | 0.4  | 12.9 | 19.5 | 17.2 | 12.6    | 11.4       | 17.0   | 10.9  | 11.9   |
| GRADE 11                                                                          | 5.6  | 6.2  | 5.0  |        |   | 0.0  | 0.0  | 0.0  | 8.7  | 12.4 | 6.2     | 6.2        | 6.4    | 3.9   | 4.8    |
| GRADE 12                                                                          | 1.3  | 1.3  | 1.3  |        |   | 0.8  | 0.2  | 0.0  | 0.1  | 4.5  | 1.5     | 0.4        | 1.9    | 1.1   | 1.4    |
| AVERAGE GRADE IN WHICH CANNABIS FIRST TRIED                                       | 8.1  | 8.0  | 8.3  |        |   | 6.6  | 7.4  | 8.0  | 8.5  | 8.7  | 8.2     | 8.0        | 8.3    | 8.0   | 8.0    |

NOTE: Q32(MOD) IS A MODIFIED RESPONSE SET FOR Q32 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS.

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*

| NUMBER OF VALID RESPONSES TO:<br>Q33 = 12,455<br>Q33(MOD) = 8,319                          | ALL<br>% | SEX  |      | GRADE  |      |      |      |      |      | ADP REGION |         |        |        |       |        |
|--------------------------------------------------------------------------------------------|----------|------|------|--------|------|------|------|------|------|------------|---------|--------|--------|-------|--------|
|                                                                                            |          | MALE |      | FEMALE |      | 8    | 9    | 10   | 11   | 12         | L. MAIN | VALLEY | CEN/SE | NORTH | ISLAND |
|                                                                                            |          | %    | %    | %      | %    | %    | %    | %    | %    | %          | %       | %      | %      | %     | %      |
| Q33: REASON FOR NOT TRYING CANNABIS                                                        |          |      |      |        |      |      |      |      |      |            |         |        |        |       |        |
| DON'T KNOW WHAT IT IS                                                                      | 4.2      | 4.1  | 4.3  | 6.6    | 4.7  | 3.7  | 2.8  | 2.9  | 2.9  | 2.9        | 6.1     | 4.0    | 2.9    | 3.6   | 2.6    |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 15.0     | 19.5 | 10.5 | 21.5   | 16.0 | 14.4 | 11.1 | 11.0 | 11.0 | 11.0       | 17.7    | 13.4   | 14.9   | 11.8  | 13.9   |
| MIGHT BE ADDICTIVE                                                                         | 2.8      | 3.0  | 2.6  | 3.6    | 3.2  | 2.6  | 2.0  | 2.5  | 2.5  | 2.5        | 3.1     | 2.6    | 3.2    | 2.4   | 2.3    |
| ILLEGAL TO USE IT                                                                          | 1.2      | 1.6  | 0.9  | 1.5    | 1.5  | 1.3  | 0.8  | 0.9  | 0.8  | 0.9        | 1.3     | 1.1    | 1.2    | 1.5   | 1.2    |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 1.7      | 1.9  | 1.5  | 2.6    | 2.3  | 1.6  | 0.7  | 0.8  | 0.7  | 0.8        | 1.5     | 1.7    | 1.9    | 1.4   | 2.0    |
| TROUBLE WITH POLICE                                                                        | 0.3      | 0.4  | 0.2  | 0.6    | 0.1  | 0.3  | 0.2  | 0.2  | 0.2  | 0.2        | 0.2     | 0.5    | 0.4    | 0.2   | 0.3    |
| CAN NOT GET ANY                                                                            | 0.4      | 0.3  | 0.4  | 0.6    | 0.6  | 0.4  | 0.2  | 0.2  | 0.2  | 0.0        | 0.2     | 0.4    | 0.6    | 0.1   | 0.5    |
| CAN NOT AFFORD IT                                                                          | 0.5      | 0.6  | 0.4  | 0.7    | 0.7  | 0.5  | 0.3  | 0.1  | 0.3  | 0.1        | 0.4     | 0.5    | 0.6    | 0.7   | 0.4    |
| NOT INTERESTED                                                                             | 30.0     | 25.0 | 35.0 | 32.6   | 32.0 | 30.0 | 27.3 | 27.4 | 27.3 | 27.4       | 29.4    | 32.6   | 30.4   | 29.2  | 28.2   |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 5.3      | 4.3  | 6.3  | 7.4    | 6.8  | 4.4  | 4.6  | 2.6  | 4.6  | 2.6        | 5.8     | 5.2    | 5.6    | 4.2   | 4.8    |
| OTHER THINGS I ENJOY DOING                                                                 | 7.1      | 7.0  | 7.3  | 8.2    | 7.9  | 7.3  | 6.5  | 5.4  | 6.5  | 5.4        | 6.7     | 7.5    | 7.4    | 7.9   | 6.8    |
| FRIENDS DON'T USE IT                                                                       | 0.7      | 0.6  | 0.8  | 1.0    | 0.8  | 0.8  | 0.6  | 0.5  | 0.6  | 0.5        | 0.6     | 1.2    | 0.6    | 0.6   | 0.8    |
| OTHER REASON                                                                               | 2.7      | 2.7  | 2.6  | 3.3    | 2.6  | 2.9  | 2.1  | 2.4  | 2.1  | 2.4        | 2.4     | 2.6    | 2.9    | 3.5   | 2.5    |
| HAVE TRIED IT                                                                              | 28.1     | 28.9 | 27.4 | 9.7    | 20.8 | 29.7 | 40.9 | 43.3 | 40.9 | 43.3       | 24.8    | 26.6   | 27.4   | 32.9  | 33.7   |
| Q33(MOD): REASON FOR NOT TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE NOT TRIED CANNABIS) |          |      |      |        |      |      |      |      |      |            |         |        |        |       |        |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 22.2     | 29.2 | 15.3 | 25.7   | 21.4 | 21.6 | 19.6 | 20.5 | 19.6 | 20.5       | 25.6    | 19.4   | 21.3   | 18.6  | 21.8   |
| MIGHT BE ADDICTIVE                                                                         | 4.2      | 4.5  | 3.8  | 4.3    | 4.3  | 3.9  | 3.6  | 4.6  | 3.6  | 4.6        | 4.5     | 3.7    | 4.6    | 3.8   | 3.6    |
| ILLEGAL TO USE IT                                                                          | 1.8      | 2.4  | 1.3  | 1.8    | 2.0  | 2.0  | 1.5  | 1.7  | 1.5  | 1.7        | 1.9     | 1.5    | 1.7    | 2.4   | 1.9    |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 2.5      | 2.8  | 2.1  | 3.1    | 3.1  | 2.4  | 1.3  | 1.6  | 1.3  | 1.6        | 2.1     | 2.5    | 2.7    | 2.2   | 3.1    |
| TROUBLE WITH POLICE                                                                        | 0.4      | 0.7  | 0.2  | 0.7    | 0.2  | 0.5  | 0.4  | 0.3  | 0.4  | 0.3        | 0.3     | 0.7    | 0.5    | 0.3   | 0.4    |
| CAN NOT GET ANY                                                                            | 0.5      | 0.5  | 0.6  | 0.7    | 0.8  | 0.6  | 0.4  | 0.1  | 0.4  | 0.1        | 0.3     | 0.6    | 0.8    | 0.1   | 0.9    |
| CAN NOT AFFORD IT                                                                          | 0.7      | 0.9  | 0.5  | 0.8    | 0.9  | 0.8  | 0.6  | 0.3  | 0.6  | 0.3        | 0.5     | 0.7    | 0.9    | 1.0   | 0.6    |
| NOT INTERESTED                                                                             | 44.3     | 37.4 | 51.2 | 38.9   | 42.9 | 45.1 | 48.4 | 50.9 | 48.4 | 50.9       | 42.5    | 47.1   | 43.7   | 46.1  | 44.3   |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 7.8      | 6.3  | 9.2  | 8.9    | 9.2  | 6.7  | 8.1  | 4.9  | 8.1  | 4.9        | 8.4     | 7.5    | 8.0    | 6.6   | 7.6    |
| OTHER THINGS I ENJOY DOING                                                                 | 10.5     | 10.5 | 10.6 | 9.9    | 10.6 | 10.9 | 11.5 | 10.1 | 11.5 | 10.1       | 9.6     | 10.9   | 10.7   | 12.4  | 10.7   |
| FRIENDS DON'T USE IT                                                                       | 1.1      | 1.0  | 1.2  | 1.3    | 1.1  | 1.1  | 1.0  | 0.9  | 1.0  | 0.9        | 0.8     | 1.7    | 0.9    | 0.9   | 1.2    |
| OTHER REASON                                                                               | 3.9      | 4.0  | 3.8  | 3.9    | 3.5  | 4.3  | 3.7  | 4.4  | 3.7  | 4.4        | 3.4     | 3.7    | 4.2    | 5.4   | 4.0    |

NOTE: Q33(MOD) IS A MODIFIED RESPONSE SET FOR Q33 AND INCLUDES ONLY THOSE WHO HAVE NOT TRIED CANNABIS. THOSE WHO DON'T KNOW WHAT CANNABIS IS HAVE BEEN EXCLUDED.



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q34 = 13,526<br>Q34(MOD) = 3,471                                         | ALL<br>% | SEX       |             | GRADE  |        |         |         |         |              |             |             | ADP REGION |             |  |  |
|-----------------------------------------------------------------------------------------------------------|----------|-----------|-------------|--------|--------|---------|---------|---------|--------------|-------------|-------------|------------|-------------|--|--|
|                                                                                                           |          | MALE<br>% | FEMALE<br>% | 8<br>% | 9<br>% | 10<br>% | 11<br>% | 12<br>% | L. MAIN<br>% | VALLEY<br>% | CEN/SE<br>% | NORTH<br>% | ISLAND<br>% |  |  |
|                                                                                                           |          |           |             |        |        |         |         |         |              |             |             |            |             |  |  |
| Q34: REASON FOR STOPPING<br>CANNABIS USE                                                                  |          |           |             |        |        |         |         |         |              |             |             |            |             |  |  |
| DON'T KNOW WHAT IT IS                                                                                     | 3.6      | 3.4       | 3.8         | 6.6    | 4.0    | 2.9     | 2.4     | 2.1     | 5.7          | 3.2         | 2.7         | 2.4        | 2.2         |  |  |
| NEVER USED IT                                                                                             | 57.7     | 56.1      | 59.6        | 76.2   | 65.7   | 56.8    | 44.7    | 43.3    | 59.7         | 59.6        | 59.6        | 51.3       | 54.4        |  |  |
| MIGHT BE HARMFUL TO MY HEALTH                                                                             | 3.6      | 5.0       | 2.1         | 2.5    | 2.9    | 3.8     | 4.8     | 4.0     | 3.2          | 3.5         | 3.6         | 4.3        | 3.9         |  |  |
| MIGHT BE ADDICTIVE                                                                                        | 0.9      | 1.1       | 0.7         | 0.7    | 1.1    | 0.9     | 1.1     | 0.7     | 0.7          | 1.0         | 0.9         | 1.1        | 1.1         |  |  |
| PARENTS MADE ME STOP                                                                                      | 0.1      | 0.1       | 0.1         | 0.1    | 0.2    | 0.1     | 0.2     | 0.0     | 0.1          | 0.1         | 0.0         | 0.2        | 0.2         |  |  |
| ILLEGAL TO USE IT                                                                                         | 0.3      | 0.5       | 0.2         | 0.3    | 0.4    | 0.4     | 0.4     | 0.2     | 0.3          | 0.3         | 0.4         | 0.5        | 0.2         |  |  |
| WAS JUST EXPERIMENTING                                                                                    | 4.8      | 4.6       | 5.0         | 2.4    | 3.7    | 5.0     | 6.4     | 6.4     | 4.1          | 4.3         | 5.9         | 5.3        | 5.1         |  |  |
| NOT INTERESTED ANYMORE                                                                                    | 5.0      | 4.8       | 5.2         | 1.1    | 2.8    | 5.4     | 7.0     | 9.1     | 4.2          | 4.5         | 5.7         | 6.1        | 5.5         |  |  |
| TROUBLE WITH PARENTS/TEACHERS                                                                             | 0.3      | 0.3       | 0.3         | 0.1    | 0.4    | 0.4     | 0.2     | 0.2     | 0.3          | 0.2         | 0.3         | 0.3        | 0.3         |  |  |
| FRIENDS STOPPED USING IT                                                                                  | 0.2      | 0.1       | 0.2         | 0.1    | 0.2    | 0.2     | 0.2     | 0.1     | 0.2          | 0.1         | 0.1         | 0.2        | 0.1         |  |  |
| GOT INTO TROUBLE WITH POLICE                                                                              | 0.1      | 0.2       | 0.1         | 0.3    | 0.1    | 0.2     | 0.0     | 0.0     | 0.1          | 0.1         | 0.2         | 0.1        | 0.1         |  |  |
| DIDN'T LIKE EFFECTS                                                                                       | 2.8      | 2.0       | 3.6         | 0.7    | 1.4    | 2.5     | 4.5     | 5.4     | 2.4          | 3.2         | 2.8         | 3.4        | 2.9         |  |  |
| OTHER THINGS I ENJOY DOING                                                                                | 3.7      | 4.0       | 3.5         | 1.2    | 2.8    | 4.4     | 5.6     | 4.9     | 3.3          | 3.9         | 3.5         | 4.2        | 4.4         |  |  |
| RESULT OF EDUCATIONAL EFFORTS                                                                             | 0.4      | 0.4       | 0.3         | 0.1    | 0.5    | 0.4     | 0.3     | 0.4     | 0.3          | 0.4         | 0.2         | 0.4        | 0.5         |  |  |
| OTHER REASON                                                                                              | 2.5      | 2.7       | 2.2         | 1.3    | 2.4    | 2.8     | 2.8     | 3.1     | 2.3          | 2.4         | 2.5         | 2.4        | 3.0         |  |  |
| STILL USE IT                                                                                              | 14.0     | 14.6      | 13.3        | 6.1    | 11.4   | 13.8    | 19.3    | 20.1    | 13.3         | 13.2        | 11.6        | 17.9       | 16.0        |  |  |
| Q34(MOD): REASON FOR STOPPING<br>CANNABIS USE (RESPONSES<br>FOR THOSE WHO HAVE STOPPED<br>USING CANNABIS) |          |           |             |        |        |         |         |         |              |             |             |            |             |  |  |
| MIGHT BE HARMFUL TO MY HEALTH                                                                             | 14.5     | 19.3      | 9.1         | 22.7   | 15.2   | 14.2    | 14.3    | 11.5    | 14.9         | 14.5        | 13.9        | 15.1       | 14.1        |  |  |
| MIGHT BE ADDICTIVE                                                                                        | 3.7      | 4.3       | 3.0         | 6.3    | 5.8    | 3.4     | 3.4     | 1.9     | 3.3          | 4.1         | 3.3         | 3.7        | 4.1         |  |  |
| PARENTS MADE ME STOP                                                                                      | 0.5      | 0.5       | 0.4         | 1.3    | 0.9    | 0.3     | 0.5     | 0.0     | 0.4          | 0.6         | 0.1         | 0.6        | 0.7         |  |  |
| ILLEGAL TO USE IT                                                                                         | 1.4      | 2.0       | 0.7         | 2.7    | 2.1    | 1.5     | 1.1     | 0.7     | 1.5          | 1.4         | 1.7         | 1.6        | 0.8         |  |  |
| WAS JUST EXPERIMENTING                                                                                    | 19.3     | 17.7      | 21.3        | 21.5   | 19.8   | 19.0    | 19.2    | 18.6    | 19.1         | 17.7        | 22.4        | 18.6       | 18.6        |  |  |
| NOT INTERESTED ANYMORE                                                                                    | 20.3     | 18.5      | 22.3        | 10.3   | 15.0   | 20.3    | 20.9    | 26.5    | 19.9         | 18.9        | 21.7        | 21.6       | 20.1        |  |  |
| TROUBLE WITH PARENTS/TEACHERS                                                                             | 1.1      | 1.1       | 1.1         | 1.3    | 2.0    | 1.5     | 0.7     | 0.5     | 1.2          | 0.8         | 1.1         | 1.0        | 1.2         |  |  |
| FRIENDS STOPPED USING IT                                                                                  | 0.7      | 0.5       | 0.9         | 0.7    | 1.1    | 0.9     | 0.5     | 0.3     | 0.8          | 0.6         | 0.5         | 0.7        | 0.5         |  |  |
| GOT INTO TROUBLE WITH POLICE                                                                              | 0.5      | 0.7       | 0.4         | 2.4    | 0.4    | 0.9     | 0.0     | 0.1     | 0.5          | 0.4         | 0.7         | 0.5        | 0.4         |  |  |
| DIDN'T LIKE EFFECTS                                                                                       | 11.5     | 7.8       | 15.3        | 6.5    | 7.3    | 9.3     | 13.5    | 15.7    | 11.2         | 13.4        | 10.6        | 12.0       | 10.5        |  |  |
| OTHER THINGS I ENJOY DOING                                                                                | 15.1     | 15.5      | 14.9        | 10.8   | 15.0   | 16.5    | 16.6    | 14.1    | 15.2         | 16.2        | 13.4        | 14.8       | 15.9        |  |  |
| RESULT OF EDUCATIONAL EFFORTS                                                                             | 1.4      | 1.6       | 1.1         | 1.2    | 2.6    | 1.6     | 1.0     | 1.2     | 1.4          | 1.6         | 0.9         | 1.5        | 1.9         |  |  |
| OTHER REASON                                                                                              | 10.1     | 10.6      | 9.4         | 12.1   | 12.8   | 10.6    | 8.5     | 8.9     | 10.6         | 9.9         | 9.5         | 8.4        | 11.1        |  |  |

NOTE: Q34(MOD) IS A MODIFIED RESPONSE SET FOR Q34 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS BUT WHO DO NOT USE IT NOW.

| NUMBER OF VALID RESPONSES TO:<br>Q35 (MOD) = 13,231<br>Q35(MOD) = 2,498                | ALL  |      | SEX  |      | GRADE  |      |      |      |      |      | ADP REGION |      |      |      |
|----------------------------------------------------------------------------------------|------|------|------|------|--------|------|------|------|------|------|------------|------|------|------|
|                                                                                        |      |      | MALE |      | FEMALE |      | 8    |      | 9    |      | 10         |      | 11   |      |
|                                                                                        | %    |      | %    |      | %      |      | %    |      | %    |      | %          |      | %    |      |
| Q35: REASON FOR STILL USING CANNABIS                                                   |      |      |      |      |        |      |      |      |      |      |            |      |      |      |
| DON'T KNOW WHAT IT IS                                                                  | 3.6  | 3.4  | 3.8  | 6.6  | 4.2    | 2.8  | 2.3  | 2.1  | 5.5  | 3.3  | 2.7        | 2.7  | 2.3  | 2.3  |
| NEVER USED IT                                                                          | 59.6 | 57.9 | 61.5 | 77.9 | 67.5   | 58.8 | 46.5 | 44.9 | 61.9 | 61.4 | 61.8       | 52.7 | 55.7 | 55.7 |
| STOPPED USING IT                                                                       | 18.6 | 19.3 | 17.8 | 7.2  | 13.4   | 19.5 | 26.5 | 27.8 | 15.3 | 17.8 | 21.0       | 20.9 | 21.4 | 21.4 |
| IT IS FUN                                                                              | 5.5  | 5.9  | 5.1  | 1.7  | 4.2    | 5.3  | 8.3  | 8.8  | 6.4  | 4.1  | 4.4        | 6.4  | 6.2  | 6.2  |
| FRIENDS STILL USE IT                                                                   | 0.7  | 0.8  | 0.7  | 0.3  | 0.5    | 0.9  | 0.9  | 1.2  | 0.6  | 0.9  | 0.6        | 1.1  | 0.8  | 0.8  |
| CANNOT STOP USING IT                                                                   | 0.3  | 0.5  | 0.2  | 0.2  | 0.4    | 0.4  | 0.4  | 0.3  | 0.3  | 0.6  | 0.2        | 0.6  | 0.3  | 0.3  |
| TO GET ALONG WITH FRIENDS                                                              | 0.2  | 0.2  | 0.1  | 0.1  | 0.3    | 0.3  | 0.1  | 0.1  | 0.3  | 0.1  | 0.0        | 0.3  | 0.2  | 0.2  |
| EASIER TO DO SCHOOL WORK                                                               | 0.3  | 0.3  | 0.3  | 0.3  | 0.2    | 0.3  | 0.5  | 0.2  | 0.2  | 0.3  | 0.3        | 0.3  | 0.4  | 0.4  |
| GOOD FOR MY HEALTH                                                                     | 0.1  | 0.2  | 0.1  | 0.2  | 0.1    | 0.2  | 0.2  | 0.1  | 0.1  | 0.2  | 0.1        | 0.2  | 0.1  | 0.1  |
| CALMS ME DOWN                                                                          | 0.5  | 0.6  | 0.4  | 0.6  | 0.3    | 0.4  | 0.6  | 0.7  | 0.3  | 0.5  | 0.6        | 1.0  | 0.5  | 0.5  |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 1.7  | 1.7  | 1.8  | 1.2  | 1.8    | 1.7  | 1.9  | 2.2  | 1.5  | 2.0  | 1.3        | 2.2  | 2.0  | 2.0  |
| ADULTS SAY IT IS NOT GOOD                                                              | 0.2  | 0.1  | 0.2  | 0.2  | 0.4    | 0.0  | 0.1  | 0.1  | 0.2  | 0.1  | 0.2        | 0.0  | 0.2  | 0.2  |
| BORED, NOTHING ELSE TO DO                                                              | 1.0  | 0.9  | 1.1  | 0.4  | 1.0    | 1.4  | 1.1  | 1.2  | 0.7  | 1.1  | 1.3        | 1.5  | 0.9  | 0.9  |
| OLD ENOUGH TO USE CAREFULLY                                                            | 0.7  | 0.8  | 0.7  | 0.3  | 0.4    | 0.7  | 1.5  | 0.9  | 0.8  | 0.7  | 0.6        | 1.0  | 0.6  | 0.6  |
| TO FEEL GOOD                                                                           | 3.4  | 3.6  | 3.1  | 1.4  | 3.1    | 3.8  | 4.5  | 4.0  | 3.1  | 3.0  | 2.5        | 5.0  | 4.0  | 4.0  |
| OTHER REASON                                                                           | 3.5  | 3.6  | 3.3  | 1.6  | 2.4    | 3.7  | 4.6  | 5.3  | 2.9  | 4.0  | 2.5        | 4.2  | 4.4  | 4.4  |
| Q35(MOD): REASON FOR STILL USING CANNABIS (RESPONSES FOR THOSE WHO STILL USE CANNABIS) |      |      |      |      |        |      |      |      |      |      |            |      |      |      |
| IT IS FUN                                                                              | 30.4 | 30.5 | 29.9 | 20.0 | 28.1   | 27.9 | 33.6 | 34.9 | 37.0 | 23.5 | 30.1       | 26.7 | 30.1 | 30.1 |
| FRIENDS STILL USE IT                                                                   | 4.1  | 4.2  | 4.0  | 4.0  | 3.4    | 4.6  | 3.6  | 4.6  | 3.3  | 5.3  | 4.3        | 4.4  | 3.8  | 3.8  |
| CANNOT STOP USING IT                                                                   | 1.9  | 2.4  | 1.4  | 2.7  | 2.8    | 2.1  | 1.4  | 1.3  | 1.5  | 3.3  | 1.3        | 2.5  | 1.2  | 1.2  |
| TO GET ALONG WITH FRIENDS                                                              | 1.0  | 1.3  | 0.6  | 1.0  | 1.7    | 1.6  | 0.5  | 0.5  | 1.5  | 0.5  | 0.3        | 1.2  | 1.1  | 1.1  |
| EASIER TO DO SCHOOL WORK                                                               | 1.6  | 1.7  | 1.5  | 3.4  | 1.1    | 1.7  | 1.9  | 0.9  | 1.2  | 1.5  | 2.2        | 1.5  | 2.0  | 2.0  |
| GOOD FOR MY HEALTH                                                                     | 0.8  | 1.2  | 0.3  | 1.9  | 0.5    | 0.9  | 0.8  | 0.5  | 0.8  | 0.9  | 0.9        | 0.7  | 0.7  | 0.7  |
| CALMS ME DOWN                                                                          | 2.8  | 2.9  | 2.6  | 6.9  | 1.7    | 2.2  | 2.5  | 2.6  | 1.7  | 2.9  | 3.8        | 4.2  | 2.4  | 2.4  |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 9.5  | 8.7  | 10.8 | 13.9 | 11.9   | 8.8  | 7.8  | 8.9  | 8.6  | 11.6 | 8.8        | 9.3  | 9.8  | 9.8  |
| ADULTS SAY IT IS NOT GOOD                                                              | 0.8  | 0.7  | 1.0  | 2.5  | 2.5    | 0.0  | 0.3  | 0.4  | 1.2  | 0.3  | 1.5        | 0.2  | 0.8  | 0.8  |
| BORED, NOTHING ELSE TO DO                                                              | 5.5  | 4.8  | 6.4  | 4.2  | 6.6    | 7.2  | 4.6  | 4.7  | 3.8  | 6.2  | 8.6        | 6.3  | 4.5  | 4.5  |
| OLD ENOUGH TO USE CAREFULLY                                                            | 4.1  | 4.3  | 3.9  | 3.6  | 2.5    | 3.5  | 5.9  | 3.7  | 4.7  | 4.2  | 4.2        | 4.0  | 2.8  | 2.8  |
| TO FEEL GOOD                                                                           | 18.4 | 18.8 | 18.1 | 17.2 | 20.9   | 20.1 | 18.3 | 15.8 | 17.8 | 17.1 | 16.9       | 21.1 | 19.6 | 19.6 |
| OTHER REASON                                                                           | 19.1 | 18.6 | 19.6 | 18.8 | 16.2   | 19.4 | 18.6 | 21.2 | 16.9 | 22.7 | 17.1       | 17.9 | 21.1 | 21.1 |

NOTE: Q35(MOD) IS A MODIFIED RESPONSE SET FOR Q35 AND INCLUDES ONLY THOSE WHO STILL USE CANNABIS.

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

| NUMBER OF VALID RESPONSES TO:<br>Q36 = 14,204 | ALL  |      | SEX  |        | GRADE |      |      |      |      | ADP REGION |        |        |       |        |
|-----------------------------------------------|------|------|------|--------|-------|------|------|------|------|------------|--------|--------|-------|--------|
|                                               | %    |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN    | VALLEY | CEN/SE | NORTH | ISLAND |
|                                               |      |      | %    | %      |       |      |      |      |      |            |        |        |       |        |
| Q36: CANNABIS USE IN LAST MONTH               |      |      |      |        |       |      |      |      |      |            |        |        |       |        |
| DON'T KNOW WHAT IT IS                         | 6.1  | 5.7  | 6.4  | 10.7   | 7.1   | 5.3  | 3.7  | 3.4  | 8.8  | 6.0        | 4.5    | 4.5    | 4.0   | 4.0    |
| DIDN'T USE IN LAST MONTH                      | 74.4 | 72.9 | 76.0 | 80.3   | 76.9  | 74.7 | 70.2 | 69.5 | 72.9 | 75.4       | 80.0   | 68.9   | 73.9  | 73.9   |
| 1 OR 2 TIMES                                  | 9.5  | 9.4  | 9.6  | 4.0    | 8.2   | 9.9  | 12.9 | 12.7 | 9.0  | 8.3        | 2.5    | 4.5    | 11.0  | 11.0   |
| 3 TO 5 TIMES                                  | 3.4  | 3.3  | 3.4  | 1.7    | 2.9   | 3.4  | 4.3  | 4.9  | 3.3  | 3.2        | 2.5    | 4.5    | 3.9   | 3.9    |
| 6 TO 9 TIMES                                  | 2.2  | 2.7  | 1.6  | 1.2    | 1.6   | 2.1  | 3.1  | 3.0  | 2.1  | 1.9        | 1.5    | 3.3    | 2.5   | 2.5    |
| 10 TO 19 TIMES                                | 2.0  | 2.3  | 1.5  | 0.9    | 1.6   | 2.2  | 2.5  | 2.8  | 1.9  | 2.3        | 1.4    | 2.8    | 1.9   | 1.9    |
| 20 TO 39 TIMES                                | 1.2  | 1.7  | 0.8  | 0.3    | 0.9   | 1.4  | 1.7  | 2.2  | 1.0  | 1.4        | 0.8    | 1.8    | 1.6   | 1.6    |
| 40 OR MORE TIMES                              | 1.3  | 1.9  | 0.6  | 0.9    | 0.9   | 1.1  | 1.7  | 1.7  | 1.7  | 1.6        | 0.7    | 2.2    | 1.3   | 1.3    |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q37 = 14,431<br>Q37(MOD) = 12,527               | ALL  | SEX  |        | GRADE |      |      |      |      |         |        |        | ADP REGION |        |  |  |  |  |  |  |
|----------------------------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|--------|--------|------------|--------|--|--|--|--|--|--|
|                                                                                  |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY | CEN/SE | NORTH      | ISLAND |  |  |  |  |  |  |
|                                                                                  |      | %    | %      | %     | %    | %    | %    | %    | %       | %      | %      | %          | %      |  |  |  |  |  |  |
| Q37: REASON FOR TRYING ALCOHOL                                                   |      |      |        |       |      |      |      |      |         |        |        |            |        |  |  |  |  |  |  |
| NEVER TRIED IT                                                                   | 14.1 | 13.4 | 14.8   | 26.1  | 17.4 | 11.5 | 7.5  | 7.1  | 18.3    | 14.7   | 10.5   | 10.4       | 11.7   |  |  |  |  |  |  |
| TO SEE WHAT IT WAS LIKE                                                          | 38.9 | 38.2 | 39.6   | 34.8  | 35.9 | 39.3 | 42.3 | 42.8 | 39.2    | 37.8   | 40.2   | 37.8       | 39.1   |  |  |  |  |  |  |
| FRIENDS WERE DRINKING                                                            | 7.4  | 8.1  | 6.7    | 4.7   | 6.5  | 7.9  | 8.2  | 10.1 | 5.2     | 6.8    | 9.5    | 8.4        | 7.6    |  |  |  |  |  |  |
| SEEMED LIKE FUN                                                                  | 11.5 | 11.3 | 11.6   | 7.3   | 10.6 | 12.7 | 14.1 | 13.0 | 9.8     | 10.9   | 12.7   | 12.4       | 13.2   |  |  |  |  |  |  |
| THOUGHT IT WOULD CALM ME DOWN                                                    | 0.3  | 0.2  | 0.3    | 0.3   | 0.3  | 0.1  | 0.4  | 0.2  | 0.2     | 0.5    | 0.1    | 0.3        | 0.3    |  |  |  |  |  |  |
| ESCAPE HOME/SCHOOL WORRIES                                                       | 2.0  | 1.9  | 2.1    | 2.1   | 2.1  | 2.0  | 1.8  | 1.8  | 1.7     | 2.4    | 1.8    | 1.6        | 2.4    |  |  |  |  |  |  |
| OLD ENOUGH TO USE SAFELY                                                         | 3.2  | 3.8  | 2.6    | 2.1   | 2.7  | 2.9  | 4.6  | 4.1  | 3.1     | 3.2    | 2.8    | 4.0        | 3.4    |  |  |  |  |  |  |
| HEARD COULD MAKE ME FEEL GOOD                                                    | 1.3  | 1.4  | 1.1    | 1.0   | 1.6  | 1.3  | 1.2  | 1.2  | 1.1     | 1.2    | 1.4    | 1.6        | 1.3    |  |  |  |  |  |  |
| BORED, NOTHING ELSE TO DO                                                        | 2.2  | 2.3  | 2.1    | 1.8   | 2.6  | 2.7  | 2.0  | 1.8  | 1.6     | 2.4    | 2.1    | 3.8        | 2.1    |  |  |  |  |  |  |
| OTHER REASON                                                                     | 19.2 | 19.4 | 19.0   | 19.9  | 20.3 | 19.5 | 18.1 | 18.1 | 18.6    | 20.2   | 18.9   | 19.6       | 19.0   |  |  |  |  |  |  |
| Q37(MOD): REASON FOR TRYING ALCOHOL (RESPONSES FOR THOSE WHO HAVE TRIED ALCOHOL) |      |      |        |       |      |      |      |      |         |        |        |            |        |  |  |  |  |  |  |
| TO SEE WHAT IT WAS LIKE                                                          | 45.3 | 44.1 | 46.5   | 47.0  | 43.5 | 44.5 | 45.7 | 46.0 | 48.0    | 44.3   | 44.9   | 42.2       | 44.3   |  |  |  |  |  |  |
| FRIENDS WERE DRINKING                                                            | 8.6  | 9.4  | 7.8    | 6.4   | 7.8  | 8.9  | 8.8  | 10.8 | 7.6     | 7.9    | 10.6   | 9.4        | 8.6    |  |  |  |  |  |  |
| SEEMED LIKE FUN                                                                  | 13.4 | 13.0 | 13.7   | 9.8   | 12.8 | 14.4 | 15.2 | 14.0 | 12.0    | 12.8   | 14.2   | 13.8       | 15.0   |  |  |  |  |  |  |
| THOUGHT IT WOULD CALM ME DOWN                                                    | 0.3  | 0.3  | 0.4    | 0.4   | 0.4  | 0.1  | 0.4  | 0.2  | 0.3     | 0.5    | 0.1    | 0.4        | 0.3    |  |  |  |  |  |  |
| ESCAPE HOME/SCHOOL WORRIES                                                       | 2.3  | 2.1  | 2.5    | 2.9   | 2.5  | 2.3  | 2.0  | 1.9  | 2.1     | 2.8    | 2.0    | 1.8        | 2.7    |  |  |  |  |  |  |
| OLD ENOUGH TO USE SAFELY                                                         | 3.8  | 4.4  | 3.1    | 2.8   | 3.2  | 3.2  | 4.9  | 4.4  | 3.8     | 3.7    | 3.1    | 4.4        | 3.8    |  |  |  |  |  |  |
| HEARD COULD MAKE ME FEEL GOOD                                                    | 1.5  | 1.6  | 1.3    | 1.4   | 2.0  | 1.5  | 1.3  | 1.3  | 1.4     | 1.4    | 1.6    | 1.8        | 1.4    |  |  |  |  |  |  |
| BORED, NOTHING ELSE TO DO                                                        | 2.5  | 2.6  | 2.5    | 2.4   | 3.2  | 3.0  | 2.1  | 2.0  | 2.0     | 2.8    | 2.4    | 4.2        | 2.3    |  |  |  |  |  |  |
| OTHER REASON                                                                     | 22.3 | 22.4 | 22.3   | 26.9  | 24.6 | 22.0 | 19.6 | 19.4 | 22.8    | 23.7   | 21.2   | 21.9       | 21.5   |  |  |  |  |  |  |

NOTE: Q37(MOD) IS A MODIFIED RESPONSE SET FOR Q37 AND INCLUDES ONLY THOSE WHO HAVE TRIED ALCOHOL.



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q39 = 12,828<br>Q39(MOD) = 3,597                      | ALL<br>% | SEX       |             | GRADE  |        |         |         |         |              | ADP REGION  |             |            |             |
|----------------------------------------------------------------------------------------|----------|-----------|-------------|--------|--------|---------|---------|---------|--------------|-------------|-------------|------------|-------------|
|                                                                                        |          | MALE<br>% | FEMALE<br>% | 8<br>% | 9<br>% | 10<br>% | 11<br>% | 12<br>% | L. MAIN<br>% | VALLEY<br>% | CEN/SE<br>% | NORTH<br>% | ISLAND<br>% |
|                                                                                        |          |           |             |        |        |         |         |         |              |             |             |            |             |
| Q39: REASON FOR STOPPING ALCOHOL USE                                                   |          |           |             |        |        |         |         |         |              |             |             |            |             |
| HAVE NEVER DRUNK ALCOHOL                                                               | 17.6     | 17.0      | 18.3        | 33.9   | 21.3   | 14.7    | 9.1     | 8.5     | 23.2         | 18.3        | 13.2        | 13.0       | 14.4        |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 3.7      | 4.8       | 2.6         | 5.9    | 3.6    | 3.3     | 3.2     | 2.4     | 4.7          | 2.9         | 3.6         | 3.4        | 3.1         |
| MIGHT BE ADDICTIVE                                                                     | 1.3      | 1.7       | 1.0         | 1.7    | 1.8    | 1.4     | 0.8     | 1.0     | 1.6          | 1.0         | 1.2         | 0.9        | 1.4         |
| PARENTS MADE ME STOP                                                                   | 0.4      | 0.6       | 0.2         | 0.7    | 0.6    | 0.5     | 0.2     | 0.1     | 0.4          | 0.4         | 0.3         | 0.5        | 0.5         |
| ILLEGAL TO USE IT                                                                      | 0.5      | 0.7       | 0.4         | 1.1    | 0.5    | 0.7     | 0.2     | 0.1     | 0.6          | 0.5         | 0.6         | 0.5        | 0.4         |
| WAS JUST EXPERIMENTING                                                                 | 6.8      | 5.8       | 7.9         | 9.7    | 8.2    | 6.6     | 5.2     | 4.1     | 8.9          | 5.7         | 6.2         | 5.5        | 5.8         |
| NOT INTERESTED ANYMORE                                                                 | 4.1      | 3.9       | 4.2         | 4.0    | 4.1    | 4.1     | 4.8     | 3.3     | 4.1          | 4.5         | 3.7         | 4.1        | 4.0         |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 0.7      | 0.5       | 0.8         | 0.8    | 1.2    | 0.7     | 0.4     | 0.1     | 0.6          | 0.9         | 0.6         | 0.3        | 0.8         |
| FRIENDS STOPPED USING IT                                                               | 0.1      | 0.2       | 0.0         | 0.1    | 0.2    | 0.2     | 0.0     | 0.1     | 0.1          | 0.2         | 0.2         | 0.0        | 0.2         |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.2      | 0.2       | 0.1         | 0.2    | 0.2    | 0.1     | 0.2     | 0.1     | 0.1          | 0.1         | 0.1         | 0.1        | 0.4         |
| DIDN'T LIKE EFFECTS                                                                    | 1.5      | 1.2       | 1.8         | 0.7    | 1.6    | 1.6     | 1.7     | 2.0     | 1.4          | 1.6         | 2.0         | 1.1        | 1.4         |
| OTHER THINGS I ENJOY DOING                                                             | 4.2      | 4.2       | 4.2         | 4.0    | 4.0    | 4.5     | 4.3     | 4.0     | 3.7          | 5.3         | 4.3         | 4.4        | 3.7         |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.2      | 0.1       | 0.2         | 0.0    | 0.2    | 0.2     | 0.2     | 0.2     | 0.2          | 0.2         | 0.1         | 0.1        | 0.2         |
| OTHER REASON                                                                           | 5.0      | 5.1       | 4.8         | 6.3    | 5.5    | 5.6     | 4.2     | 3.0     | 4.6          | 5.2         | 4.2         | 6.0        | 5.5         |
| STILL USE IT                                                                           | 53.7     | 53.9      | 53.5        | 30.9   | 47.0   | 55.9    | 65.3    | 71.0    | 45.9         | 53.2        | 59.6        | 60.2       | 58.2        |
| Q39(MOD): REASON FOR STOPPING ALCOHOL USE (RESPONSES FOR THOSE WHO HAVE STOPPED USING) |          |           |             |        |        |         |         |         |              |             |             |            |             |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 13.0     | 16.7      | 9.1         | 16.8   | 11.4   | 11.3    | 12.6    | 11.6    | 15.4         | 10.1        | 13.2        | 12.7       | 11.3        |
| MIGHT BE ADDICTIVE                                                                     | 4.6      | 5.7       | 3.5         | 4.8    | 5.5    | 4.6     | 3.0     | 4.8     | 5.3          | 3.7         | 4.6         | 3.5        | 5.0         |
| PARENTS MADE ME STOP                                                                   | 1.5      | 2.1       | 0.9         | 1.9    | 1.9    | 1.6     | 1.0     | 0.6     | 1.4          | 1.5         | 1.3         | 1.7        | 1.8         |
| ILLEGAL TO USE IT                                                                      | 1.8      | 2.3       | 1.4         | 3.1    | 1.5    | 2.4     | 0.9     | 0.3     | 1.9          | 1.7         | 2.2         | 1.8        | 1.5         |
| WAS JUST EXPERIMENTING                                                                 | 23.8     | 19.8      | 28.0        | 27.5   | 25.8   | 22.5    | 20.5    | 20.1    | 28.7         | 20.1        | 22.8        | 20.4       | 21.3        |
| NOT INTERESTED ANYMORE                                                                 | 14.3     | 13.5      | 15.1        | 11.4   | 13.1   | 13.9    | 18.9    | 16.0    | 13.2         | 15.9        | 13.7        | 15.2       | 14.5        |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 2.3      | 1.8       | 2.8         | 2.2    | 3.8    | 2.5     | 1.5     | 0.5     | 1.8          | 3.1         | 2.3         | 1.1        | 3.0         |
| FRIENDS STOPPED USING IT                                                               | 0.5      | 0.7       | 0.2         | 0.3    | 0.8    | 0.6     | 0.0     | 0.5     | 0.2          | 0.7         | 0.6         | 0.0        | 0.8         |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.5      | 0.7       | 0.3         | 0.5    | 0.7    | 0.2     | 0.8     | 0.6     | 0.2          | 0.4         | 0.5         | 0.4        | 1.4         |
| DIDN'T LIKE EFFECTS                                                                    | 5.3      | 4.1       | 6.5         | 1.9    | 5.0    | 5.5     | 6.6     | 9.8     | 4.6          | 5.5         | 7.2         | 4.2        | 5.1         |
| OTHER THINGS I ENJOY DOING                                                             | 14.6     | 14.6      | 14.8        | 11.5   | 12.7   | 15.3    | 17.0    | 19.6    | 11.8         | 18.5        | 15.8        | 16.4       | 13.5        |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.5      | 0.5       | 0.6         | 0.1    | 0.5    | 0.7     | 0.8     | 0.9     | 0.5          | 0.6         | 0.4         | 0.3        | 0.6         |
| OTHER REASON                                                                           | 17.3     | 17.6      | 17.0        | 18.0   | 17.4   | 19.0    | 16.4    | 14.5    | 15.0         | 19.2        | 15.3        | 22.2       | 20.1        |

NOTE: Q39(MOD) IS A MODIFIED RESPONSE SET FOR Q39 AND INCLUDES ONLY THOSE WHO USED TO DRINK ALCOHOL BUT WHO DO NOT DRINK NOW.

| NUMBER OF VALID RESPONSES TO:<br>Q40 = 13,184<br>Q40(MOD) = 8,696                    | ALL  |      | SEX  |        | GRADE |      |      |      |      |  | ADP REGION |        |        |       |        |      |
|--------------------------------------------------------------------------------------|------|------|------|--------|-------|------|------|------|------|--|------------|--------|--------|-------|--------|------|
|                                                                                      |      |      |      |        |       |      |      |      |      |  |            |        |        |       |        |      |
|                                                                                      | %    |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   |  | L. MAIN    | VALLEY | CEN/SE | NORTH | ISLAND |      |
| Q40: REASON FOR STILL USING ALCOHOL                                                  |      |      | %    | %      | %     | %    | %    | %    | %    |  | %          | %      | %      | %     | %      | %    |
| DON'T KNOW WHAT IT IS                                                                | 0.3  | 0.3  | 0.2  | 0.2    | 0.6   | 0.5  | 0.0  | 0.0  | 0.2  |  | 0.4        | 0.3    | 0.3    | 0.1   | 0.1    | 0.1  |
| HAVE NEVER DRUNK ALCOHOL                                                             | 18.9 | 18.2 | 19.7 | 36.3   | 23.2  | 23.2 | 16.0 | 10.0 | 8.7  |  | 24.8       | 19.5   | 14.3   | 13.9  | 15.6   | 15.6 |
| STOPPED DRINKING ALCOHOL                                                             | 16.3 | 17.1 | 15.5 | 20.9   | 17.4  | 17.4 | 17.0 | 14.5 | 11.5 |  | 16.7       | 16.6   | 16.2   | 16.0  | 15.6   | 15.6 |
| IT IS FUN                                                                            | 21.9 | 22.1 | 21.6 | 10.7   | 19.1  | 24.3 | 27.4 | 28.0 | 28.0 |  | 19.9       | 19.7   | 24.5   | 24.4  | 23.5   | 23.5 |
| FRIENDS STILL DRINK                                                                  | 2.7  | 3.3  | 2.0  | 2.7    | 3.0   | 3.0  | 2.6  | 2.6  | 2.0  |  | 2.0        | 2.5    | 3.1    | 3.5   | 2.9    | 2.9  |
| CANNOT STOP DRINKING                                                                 | 0.6  | 0.5  | 0.7  | 0.6    | 0.6   | 0.6  | 0.5  | 0.5  | 0.8  |  | 0.5        | 0.7    | 0.6    | 0.7   | 0.7    | 0.7  |
| TO GET ALONG WITH FRIENDS                                                            | 1.2  | 1.4  | 0.9  | 0.7    | 1.0   | 1.0  | 1.1  | 1.6  | 1.6  |  | 0.9        | 1.0    | 1.5    | 1.6   | 1.4    | 1.4  |
| EASIER TO DO SCHOOL WORK                                                             | 0.1  | 0.2  | 0.1  | 0.2    | 0.1   | 0.2  | 0.1  | 0.2  | 0.1  |  | 0.1        | 0.1    | 0.2    | 0.3   | 0.1    | 0.1  |
| GOOD FOR MY HEALTH                                                                   | 0.3  | 0.5  | 0.1  | 0.4    | 0.1   | 0.5  | 0.1  | 0.5  | 0.4  |  | 0.4        | 0.3    | 0.5    | 0.2   | 0.1    | 0.1  |
| CALMS ME DOWN                                                                        | 0.6  | 0.8  | 0.4  | 0.6    | 0.4   | 0.7  | 0.8  | 0.5  | 0.5  |  | 0.4        | 0.8    | 0.5    | 1.0   | 0.6    | 0.6  |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 3.1  | 2.6  | 3.5  | 2.4    | 3.2   | 3.3  | 3.4  | 3.1  | 3.1  |  | 2.8        | 3.4    | 3.0    | 2.7   | 3.5    | 3.5  |
| ADULTS SAY IT IS NOT GOOD                                                            | 0.3  | 0.1  | 0.4  | 0.3    | 0.3   | 0.3  | 0.2  | 0.2  | 0.2  |  | 0.3        | 0.4    | 0.1    | 0.3   | 0.2    | 0.2  |
| BORED, NOTHING ELSE TO DO                                                            | 1.7  | 1.8  | 1.7  | 1.3    | 2.0   | 2.3  | 1.5  | 1.6  | 1.6  |  | 1.0        | 1.6    | 2.9    | 2.4   | 1.7    | 1.7  |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 8.1  | 8.1  | 8.1  | 3.0    | 5.1   | 5.8  | 10.9 | 16.3 | 16.3 |  | 8.5        | 7.3    | 8.6    | 7.9   | 7.8    | 7.8  |
| MAKES ME FEEL GOOD                                                                   | 7.0  | 7.3  | 6.7  | 3.1    | 6.1   | 7.9  | 9.9  | 8.0  | 8.0  |  | 5.9        | 7.2    | 7.8    | 8.6   | 7.1    | 7.1  |
| OTHER REASON                                                                         | 16.9 | 15.5 | 18.4 | 16.3   | 17.8  | 17.0 | 16.5 | 17.1 | 17.1 |  | 15.3       | 18.6   | 15.9   | 16.5  | 19.2   | 19.2 |
| Q40(MOD): REASON FOR STILL USING ALCOHOL (RESPONSES FOR THOSE WHO STILL USE ALCOHOL) |      |      |      |        |       |      |      |      |      |  |            |        |        |       |        |      |
| IT IS FUN                                                                            | 33.9 | 34.3 | 33.4 | 25.4   | 32.5  | 36.3 | 36.3 | 35.2 | 35.2 |  | 34.3       | 31.0   | 35.5   | 34.8  | 34.1   |      |
| FRIENDS STILL DRINK                                                                  | 4.1  | 5.1  | 3.2  | 6.5    | 5.1   | 4.4  | 3.4  | 2.5  | 2.5  |  | 3.5        | 3.9    | 4.5    | 5.0   | 4.2    |      |
| CANNOT STOP DRINKING                                                                 | 1.0  | 0.8  | 1.1  | 1.3    | 1.1   | 0.9  | 0.7  | 0.9  | 0.9  |  | 0.9        | 1.2    | 0.9    | 1.0   | 1.0    |      |
| TO GET ALONG WITH FRIENDS                                                            | 1.9  | 2.2  | 1.4  | 1.7    | 1.8   | 1.6  | 2.1  | 2.0  | 2.0  |  | 1.6        | 1.5    | 2.2    | 2.3   | 2.0    |      |
| EASIER TO DO SCHOOL WORK                                                             | 0.2  | 0.3  | 0.1  | 0.4    | 0.2   | 0.2  | 0.1  | 0.1  | 0.1  |  | 0.2        | 0.1    | 0.3    | 0.4   | 0.2    |      |
| GOOD FOR MY HEALTH                                                                   | 0.5  | 0.8  | 0.2  | 0.9    | 0.2   | 0.8  | 0.2  | 0.6  | 0.6  |  | 0.7        | 0.4    | 0.7    | 0.3   | 0.2    |      |
| CALMS ME DOWN                                                                        | 0.9  | 1.2  | 0.6  | 1.4    | 0.7   | 1.0  | 1.0  | 0.7  | 0.7  |  | 0.7        | 1.2    | 0.7    | 1.5   | 0.9    |      |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 4.7  | 4.1  | 5.4  | 5.7    | 5.4   | 4.9  | 4.5  | 3.8  | 3.8  |  | 4.8        | 5.4    | 4.4    | 3.8   | 5.0    |      |
| ADULTS SAY IT IS NOT GOOD                                                            | 0.4  | 0.2  | 0.5  | 0.7    | 0.5   | 0.4  | 0.3  | 0.2  | 0.2  |  | 0.4        | 0.7    | 0.1    | 0.4   | 0.3    |      |
| BORED, NOTHING ELSE TO DO                                                            | 2.7  | 2.8  | 2.6  | 3.0    | 3.4   | 3.4  | 2.0  | 2.0  | 2.0  |  | 1.8        | 2.6    | 4.1    | 3.4   | 2.4    |      |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 12.5 | 12.6 | 12.6 | 7.1    | 8.6   | 8.7  | 14.5 | 20.4 | 20.4 |  | 14.6       | 11.5   | 12.5   | 11.2  | 11.3   |      |
| MAKES ME FEEL GOOD                                                                   | 10.9 | 11.4 | 10.3 | 7.4    | 10.3  | 11.8 | 13.2 | 10.1 | 10.1 |  | 10.2       | 11.3   | 11.2   | 12.3  | 10.3   |      |
| OTHER REASON                                                                         | 26.2 | 24.2 | 28.4 | 38.7   | 30.2  | 25.3 | 21.8 | 21.5 | 21.5 |  | 26.4       | 29.2   | 23.0   | 23.6  | 27.9   |      |

NOTE: Q40(MOD) IS A MODIFIED RESPONSE SET FOR Q40 AND INCLUDES ONLY THOSE WHO STILL USE ALCOHOL.



\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q41 = 14,406<br>Q42 = 14,399 | ALL<br>% | SEX       |             | GRADE  |        |         |         |         |              |             | ADP REGION  |            |             |  |  |  |  |
|---------------------------------------------------------------|----------|-----------|-------------|--------|--------|---------|---------|---------|--------------|-------------|-------------|------------|-------------|--|--|--|--|
|                                                               |          | MALE<br>% | FEMALE<br>% | 8<br>% | 9<br>% | 10<br>% | 11<br>% | 12<br>% | L. MAIN<br>% | VALLEY<br>% | CEN/SE<br>% | NORTH<br>% | ISLAND<br>% |  |  |  |  |
|                                                               |          |           |             |        |        |         |         |         |              |             |             |            |             |  |  |  |  |
| Q41: FREQUENCY OF BEING TIGHT<br>IN LAST 4 WEEKS              |          |           |             |        |        |         |         |         |              |             |             |            |             |  |  |  |  |
| DO NOT DRINK ALCOHOL                                          | 20.8     | 20.2      | 21.6        | 35.8   | 25.1   | 17.4    | 13.7    | 11.3    | 27.0         | 21.6        | 15.8        | 15.8       | 17.3        |  |  |  |  |
| NO ALCOHOL IN LAST 4 WEEKS                                    | 23.7     | 23.4      | 24.0        | 29.9   | 27.3   | 24.6    | 18.8    | 17.3    | 25.0         | 25.4        | 22.6        | 22.2       | 21.8        |  |  |  |  |
| NOT BEEN TIGHT LAST 4 WEEKS                                   | 27.5     | 26.2      | 28.9        | 19.3   | 23.1   | 28.4    | 31.8    | 35.7    | 25.1         | 26.1        | 30.3        | 29.5       | 29.0        |  |  |  |  |
| ONCE IN LAST 4 WEEKS                                          | 13.4     | 13.1      | 13.6        | 7.0    | 11.8   | 14.4    | 18.0    | 16.1    | 10.9         | 12.5        | 15.3        | 15.3       | 15.7        |  |  |  |  |
| TWICE IN LAST 4 WEEKS                                         | 6.7      | 7.5       | 6.0         | 3.4    | 6.2    | 7.5     | 8.2     | 8.6     | 5.9          | 7.2         | 6.9         | 7.5        | 7.1         |  |  |  |  |
| 3 TIMES IN LAST 4 WEEKS                                       | 3.2      | 3.4       | 3.0         | 1.8    | 2.8    | 3.3     | 3.7     | 4.4     | 2.8          | 2.6         | 3.7         | 3.3        | 3.8         |  |  |  |  |
| 4 TIMES IN LAST 4 WEEKS                                       | 2.1      | 2.7       | 1.3         | 0.8    | 1.7    | 2.5     | 2.5     | 2.8     | 1.4          | 2.1         | 2.6         | 2.8        | 2.2         |  |  |  |  |
| 5 OR MORE TIMES LAST 4 WEEKS                                  | 2.6      | 3.5       | 1.7         | 1.9    | 2.1    | 2.0     | 3.3     | 3.8     | 1.9          | 2.5         | 2.8         | 3.6        | 3.1         |  |  |  |  |
| Q42: FREQUENCY OF BEING DRUNK<br>IN LAST 4 WEEKS              |          |           |             |        |        |         |         |         |              |             |             |            |             |  |  |  |  |
| DO NOT DRINK ALCOHOL                                          | 21.2     | 20.4      | 22.1        | 36.2   | 25.3   | 18.0    | 13.9    | 11.5    | 27.7         | 22.0        | 15.8        | 16.3       | 17.4        |  |  |  |  |
| NO ALCOHOL IN LAST 4 WEEKS                                    | 22.6     | 22.0      | 23.0        | 27.6   | 26.2   | 22.8    | 18.7    | 16.7    | 23.5         | 24.4        | 21.2        | 20.9       | 21.2        |  |  |  |  |
| NOT BEEN DRUNK LAST 4 WEEKS                                   | 32.6     | 31.8      | 33.6        | 20.7   | 26.1   | 32.7    | 39.8    | 45.4    | 29.9         | 30.5        | 36.8        | 34.2       | 34.6        |  |  |  |  |
| ONCE IN LAST 4 WEEKS                                          | 13.0     | 13.0      | 13.0        | 7.7    | 12.2   | 15.0    | 15.8    | 14.6    | 10.3         | 12.9        | 14.9        | 14.9       | 15.0        |  |  |  |  |
| TWICE IN LAST 4 WEEKS                                         | 4.8      | 5.4       | 4.1         | 3.6    | 4.6    | 5.6     | 5.4     | 4.6     | 4.0          | 4.3         | 5.5         | 5.9        | 5.1         |  |  |  |  |
| 3 TIMES IN LAST 4 WEEKS                                       | 2.2      | 2.7       | 1.8         | 1.5    | 2.3    | 2.4     | 2.1     | 2.9     | 2.0          | 2.0         | 2.0         | 2.9        | 2.7         |  |  |  |  |
| 4 TIMES IN LAST 4 WEEKS                                       | 1.6      | 1.9       | 1.3         | 1.1    | 1.6    | 1.7     | 1.9     | 1.7     | 1.1          | 1.8         | 1.7         | 2.5        | 1.7         |  |  |  |  |
| 5 OR MORE TIMES LAST 4 WEEKS                                  | 2.0      | 2.7       | 1.2         | 1.8    | 1.6    | 1.8     | 2.3     | 2.5     | 1.5          | 2.2         | 2.2         | 2.3        | 2.3         |  |  |  |  |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q43 = 14,404<br>Q44 = 14,413                        | ALL  | SEX  |        | GRADE |      |      |      |      |         |        | ADP REGION |       |        |  |  |  |
|--------------------------------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|--------|------------|-------|--------|--|--|--|
|                                                                                      |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY | CEN/SE     | NORTH | ISLAND |  |  |  |
|                                                                                      |      | %    | %      | %     | %    | %    | %    | %    | %       | %      | %          | %     | %      |  |  |  |
| Q43: FREQ. OF HAVING 5 OR MORE ALCOHOLIC DRINKS ON THE SAME OCCASION IN LAST 4 WEEKS |      |      |        |       |      |      |      |      |         |        |            |       |        |  |  |  |
| DO NOT DRINK ALCOHOL                                                                 | 21.5 | 20.7 | 22.4   | 36.6  | 25.7 | 18.6 | 14.0 | 11.5 | 27.9    | 22.4   | 16.3       | 16.6  | 17.4   |  |  |  |
| NO ALCOHOL IN LAST 4 WEEKS                                                           | 23.5 | 23.3 | 23.6   | 29.2  | 27.2 | 24.0 | 18.7 | 17.6 | 24.6    | 25.1   | 22.4       | 21.7  | 21.9   |  |  |  |
| NOT ON SAME OCCASION LAST 4 WK                                                       | 23.0 | 20.2 | 25.8   | 19.5  | 22.0 | 23.8 | 25.1 | 24.6 | 21.1    | 21.9   | 25.1       | 24.0  | 24.5   |  |  |  |
| ONCE IN LAST 4 WEEKS                                                                 | 12.9 | 12.6 | 13.2   | 7.0   | 11.8 | 14.5 | 16.0 | 15.7 | 10.8    | 12.5   | 14.6       | 14.3  | 14.7   |  |  |  |
| TWICE IN LAST 4 WEEKS                                                                | 6.9  | 7.9  | 6.0    | 2.8   | 5.0  | 8.1  | 9.7  | 9.4  | 5.4     | 6.6    | 8.8        | 8.2   | 7.4    |  |  |  |
| 3 TIMES IN LAST 4 WEEKS                                                              | 4.2  | 4.9  | 3.4    | 1.5   | 3.4  | 4.5  | 5.4  | 6.3  | 3.7     | 3.6    | 4.7        | 4.7   | 4.9    |  |  |  |
| 4 TIMES IN LAST 4 WEEKS                                                              | 3.4  | 4.5  | 2.4    | 1.2   | 2.0  | 2.9  | 5.2  | 6.2  | 2.7     | 3.6    | 3.6        | 4.0   | 4.1    |  |  |  |
| 5 OR MORE TIMES LAST 4 WEEKS                                                         | 4.6  | 5.9  | 3.2    | 2.2   | 2.9  | 3.6  | 5.9  | 8.8  | 3.8     | 4.3    | 4.6        | 6.5   | 5.0    |  |  |  |
| Q44: FREQUENCY OF GOING ON WEEKEND DRINKING SPREES                                   |      |      |        |       |      |      |      |      |         |        |            |       |        |  |  |  |
| HAVE NEVER DRUNK ALCOHOL                                                             | 14.0 | 13.4 | 14.6   | 25.8  | 16.7 | 11.8 | 7.9  | 6.9  | 19.2    | 14.3   | 9.9        | 9.9   | 11.2   |  |  |  |
| NEVER GONE ON WEEKEND SPREE                                                          | 45.8 | 43.7 | 48.1   | 48.3  | 48.7 | 46.6 | 43.9 | 41.0 | 47.2    | 43.7   | 47.2       | 42.4  | 46.4   |  |  |  |
| ONCE IN MY LIFE                                                                      | 12.3 | 12.4 | 12.3   | 10.1  | 11.4 | 14.3 | 13.4 | 12.4 | 10.5    | 13.0   | 13.4       | 13.6  | 13.1   |  |  |  |
| TWICE IN MY LIFE                                                                     | 6.8  | 7.0  | 6.5    | 4.4   | 6.4  | 6.7  | 7.7  | 9.1  | 5.5     | 7.0    | 7.7        | 7.3   | 7.7    |  |  |  |
| 3 OR MORE TIMES IN MY LIFE                                                           | 21.1 | 23.5 | 18.4   | 11.4  | 16.8 | 20.6 | 27.1 | 30.5 | 17.7    | 22.0   | 21.9       | 26.8  | 21.6   |  |  |  |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\* \*\* \*  
ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q45 = 14,443 Q47 = 14,430<br>Q46 = 14,447 | ALL<br>% | SEX    |      | GRADE |      |      |      |      |      | ADP REGION |      |      |      |    |   |
|----------------------------------------------------------------------------|----------|--------|------|-------|------|------|------|------|------|------------|------|------|------|----|---|
|                                                                            |          | FEMALE |      | MALE  |      | 8    |      | 9    |      | 10         |      | 11   |      | 12 |   |
|                                                                            |          | %      | %    | %     | %    | %    | %    | %    | %    | %          | %    | %    | %    | %  | % |
| Q45: FREQ. OF DRINKING PRIOR<br>TO OR INSTEAD OF BREAKFAST                 |          |        |      |       |      |      |      |      |      |            |      |      |      |    |   |
| HAVE NEVER DRUNK ALCOHOL                                                   | 14.2     | 13.6   | 14.8 | 26.4  | 16.8 | 11.9 | 7.9  | 7.1  | 19.4 | 14.6       | 10.2 | 10.1 | 11.1 |    |   |
| NEVER DRANK PRIOR TO BREAKFAST                                             | 69.1     | 68.3   | 70.0 | 64.0  | 70.3 | 71.6 | 71.2 | 68.2 | 67.1 | 68.2       | 71.0 | 70.4 | 71.0 |    |   |
| ONCE IN MY LIFE                                                            | 7.7      | 7.6    | 7.7  | 5.1   | 7.2  | 7.7  | 8.7  | 10.0 | 6.7  | 7.4        | 9.1  | 8.4  | 7.8  |    |   |
| TWICE IN MY LIFE                                                           | 3.4      | 3.8    | 2.9  | 1.7   | 1.9  | 3.4  | 4.5  | 5.6  | 2.8  | 3.4        | 3.6  | 4.1  | 3.7  |    |   |
| 3 OR MORE TIMES IN MY LIFE                                                 | 5.7      | 6.7    | 4.5  | 2.9   | 3.7  | 5.3  | 7.7  | 9.2  | 4.1  | 6.5        | 6.1  | 7.0  | 6.4  |    |   |
| Q46: FREQ. OF AGGRESSIVE<br>BEHAVIOUR DUE TO ALCOHOL                       |          |        |      |       |      |      |      |      |      |            |      |      |      |    |   |
| HAVE NEVER DRUNK ALCOHOL                                                   | 14.9     | 14.1   | 15.7 | 28.1  | 17.6 | 12.4 | 8.2  | 7.2  | 20.1 | 15.5       | 10.8 | 10.7 | 11.6 |    |   |
| NEVER AGGRESS. DUE TO ALCOHOL                                              | 66.6     | 62.4   | 70.9 | 60.9  | 67.1 | 68.1 | 69.4 | 67.6 | 64.6 | 65.5       | 68.5 | 67.6 | 68.8 |    |   |
| ONCE IN MY LIFE                                                            | 8.0      | 8.6    | 7.3  | 4.7   | 8.1  | 9.2  | 8.7  | 9.6  | 6.3  | 8.6        | 9.5  | 9.4  | 8.1  |    |   |
| TWICE IN MY LIFE                                                           | 3.5      | 4.4    | 2.5  | 2.1   | 2.9  | 3.1  | 4.4  | 5.1  | 2.7  | 3.3        | 3.5  | 4.5  | 4.3  |    |   |
| 3 OR MORE TIMES IN MY LIFE                                                 | 7.0      | 10.4   | 3.6  | 4.2   | 4.4  | 7.2  | 9.3  | 10.5 | 6.3  | 7.0        | 7.7  | 7.9  | 7.2  |    |   |
| Q47: FREQ. OF MEMORY LOSS W/O<br>PASSING OUT AFTER DRINKING                |          |        |      |       |      |      |      |      |      |            |      |      |      |    |   |
| HAVE NEVER DRUNK ALCOHOL                                                   | 14.9     | 14.1   | 15.8 | 28.1  | 17.9 | 12.4 | 8.2  | 7.2  | 20.4 | 15.1       | 10.9 | 10.7 | 11.8 |    |   |
| NEVER MEMORY LOSS AFTER DRINK.                                             | 55.5     | 56.4   | 54.7 | 55.0  | 57.1 | 56.2 | 55.1 | 54.0 | 56.3 | 54.9       | 55.7 | 54.8 | 55.0 |    |   |
| ONCE IN MY LIFE                                                            | 13.9     | 13.3   | 14.5 | 8.3   | 13.3 | 14.9 | 15.9 | 17.3 | 11.1 | 13.8       | 15.6 | 16.2 | 15.6 |    |   |
| TWICE IN MY LIFE                                                           | 6.2      | 5.9    | 6.6  | 3.2   | 4.8  | 6.7  | 8.5  | 8.2  | 4.6  | 6.4        | 6.9  | 8.0  | 7.2  |    |   |
| 3 OR MORE TIMES IN MY LIFE                                                 | 9.5      | 10.4   | 8.4  | 5.4   | 6.9  | 9.7  | 12.3 | 13.3 | 7.6  | 9.7        | 10.9 | 10.3 | 10.4 |    |   |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q48 = 14,285 Q50 = 14,478<br>Q49 = 14,349 | ALL  | SEX  |        | GRADE |      |      |      |      |         | ADP REGION |        |       |        |
|----------------------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|------------|--------|-------|--------|
|                                                                            |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY     | CEN/SE | NORTH | ISLAND |
|                                                                            |      | %    | %      | %     | %    | %    | %    | %    | %       | %          | %      | %     | %      |
| Q48: AVERAGE BOTTLES OF BEER<br>CONSUMED AT ONE TIME                       |      |      |        |       |      |      |      |      |         |            |        |       |        |
| NONE, DO NOT DRINK BEER                                                    | 39.7 | 32.8 | 46.6   | 57.5  | 44.2 | 36.0 | 30.1 | 29.7 | 48.0    | 41.0       | 33.0   | 30.7  | 35.6   |
| 1 TO 3 BOTTLES                                                             | 28.4 | 27.0 | 29.8   | 28.5  | 30.8 | 28.8 | 27.4 | 26.2 | 26.9    | 29.4       | 30.1   | 30.5  | 27.9   |
| 4 TO 6 BOTTLES                                                             | 18.5 | 19.8 | 17.1   | 8.2   | 15.4 | 20.1 | 25.6 | 23.6 | 15.8    | 17.2       | 22.1   | 20.0  | 20.1   |
| 7 OR MORE BOTTLES                                                          | 13.5 | 20.3 | 6.5    | 5.8   | 9.7  | 15.1 | 17.0 | 20.5 | 5.2     | 13.4       | 14.7   | 18.9  | 16.4   |
| Q49: AVERAGE GLASSES OF WINE<br>CONSUMED AT ONE TIME                       |      |      |        |       |      |      |      |      |         |            |        |       |        |
| NONE, DO NOT DRINK WINE                                                    | 48.2 | 53.1 | 43.3   | 58.0  | 48.9 | 45.3 | 43.5 | 45.0 | 52.2    | 47.3       | 44.5   | 48.3  | 45.6   |
| 1 TO 3 GLASSES                                                             | 39.7 | 35.0 | 44.5   | 35.5  | 40.9 | 39.5 | 41.2 | 41.5 | 37.5    | 40.4       | 41.9   | 39.6  | 40.5   |
| 4 TO 6 GLASSES                                                             | 7.5  | 6.6  | 8.4    | 3.8   | 6.2  | 9.6  | 9.4  | 8.6  | 6.8     | 7.6        | 8.3    | 7.1   | 8.3    |
| 7 OR MORE GLASSES                                                          | 4.6  | 5.4  | 3.9    | 2.7   | 4.0  | 5.7  | 5.9  | 4.9  | 3.6     | 4.6        | 5.3    | 5.0   | 5.6    |
| Q50: AVERAGE DRINKS OF HARD<br>LIQUOR CONSUMED AT ONE TIME                 |      |      |        |       |      |      |      |      |         |            |        |       |        |
| NONE, DO NOT DRINK HARD LIQUOR                                             | 47.4 | 46.2 | 48.6   | 66.9  | 51.3 | 44.2 | 38.0 | 35.2 | 55.8    | 46.9       | 40.6   | 40.0  | 44.6   |
| 1 TO 3 DRINKS                                                              | 31.0 | 28.4 | 33.7   | 23.6  | 32.0 | 31.9 | 33.9 | 33.8 | 28.0    | 32.1       | 33.0   | 34.5  | 30.8   |
| 4 TO 6 DRINKS                                                              | 13.4 | 14.1 | 12.6   | 5.8   | 10.3 | 15.2 | 17.7 | 18.7 | 10.6    | 13.1       | 16.3   | 14.4  | 15.4   |
| 7 OR MORE DRINKS                                                           | 8.2  | 11.3 | 5.1    | 3.7   | 6.4  | 8.6  | 10.4 | 12.3 | 5.6     | 8.0        | 10.1   | 11.2  | 9.2    |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q51 = 14,486 Q53 = 14,502<br>Q52 = 14,429 Q54 = 14,275 | ALL<br>% | SEX       |             | GRADE  |        |         |         |         |              | ADP REGION  |             |            |             |
|-----------------------------------------------------------------------------------------|----------|-----------|-------------|--------|--------|---------|---------|---------|--------------|-------------|-------------|------------|-------------|
|                                                                                         |          | MALE<br>% | FEMALE<br>% | 8<br>% | 9<br>% | 10<br>% | 11<br>% | 12<br>% | L. MAIN<br>% | VALLEY<br>% | CEN/SE<br>% | NORTH<br>% | ISLAND<br>% |
|                                                                                         |          |           |             |        |        |         |         |         |              |             |             |            |             |
| Q51: EVER ARRESTED OR WARNED<br>BY POLICE FOR DRUG USE                                  |          |           |             |        |        |         |         |         |              |             |             |            |             |
| DO NOT USE DRUGS                                                                        | 57.1     | 55.1      | 59.3        | 74.3   | 63.6   | 53.9    | 47.7    | 44.3    | 61.4         | 57.7        | 57.2        | 50.3       | 52.8        |
| YES                                                                                     | 4.8      | 6.6       | 2.9         | 3.3    | 3.5    | 5.0     | 5.2     | 7.0     | 4.3          | 5.4         | 3.6         | 5.5        | 5.6         |
| NO                                                                                      | 38.2     | 38.4      | 37.8        | 22.4   | 32.9   | 41.1    | 47.1    | 48.6    | 34.3         | 36.9        | 39.2        | 44.2       | 41.6        |
| Q52: WISH YOU COULD USE DRUGS<br>LESS THAN YOU DO NOW                                   |          |           |             |        |        |         |         |         |              |             |             |            |             |
| DO NOT USE DRUGS                                                                        | 73.9     | 71.8      | 76.2        | 85.6   | 76.8   | 72.5    | 68.1    | 65.3    | 75.7         | 75.2        | 76.7        | 67.5       | 70.4        |
| YES                                                                                     | 5.0      | 5.7       | 4.2         | 3.0    | 4.8    | 5.9     | 5.9     | 5.4     | 4.3          | 5.7         | 4.1         | 7.0        | 5.2         |
| NO                                                                                      | 21.1     | 22.6      | 19.7        | 11.4   | 18.4   | 21.6    | 26.0    | 29.3    | 20.0         | 19.1        | 19.2        | 25.6       | 24.4        |
| Q53: EVER WARNED BY POLICE<br>BECAUSE OF ALCOHOL USE                                    |          |           |             |        |        |         |         |         |              |             |             |            |             |
| DO NOT USE ALCOHOL                                                                      | 28.8     | 27.9      | 29.7        | 49.4   | 33.6   | 25.7    | 18.0    | 15.5    | 36.8         | 28.8        | 23.3        | 22.3       | 24.0        |
| YES                                                                                     | 12.2     | 15.0      | 9.2         | 4.7    | 7.4    | 11.9    | 17.0    | 21.3    | 10.2         | 12.4        | 12.9        | 13.1       | 14.3        |
| NO                                                                                      | 59.0     | 57.1      | 61.1        | 45.9   | 59.0   | 62.4    | 65.1    | 63.3    | 52.9         | 58.9        | 63.8        | 64.6       | 61.7        |
| Q54: WISH YOU COULD DRINK LESS<br>THAN YOU DO NOW                                       |          |           |             |        |        |         |         |         |              |             |             |            |             |
| DO NOT USE ALCOHOL                                                                      | 32.3     | 31.0      | 33.6        | 52.8   | 37.5   | 29.2    | 22.0    | 18.3    | 40.5         | 33.0        | 26.0        | 25.5       | 27.4        |
| YES                                                                                     | 6.1      | 6.4       | 5.8         | 5.7    | 5.6    | 7.1     | 6.1     | 6.1     | 5.9          | 6.0         | 5.8         | 7.5        | 6.1         |
| NO                                                                                      | 61.6     | 62.6      | 60.6        | 41.6   | 56.9   | 63.7    | 72.0    | 75.5    | 53.6         | 61.0        | 68.2        | 67.0       | 66.6        |



\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q55 = 14,470 Q57 = 14,393<br>Q56 = 14,425 | ALL<br>% | SEX    |      | GRADE |      |      |      |      |      | ADP REGION |        |        |       |
|----------------------------------------------------------------------------|----------|--------|------|-------|------|------|------|------|------|------------|--------|--------|-------|
|                                                                            |          | FEMALE |      | 8     | 9    | 10   | 11   | 12   |      | L. MAIN    | VALLEY | CEN/SE | NORTH |
|                                                                            |          | %      | %    | %     | %    | %    | %    | %    | %    | %          | %      | %      | %     |
| Q55: PARENTS THINK YOU DRINK<br>TOO MUCH ALCOHOL                           |          |        |      |       |      |      |      |      |      |            |        |        |       |
| DO NOT USE ALCOHOL                                                         | 28.9     | 27.7   | 30.1 | 48.5  | 33.8 | 25.4 | 19.0 | 16.1 | 36.6 | 29.2       | 23.1   | 22.7   | 24.4  |
| YES                                                                        | 3.9      | 5.4    | 2.6  | 1.6   | 2.7  | 4.0  | 5.3  | 6.5  | 3.1  | 3.9        | 3.8    | 5.1    | 5.0   |
| NO                                                                         | 29.6     | 30.0   | 29.2 | 19.7  | 24.1 | 28.6 | 34.2 | 42.8 | 27.9 | 28.5       | 31.3   | 31.6   | 30.6  |
| DON'T KNOW                                                                 | 8.3      | 9.3    | 7.3  | 7.4   | 7.2  | 9.6  | 8.0  | 9.3  | 6.4  | 8.5        | 10.1   | 10.6   | 8.2   |
| THEY DON'T KNOW HOW MUCH I DRK                                             | 29.3     | 27.7   | 30.9 | 22.8  | 32.2 | 32.4 | 33.5 | 25.4 | 26.1 | 30.0       | 31.7   | 29.9   | 31.7  |
| Q56: ACCIDENT WHILE YOU WERE<br>DRIVING IN LAST 12 MONTHS                  |          |        |      |       |      |      |      |      |      |            |        |        |       |
| NO                                                                         | 91.8     | 89.6   | 94.0 | 96.6  | 96.8 | 96.1 | 85.8 | 81.3 | 92.8 | 91.0       | 91.0   | 92.1   | 91.3  |
| ONCE                                                                       | 5.8      | 6.9    | 4.6  | 1.8   | 1.8  | 2.6  | 10.1 | 13.4 | 4.8  | 6.5        | 6.5    | 5.2    | 6.3   |
| TWICE                                                                      | 1.5      | 1.9    | 1.0  | 0.5   | 0.6  | 0.9  | 2.1  | 3.6  | 1.6  | 1.4        | 1.3    | 1.7    | 1.5   |
| 3 TIMES                                                                    | 0.4      | 0.7    | 0.2  | 0.2   | 0.2  | 0.2  | 0.5  | 1.2  | 0.4  | 0.4        | 0.5    | 0.4    | 0.4   |
| 4 TIMES                                                                    | 0.1      | 0.2    | 0.1  | 0.1   | 0.2  | 0.1  | 0.2  | 0.3  | 0.1  | 0.1        | 0.2    | 0.2    | 0.2   |
| 5 OR MORE TIMES                                                            | 0.4      | 0.7    | 0.1  | 0.8   | 0.5  | 0.1  | 0.3  | 0.1  | 0.3  | 0.6        | 0.4    | 0.3    | 0.3   |
| Q57: ACCIDENT WHILE DRIVING<br>AFTER DRINKING LAST 12 MO.                  |          |        |      |       |      |      |      |      |      |            |        |        |       |
| NO                                                                         | 98.1     | 97.3   | 99.0 | 98.2  | 98.8 | 98.7 | 98.0 | 96.9 | 98.8 | 98.1       | 97.7   | 97.5   | 98.0  |
| ONCE                                                                       | 1.1      | 1.6    | 0.7  | 0.6   | 0.6  | 0.8  | 1.5  | 2.3  | 0.8  | 1.1        | 1.5    | 1.3    | 1.3   |
| TWICE                                                                      | 0.3      | 0.4    | 0.1  | 0.3   | 0.2  | 0.2  | 0.2  | 0.6  | 0.1  | 0.3        | 0.3    | 0.7    | 0.3   |
| 3 TIMES                                                                    | 0.1      | 0.2    | 0.1  | 0.2   | 0.1  | 0.1  | 0.1  | 0.1  | 0.1  | 0.2        | 0.1    | 0.1    | 0.0   |
| 4 TIMES                                                                    | 0.0      | 0.0    | 0.0  | 0.0   | 0.1  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0        | 0.0    | 0.1    | 0.1   |
| 5 OR MORE TIMES                                                            | 0.3      | 0.5    | 0.1  | 0.7   | 0.3  | 0.1  | 0.2  | 0.0  | 0.2  | 0.2        | 0.4    | 0.3    | 0.3   |



\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q58 = 14,402<br>Q59 = 14,506 | ALL  | SEX  |        | GRADE |      |      |      |      |         | ADP REGION |        |       |        |
|---------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|------------|--------|-------|--------|
|                                                               |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY     | CEN/SE | NORTH | ISLAND |
|                                                               |      | %    | %      | %     | %    | %    | %    | %    | %       | %          | %      | %     | %      |
| Q58: EVER CONVICTED OF A<br>DRINKING-DRIVING OFFENCE          |      |      |        |       |      |      |      |      |         |            |        |       |        |
| NEVER                                                         | 99.2 | 98.7 | 99.7   | 98.8  | 99.0 | 99.4 | 99.6 | 99.1 | 99.3    | 99.1       | 99.1   | 98.9  | 99.2   |
| ONCE                                                          | 0.4  | 0.7  | 0.2    | 0.3   | 0.4  | 0.3  | 0.2  | 0.8  | 0.4     | 0.3        | 0.3    | 0.8   | 0.4    |
| TWICE                                                         | 0.1  | 0.1  | 0.1    | 0.1   | 0.1  | 0.1  | 0.1  | 0.1  | 0.1     | 0.1        | 0.0    | 0.1   | 0.1    |
| 3 TIMES                                                       | 0.1  | 0.1  | 0.0    | 0.1   | 0.2  | 0.1  | 0.0  | 0.0  | 0.0     | 0.1        | 0.1    | 0.0   | 0.1    |
| 4 TIMES                                                       | 0.0  | 0.1  | 0.0    | 0.1   | 0.0  | 0.0  | 0.0  | 0.0  | 0.0     | 0.1        | 0.0    | 0.0   | 0.1    |
| 5 OR MORE TIMES                                               | 0.2  | 0.4  | 0.1    | 0.6   | 0.3  | 0.1  | 0.1  | 0.0  | 0.1     | 0.3        | 0.4    | 0.2   | 0.2    |
| Q59: HAD ALCOHOL/DRUG EDUCATION<br>IN SCHOOL SINCE SEPTEMBER  |      |      |        |       |      |      |      |      |         |            |        |       |        |
| YES                                                           | 34.2 | 31.7 | 36.6   | 41.8  | 37.7 | 38.9 | 27.2 | 23.7 | 35.5    | 30.1       | 32.4   | 36.2  | 36.9   |
| NO                                                            | 55.0 | 57.1 | 52.8   | 45.2  | 49.4 | 50.4 | 63.0 | 58.7 | 53.8    | 59.5       | 54.5   | 52.5  | 54.1   |
| DON'T KNOW                                                    | 10.9 | 11.2 | 10.6   | 12.9  | 12.9 | 10.7 | 9.9  | 7.6  | 10.7    | 10.4       | 13.2   | 11.3  | 9.1    |
| Q60: TOTAL ALCOHOL OR DRUG<br>CLASSES EVER HAD                |      |      |        |       |      |      |      |      |         |            |        |       |        |
| NONE                                                          | 23.2 | 25.9 | 20.3   | 24.9  | 24.7 | 21.3 | 22.1 | 22.9 | 21.7    | 26.8       | 22.5   | 24.9  | 21.5   |
| 1 OR 2                                                        | 44.6 | 43.4 | 45.8   | 42.8  | 43.8 | 45.0 | 45.8 | 45.7 | 42.7    | 44.4       | 49.7   | 46.4  | 41.9   |
| 3 TO 5                                                        | 21.0 | 19.9 | 22.1   | 19.0  | 21.1 | 21.1 | 21.6 | 22.2 | 23.3    | 19.5       | 18.7   | 19.3  | 21.7   |
| 6 TO 10                                                       | 6.6  | 6.0  | 7.3    | 6.8   | 6.0  | 7.5  | 7.2  | 5.5  | 7.6     | 5.6        | 5.3    | 5.1   | 8.3    |
| 11 TO 20                                                      | 2.5  | 2.3  | 2.7    | 3.3   | 2.0  | 2.9  | 1.9  | 2.1  | 2.9     | 1.8        | 1.9    | 2.0   | 3.2    |
| MORE THAN 20                                                  | 2.2  | 2.5  | 1.7    | 3.3   | 2.4  | 2.0  | 1.4  | 1.6  | 1.8     | 1.9        | 1.9    | 2.3   | 3.4    |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q61A = 12,607 Q61C = 12,508<br>Q61B = 12,681 | ALL  | SEX  |      | GRADE  |      |      |      |      |      | ADP REGION |      |      |      |      |   |
|-------------------------------------------------------------------------------|------|------|------|--------|------|------|------|------|------|------------|------|------|------|------|---|
|                                                                               |      | MALE |      | FEMALE |      | 8    |      | 9    |      | 10         |      | 11   |      | 12   |   |
|                                                                               |      | %    | %    | %      | %    | %    | %    | %    | %    | %          | %    | %    | %    | %    | % |
| Q61A: FREQUENCY OF DRINKING AT<br>TEEN PARTIES WHEN ADULTS ARE<br>NOT PRESENT |      |      |      |        |      |      |      |      |      |            |      |      |      |      |   |
| DO NOT DRINK IN THIS SETTING                                                  | 26.6 | 26.7 | 26.6 | 26.6   | 49.0 | 32.6 | 23.4 | 15.4 | 15.1 | 30.2       | 28.0 | 21.8 | 24.3 | 25.3 |   |
| SOMETIMES                                                                     | 26.6 | 25.2 | 28.1 | 26.2   | 26.5 | 26.7 | 27.4 | 26.3 | 25.7 | 26.4       | 29.4 | 26.5 | 25.6 |      |   |
| FREQUENTLY                                                                    | 13.5 | 14.4 | 12.6 | 7.4    | 12.1 | 13.6 | 16.6 | 17.1 | 13.1 | 13.3       | 13.8 | 13.2 | 14.2 |      |   |
| MOST OF THE TIME                                                              | 33.3 | 33.8 | 32.7 | 17.4   | 28.8 | 36.3 | 40.7 | 41.5 | 31.0 | 32.2       | 35.0 | 36.0 | 34.9 |      |   |
| Q61B: FREQUENCY OF DRINKING AT<br>HOME ON SPECIAL OCCASIONS                   |      |      |      |        |      |      |      |      |      |            |      |      |      |      |   |
| DO NOT DRINK IN THIS SETTING                                                  | 19.4 | 21.2 | 17.4 | 23.5   | 20.5 | 18.1 | 18.1 | 17.2 | 22.1 | 19.0       | 18.5 | 16.1 | 18.4 |      |   |
| SOMETIMES                                                                     | 49.5 | 49.5 | 49.6 | 50.0   | 49.8 | 50.5 | 48.1 | 49.2 | 48.8 | 50.2       | 50.6 | 51.2 | 47.9 |      |   |
| FREQUENTLY                                                                    | 14.2 | 13.7 | 14.8 | 12.3   | 12.9 | 14.3 | 15.2 | 16.3 | 13.4 | 13.6       | 14.1 | 16.2 | 15.3 |      |   |
| MOST OF THE TIME                                                              | 16.8 | 15.6 | 18.2 | 14.3   | 16.8 | 17.0 | 18.6 | 17.3 | 15.8 | 17.3       | 16.8 | 16.5 | 18.4 |      |   |
| Q61C: FREQUENCY OF DRINKING IN<br>A CAR AT NIGHT                              |      |      |      |        |      |      |      |      |      |            |      |      |      |      |   |
| DO NOT DRINK IN THIS SETTING                                                  | 73.5 | 73.3 | 73.6 | 85.6   | 79.6 | 72.9 | 67.7 | 63.0 | 78.2 | 73.8       | 70.6 | 65.3 | 73.5 |      |   |
| SOMETIMES                                                                     | 18.6 | 18.8 | 18.3 | 8.6    | 13.4 | 18.6 | 23.4 | 27.7 | 16.1 | 17.9       | 21.1 | 22.8 | 18.0 |      |   |
| FREQUENTLY                                                                    | 4.8  | 4.7  | 4.7  | 3.0    | 3.9  | 5.1  | 5.5  | 6.2  | 3.4  | 4.7        | 4.8  | 7.2  | 5.4  |      |   |
| MOST OF THE TIME                                                              | 3.2  | 3.2  | 3.3  | 2.8    | 3.2  | 3.5  | 3.4  | 3.2  | 2.3  | 3.5        | 3.5  | 4.7  | 3.2  |      |   |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS.  
IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION.

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY DEMOGRAPHIC VARIABLES (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q61D = 12,543 Q61F = 12,574<br>Q61E = 12,552              | ALL  | SEX  |        | GRADE |      |      |      |      |         |        | ADP REGION |       |        |  |  |
|--------------------------------------------------------------------------------------------|------|------|--------|-------|------|------|------|------|---------|--------|------------|-------|--------|--|--|
|                                                                                            |      | MALE | FEMALE | 8     | 9    | 10   | 11   | 12   | L. MAIN | VALLEY | CEN/SE     | NORTH | ISLAND |  |  |
|                                                                                            |      | %    | %      | %     | %    | %    | %    | %    | %       | %      | %          | %     | %      |  |  |
| Q61D: FREQUENCY OF DRINKING AT<br>DINNER AT HOME WITH FAMILY                               |      |      |        |       |      |      |      |      |         |        |            |       |        |  |  |
| DO NOT DRINK IN THIS SETTING                                                               | 55.6 | 56.0 | 55.3   | 60.8  | 57.5 | 53.5 | 54.1 | 53.0 | 56.1    | 56.1   | 56.2       | 55.6  | 54.0   |  |  |
| SOMETIMES                                                                                  | 37.8 | 37.9 | 37.7   | 33.2  | 35.8 | 39.0 | 39.2 | 41.2 | 36.3    | 37.7   | 38.3       | 38.5  | 39.5   |  |  |
| FREQUENTLY                                                                                 | 4.0  | 3.6  | 4.4    | 3.4   | 3.9  | 4.4  | 4.2  | 4.0  | 4.4     | 3.6    | 3.8        | 3.7   | 4.0    |  |  |
| MOST OF THE TIME                                                                           | 2.6  | 2.5  | 2.6    | 2.6   | 2.7  | 3.2  | 2.5  | 1.8  | 3.2     | 2.6    | 1.8        | 2.2   | 2.5    |  |  |
| Q61E: FREQUENCY OF DRINKING AT<br>TEEN HANGOUTS WHEN ADULTS<br>ARE NOT PRESENT             |      |      |        |       |      |      |      |      |         |        |            |       |        |  |  |
| DO NOT DRINK IN THIS SETTING                                                               | 40.3 | 39.9 | 40.9   | 57.8  | 42.9 | 37.1 | 32.7 | 33.3 | 45.6    | 42.4   | 36.1       | 35.2  | 37.0   |  |  |
| SOMETIMES                                                                                  | 29.9 | 30.6 | 29.1   | 21.9  | 28.1 | 29.5 | 34.2 | 34.8 | 27.7    | 29.7   | 32.9       | 31.0  | 29.7   |  |  |
| FREQUENTLY                                                                                 | 14.0 | 14.2 | 13.9   | 8.4   | 12.7 | 15.4 | 16.2 | 16.8 | 13.1    | 13.0   | 15.2       | 14.8  | 15.0   |  |  |
| MOST OF THE TIME                                                                           | 15.7 | 15.3 | 16.1   | 11.9  | 16.3 | 18.1 | 16.9 | 15.1 | 13.5    | 14.8   | 15.7       | 19.0  | 18.3   |  |  |
| Q61F: FREQUENCY OF DRINKING<br>DURING/AFTER SCHOOL ACTIVITY<br>WHEN ADULTS ARE NOT PRESENT |      |      |        |       |      |      |      |      |         |        |            |       |        |  |  |
| DO NOT DRINK IN THIS SETTING                                                               | 52.9 | 52.2 | 53.7   | 69.6  | 58.3 | 50.5 | 45.1 | 43.1 | 58.3    | 54.6   | 46.8       | 44.0  | 54.1   |  |  |
| SOMETIMES                                                                                  | 26.6 | 26.7 | 26.6   | 17.2  | 23.3 | 27.7 | 31.3 | 32.5 | 23.2    | 27.4   | 29.9       | 30.0  | 26.0   |  |  |
| FREQUENTLY                                                                                 | 9.7  | 9.9  | 9.4    | 5.4   | 8.8  | 10.0 | 11.8 | 12.0 | 9.1     | 8.5    | 10.8       | 11.4  | 9.7    |  |  |
| MOST OF THE TIME                                                                           | 10.8 | 11.2 | 10.3   | 7.8   | 9.7  | 11.8 | 11.8 | 12.4 | 9.4     | 9.5    | 12.5       | 14.6  | 10.1   |  |  |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS.  
IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION.



**APPENDIX D**

**TO:**

**BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS  
ADOLESCENT SURVEY: 1987**

**...**

**TECHNICAL REPORT**



**Province of British Columbia  
Ministry of Health  
1988**

Re

Hd

STE 7522

1941

1941

1941



APPENDIX D

Item Responses by Sex within Grade within Region

...

All Regions Combined

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
PERCENTAGES OF RESPONDENTS WHO HAVE USED ALCOHOL OR OTHER DRUGS  
IN THE LAST 12 MONTHS BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES<br>VARIES FROM 14,424 TO 14,575 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|-----------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                           | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      |            |        |      | 12   |        |      |
|                                                           | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  | MALE | FEMALE | ALL  |
|                                                           | X     | Z      |      | X    | Z      |      | X    | Z      |      | X    | Z      |      | X          | Z      |      | X    | Z      |      |
| TOBACCO: Q8                                               | 18.6  | 13.9   | 19.3 | 22.2 | 32.0   | 27.4 | 25.9 | 32.5   | 29.2 | 30.1 | 37.1   | 33.8 | 28.8       | 38.4   | 33.4 | 25.0 | 31.9   | 28.5 |
| ALCOHOL: Q9                                               | 56.9  | 54.0   | 55.5 | 67.9 | 70.9   | 69.6 | 79.6 | 77.2   | 78.6 | 84.5 | 83.1   | 83.8 | 87.5       | 84.5   | 86.0 | 75.0 | 73.8   | 74.4 |
| CANNABIS: Q10                                             | 14.3  | 11.2   | 12.9 | 24.1 | 23.6   | 24.2 | 33.0 | 31.2   | 32.3 | 42.2 | 39.1   | 40.6 | 43.8       | 39.6   | 41.7 | 31.1 | 28.8   | 30.0 |
| GLUE: Q11                                                 | 4.6   | 2.8    | 3.8  | 3.7  | 3.4    | 3.5  | 3.2  | 2.7    | 2.7  | 1.7  | 1.4    | 1.5  | 2.2        | 1.0    | 1.6  | 3.1  | 2.2    | 2.7  |
| SOLVENTS (PAINT THINNER, GAS): Q12                        | 6.4   | 5.1    | 5.9  | 4.7  | 5.7    | 5.2  | 3.7  | 3.2    | 3.5  | 2.1  | 2.4    | 2.2  | 3.0        | 0.9    | 2.0  | 4.0  | 3.6    | 3.8  |
| * INHALANTS (GLUE OR SOLVENTS)                            | 8.2   | 6.2    | 7.3  | 6.3  | 6.9    | 6.5  | 5.2  | 4.3    | 4.8  | 3.1  | 3.0    | 3.0  | 3.9        | 1.4    | 2.7  | 5.4  | 4.4    | 4.9  |
| LSD: Q26                                                  | 5.9   | 3.4    | 4.8  | 8.3  | 7.5    | 7.9  | 10.7 | 7.7    | 9.3  | 11.3 | 9.7    | 10.5 | 14.6       | 9.1    | 12.0 | 10.1 | 7.5    | 8.8  |
| POP: Q24                                                  | 3.5   | 1.8    | 2.7  | 2.4  | 2.0    | 2.2  | 1.8  | 1.8    | 1.8  | 1.6  | 1.4    | 1.5  | 2.0        | 0.7    | 1.3  | 2.3  | 1.6    | 1.9  |
| HALLUCINOGENS (EXCL. LSD & POP): Q25                      | 6.4   | 3.7    | 5.1  | 9.0  | 8.7    | 8.9  | 13.8 | 10.6   | 12.3 | 17.0 | 12.5   | 14.6 | 19.2       | 12.8   | 16.1 | 12.9 | 9.8    | 11.3 |
| * ANY HALLUCINOGEN                                        | 9.1   | 5.7    | 7.6  | 11.8 | 11.8   | 11.9 | 17.2 | 13.2   | 15.3 | 18.7 | 15.6   | 17.1 | 23.0       | 16.2   | 19.7 | 15.8 | 12.4   | 14.2 |
| COCAINE: Q17                                              | 3.7   | 2.6    | 3.2  | 4.8  | 3.6    | 4.2  | 5.0  | 5.2    | 5.1  | 9.9  | 7.6    | 8.6  | 11.6       | 8.3    | 10.0 | 6.9  | 5.4    | 6.1  |
| CRACK: Q18                                                | 2.7   | 1.3    | 2.0  | 2.2  | 1.1    | 1.7  | 1.4  | 1.5    | 1.5  | 1.6  | 1.4    | 1.5  | 2.3        | 0.9    | 1.6  | 2.0  | 1.3    | 1.6  |
| HEROIN: Q15                                               | 2.8   | 1.7    | 2.3  | 2.1  | 1.3    | 1.7  | 1.6  | 1.5    | 1.6  | 1.2  | 1.1    | 1.1  | 2.6        | 0.6    | 1.6  | 2.0  | 1.3    | 1.7  |
| SPEED: Q16                                                | 5.1   | 3.9    | 4.5  | 5.7  | 6.8    | 6.3  | 7.5  | 6.3    | 6.9  | 9.2  | 7.8    | 8.4  | 9.1        | 6.7    | 8.0  | 7.3  | 6.3    | 6.8  |
| STIMULANTS (W/O PRESCRIPTION): Q20                        | 4.7   | 6.5    | 5.6  | 6.1  | 13.5   | 10.0 | 7.4  | 12.7   | 10.5 | 7.6  | 13.2   | 10.6 | 7.9        | 10.2   | 9.1  | 6.7  | 11.5   | 9.1  |
| STIMULANTS (WITH PRESCRIPTION): Q21                       | 7.1   | 6.2    | 6.6  | 7.2  | 7.0    | 7.2  | 5.9  | 6.8    | 6.5  | 5.6  | 6.3    | 6.0  | 5.5        | 4.8    | 5.1  | 6.3  | 6.3    | 6.3  |
| BARBITURATES (W/O PRESCRIPTION): Q13                      | 2.8   | 3.5    | 3.1  | 3.5  | 6.2    | 4.9  | 4.5  | 5.7    | 5.0  | 4.8  | 6.0    | 5.4  | 5.1        | 3.6    | 4.4  | 4.1  | 5.0    | 4.6  |
| TRANQUILIZERS (W/O PRESCR.): Q22                          | 3.9   | 3.0    | 3.4  | 4.4  | 6.6    | 5.6  | 4.4  | 6.5    | 5.5  | 5.0  | 7.0    | 6.0  | 4.7        | 4.3    | 4.5  | 4.5  | 5.6    | 5.0  |
| * DEPRESSANTS (W/O PRESCRIPTION)                          | 5.4   | 5.3    | 5.4  | 6.5  | 10.5   | 8.6  | 7.5  | 9.8    | 8.6  | 7.6  | 10.4   | 9.1  | 8.0        | 6.4    | 7.3  | 7.0  | 8.6    | 7.8  |
| BARBITURATES (W. PRESCRIPTION): Q14                       | 9.6   | 10.0   | 9.7  | 10.4 | 12.6   | 11.6 | 10.4 | 11.5   | 10.8 | 12.5 | 14.2   | 13.3 | 10.8       | 11.1   | 10.9 | 10.7 | 11.9   | 11.3 |
| TRANQUILIZERS (W. PRESCRIPTION): Q23                      | 5.2   | 4.6    | 4.9  | 5.0  | 7.4    | 6.4  | 4.9  | 6.6    | 5.8  | 5.4  | 7.4    | 6.4  | 6.4        | 6.3    | 6.4  | 5.4  | 6.5    | 6.0  |
| * DEPRESSANTS (WITH PRESCRIPTION)                         | 13.0  | 12.6   | 12.7 | 13.4 | 17.6   | 15.7 | 13.5 | 15.8   | 14.6 | 15.7 | 18.7   | 17.2 | 15.0       | 15.3   | 15.2 | 14.1 | 16.0   | 15.1 |
| * PRESCRIPTION (STIM, BARB, TRANQ)                        | 16.6  | 15.9   | 16.2 | 17.1 | 21.1   | 19.3 | 16.9 | 19.0   | 18.0 | 18.3 | 21.3   | 19.8 | 18.0       | 17.6   | 17.8 | 17.4 | 19.1   | 18.2 |

NOTES: \* REPRESENTS A COMBINATION OF DRUGS. "INHALANTS" REFERS TO USE OF GLUE OR SOLVENTS. "ANY HALLUCINOGEN" REFERS TO USE OF LSD, POP, OR OTHER HALLUCINOGENS. "DEPRESSANTS (W/O PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITHOUT A PRESCRIPTION. "DEPRESSANTS (WITH PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITH A PRESCRIPTION. "PRESCRIPTION (STIM, BARB, TRANQ)" REFERS TO USE OF STIMULANTS, BARBITURATES, OR TRANQUILIZERS WITH A PRESCRIPTION.

TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE  
REFER TO APPROPRIATE QUESTIONNAIRE ITEMS TO DETERMINE WHAT INDIVIDUAL DRUGS ARE INCLUDED WITHIN EACH DRUG CATEGORY.

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q4 = 14,541<br>Q5 = 14,343<br>Q6 = 14,326 | GRADE |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |      |
|----------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|------|
|                                                                            | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12         |      |        | ALL  |
|                                                                            | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |      | FEMALE |      |
|                                                                            | %     | %    | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %          | %    | %      |      |
| Q4: USUAL SCHOOL MARKS                                                     |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| A                                                                          | 10.7  | 15.5 | 12.9   | 8.4  | 11.7 | 10.0   | 7.8  | 12.5 | 10.0   | 6.4  | 7.9  | 7.2    | 7.5        | 6.5  | 7.0    | 8.2  |
| B                                                                          | 35.2  | 44.5 | 39.6   | 34.1 | 39.4 | 38.7   | 33.2 | 39.2 | 35.9   | 32.5 | 37.0 | 34.7   | 32.0       | 42.6 | 37.2   | 33.5 |
| C                                                                          | 41.3  | 33.0 | 37.4   | 45.2 | 40.2 | 42.7   | 46.4 | 41.0 | 44.0   | 48.8 | 48.0 | 48.6   | 51.4       | 45.4 | 48.5   | 46.5 |
| PASS                                                                       | 10.5  | 5.6  | 8.3    | 10.8 | 7.9  | 9.4    | 11.8 | 8.9  | 9.5    | 11.5 | 8.8  | 8.9    | 8.8        | 5.1  | 7.0    | 10.7 |
| FAIL                                                                       | 2.3   | 1.3  | 1.9    | 1.5  | 0.8  | 1.1    | 0.7  | 0.4  | 0.6    | 0.8  | 0.4  | 0.6    | 0.3        | 0.4  | 0.3    | 1.1  |
| Q5: FATHER'S EMPLOYMENT STATUS                                             |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| PERMANENTLY EMPLOYED FULLTIME                                              | 80.1  | 77.2 | 78.8   | 80.0 | 77.7 | 79.0   | 82.4 | 80.2 | 81.4   | 82.1 | 81.5 | 81.8   | 82.2       | 80.8 | 81.5   | 81.3 |
| UNEMPLOYED PERMANENTLY/RETIRED                                             | 1.7   | 1.4  | 1.6    | 2.3  | 2.3  | 2.3    | 2.9  | 2.2  | 2.5    | 2.8  | 3.3  | 3.1    | 4.7        | 4.2  | 4.4    | 2.8  |
| SEASONALLY EMPLOYED                                                        | 5.6   | 4.9  | 5.3    | 3.9  | 4.8  | 4.3    | 4.8  | 5.2  | 5.0    | 3.4  | 4.6  | 4.0    | 3.9        | 4.3  | 4.2    | 4.4  |
| INTERMITTENTLY EMPLOYED                                                    | 6.2   | 6.2  | 7.1    | 8.5  | 7.5  | 7.9    | 5.0  | 6.4  | 5.6    | 6.3  | 4.4  | 5.2    | 4.3        | 4.8  | 4.5    | 6.0  |
| DON'T KNOW OR NOT LIVING                                                   | 6.4   | 6.1  | 7.2    | 5.3  | 7.6  | 6.5    | 4.9  | 6.1  | 5.5    | 5.5  | 6.2  | 5.9    | 4.9        | 5.8  | 5.4    | 5.4  |
| Q6: MOTHER'S EMPLOYMENT STATUS                                             |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| FULLTIME HOMEWORKER                                                        | 33.1  | 30.7 | 32.0   | 28.9 | 31.5 | 30.4   | 27.6 | 29.0 | 28.2   | 28.2 | 29.0 | 28.6   | 29.8       | 28.6 | 29.2   | 29.5 |
| PERMANENTLY EMPLOYED                                                       | 42.9  | 47.4 | 45.0   | 46.5 | 48.9 | 47.7   | 47.4 | 50.0 | 48.7   | 48.8 | 50.8 | 48.9   | 45.9       | 51.6 | 48.7   | 45.9 |
| UNEMPLOYED PERMANENTLY/RETIRED                                             | 2.2   | 2.0  | 2.1    | 2.3  | 1.7  | 2.0    | 2.4  | 1.8  | 2.1    | 1.9  | 1.4  | 1.6    | 2.4        | 2.4  | 2.4    | 2.3  |
| SEASONALLY EMPLOYED                                                        | 6.2   | 6.7  | 6.2    | 6.1  | 6.5  | 6.3    | 5.5  | 5.1  | 5.3    | 5.7  | 4.8  | 5.3    | 5.2        | 5.4  | 5.3    | 5.7  |
| INTERMITTENTLY EMPLOYED                                                    | 12.4  | 9.5  | 11.0   | 12.7 | 9.6  | 11.0   | 14.5 | 12.0 | 13.2   | 14.8 | 11.6 | 13.1   | 14.8       | 10.1 | 12.5   | 13.8 |
| DON'T KNOW OR NOT LIVING                                                   | 3.2   | 4.1  | 3.7    | 3.5  | 1.8  | 2.6    | 2.5  | 2.2  | 2.4    | 2.7  | 2.4  | 2.5    | 1.9        | 1.9  | 1.9    | 2.7  |

## ALL REGIONS

| NUMBER OF VAL ID RESPONSES TO:<br>Q7 = 14,435<br>Q8 = 14,424 | GRADE |      |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |      |      |        |      |
|--------------------------------------------------------------|-------|------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|------|------|--------|------|
|                                                              | 8     |      |      | 9    |      |        | 10   |      |      | 11     |      |      | 12         |        |      | MALE | FEMALE | ALL  |
|                                                              | MALE  |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |            | FEMALE | ALL  |      |        |      |
|                                                              | %     | #    | %    | #    | %    | #      | %    | #    | %    | #      | %    | #    | %          | #      | %    |      |        |      |
| Q7: WEEKLY SPENDING MONEY                                    |       |      |      |      |      |        |      |      |      |        |      |      |            |        |      |      |        |      |
| LESS THAN \$5                                                | 21.4  | 22.7 | 22.0 | 16.9 | 16.6 | 16.9   | 11.0 | 13.3 | 12.5 | 7.4    | 10.3 | 8.9  | 5.5        | 8.0    | 6.7  | 12.8 | 14.3   | 13.6 |
| \$5 TO \$10                                                  | 38.0  | 41.3 | 38.6 | 37.7 | 39.0 | 38.4   | 30.4 | 37.0 | 33.5 | 25.6   | 27.0 | 26.3 | 15.5       | 20.7   | 18.1 | 29.7 | 33.3   | 31.5 |
| \$10 TO \$20                                                 | 21.9  | 23.7 | 22.7 | 25.1 | 25.9 | 25.5   | 28.9 | 29.3 | 29.2 | 27.9   | 28.8 | 28.3 | 22.6       | 23.2   | 25.8 | 25.3 | 27.3   | 26.3 |
| \$20 TO \$30                                                 | 7.3   | 7.2  | 7.3  | 9.2  | 10.4 | 9.8    | 11.4 | 10.3 | 10.9 | 14.1   | 14.5 | 14.3 | 19.5       | 17.0   | 18.2 | 12.1 | 11.8   | 11.9 |
| \$30 TO \$50                                                 | 4.8   | 3.6  | 4.2  | 5.5  | 4.7  | 5.1    | 7.6  | 6.1  | 6.8  | 10.5   | 9.9  | 10.3 | 15.1       | 12.1   | 13.7 | 8.6  | 7.2    | 7.9  |
| OVER \$50                                                    | 6.6   | 1.6  | 4.3  | 5.5  | 3.2  | 4.3    | 9.8  | 4.0  | 7.0  | 14.5   | 9.6  | 11.8 | 21.9       | 13.0   | 17.5 | 11.5 | 6.1    | 8.8  |
| Q8: TOBACCO USE IN LAST 12 MO.                               |       |      |      |      |      |        |      |      |      |        |      |      |            |        |      |      |        |      |
| NONE                                                         | 68.8  | 63.8 | 66.3 | 64.1 | 50.7 | 57.1   | 60.6 | 51.5 | 56.2 | 58.1   | 47.0 | 51.3 | 58.8       | 47.3   | 53.4 | 61.8 | 52.1   | 57.0 |
| TRIED ONE CIGARETTE                                          | 12.7  | 16.2 | 14.4 | 13.8 | 17.4 | 15.5   | 13.5 | 16.0 | 14.6 | 13.8   | 15.9 | 14.9 | 12.4       | 14.3   | 13.3 | 13.2 | 16.0   | 14.6 |
| LESS THAN 1 DAILY                                            | 5.8   | 6.7  | 6.2  | 7.4  | 10.9 | 9.2    | 8.1  | 10.7 | 9.4  | 10.3   | 11.6 | 11.0 | 8.3        | 10.5   | 9.3  | 7.9  | 10.1   | 9.0  |
| 1 TO 2 DAILY                                                 | 2.7   | 4.5  | 3.6  | 3.0  | 5.9  | 4.5    | 3.6  | 4.2  | 3.9  | 1.6    | 4.1  | 2.9  | 2.1        | 2.9    | 2.5  | 2.6  | 4.4    | 3.5  |
| 3 TO 5 DAILY                                                 | 3.7   | 4.7  | 4.2  | 4.8  | 6.3  | 5.6    | 5.0  | 6.9  | 5.9  | 5.5    | 5.8  | 5.8  | 4.5        | 5.6    | 5.0  | 4.7  | 5.9    | 5.3  |
| 6 TO 10 DAILY                                                | 2.4   | 2.4  | 2.4  | 3.5  | 5.3  | 4.5    | 4.2  | 6.0  | 5.0  | 5.1    | 7.6  | 6.5  | 5.1        | 8.5    | 6.7  | 4.0  | 5.9    | 5.0  |
| 11 TO 15 DAILY                                               | 1.6   | 0.4  | 1.0  | 1.8  | 2.0  | 1.8    | 2.1  | 2.9  | 2.5  | 3.4    | 3.7  | 3.6  | 4.5        | 5.2    | 4.6  | 2.6  | 2.8    | 2.7  |
| 16 TO 20 DAILY                                               | 0.6   | 0.7  | 0.7  | 0.9  | 1.0  | 0.9    | 1.9  | 1.1  | 1.5  | 2.9    | 3.5  | 3.2  | 3.2        | 4.2    | 3.7  | 1.9  | 2.0    | 2.0  |
| MORE THAN 20 DAILY                                           | 1.7   | 0.5  | 1.2  | 1.0  | 0.6  | 0.9    | 0.9  | 0.7  | 0.6  | 1.3    | 0.8  | 1.0  | 1.1        | 1.5    | 1.3  | 1.2  | 0.8    | 1.0  |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q8 = 14,575<br>Q10 = 14,515 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|--------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                              | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | MALE | FEMALE | ALL  |
|                                                              | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |        |      |
|                                                              |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| Q8: ALCOHOL USE IN LAST 12 MO.                               |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                         | 30.0  | 32.3   | 31.2 | 23.7 | 20.3   | 21.6 | 15.5 | 17.0   | 16.1 | 12.0 | 12.6   | 12.3 | 10.3       | 12.2   | 11.2 | 18.5 | 19.0   | 18.7 |
| ONE SIP                                                      | 13.1  | 13.7   | 13.3 | 8.4  | 8.6    | 8.7  | 5.0  | 5.9    | 5.4  | 3.5  | 4.2    | 3.9  | 2.1        | 3.3    | 2.6  | 6.5  | 7.3    | 6.9  |
| SPECIAL EVENTS ONLY                                          | 26.2  | 26.4   | 26.3 | 23.6 | 24.6   | 24.2 | 20.2 | 23.4   | 21.7 | 13.2 | 16.4   | 15.9 | 11.9       | 16.3   | 14.0 | 19.3 | 22.0   | 20.6 |
| ONCE MONTHLY OR LESS                                         | 12.5  | 13.6   | 13.0 | 17.2 | 22.1   | 19.8 | 21.6 | 22.2   | 21.6 | 22.2 | 25.2   | 23.9 | 19.4       | 23.5   | 21.4 | 16.5 | 21.3   | 19.9 |
| 2 TO 3 TIMES MONTHLY                                         | 8.5   | 7.5    | 8.0  | 14.2 | 13.7   | 13.8 | 19.6 | 17.5   | 16.6 | 21.1 | 21.2   | 21.1 | 21.8       | 21.0   | 21.5 | 16.9 | 16.1   | 16.5 |
| ONCE PER WEEK                                                | 4.6   | 3.4    | 4.1  | 7.5  | 6.7    | 7.2  | 11.0 | 8.7    | 10.0 | 14.4 | 10.6   | 12.5 | 17.0       | 12.8   | 14.9 | 10.8 | 8.4    | 9.6  |
| 2 OR 3 TIMES WEEKLY                                          | 2.6   | 2.2    | 2.5  | 3.3  | 3.1    | 3.2  | 6.0  | 4.4    | 5.3  | 11.9 | 9.6    | 9.2  | 14.8       | 9.6    | 12.2 | 7.6  | 5.0    | 6.3  |
| 4 OR 5 TIMES WEEKLY                                          | 0.7   | 0.3    | 0.5  | 1.2  | 0.6    | 0.9  | 0.7  | 0.6    | 0.6  | 1.0  | 0.6    | 0.6  | 1.9        | 0.8    | 1.3  | 1.0  | 0.6    | 0.8  |
| 6 TO 7 TIMES WEEKLY                                          | 1.4   | 0.7    | 1.1  | 0.9  | 0.1    | 0.5  | 0.4  | 0.4    | 0.4  | 0.6  | 0.3    | 0.5  | 0.8        | 0.5    | 0.7  | 0.3  | 0.4    | 0.6  |
| Q10: CANNABIS USE IN LAST 12 MONTHS                          |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                        | 15.0  | 15.4   | 15.2 | 10.7 | 9.6    | 10.1 | 8.1  | 7.5    | 7.8  | 5.5  | 6.9    | 6.3  | 4.9        | 5.9    | 5.4  | 9.0  | 9.1    | 9.0  |
| NONE                                                         | 70.7  | 73.4   | 71.9 | 65.3 | 66.5   | 65.7 | 58.9 | 61.4   | 60.0 | 52.3 | 54.0   | 53.0 | 51.3       | 54.5   | 52.9 | 59.9 | 62.1   | 60.9 |
| 1 OR 2 TIMES                                                 | 6.3   | 5.3    | 5.8  | 8.7  | 9.7    | 9.2  | 10.8 | 11.5   | 11.2 | 12.0 | 15.1   | 14.2 | 12.2       | 14.0   | 13.0 | 10.1 | 11.1   | 10.6 |
| 3 TO 5 TIMES                                                 | 2.2   | 1.9    | 2.1  | 4.4  | 4.3    | 4.4  | 5.0  | 6.7    | 5.9  | 6.2  | 6.6    | 6.4  | 6.3        | 7.3    | 6.8  | 4.8  | 5.3    | 5.1  |
| 6 TO 9 TIMES                                                 | 1.3   | 1.1    | 1.2  | 3.0  | 2.7    | 2.8  | 3.8  | 3.7    | 3.7  | 3.9  | 4.6    | 4.4  | 5.3        | 4.2    | 4.7  | 3.4  | 3.3    | 3.4  |
| 10 TO 19 TIMES                                               | 1.5   | 1.5    | 1.5  | 2.4  | 2.1    | 2.3  | 3.7  | 3.4    | 3.6  | 4.8  | 4.2    | 4.5  | 5.0        | 5.3    | 5.1  | 3.4  | 3.3    | 3.3  |
| 20 TO 39 TIMES                                               | 0.7   | 0.5    | 0.6  | 1.7  | 1.7    | 1.7  | 3.3  | 2.9    | 3.1  | 3.7  | 3.7    | 3.7  | 4.2        | 3.6    | 4.0  | 2.7  | 2.5    | 2.6  |
| 40 OR MORE TIMES                                             | 2.2   | 1.0    | 1.7  | 4.0  | 3.2    | 3.7  | 6.3  | 3.0    | 4.7  | 10.6 | 4.6    | 7.5  | 10.8       | 5.2    | 8.1  | 6.7  | 3.4    | 5.1  |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY, 1987  
 ...  
 FREQUENCY OF USE BY SEX (THOSE HAVE USED TOBACCO, ALCOHOL, OR CANNABIS  
 IN THE LAST 12 MONTHS BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q8(MOD) = 4,196<br>Q9(MOD) = 11,065<br>Q10(MOD) = 4,518 | GRADE |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |          |      |      |      |            |  |  |  |
|------------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|----------|------|------|------|------------|--|--|--|
|                                                                                          | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12         |      |        | ALL MALE |      |      |      | ALL FEMALE |  |  |  |
|                                                                                          | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |      | FEMALE |          |      |      |      |            |  |  |  |
|                                                                                          | %     | N    | %      | N    | %    | N      | %    | N    | %      | N    | %    | N      | %          | N    | %      | N        | %    | N    | %    | N          |  |  |  |
| Q8(MOD): TOBACCO USE IN LAST 12 MONTHS                                                   |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |          |      |      |      |            |  |  |  |
| LESS THAN 1 CIGARETTE DAILY                                                              | 31.0  | 33.8 | 32.1   | 33.3 | 34.0 | 33.4   | 31.2 | 33.0 | 32.2   | 34.1 | 31.3 | 32.4   | 28.7       | 27.5 | 27.9   | 31.7     | 31.7 | 31.7 | 31.5 |            |  |  |  |
| 1 TO 2 DAILY                                                                             | 14.7  | 22.5 | 18.6   | 13.3 | 18.4 | 16.3   | 14.0 | 12.9 | 13.5   | 5.4  | 11.0 | 8.6    | 7.3        | 7.6  | 7.6    | 10.8     | 13.7 | 12.3 | 12.3 |            |  |  |  |
| 3 TO 5 DAILY                                                                             | 19.9  | 23.5 | 21.8   | 21.7 | 19.9 | 20.5   | 19.4 | 21.3 | 20.4   | 18.3 | 15.7 | 16.8   | 15.5       | 14.5 | 15.0   | 18.8     | 18.5 | 18.6 | 18.6 |            |  |  |  |
| 6 TO 10 DAILY                                                                            | 12.7  | 12.0 | 12.3   | 15.8 | 16.7 | 16.6   | 16.1 | 18.3 | 17.3   | 16.8 | 20.5 | 19.2   | 17.8       | 22.1 | 20.1   | 16.1     | 18.5 | 17.5 | 17.5 |            |  |  |  |
| 11 TO 15 DAILY                                                                           | 8.8   | 1.9  | 5.4    | 7.0  | 6.3  | 6.5    | 8.1  | 9.1  | 8.5    | 11.4 | 9.9  | 10.7   | 15.8       | 13.6 | 14.5   | 10.5     | 8.7  | 9.5  | 9.5  |            |  |  |  |
| 16 TO 20 DAILY                                                                           | 3.4   | 3.5  | 3.5    | 4.3  | 3.0  | 3.4    | 7.5  | 3.5  | 5.3    | 9.7  | 9.5  | 9.5    | 11.1       | 10.8 | 11.1   | 7.8      | 6.4  | 6.9  | 6.9  |            |  |  |  |
| MORE THAN 20 DAILY                                                                       | 9.4   | 2.6  | 6.3    | 4.5  | 1.8  | 3.3    | 3.6  | 2.0  | 2.9    | 4.3  | 2.2  | 3.0    | 3.8        | 3.9  | 3.8    | 4.9      | 2.5  | 3.7  | 3.7  |            |  |  |  |
| Q9(MOD): ALCOHOL USE IN LAST 12 MONTHS                                                   |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |          |      |      |      |            |  |  |  |
| SPECIAL EVENTS ONLY                                                                      | 45.9  | 48.9 | 47.3   | 34.8 | 34.7 | 34.7   | 25.4 | 30.4 | 27.6   | 15.7 | 22.1 | 18.9   | 13.8       | 19.2 | 18.3   | 25.7     | 28.8 | 27.7 | 27.7 |            |  |  |  |
| ONCE MONTHLY OR LESS                                                                     | 21.9  | 25.2 | 23.4   | 25.3 | 31.2 | 28.4   | 27.2 | 28.8 | 27.8   | 26.3 | 30.3 | 28.5   | 22.1       | 27.9 | 24.9   | 24.7     | 28.9 | 26.8 | 26.8 |            |  |  |  |
| 2 TO 3 TIMES MONTHLY                                                                     | 15.0  | 13.8 | 14.5   | 21.0 | 19.3 | 19.9   | 24.7 | 22.6 | 23.9   | 24.9 | 25.5 | 25.1   | 24.9       | 24.9 | 25.0   | 22.8     | 21.8 | 22.2 | 22.2 |            |  |  |  |
| ONCE PER WEEK                                                                            | 8.4   | 6.3  | 7.4    | 11.1 | 9.5  | 10.4   | 13.9 | 11.3 | 12.7   | 17.0 | 12.8 | 14.9   | 19.4       | 15.2 | 17.3   | 14.4     | 11.3 | 12.9 | 12.9 |            |  |  |  |
| 2 OR 3 TIMES WEEKLY                                                                      | 4.9   | 4.1  | 4.5    | 4.9  | 4.4  | 4.6    | 7.6  | 5.7  | 6.7    | 14.1 | 7.9  | 10.9   | 16.9       | 11.3 | 14.2   | 10.1     | 6.8  | 8.5  | 8.5  |            |  |  |  |
| 4 OR 5 TIMES WEEKLY                                                                      | 1.2   | 0.5  | 0.9    | 1.7  | 0.9  | 1.2    | 0.8  | 0.7  | 0.8    | 1.1  | 0.9  | 1.0    | 2.1        | 0.9  | 1.5    | 1.4      | 0.8  | 1.1  | 1.1  |            |  |  |  |
| 6 TO 7 TIMES WEEKLY                                                                      | 2.5   | 1.2  | 2.0    | 1.3  | 0.2  | 0.7    | 0.5  | 0.5  | 0.5    | 0.9  | 0.4  | 0.6    | 0.9        | 0.6  | 0.8    | 1.1      | 0.8  | 0.8  | 0.8  |            |  |  |  |
| Q10(MOD): CANNABIS USE IN LAST 12 MONTHS                                                 |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |          |      |      |      |            |  |  |  |
| 1 OR 2 TIMES                                                                             | 44.3  | 16.8 | 45.2   | 36.0 | 40.8 | 38.2   | 32.8 | 36.9 | 34.6   |      | 38.7 | 34.8   | 27.8       | 35.9 | 31.3   | 32.5     | 36.5 | 35.4 | 35.4 |            |  |  |  |
| 3 TO 5 TIMES                                                                             | 15.6  | 16.9 | 16.2   | 18.3 | 18.1 | 18.1   | 15.2 | 21.5 | 19.3   | 14.7 | 17.0 | 15.7   | 14.4       | 16.5 | 16.2   | 15.4     | 18.5 | 16.9 | 16.9 |            |  |  |  |
| 6 TO 9 TIMES                                                                             | 9.3   | 9.4  | 9.4    | 12.4 | 11.5 | 11.8   | 11.7 | 11.8 | 11.6   | 9.3  | 12.3 | 10.9   | 12.0       | 10.6 | 11.3   | 11.0     | 11.4 | 11.2 | 11.2 |            |  |  |  |
| 10 TO 19 TIMES                                                                           | 10.2  | 13.0 | 11.5   | 9.8  | 9.0  | 9.5    | 11.2 | 11.1 | 11.1   | 11.4 | 10.8 | 11.0   | 11.4       | 13.3 | 12.3   | 11.0     | 11.3 | 11.1 | 11.1 |            |  |  |  |
| 20 TO 39 TIMES                                                                           | 4.9   | 4.5  | 4.7    | 7.0  | 7.0  | 7.1    | 9.9  | 9.2  | 9.7    | 8.6  | 9.5  | 9.2    | 9.7        | 9.1  | 9.5    | 8.7      | 8.5  | 8.6  | 8.6  |            |  |  |  |
| 40 OR MORE TIMES                                                                         | 15.7  | 9.3  | 13.0   | 16.4 | 13.6 | 15.2   | 19.2 | 9.6  | 14.7   | 25.1 | 11.7 | 18.4   | 24.7       | 13.1 | 19.5   | 21.4     | 11.7 | 16.8 | 16.8 |            |  |  |  |

NOTE: Q8(MOD), Q9(MOD), AND Q10(MOD) ARE MODIFIED RESPONSE SETS FOR Q8, Q9, AND Q10, RESPECTIVELY, AND INCLUDE ONLY THOSE WHO USED THESE DRUGS DURING THE LAST 12 MONTHS. TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL. TO SEE WHAT IT WAS LIKE.



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...

ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q11 = 14,459<br>Q12 = 14,459 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|---------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                               | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                                               | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q11: GLUE USE IN LAST 12 MO.                                  |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE                                                          | 95.4  | 97.2   | 96.2 | 98.3 | 98.0   | 98.5 | 96.8 | 97.6   | 97.3 | 98.3 | 98.6   | 98.5 | 97.8       | 99.0   | 98.4 |
| 1 OR 2 TIMES                                                  | 2.5   | 2.0    | 2.2  | 2.3  | 2.1    | 2.2  | 1.8  | 1.4    | 1.6  | 1.1  | 1.0    | 1.0  | 1.1        | 0.6    | 0.9  |
| 3 TO 5 TIMES                                                  | 0.4   | 0.3    | 0.4  | 0.4  | 0.7    | 0.5  | 0.8  | 0.1    | 0.5  | 0.0  | 0.0    | 0.0  | 0.2        | 0.0    | 0.1  |
| 6 TO 9 TIMES                                                  | 0.6   | 0.1    | 0.4  | 0.3  | 0.1    | 0.2  | 0.2  | 0.2    | 0.2  | 0.0  | 0.0    | 0.0  | 0.3        | 0.1    | 0.2  |
| 10 TO 19 TIMES                                                | 0.4   | 0.1    | 0.2  | 0.1  | 0.1    | 0.1  | 0.1  | 0.0    | 0.1  | 0.0  | 0.2    | 0.1  | 0.1        | 0.0    | 0.0  |
| 20 TO 39 TIMES                                                | 0.2   | 0.0    | 0.1  | 0.1  | 0.2    | 0.2  | 0.1  | 0.4    | 0.2  | 0.1  | 0.3    | 0.2  | 0.1        | 0.0    | 0.0  |
| 40 OR MORE TIMES                                              | 0.5   | 0.4    | 0.5  | 0.4  | 0.3    | 0.3  | 0.2  | 0.1    | 0.1  | 0.5  | 0.0    | 0.2  | 0.3        | 0.3    | 0.3  |
| Q12: SOLVENT USE IN LAST 12 MO.                               |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE                                                          | 93.6  | 94.9   | 94.1 | 95.3 | 94.3   | 94.8 | 96.3 | 90.8   | 96.5 | 97.9 | 97.6   | 97.8 | 97.0       | 99.1   | 98.0 |
| 1 OR 2 TIMES                                                  | 4.3   | 3.5    | 4.0  | 2.7  | 4.0    | 3.4  | 2.9  | 2.0    | 2.4  | 1.2  | 2.0    | 1.6  | 2.1        | 0.3    | 1.2  |
| 3 TO 5 TIMES                                                  | 0.6   | 0.8    | 0.7  | 0.7  | 0.5    | 0.6  | 0.2  | 0.5    | 0.4  | 0.2  | 0.1    | 0.2  | 0.8        | 0.1    | 0.4  |
| 6 TO 9 TIMES                                                  | 0.5   | 0.2    | 0.4  | 0.4  | 0.6    | 0.5  | 0.1  | 0.3    | 0.2  | 0.0  | 0.1    | 0.1  | 0.0        | 0.1    | 0.1  |
| 10 TO 19 TIMES                                                | 0.2   | 0.3    | 0.3  | 0.3  | 0.1    | 0.2  | 0.1  | 0.2    | 0.2  | 0.2  | 0.0    | 0.1  | 0.1        | 0.0    | 0.1  |
| 20 TO 39 TIMES                                                | 0.0   | 0.0    | 0.0  | 0.1  | 0.1    | 0.1  | 0.0  | 0.1    | 0.1  | 0.2  | 0.0    | 0.1  | 0.1        | 0.0    | 0.0  |
| 40 OR MORE TIMES                                              | 0.8   | 0.3    | 0.6  | 0.6  | 0.3    | 0.4  | 0.3  | 0.2    | 0.2  | 0.4  | 0.2    | 0.3  | 0.2        | 0.4    | 0.3  |

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q13 = 14,520<br>Q14 = 14,400 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|---------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                               | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | MALE | FEMALE | ALL  |
|                                                               | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |        |      |
|                                                               |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| Q13: BARBITURATE USE WITHOUT<br>PRESC. IN LAST 12 MONTHS      |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                         | 43.4  | 49.2   | 47.8 | 37.2 | 40.2   | 38.6 | 32.7 | 39.1   | 35.7 | 29.3 | 31.3   | 30.4 | 28.7       | 32.1   | 30.3 | 35.1 | 38.5   | 36.7 |
| NONE                                                          | 50.8  | 47.3   | 49.1 | 59.4 | 53.7   | 56.5 | 62.7 | 55.3   | 59.3 | 75.9 | 62.8   | 64.2 | 66.2       | 64.3   | 65.2 | 69.8 | 56.5   | 58.7 |
| 1 TO 2 TIMES                                                  | 1.5   | 2.0    | 1.7  | 2.4  | 4.0    | 3.2  | 3.0  | 2.8    | 2.9  | 3.0  | 3.0    | 3.3  | 3.2        | 2.1    | 2.8  | 2.0  | 3.0    | 2.8  |
| 3 TO 5 TIMES                                                  | 0.4   | 0.6    | 0.5  | 0.2  | 0.6    | 0.4  | 0.6  | 1.1    | 0.8  | 0.6  | 1.4    | 1.0  | 1.0        | 0.6    | 0.8  | 0.6  | 0.9    | 0.7  |
| 6 TO 8 TIMES                                                  | 0.0   | 0.1    | 0.1  | 0.2  | 0.6    | 0.5  | 0.3  | 0.7    | 0.5  | 0.7  | 0.3    | 0.5  | 0.4        | 0.0    | 0.2  | 0.3  | 0.4    | 0.4  |
| 10 TO 19 TIMES                                                | 0.1   | 0.2    | 0.2  | 0.4  | 0.2    | 0.3  | 0.4  | 0.3    | 0.4  | 0.2  | 0.1    | 0.1  | 0.4        | 0.3    | 0.4  | 0.3  | 0.3    | 0.3  |
| 20 TO 39 TIMES                                                | 0.1   | 0.1    | 0.1  | 0.1  | 0.2    | 0.2  | 0.1  | 0.4    | 0.2  | 0.0  | 0.1    | 0.1  | 0.1        | 0.1    | 0.1  | 0.1  | 0.2    | 0.1  |
| 40 OR MORE TIMES                                              | 0.7   | 0.4    | 0.6  | 0.2  | 0.3    | 0.2  | 0.1  | 0.3    | 0.2  | 0.3  | 0.3    | 0.3  | 0.0        | 0.5    | 0.2  | 0.3  | 0.3    | 0.3  |
| Q14: BARBITURATE USE WITH<br>PRESC. IN LAST 12 MONTHS         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                         | 45.7  | 48.6   | 47.0 | 36.9 | 39.9   | 38.3 | 32.6 | 39.5   | 35.8 | 27.1 | 30.9   | 29.1 | 28.0       | 31.3   | 28.5 | 33.9 | 36.2   | 36.0 |
| NONE                                                          | 44.7  | 41.4   | 43.2 | 52.8 | 47.5   | 50.1 | 57.1 | 49.0   | 53.3 | 60.4 | 54.8   | 57.5 | 63.3       | 57.7   | 60.5 | 65.4 | 49.9   | 52.7 |
| 1 TO 2 TIMES                                                  | 7.0   | 6.1    | 6.5  | 5.8  | 6.6    | 6.3  | 7.3  | 6.6    | 7.0  | 8.8  | 9.4    | 9.1  | 7.8        | 7.2    | 7.5  | 7.3  | 7.2    | 7.3  |
| 3 TO 5 TIMES                                                  | 1.2   | 2.1    | 1.6  | 1.8  | 2.8    | 2.4  | 1.4  | 2.3    | 1.8  | 1.9  | 2.7    | 2.3  | 1.5        | 2.0    | 1.7  | 1.5  | 2.4    | 2.0  |
| 6 TO 9 TIMES                                                  | 0.5   | 0.6    | 0.5  | 1.3  | 1.4    | 1.4  | 0.5  | 0.7    | 0.6  | 0.4  | 0.7    | 0.5  | 0.5        | 1.0    | 0.7  | 0.6  | 0.9    | 0.7  |
| 10 TO 19 TIMES                                                | 0.5   | 0.5    | 0.5  | 0.4  | 0.6    | 0.5  | 0.3  | 1.1    | 0.7  | 0.6  | 0.8    | 0.7  | 0.5        | 0.4    | 0.4  | 0.4  | 0.7    | 0.6  |
| 20 TO 39 TIMES                                                | 0.1   | 0.3    | 0.2  | 0.5  | 0.7    | 0.6  | 0.4  | 0.2    | 0.3  | 0.3  | 0.4    | 0.3  | 0.3        | 0.2    | 0.2  | 0.3  | 0.4    | 0.3  |
| 40 OR MORE TIMES                                              | 0.5   | 0.3    | 0.4  | 0.5  | 0.4    | 0.4  | 0.4  | 0.5    | 0.5  | 0.5  | 0.3    | 0.4  | 0.3        | 0.3    | 0.3  | 0.4  | 0.4    | 0.4  |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q15 = 14,489<br>Q16 = 14,501 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |   |        |   |
|---------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|---|--------|---|
|                                                               | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        | MALE       |   | FEMALE |   |
|                                                               | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |   | FEMALE |   |
|                                                               | %     | X    | %      | %    | X    | %      | %    | X    | %      | %    | X    | %      | %    | X    | %      | %    | X    | %      | %          | X | %      | X |
| Q15: HEROIN USE IN LAST 12 MO.                                |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |   |
| DON'T KNOW WHAT IT IS                                         | 12.5  | 13.0 | 12.6   | 6.9  | 9.2  | 8.0    | 6.5  | 6.4  | 6.4    | 5.1  | 5.5  | 5.4    | 4.0  | 5.4  | 4.7    | 7.1  | 7.9  | 7.5    |            |   |        |   |
| NONE                                                          | 84.6  | 85.3 | 85.0   | 91.0 | 89.5 | 90.2   | 91.9 | 92.1 | 92.0   | 93.8 | 93.3 | 93.5   | 93.4 | 94.0 | 93.7   | 90.8 | 90.8 | 90.8   |            |   |        |   |
| 1 TO 2 TIMES                                                  | 0.7   | 1.1  | 0.9    | 0.9  | 0.9  | 0.9    | 1.0  | 0.9  | 1.0    | 0.7  | 0.9  | 0.6    | 1.3  | 0.4  | 0.8    | 0.8  | 0.9  | 0.8    |            |   |        |   |
| 3 TO 5 TIMES                                                  | 0.5   | 0.2  | 0.3    | 0.0  | 0.1  | 0.1    | 0.2  | 0.2  | 0.2    | 0.1  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2    | 0.2  | 0.1  | 0.2    |            |   |        |   |
| 6 TO 9 TIMES                                                  | 0.3   | 0.1  | 0.2    | 0.1  | 0.1  | 0.1    | 0.3  | 0.1  | 0.2    | 0.2  | 0.1  | 0.1    | 0.5  | 0.0  | 0.2    | 0.3  | 0.1  | 0.2    |            |   |        |   |
| 10 TO 19 TIMES                                                | 0.1   | 0.0  | 0.1    | 0.4  | 0.0  | 0.2    | 0.1  | 0.0  | 0.1    | 0.2  | 0.1  | 0.2    | 0.3  | 0.0  | 0.1    | 0.2  | 0.0  | 0.1    |            |   |        |   |
| 20 TO 39 TIMES                                                | 0.0   | 0.1  | 0.0    | 0.2  | 0.0  | 0.1    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.1  | 0.0  | 0.0    |            |   |        |   |
| 40 OR MORE TIMES                                              | 1.2   | 0.2  | 0.8    | 0.5  | 0.2  | 0.4    | 0.0  | 0.2  | 0.1    | 0.5  | 0.1  | 0.3    | 0.2  | 0.3  | 0.2    | 0.5  | 0.2  | 0.3    |            |   |        |   |
| Q16: SPEED USE IN LAST 12 MO.                                 |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |   |
| DON'T KNOW WHAT IT IS                                         | 25.1  | 26.8 | 25.9   | 14.2 | 16.1 | 15.2   | 10.9 | 11.3 | 11.1   | 8.7  | 8.5  | 8.6    | 8.5  | 9.4  | 9.0    | 13.7 | 14.5 | 14.1   |            |   |        |   |
| NONE                                                          | 69.6  | 69.3 | 69.6   | 80.1 | 77.1 | 78.5   | 81.6 | 82.3 | 82.0   | 82.1 | 83.9 | 83.0   | 82.3 | 83.5 | 83.0   | 79.0 | 79.2 | 79.1   |            |   |        |   |
| 1 TO 2 TIMES                                                  | 2.5   | 2.4  | 2.5    | 3.4  | 4.4  | 3.9    | 4.4  | 3.4  | 3.9    | 6.1  | 4.6  | 5.4    | 5.7  | 4.7  | 5.2    | 4.4  | 3.9  | 4.1    |            |   |        |   |
| 3 TO 5 TIMES                                                  | 0.5   | 0.7  | 0.6    | 1.0  | 1.0  | 1.0    | 1.3  | 0.8  | 1.1    | 1.2  | 1.0  | 1.2    | 1.5  | 0.9  | 1.2    | 1.1  | 0.9  | 1.0    |            |   |        |   |
| 6 TO 9 TIMES                                                  | 0.4   | 0.2  | 0.3    | 0.4  | 0.6  | 0.5    | 0.6  | 1.0  | 0.8    | 0.7  | 0.7  | 0.7    | 0.9  | 0.3  | 0.6    | 0.6  | 0.6  | 0.6    |            |   |        |   |
| 10 TO 19 TIMES                                                | 0.5   | 0.3  | 0.4    | 0.3  | 0.5  | 0.4    | 0.2  | 0.5  | 0.3    | 0.3  | 0.4  | 0.3    | 0.4  | 0.3  | 0.4    | 0.3  | 0.4  | 0.4    |            |   |        |   |
| 20 TO 39 TIMES                                                | 0.3   | 0.1  | 0.2    | 0.4  | 0.2  | 0.3    | 0.4  | 0.3  | 0.3    | 0.2  | 0.2  | 0.2    | 0.3  | 0.1  | 0.2    | 0.3  | 0.2  | 0.2    |            |   |        |   |
| 40 OR MORE TIMES                                              | 1.0   | 0.2  | 0.8    | 0.3  | 0.2  | 0.3    | 0.5  | 0.4  | 0.4    | 0.7  | 0.3  | 0.5    | 0.4  | 0.4  | 0.4    | 0.6  | 0.3  | 0.5    |            |   |        |   |

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q17 = 14,454<br>Q18 = 14,478 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|---------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                               | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                                               | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q17: COCAINE USE IN LAST 12 MO.                               |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE                                                          | 7.0   | 7.2    | 7.1  | 4.6  | 4.6    | 4.6  | 4.0  | 4.3    | 4.1  | 2.4  | 3.2    | 2.8  | 2.9        | 3.4    | 3.1  |
| 1 TO 2 TIMES                                                  | 89.3  | 90.2   | 89.7 | 90.6 | 91.8   | 91.2 | 91.0 | 90.4   | 90.7 | 87.6 | 89.2   | 88.5 | 85.5       | 86.2   | 86.8 |
| 3 TO 5 TIMES                                                  | 1.5   | 1.6    | 1.6  | 2.9  | 2.3    | 2.6  | 3.1  | 3.5    | 3.3  | 6.7  | 5.3    | 5.9  | 7.4        | 3.9    | 5.7  |
| 6 TO 9 TIMES                                                  | 0.8   | 0.1    | 0.5  | 0.7  | 0.7    | 0.7  | 0.9  | 0.7    | 0.6  | 1.6  | 1.1    | 1.3  | 1.7        | 2.3    | 1.9  |
| 10 TO 19 TIMES                                                | 0.4   | 0.3    | 0.3  | 0.2  | 0.1    | 0.2  | 0.2  | 0.4    | 0.3  | 0.5  | 0.5    | 0.5  | 1.0        | 1.0    | 1.0  |
| 20 TO 39 TIMES                                                | 0.1   | 0.0    | 0.1  | 0.3  | 0.2    | 0.2  | 0.4  | 0.4    | 0.4  | 0.4  | 0.5    | 0.4  | 0.9        | 0.7    | 0.5  |
| 40 OR MORE TIMES                                              | 0.1   | 0.1    | 0.1  | 0.2  | 0.0    | 0.1  | 0.1  | 0.1    | 0.1  | 0.1  | 0.2    | 0.2  | 0.2        | 0.1    | 0.2  |
|                                                               | 0.9   | 0.3    | 0.6  | 0.6  | 0.2    | 0.4  | 0.2  | 0.1    | 0.2  | 0.7  | 0.1    | 0.3  | 0.5        | 0.4    | 0.5  |
| Q18: CRACK USE IN LAST 12 MO.                                 |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE                                                          | 16.7  | 24.9   | 20.7 | 11.2 | 20.1   | 15.8 | 11.2 | 15.5   | 13.2 | 7.8  | 14.4   | 11.3 | 7.9        | 16.9   | 12.3 |
| 1 TO 2 TIMES                                                  | 80.7  | 73.6   | 77.3 | 86.6 | 78.8   | 82.5 | 87.5 | 83.0   | 85.3 | 90.7 | 84.2   | 87.3 | 89.8       | 82.2   | 86.1 |
| 3 TO 5 TIMES                                                  | 1.1   | 0.7    | 0.9  | 0.8  | 0.8    | 0.8  | 0.8  | 1.1    | 1.0  | 0.6  | 0.9    | 0.8  | 1.4        | 0.4    | 0.9  |
| 6 TO 9 TIMES                                                  | 0.3   | 0.2    | 0.2  | 0.5  | 0.1    | 0.3  | 0.3  | 0.3    | 0.3  | 0.2  | 0.3    | 0.2  | 0.3        | 0.1    | 0.2  |
| 10 TO 19 TIMES                                                | 0.3   | 0.2    | 0.3  | 0.1  | 0.1    | 0.1  | 0.1  | 0.1    | 0.1  | 0.2  | 0.1    | 0.1  | 0.2        | 0.1    | 0.1  |
| 20 TO 39 TIMES                                                | 0.3   | 0.1    | 0.2  | 0.2  | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.0    | 0.1  |
| 40 OR MORE TIMES                                              | 0.0   | 0.0    | 0.0  | 0.1  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.2        | 0.0    | 0.1  |
|                                                               | 0.7   | 0.1    | 0.4  | 0.6  | 0.1    | 0.4  | 0.0  | 0.1    | 0.1  | 0.6  | 0.1    | 0.3  | 0.1        | 0.3    | 0.2  |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*

ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

|                                                               | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |
|---------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|
|                                                               | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | ALL  |
|                                                               | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |
| NUMBER OF VALID RESPONSES TO:<br>Q19 = 14,533<br>Q20 = 14,497 |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| Q19: BINGO USE IN LAST 12 MO.                                 |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DON'T KNOW WHAT IT IS                                         | 49.1  | 52.1   | 50.6 | 44.3 | 45.3   | 44.8 | 46.6 | 51.4   | 48.8 | 47.7 | 49.9   | 48.9 | 56.6       | 58.0   | 57.2 | 48.8 |
| NONE                                                          | 49.4  | 47.1   | 48.3 | 54.6 | 54.1   | 54.5 | 52.5 | 48.2   | 50.5 | 51.3 | 49.8   | 50.4 | 42.4       | 41.8   | 42.2 | 50.1 |
| 1 TO 2 TIMES                                                  | 0.7   | 0.6    | 0.6  | 0.5  | 0.2    | 0.3  | 0.2  | 0.3    | 0.2  | 0.4  | 0.2    | 0.3  | 0.6        | 0.1    | 0.4  | 0.5  |
| 3 TO 5 TIMES                                                  | 0.3   | 0.0    | 0.1  | 0.2  | 0.2    | 0.2  | 0.4  | 0.1    | 0.3  | 0.2  | 0.0    | 0.1  | 0.1        | 0.0    | 0.0  | 0.2  |
| 6 TO 9 TIMES                                                  | 0.1   | 0.0    | 0.0  | 0.1  | 0.1    | 0.1  | 0.1  | 0.1    | 0.1  | 0.0  | 0.0    | 0.0  | 0.1        | 0.1    | 0.1  | 0.0  |
| 10 TO 19 TIMES                                                | 0.1   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.0    | 0.0  | 0.0  |
| 20 TO 39 TIMES                                                | 0.1   | 0.1    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.2    | 0.1  | 0.1        | 0.0    | 0.0  | 0.1  |
| 40 OR MORE TIMES                                              | 0.4   | 0.1    | 0.3  | 0.4  | 0.1    | 0.2  | 0.1  | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.0        | 0.0    | 0.0  | 0.1  |
| Q20: STIMULANT USE WITHOUT PRESC. IN LAST 12 MONTHS           |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DON'T KNOW WHAT IT IS                                         | 18.6  | 19.6   | 19.1 | 11.4 | 10.8   | 11.0 | 10.9 | 9.2    | 10.1 | 8.5  | 8.7    | 7.7  | 7.4        | 8.5    | 7.0  | 11.5 |
| NONE                                                          | 76.6  | 73.9   | 75.3 | 82.5 | 75.6   | 79.0 | 81.7 | 77.1   | 73.5 | 83.9 | 80.1   | 81.8 | 84.7       | 83.3   | 84.0 | 81.8 |
| 1 TO 2 TIMES                                                  | 2.1   | 4.2    | 3.2  | 4.3  | 8.2    | 6.3  | 4.3  | 7.0    | 5.6  | 3.5  | 8.0    | 5.8  | 4.9        | 5.1    | 5.0  | 3.8  |
| 3 TO 5 TIMES                                                  | 1.1   | 1.0    | 1.0  | 0.4  | 2.1    | 1.4  | 1.4  | 2.6    | 1.9  | 2.0  | 2.8    | 2.4  | 1.5        | 1.9    | 1.7  | 1.3  |
| 6 TO 9 TIMES                                                  | 0.3   | 0.4    | 0.4  | 0.4  | 1.1    | 0.8  | 1.2  | 1.4    | 1.3  | 0.6  | 1.2    | 0.9  | 0.8        | 0.9    | 0.8  | 0.7  |
| 10 TO 19 TIMES                                                | 0.4   | 0.5    | 0.5  | 0.3  | 0.9    | 0.6  | 0.2  | 1.2    | 0.7  | 0.5  | 0.7    | 0.6  | 0.3        | 0.9    | 0.6  | 0.3  |
| 20 TO 39 TIMES                                                | 0.1   | 0.0    | 0.1  | 0.2  | 0.7    | 0.4  | 0.2  | 0.9    | 0.5  | 0.3  | 0.4    | 0.4  | 0.2        | 0.3    | 0.2  | 0.2  |
| 40 OR MORE TIMES                                              | 0.7   | 0.4    | 0.5  | 0.5  | 0.5    | 0.5  | 0.1  | 0.6    | 0.3  | 0.6  | 0.4    | 0.5  | 0.4        | 1.1    | 0.7  | 0.4  |

NOTE: "BINGO" IS A FICTITIOUS DRUG. IT WAS INCLUDED AS A QUESTIONNAIRE ITEM FOR PURPOSES OF EXAMINING RESPONSE VALIDITY.

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q21 = 14,456<br>Q22 = 14,456 | GRADE |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |      |
|---------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|------|
|                                                               | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12         |      |        | ALL  |
|                                                               | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |      | FEMALE |      |
|                                                               | %     | N    | %      | %    | N    | %      | %    | N    | %      | %    | N    | %      | %          | N    | %      |      |
| Q21: STIMULANT USE WITH<br>PRESC. IN LAST 12 MONTHS           |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| DON'T KNOW WHAT IT IS                                         |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| NONE                                                          | 20.3  | 21.7 | 21.0   | 13.1 | 13.3 | 13.1   | 11.3 | 10.7 | 11.1   | 9.8  | 7.8  | 9.3    | 7.0        | 8.1  | 7.5    | 12.3 |
| 1 TO 2 TIMES                                                  | 72.7  | 72.1 | 72.4   | 79.7 | 79.7 | 79.7   | 82.8 | 82.4 | 82.4   | 85.6 | 85.8 | 85.7   | 87.6       | 87.1 | 87.4   | 81.3 |
| 3 TO 5 TIMES                                                  | 4.3   | 4.4  | 4.3    | 4.5  | 4.5  | 4.6    | 4.2  | 4.5  | 4.5    | 3.6  | 4.0  | 3.9    | 3.4        | 2.8  | 3.1    | 4.1  |
| 6 TO 9 TIMES                                                  | 1.1   | 0.9  | 1.0    | 1.1  | 1.1  | 1.1    | 0.6  | 1.3  | 0.9    | 0.7  | 1.1  | 0.9    | 1.0        | 0.8  | 0.9    | 1.0  |
| 10 TO 19 TIMES                                                | 0.8   | 0.2  | 0.5    | 0.7  | 0.6  | 0.7    | 0.5  | 0.0  | 0.3    | 0.3  | 0.2  | 0.3    | 0.3        | 0.1  | 0.2    | 0.3  |
| 20 TO 39 TIMES                                                | 0.2   | 0.3  | 0.2    | 0.2  | 0.1  | 0.2    | 0.3  | 0.2  | 0.3    | 0.2  | 0.4  | 0.3    | 0.2        | 0.4  | 0.3    | 0.2  |
| 40 OR MORE TIMES                                              | 0.2   | 0.0  | 0.1    | 0.3  | 0.1  | 0.2    | 0.1  | 0.6  | 0.4    | 0.1  | 0.2  | 0.2    | 0.3        | 0.4  | 0.4    | 0.2  |
|                                                               | 0.5   | 0.4  | 0.4    | 0.4  | 0.3  | 0.4    | 0.2  | 0.2  | 0.2    | 0.5  | 0.5  | 0.5    | 0.2        | 0.3  | 0.2    | 0.3  |
| Q22: TRANQUILIZER USE WITHOUT<br>PRESC. IN LAST 12 MONTHS     |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| DON'T KNOW WHAT IT IS                                         |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| NONE                                                          | 12.1  | 12.9 | 12.5   | 8.4  | 8.6  | 8.5    | 7.0  | 6.0  | 6.5    | 5.7  | 5.0  | 5.4    | 4.9        | 4.8  | 4.8    | 7.5  |
| 1 TO 2 TIMES                                                  | 84.0  | 84.1 | 84.0   | 87.2 | 84.8 | 85.8   | 88.6 | 87.5 | 88.0   | 89.3 | 89.0 | 88.6   | 90.4       | 90.9 | 90.7   | 87.9 |
| 3 TO 5 TIMES                                                  | 1.8   | 2.0  | 1.9    | 2.2  | 4.5  | 3.5    | 3.0  | 4.1  | 3.5    | 2.6  | 4.5  | 3.6    | 2.5        | 2.7  | 2.6    | 2.4  |
| 6 TO 9 TIMES                                                  | 0.8   | 0.6  | 0.7    | 1.3  | 1.0  | 1.1    | 0.6  | 1.1  | 0.8    | 1.0  | 1.3  | 1.2    | 1.4        | 1.0  | 1.2    | 1.0  |
| 10 TO 19 TIMES                                                | 0.4   | 0.2  | 0.3    | 0.1  | 0.5  | 0.3    | 0.4  | 0.6  | 0.5    | 0.4  | 0.7  | 0.6    | 0.3        | 0.1  | 0.2    | 0.3  |
| 20 TO 39 TIMES                                                | 0.1   | 0.0  | 0.1    | 0.4  | 0.2  | 0.3    | 0.4  | 0.5  | 0.5    | 0.3  | 0.2  | 0.3    | 0.2        | 0.1  | 0.2    | 0.3  |
| 40 OR MORE TIMES                                              | 0.1   | 0.1  | 0.1    | 0.1  | 0.2  | 0.1    | 0.1  | 0.0  | 0.0    | 0.0  | 0.1  | 0.1    | 0.1        | 0.2  | 0.1    | 0.1  |
|                                                               | 0.6   | 0.2  | 0.4    | 0.5  | 0.2  | 0.3    | 0.0  | 0.3  | 0.1    | 0.6  | 0.2  | 0.4    | 0.1        | 0.3  | 0.2    | 0.3  |



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q23 = 14,431<br>Q24 = 14,492 | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |      |      |
|---------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|------|------|
|                                                               | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      | 12         |        |      |      |
|                                                               | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL  | %    |
| Q23: TRANQUILIZER USE WITH<br>PRESS. IN LAST 12 MONTHS        |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |      |      |
| DON'T KNOW WHAT IT IS                                         | 12.6  | 12.6   | 12.6 | 8.7  | 8.5  | 8.7    | 8.7  | 7.5  | 5.4  | 6.5    | 5.9  | 4.7  | 5.4  | 4.4    | 4.8  | 4.0  | 6.0        | 7.3    | 7.6  | 7.6  |
| NONE                                                          | 82.2  | 82.7   | 82.5 | 85.9 | 84.1 | 84.9   | 87.6 | 88.0 | 87.7 | 88.7   | 88.7 | 88.2 | 89.1 | 88.8   | 85.0 | 86.2 | 86.6       | 86.2   | 86.4 | 86.4 |
| 1 TO 2 TIMES                                                  | 3.8   | 3.3    | 3.5  | 3.5  | 5.3  | 4.5    | 3.2  | 4.5  | 3.8  | 3.5    | 3.5  | 5.0  | 4.3  | 4.5    | 3.7  | 4.2  | 3.7        | 4.4    | 4.1  | 4.1  |
| 3 TO 5 TIMES                                                  | 0.8   | 0.5    | 0.5  | 0.7  | 1.1  | 0.8    | 1.1  | 1.0  | 1.1  | 1.1    | 0.7  | 1.3  | 1.0  | 0.8    | 1.2  | 1.0  | 0.8        | 1.0    | 0.9  | 0.9  |
| 6 TO 9 TIMES                                                  | 0.2   | 0.3    | 0.2  | 0.3  | 0.2  | 0.2    | 0.2  | 0.1  | 0.5  | 0.4    | 0.3  | 0.3  | 0.3  | 0.3    | 0.6  | 0.5  | 0.2        | 0.4    | 0.3  | 0.3  |
| 10 TO 19 TIMES                                                | 0.1   | 0.2    | 0.1  | 0.4  | 0.5  | 0.4    | 0.4  | 0.4  | 0.4  | 0.4    | 0.5  | 0.5  | 0.5  | 0.4    | 0.4  | 0.4  | 0.4        | 0.4    | 0.4  | 0.4  |
| 20 TO 39 TIMES                                                | 0.0   | 0.2    | 0.1  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.1  | 0.0    | 0.1  | 0.2  | 0.1  | 0.1    | 0.3  | 0.2  | 0.0        | 0.1    | 0.1  | 0.1  |
| 40 OR MORE TIMES                                              | 0.6   | 0.2    | 0.4  | 0.3  | 0.3  | 0.3    | 0.3  | 0.1  | 0.0  | 0.0    | 0.4  | 0.1  | 0.3  | 0.2    | 0.1  | 0.1  | 0.3        | 0.1    | 0.2  | 0.2  |
| Q24: PCP USE IN LAST 12 MONTHS                                |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |      |      |
| DON'T KNOW WHAT IT IS                                         | 15.5  | 21.7   | 18.4 | 11.8 | 14.0 | 13.0   | 10.3 | 11.1 | 10.8 | 7.4    | 7.8  | 7.6  | 8.7  | 9.7    | 8.2  | 10.5 | 12.9       | 11.7   |      |      |
| NONE                                                          | 81.0  | 76.5   | 78.6 | 85.8 | 84.0 | 84.8   | 87.9 | 87.0 | 87.4 | 91.0   | 91.0 | 91.0 | 91.3 | 89.6   | 90.5 | 87.3 | 85.6       | 86.4   |      |      |
| 1 TO 2 TIMES                                                  | 1.8   | 1.0    | 1.5  | 1.2  | 1.3  | 1.2    | 1.1  | 1.2  | 1.2  | 0.8    | 1.2  | 1.0  | 0.8  | 0.2    | 0.5  | 1.2  | 1.0        | 1.1    |      |      |
| 3 TO 5 TIMES                                                  | 0.4   | 0.3    | 0.3  | 0.3  | 0.2  | 0.3    | 0.1  | 0.3  | 0.2  | 0.1    | 0.1  | 0.1  | 0.1  | 0.6    | 0.1  | 0.3  | 0.3        | 0.2    | 0.2  | 0.2  |
| 6 TO 9 TIMES                                                  | 0.4   | 0.2    | 0.3  | 0.2  | 0.3  | 0.2    | 0.1  | 0.1  | 0.1  | 0.1    | 0.2  | 0.1  | 0.1  | 0.2    | 0.0  | 0.1  | 0.2        | 0.1    | 0.2  | 0.2  |
| 10 TO 19 TIMES                                                | 0.1   | 0.0    | 0.0  | 0.3  | 0.1  | 0.2    | 0.2  | 0.1  | 0.2  | 0.1    | 0.1  | 0.1  | 0.1  | 0.0    | 0.1  | 0.0  | 0.2        | 0.1    | 0.1  | 0.1  |
| 20 TO 39 TIMES                                                | 0.0   | 0.1    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.2    | 0.0  | 0.1  | 0.0        | 0.0    | 0.0  | 0.0  |
| 40 OR MORE TIMES                                              | 0.8   | 0.2    | 0.5  | 0.4  | 0.1  | 0.2    | 0.2  | 0.1  | 0.2  | 0.1    | 0.4  | 0.0  | 0.2  | 0.2    | 0.3  | 0.2  | 0.4        | 0.1    | 0.3  | 0.3  |

ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q25 = 14,485<br>Q28 = 14,482 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |
|---------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|
|                                                               | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | ALL  |
|                                                               | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |
| Q25: HALLUCINOGEN USE IN LAST 12 MO. (EXCLUDING LSD & PCP)    |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DON'T KNOW WHAT IT IS                                         | 22.9  | 29.8   | 26.2 | 16.4 | 19.7   | 18.1 | 13.5 | 18.6   | 15.9 | 9.5  | 11.4   | 10.5 | 8.2        | 11.5   | 9.6  | 16.3 |
| NONE                                                          | 70.7  | 68.5   | 69.7 | 74.6 | 71.5   | 73.0 | 72.8 | 70.8   | 71.8 | 73.5 | 76.1   | 74.8 | 72.6       | 75.7   | 74.0 | 72.4 |
| 1 TO 2 TIMES                                                  | 3.4   | 2.6    | 3.0  | 4.6  | 6.4    | 5.5  | 7.7  | 6.7    | 7.2  | 8.2  | 7.4    | 7.8  | 9.7        | 7.9    | 8.9  | 6.4  |
| 3 TO 5 TIMES                                                  | 0.8   | 0.4    | 0.6  | 1.8  | 1.0    | 1.5  | 2.7  | 1.7    | 2.3  | 4.3  | 3.2    | 3.7  | 4.0        | 2.3    | 3.2  | 2.2  |
| 6 TO 9 TIMES                                                  | 0.5   | 0.2    | 0.4  | 1.0  | 0.5    | 0.7  | 1.2  | 0.7    | 1.0  | 1.5  | 0.7    | 1.2  | 2.8        | 1.3    | 2.1  | 1.0  |
| 10 TO 19 TIMES                                                | 0.3   | 0.1    | 0.2  | 0.5  | 0.6    | 0.6  | 1.4  | 1.0    | 1.2  | 1.2  | 0.8    | 1.0  | 1.7        | 0.5    | 1.1  | 0.6  |
| 20 TO 39 TIMES                                                | 0.3   | 0.2    | 0.2  | 0.4  | 0.1    | 0.3  | 0.2  | 0.1    | 0.1  | 0.7  | 0.1    | 0.4  | 0.3        | 0.4    | 0.4  | 0.3  |
| 40 OR MORE TIMES                                              | 1.1   | 0.2    | 0.7  | 0.6  | 0.1    | 0.4  | 0.6  | 0.4    | 0.5  | 1.1  | 0.3    | 0.7  | 0.6        | 0.4    | 0.5  | 0.5  |
| Q28: LSD USE IN LAST 12 MONTHS                                |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DON'T KNOW WHAT IT IS                                         | 20.9  | 25.6   | 23.1 | 12.6 | 14.7   | 13.7 | 9.7  | 12.8   | 11.2 | 7.5  | 8.2    | 7.9  | 5.7        | 7.8    | 6.8  | 12.7 |
| NONE                                                          | 73.3  | 71.0   | 72.1 | 79.1 | 77.8   | 78.4 | 79.6 | 79.5   | 79.5 | 81.2 | 82.1   | 81.6 | 79.7       | 83.1   | 81.3 | 78.5 |
| 1 TO 2 TIMES                                                  | 3.0   | 2.1    | 2.6  | 4.0  | 4.7    | 4.4  | 5.4  | 3.8    | 4.6  | 5.1  | 5.1    | 5.1  | 7.4        | 6.0    | 6.7  | 4.7  |
| 3 TO 5 TIMES                                                  | 1.1   | 0.5    | 0.8  | 1.8  | 1.0    | 1.4  | 2.6  | 2.1    | 2.4  | 2.6  | 2.3    | 2.5  | 3.0        | 1.5    | 2.3  | 1.9  |
| 6 TO 9 TIMES                                                  | 0.6   | 0.1    | 0.4  | 1.1  | 0.7    | 0.9  | 1.0  | 0.8    | 0.9  | 1.1  | 0.9    | 1.0  | 1.8        | 0.7    | 1.3  | 0.9  |
| 10 TO 19 TIMES                                                | 0.3   | 0.4    | 0.3  | 0.5  | 0.8    | 0.7  | 1.0  | 0.8    | 1.0  | 0.7  | 0.8    | 0.8  | 1.6        | 0.5    | 1.1  | 0.8  |
| 20 TO 39 TIMES                                                | 0.3   | 0.1    | 0.2  | 0.3  | 0.1    | 0.2  | 0.2  | 0.1    | 0.1  | 0.7  | 0.4    | 0.5  | 0.3        | 0.1    | 0.2  | 0.3  |
| 40 OR MORE TIMES                                              | 0.6   | 0.2    | 0.4  | 0.6  | 0.2    | 0.4  | 0.5  | 0.1    | 0.3  | 0.9  | 0.3    | 0.6  | 0.5        | 0.3    | 0.4  | 0.4  |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY, 1987 ...  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q27 = 14,455<br>Q28 = 14,457 | GRADE |      |      |      |      |      |      |      |      |      |      |      | ALL GRADES |      |      |      |
|---------------------------------------------------------------|-------|------|------|------|------|------|------|------|------|------|------|------|------------|------|------|------|
|                                                               | 8     |      |      | 9    |      |      | 10   |      |      | 11   |      |      | 12         |      |      | ALL  |
|                                                               | MALE  |      | ALL  | MALE |      | ALL  | MALE |      | ALL  | MALE |      | ALL  | MALE       |      | ALL  |      |
|                                                               | Σ     | %    |      | Σ    | %    |      | Σ    | %    |      | Σ    | %    |      | Σ          | %    |      |      |
| Q27: CIGARETTE USE IN LAST 4 WEEKS                            |       |      |      |      |      |      |      |      |      |      |      |      |            |      |      |      |
| NONE                                                          | 79.8  | 76.7 | 78.3 | 77.1 | 65.3 | 70.9 | 73.2 | 68.0 | 70.7 | 69.0 | 62.0 | 65.3 | 70.5       | 61.7 | 66.3 | 70.4 |
| 1 OR 2 TIMES                                                  | 7.7   | 10.1 | 8.8  | 6.8  | 12.7 | 9.8  | 7.7  | 10.2 | 9.0  | 9.7  | 10.3 | 10.0 | 6.6        | 9.0  | 7.7  | 10.5 |
| 1 OR 2 TIMES WEEKLY                                           | 2.1   | 2.3  | 2.2  | 2.2  | 3.2  | 2.7  | 2.5  | 2.5  | 2.5  | 2.0  | 3.4  | 2.7  | 3.5        | 2.8  | 3.2  | 2.9  |
| 3 OR 4 TIMES WEEKLY                                           | 1.3   | 2.2  | 1.7  | 1.7  | 2.4  | 2.0  | 1.9  | 1.6  | 1.7  | 1.0  | 2.3  | 2.0  | 1.6        | 2.1  | 1.8  | 2.1  |
| 5 OR 6 TIMES WEEKLY                                           | 1.4   | 1.2  | 1.3  | 1.4  | 1.5  | 1.4  | 1.2  | 1.6  | 1.5  | 1.1  | 1.5  | 1.3  | 0.7        | 1.3  | 1.0  | 1.2  |
| ONCE DAILY                                                    | 0.2   | 1.5  | 0.9  | 1.2  | 1.7  | 1.4  | 1.2  | 1.1  | 1.2  | 1.0  | 1.6  | 1.3  | 1.0        | 1.2  | 1.1  | 0.9  |
| MORE THAN ONCE DAILY                                          | 7.5   | 6.0  | 6.8  | 9.6  | 13.2 | 11.7 | 12.2 | 14.9 | 13.5 | 15.2 | 19.0 | 17.3 | 16.2       | 21.9 | 18.9 | 14.8 |
| Q28: CANNABIS USE IN LAST 4 WEEKS                             |       |      |      |      |      |      |      |      |      |      |      |      |            |      |      |      |
| DON'T KNOW WHAT IT IS                                         | 10.8  | 12.3 | 11.5 | 8.9  | 7.6  | 8.3  | 6.5  | 6.1  | 6.3  | 5.4  | 5.9  | 5.6  | 4.6        | 4.9  | 4.7  | 7.4  |
| NONE                                                          | 79.5  | 81.3 | 80.3 | 75.9 | 78.1 | 76.6 | 71.7 | 78.0 | 74.7 | 66.8 | 72.2 | 69.6 | 67.2       | 71.9 | 69.5 | 74.3 |
| 1 OR 2 TIMES                                                  | 5.5   | 3.8  | 4.6  | 9.0  | 8.6  | 8.9  | 11.5 | 10.7 | 11.2 | 14.5 | 13.6 | 14.0 | 14.3       | 15.5 | 14.9 | 10.3 |
| 1 OR 2 TIMES WEEKLY                                           | 1.5   | 0.9  | 1.2  | 2.8  | 2.1  | 2.4  | 4.3  | 2.4  | 3.4  | 5.2  | 3.6  | 4.4  | 5.2        | 3.2  | 4.2  | 3.1  |
| 3 OR 4 TIMES WEEKLY                                           | 1.0   | 1.1  | 1.1  | 1.0  | 1.7  | 1.4  | 2.5  | 1.7  | 2.1  | 3.0  | 2.9  | 3.0  | 3.5        | 2.1  | 2.8  | 2.1  |
| 5 OR 6 TIMES WEEKLY                                           | 0.7   | 0.2  | 0.5  | 1.3  | 0.8  | 1.0  | 1.4  | 0.8  | 1.1  | 1.4  | 1.3  | 1.3  | 2.2        | 1.2  | 1.7  | 1.4  |
| ONCE DAILY                                                    | 0.1   | 0.1  | 0.1  | 0.3  | 0.3  | 0.3  | 0.4  | 0.1  | 0.3  | 0.9  | 0.2  | 0.5  | 0.7        | 0.3  | 0.5  | 0.2  |
| MORE THAN ONCE DAILY                                          | 0.8   | 0.3  | 0.6  | 0.9  | 0.8  | 0.8  | 1.6  | 0.2  | 1.0  | 2.9  | 0.4  | 1.6  | 2.4        | 0.8  | 1.6  | 1.7  |



\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q30C = 13,129<br>Q30D = 14,127<br>Q30E = 14,123 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |        |
|----------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|--------|
|                                                                                  | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        | MALE       | FEMALE |
|                                                                                  | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE |            |        |
|                                                                                  | X     | Z    | X      | X    | Z    | X      | X    | Z    | X      | X    | Z    | X      | X    | Z    | X      | X    | Z    | X      |            |        |
| Q30C: DIFFICULTY GETTING<br>CANNABIS                                             |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |        |
| IMPOSSIBLE                                                                       | 18.2  | 14.6 | 16.5   | 8.6  | 8.2  | 8.5    | 5.7  | 6.3  | 6.0    | 3.0  | 2.7  | 2.8    | 2.3  | 2.2  | 2.3    | 7.7  | 6.9  | 7.3    |            |        |
| DIFFICULT                                                                        | 17.9  | 19.5 | 18.6   | 13.7 | 13.4 | 13.5   | 12.2 | 9.8  | 11.0   | 7.4  | 7.1  | 7.3    | 6.1  | 6.0  | 6.0    | 11.6 | 11.2 | 11.4   |            |        |
| FAIRLY EASY                                                                      | 18.9  | 16.3 | 17.6   | 26.3 | 26.1 | 27.0   | 32.4 | 35.8 | 34.1   | 35.4 | 36.0 | 36.8   | 36.5 | 39.2 | 37.8   | 30.1 | 31.0 | 30.5   |            |        |
| VERY EASY                                                                        | 11.0  | 6.3  | 8.8    | 19.8 | 14.6 | 17.3   | 26.4 | 18.6 | 22.7   | 32.9 | 26.8 | 29.8   | 37.1 | 27.4 | 32.5   | 25.2 | 18.6 | 22.0   |            |        |
| DON'T KNOW                                                                       | 34.1  | 43.4 | 38.4   | 29.4 | 37.8 | 33.7   | 23.3 | 29.5 | 28.2   | 21.3 | 25.4 | 23.3   | 18.0 | 25.1 | 21.5   | 25.3 | 32.4 | 28.7   |            |        |
| Q30D: DIFFICULTY GETTING<br>HALLUCINOGENS                                        |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |        |
| IMPOSSIBLE                                                                       | 23.8  | 17.9 | 21.0   | 16.5 | 12.3 | 14.3   | 11.7 | 9.1  | 10.5   | 7.2  | 5.8  | 6.4    | 6.6  | 4.6  | 5.6    | 13.3 | 10.0 | 11.7   |            |        |
| DIFFICULT                                                                        | 21.1  | 17.7 | 19.6   | 24.9 | 17.4 | 21.1   | 23.8 | 18.6 | 21.4   | 24.0 | 20.3 | 22.2   | 22.2 | 16.8 | 19.6   | 23.2 | 18.2 | 20.8   |            |        |
| FAIRLY EASY                                                                      | 7.3   | 5.9  | 6.6    | 11.4 | 11.4 | 11.4   | 15.1 | 16.0 | 15.5   | 18.0 | 16.9 | 17.4   | 21.0 | 19.5 | 20.2   | 14.4 | 13.8 | 14.1   |            |        |
| VERY EASY                                                                        | 3.9   | 1.5  | 2.9    | 4.0  | 4.0  | 4.0    | 6.4  | 3.7  | 5.1    | 7.6  | 6.3  | 6.9    | 8.1  | 5.0  | 6.6    | 6.0  | 4.1  | 5.1    |            |        |
| DON'T KNOW                                                                       | 43.8  | 56.9 | 49.9   | 43.2 | 54.9 | 49.2   | 43.0 | 52.6 | 47.5   | 43.3 | 50.8 | 47.1   | 42.1 | 54.1 | 47.9   | 43.1 | 53.8 | 48.3   |            |        |
| Q30E: DIFFICULTY GETTING<br>AMPHETAMINES                                         |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |        |
| IMPOSSIBLE                                                                       | 23.4  | 17.4 | 20.6   | 15.1 | 11.4 | 13.2   | 11.5 | 8.5  | 10.0   | 7.5  | 4.9  | 6.2    | 5.0  | 3.8  | 4.4    | 12.7 | 9.3  | 11.0   |            |        |
| DIFFICULT                                                                        | 18.9  | 16.1 | 17.6   | 23.5 | 15.5 | 19.4   | 23.4 | 18.5 | 21.2   | 22.8 | 17.8 | 20.4   | 25.1 | 14.2 | 19.8   | 22.7 | 16.5 | 19.7   |            |        |
| FAIRLY EASY                                                                      | 8.9   | 9.1  | 9.0    | 13.3 | 16.7 | 15.0   | 15.1 | 17.5 | 16.2   | 18.6 | 22.9 | 20.9   | 19.5 | 22.9 | 21.2   | 14.9 | 17.8 | 16.3   |            |        |
| VERY EASY                                                                        | 4.4   | 3.2  | 3.9    | 4.2  | 5.0  | 4.7    | 5.6  | 4.3  | 5.0    | 7.3  | 6.3  | 6.6    | 7.0  | 7.2  | 7.2    | 5.7  | 5.2  | 5.5    |            |        |
| DON'T KNOW                                                                       | 44.4  | 54.2 | 49.0   | 43.9 | 51.4 | 47.7   | 44.4 | 51.2 | 47.6   | 43.7 | 48.0 | 45.8   | 43.3 | 51.9 | 47.4   | 44.0 | 51.3 | 47.5   |            |        |



ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q30F = 14, 108<br>Q30G = 14, 133<br>Q30H = 14, 124<br>Q30I = 14, 132 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-------------------------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                                       | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                                                                                       | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q30F: DIFFICULTY GETTING HEROIN                                                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| IMPOSSIBLE                                                                                            | 29.7  | 21.8   | 25.9 | 22.6 | 17.1   | 19.9 | 21.3 | 16.3   | 19.1 | 17.4 | 12.3   | 14.6 | 15.2       | 9.9    | 12.6 |
| DIFFICULT                                                                                             | 20.4  | 18.9   | 19.7 | 23.8 | 18.4   | 21.0 | 23.3 | 20.0   | 21.6 | 23.3 | 20.1   | 21.7 | 25.7       | 20.0   | 23.2 |
| FAIRLY EASY                                                                                           | 4.9   | 6.3    | 5.8  | 6.2  | 7.2    | 6.7  | 7.1  | 7.5    | 7.3  | 7.0  | 8.3    | 7.6  | 5.7        | 6.6    | 6.1  |
| VERY EASY                                                                                             | 3.7   | 1.3    | 2.6  | 2.2  | 1.6    | 1.9  | 2.2  | 1.4    | 1.9  | 2.2  | 1.9    | 2.0  | 2.5        | 1.4    | 1.9  |
| DON'T KNOW                                                                                            | 41.3  | 51.6   | 46.1 | 45.2 | 56.7   | 50.5 | 46.1 | 54.7   | 50.2 | 50.1 | 57.4   | 53.8 | 50.9       | 61.5   | 56.1 |
| Q30G: DIFFICULTY GETTING COCAINE                                                                      |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| IMPOSSIBLE                                                                                            | 30.2  | 21.2   | 26.0 | 23.6 | 15.8   | 19.5 | 16.7 | 12.8   | 15.9 | 11.7 | 8.8    | 10.2 | 8.8        | 5.8    | 7.3  |
| DIFFICULT                                                                                             | 20.3  | 17.8   | 19.1 | 22.4 | 19.6   | 20.9 | 23.0 | 19.9   | 21.5 | 25.8 | 20.6   | 23.1 | 25.9       | 18.5   | 22.3 |
| FAIRLY EASY                                                                                           | 6.7   | 10.1   | 8.3  | 6.9  | 12.1   | 10.7 | 13.1 | 16.4   | 14.6 | 15.8 | 17.8   | 16.9 | 19.1       | 20.5   | 19.9 |
| VERY EASY                                                                                             | 4.9   | 3.4    | 4.3  | 4.6  | 3.8    | 4.1  | 4.0  | 3.9    | 4.0  | 5.7  | 5.9    | 5.8  | 7.6        | 6.5    | 7.0  |
| DON'T KNOW                                                                                            | 37.9  | 47.5   | 42.4 | 40.5 | 48.8   | 44.7 | 41.2 | 48.9   | 43.9 | 41.0 | 46.8   | 41.0 | 38.7       | 46.7   | 43.5 |
| Q30H: DIFFICULTY GETTING CRACK                                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| IMPOSSIBLE                                                                                            | 31.0  | 22.0   | 27.0 | 26.7 | 18.7   | 21.5 | 22.7 | 15.0   | 19.2 | 17.2 | 12.5   | 14.8 | 18.2       | 9.9    | 13.1 |
| DIFFICULT                                                                                             | 14.9  | 13.6   | 14.2 | 18.1 | 15.2   | 16.7 | 19.4 | 16.2   | 17.8 | 21.5 | 16.4   | 18.9 | 19.9       | 16.3   | 18.2 |
| FAIRLY EASY                                                                                           | 6.9   | 6.3    | 6.6  | 7.3  | 8.2    | 7.8  | 8.1  | 9.5    | 8.7  | 7.3  | 8.3    | 7.9  | 8.0        | 6.6    | 8.3  |
| VERY EASY                                                                                             | 4.3   | 2.8    | 3.6  | 3.1  | 2.7    | 2.9  | 3.0  | 2.9    | 3.0  | 2.9  | 1.8    | 2.3  | 3.3        | 2.8    | 3.0  |
| DON'T KNOW                                                                                            | 42.4  | 55.2   | 46.6 | 44.8 | 57.1   | 51.1 | 46.8 | 56.4   | 51.3 | 51.1 | 61.0   | 56.1 | 52.6       | 62.4   | 57.4 |
| Q30I: DIFFICULTY GETTING BARIUM                                                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| IMPOSSIBLE                                                                                            | 28.4  | 15.8   | 22.6 | 19.8 | 14.3   | 16.9 | 17.2 | 11.0   | 14.3 | 12.8 | 8.3    | 10.4 | 11.2       | 7.0    | 9.2  |
| DIFFICULT                                                                                             | 12.5  | 10.5   | 11.5 | 13.6 | 11.1   | 12.4 | 14.7 | 10.4   | 12.7 | 13.0 | 9.9    | 11.4 | 11.1       | 8.9    | 10.0 |
| FAIRLY EASY                                                                                           | 2.7   | 3.5    | 3.2  | 3.6  | 3.0    | 3.3  | 3.8  | 3.5    | 3.6  | 3.6  | 3.1    | 3.3  | 3.0        | 3.6    | 3.3  |
| VERY EASY                                                                                             | 2.5   | 0.8    | 1.7  | 2.0  | 1.3    | 1.7  | 1.4  | 1.5    | 1.5  | 1.6  | 1.3    | 1.4  | 0.9        | 1.1    | 1.0  |
| DON'T KNOW                                                                                            | 55.9  | 68.6   | 61.0 | 61.0 | 70.3   | 65.7 | 62.8 | 73.6   | 67.9 | 69.0 | 77.3   | 73.4 | 73.9       | 79.4   | 76.6 |



... THE BRITISH COLUMBIA COOL AND GRAD PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (W/IGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q30J = 14,111<br>Q30K = 14,025<br>Q30L = 14,162 | GRADE |      |      |        |      |      |      |      |      |        |      |      | ALL GRADES |      |      |            |      |      |  |        |   |     |
|----------------------------------------------------------------------------------|-------|------|------|--------|------|------|------|------|------|--------|------|------|------------|------|------|------------|------|------|--|--------|---|-----|
|                                                                                  | 8     |      |      | 9      |      |      | 10   |      |      | 11     |      |      | 12         |      |      | ALL GRADES |      |      |  |        |   |     |
|                                                                                  | MALE  |      | ALL  | FEMALE |      | ALL  | MALE |      | ALL  | FEMALE |      | ALL  | MALE       |      | ALL  |            |      |      |  | FEMALE |   | ALL |
|                                                                                  | %     | N    |      | %      | N    |      | %    | N    |      | %      | N    |      | %          | N    |      |            |      |      |  | %      | N |     |
| Q30J: DIFFICULTY GETTING<br>TRANQUILIZERS                                        |       |      |      |        |      |      |      |      |      |        |      |      |            |      |      |            |      |      |  |        |   |     |
| IMPOSSIBLE                                                                       | 20.9  | 12.8 | 17.0 | 14.0   | 8.5  | 11.2 | 10.6 | 6.2  | 8.6  | 7.5    | 4.6  | 6.0  | 5.3        | 4.0  | 4.7  | 11.8       | 7.3  | 9.6  |  |        |   |     |
| DIFFICULT                                                                        | 17.2  | 15.7 | 16.5 | 16.4   | 14.6 | 16.6 | 19.7 | 13.6 | 16.9 | 17.5   | 14.0 | 15.6 | 16.5       | 12.5 | 14.6 | 17.9       | 14.2 | 16.1 |  |        |   |     |
| FAIRLY EASY                                                                      | 12.6  | 18.5 | 15.4 | 15.1   | 22.1 | 18.7 | 16.6 | 26.9 | 21.6 | 20.0   | 26.1 | 22.7 | 20.9       | 25.7 | 23.3 | 17.0       | 23.6 | 20.3 |  |        |   |     |
| VERY EASY                                                                        | 7.9   | 7.6  | 7.8  | 8.1    | 10.5 | 9.4  | 9.4  | 10.6 | 10.1 | 10.0   | 12.6 | 11.2 | 11.6       | 12.9 | 12.2 | 9.4        | 10.9 | 10.1 |  |        |   |     |
| DON'T KNOW                                                                       | 41.4  | 45.4 | 43.2 | 44.3   | 44.2 | 44.1 | 43.5 | 42.2 | 42.8 | 45.0   | 43.7 | 44.4 | 45.6       | 44.9 | 45.2 | 43.9       | 44.1 | 43.9 |  |        |   |     |
| Q30K: DIFFICULTY GETTING<br>BARBITURATES                                         |       |      |      |        |      |      |      |      |      |        |      |      |            |      |      |            |      |      |  |        |   |     |
| IMPOSSIBLE                                                                       | 22.7  | 16.0 | 19.5 | 15.1   | 11.0 | 13.1 | 12.4 | 7.6  | 10.1 | 7.7    | 5.3  | 6.4  | 6.0        | 4.1  | 5.1  | 13.0       | 8.9  | 11.0 |  |        |   |     |
| DIFFICULT                                                                        | 13.2  | 12.2 | 12.6 | 15.9   | 11.5 | 13.7 | 15.8 | 11.1 | 13.7 | 17.6   | 11.7 | 14.6 | 15.7       | 10.5 | 13.1 | 15.6       | 11.4 | 13.5 |  |        |   |     |
| FAIRLY EASY                                                                      | 7.4   | 6.7  | 7.2  | 9.4    | 9.9  | 9.6  | 11.7 | 10.7 | 11.1 | 12.5   | 13.4 | 13.0 | 13.3       | 14.8 | 14.0 | 10.8       | 11.0 | 10.9 |  |        |   |     |
| VERY EASY                                                                        | 4.5   | 3.1  | 3.9  | 4.6    | 4.9  | 4.9  | 5.3  | 5.1  | 5.2  | 5.3    | 6.1  | 5.7  | 7.4        | 5.8  | 6.6  | 5.4        | 5.0  | 5.2  |  |        |   |     |
| DON'T KNOW                                                                       | 52.1  | 62.1 | 56.8 | 54.8   | 62.6 | 58.7 | 54.9 | 65.5 | 59.9 | 56.8   | 63.5 | 60.3 | 57.7       | 64.9 | 61.2 | 55.2       | 63.7 | 59.3 |  |        |   |     |
| Q30L: DIFFICULTY GETTING<br>SOLVENTS                                             |       |      |      |        |      |      |      |      |      |        |      |      |            |      |      |            |      |      |  |        |   |     |
| IMPOSSIBLE                                                                       | 5.1   | 3.5  | 4.4  | 2.8    | 2.4  | 2.6  | 1.5  | 1.5  | 1.6  | 1.4    | 1.2  | 1.3  | 0.6        | 1.5  | 1.0  | 2.3        | 2.0  | 2.2  |  |        |   |     |
| DIFFICULT                                                                        | 2.9   | 2.5  | 2.7  | 1.5    | 1.5  | 1.6  | 1.0  | 1.2  | 1.1  | 1.2    | 0.7  | 1.0  | 0.6        | 0.9  | 0.7  | 1.4        | 1.4  | 1.4  |  |        |   |     |
| FAIRLY EASY                                                                      | 6.4   | 11.4 | 9.8  | 5.9    | 11.4 | 9.2  | 7.3  | 10.3 | 8.7  | 6.3    | 8.6  | 7.4  | 4.0        | 6.3  | 6.1  | 6.6        | 10.0 | 6.3  |  |        |   |     |
| VERY EASY                                                                        | 67.5  | 61.2 | 64.4 | 74.8   | 68.2 | 71.2 | 77.0 | 71.1 | 74.2 | 76.4   | 73.2 | 74.8 | 79.9       | 72.6 | 76.4 | 75.0       | 69.2 | 72.1 |  |        |   |     |
| DON'T KNOW                                                                       | 16.1  | 21.4 | 18.7 | 14.2   | 16.5 | 15.4 | 13.2 | 16.0 | 14.5 | 14.7   | 16.2 | 15.5 | 14.9       | 16.8 | 15.8 | 14.6       | 17.3 | 16.0 |  |        |   |     |

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q31 = 13,215<br>Q31(MOD) = 5,037                  | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |   |        |     |   |  |
|------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|---|--------|-----|---|--|
|                                                                                    | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        |            |   |        |     |   |  |
|                                                                                    | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |   | FEMALE | ALL |   |  |
|                                                                                    | %     | N    | %      | %    | N    | %      | %    | N    | %      | %    | N    | %      | %    | N    | %      | %    | N    | %      | %          | N | %      | %   | N |  |
| Q31: REASON FOR TRYING CANNABIS                                                    |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |     |   |  |
| DON'T KNOW WHAT IT IS                                                              | 5.9   | 8.4  | 7.1    | 4.7  | 4.5  | 4.7    | 3.2  | 4.1  | 3.6    | 2.8  | 3.2  | 2.9    | 2.1  | 2.7  | 2.5    | 3.8  | 4.6  | 4.2    |            |   |        |     |   |  |
| NEVER TRIED IT                                                                     | 79.0  | 79.1 | 77.4   | 66.6 | 68.5 | 67.4   | 56.9 | 59.3 | 57.9   | 45.2 | 47.5 | 46.3   | 43.2 | 47.5 | 45.2   | 58.0 | 60.7 | 59.2   |            |   |        |     |   |  |
| TO SEE WHAT IT WAS LIKE                                                            | 8.2   | 5.1  | 6.8    | 14.3 | 13.4 | 13.9   | 23.4 | 23.4 | 23.5   | 30.5 | 33.9 | 32.3   | 33.2 | 36.4 | 34.2   | 21.7 | 21.9 | 21.6   |            |   |        |     |   |  |
| FRIENDS WERE USING IT                                                              | 1.7   | 0.8  | 1.3    | 2.6  | 3.2  | 2.9    | 2.7  | 2.8  | 2.8    | 4.1  | 3.4  | 3.6    | 5.2  | 3.4  | 4.3    | 3.2  | 2.7  | 3.0    |            |   |        |     |   |  |
| SEEMED LIKE FUN                                                                    | 1.2   | 1.6  | 1.4    | 2.9  | 2.1  | 2.5    | 3.9  | 2.9  | 3.4    | 6.4  | 4.7  | 5.5    | 5.3  | 4.4  | 4.9    | 3.0  | 3.1  | 3.5    |            |   |        |     |   |  |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.1   | 0.1  | 0.1    | 0.2  | 0.2  | 0.2    | 0.1  | 0.2  | 0.1    | 0.1  | 0.6  | 0.3    | 0.3  | 0.0  | 0.1    | 0.1  | 0.2  | 0.2    |            |   |        |     |   |  |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 2.1   | 1.3  | 1.7    | 2.2  | 2.3  | 2.3    | 1.4  | 2.3  | 1.9    | 2.0  | 2.3  | 2.2    | 2.3  | 1.3  | 1.8    | 2.0  | 1.9  | 2.0    |            |   |        |     |   |  |
| OLD ENOUGH TO USE SAFELY                                                           | 0.6   | 0.0  | 0.3    | 0.2  | 0.2  | 0.2    | 0.4  | 0.1  | 0.3    | 0.4  | 0.0  | 0.2    | 0.7  | 0.1  | 0.4    | 0.5  | 0.1  | 0.3    |            |   |        |     |   |  |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 1.0   | 0.6  | 0.9    | 1.3  | 1.4  | 1.4    | 1.2  | 0.7  | 1.0    | 1.8  | 0.9  | 1.4    | 1.5  | 1.1  | 1.3    | 1.4  | 1.0  | 1.2    |            |   |        |     |   |  |
| BORED, NOTHING ELSE TO DO                                                          | 0.7   | 0.7  | 0.7    | 1.1  | 1.1  | 1.1    | 2.1  | 1.4  | 1.8    | 2.4  | 1.2  | 1.8    | 2.7  | 1.1  | 1.9    | 1.8  | 1.1  | 1.4    |            |   |        |     |   |  |
| OTHER REASON                                                                       | 2.4   | 2.3  | 2.3    | 3.8  | 3.2  | 3.5    | 4.6  | 2.7  | 3.7    | 4.3  | 2.4  | 3.3    | 3.5  | 3.0  | 3.3    | 3.7  | 2.7  | 3.2    |            |   |        |     |   |  |
| Q31(MOD): REASON FOR TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |     |   |  |
| TO SEE WHAT IT WAS LIKE                                                            | 45.4  | 40.2 | 43.7   | 49.8 | 49.5 | 49.7   | 58.7 | 64.1 | 81.2   | 58.6 | 68.6 | 63.6   | 60.6 | 71.1 | 65.4   | 58.6 | 63.1 | 59.7   |            |   |        |     |   |  |
| FRIENDS WERE USING IT                                                              | 9.6   | 6.5  | 8.2    | 9.1  | 11.7 | 10.4   | 6.9  | 7.7  | 7.2    | 7.9  | 6.9  | 7.4    | 9.4  | 6.8  | 8.2    | 8.4  | 7.8  | 8.1    |            |   |        |     |   |  |
| SEEMED LIKE FUN                                                                    | 6.9   | 12.6 | 9.2    | 10.3 | 7.9  | 9.1    | 9.8  | 7.9  | 6.8    | 12.4 | 9.5  | 10.9   | 9.7  | 8.9  | 9.4    | 10.2 | 9.0  | 9.6    |            |   |        |     |   |  |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.5   | 0.7  | 0.5    | 0.6  | 0.6  | 0.7    | 0.2  | 0.4  | 0.3    | 0.1  | 1.1  | 0.6    | 0.5  | 0.0  | 0.2    | 0.4  | 0.6  | 0.5    |            |   |        |     |   |  |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 11.6  | 10.0 | 11.1   | 7.7  | 8.5  | 8.1    | 3.6  | 6.3  | 5.0    | 3.9  | 4.7  | 4.4    | 4.2  | 2.6  | 3.5    | 5.2  | 5.5  | 5.5    |            |   |        |     |   |  |
| OLD ENOUGH TO USE SAFELY                                                           | 3.2   | 0.0  | 1.9    | 0.5  | 0.6  | 0.5    | 1.1  | 0.4  | 0.7    | 0.8  | 0.0  | 0.4    | 1.3  | 0.1  | 0.8    | 1.2  | 0.2  | 0.7    |            |   |        |     |   |  |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 5.7   | 6.3  | 5.9    | 4.6  | 5.2  | 4.9    | 2.9  | 1.9  | 2.5    | 3.4  | 1.9  | 2.7    | 2.8  | 2.3  | 2.6    | 3.5  | 2.8  | 3.2    |            |   |        |     |   |  |
| BORED, NOTHING ELSE TO DO                                                          | 4.0   | 5.4  | 4.5    | 3.8  | 4.2  | 4.0    | 5.3  | 3.8  | 4.6    | 4.7  | 2.5  | 3.5    | 5.0  | 2.2  | 3.7    | 4.7  | 3.2  | 4.0    |            |   |        |     |   |  |
| OTHER REASON                                                                       | 13.2  | 16.3 | 14.9   | 13.3 | 11.9 | 12.5   | 11.6 | 7.5  | 9.7    | 8.3  | 4.8  | 6.5    | 6.5  | 5.9  | 6.3    | 9.7  | 7.8  | 8.8    |            |   |        |     |   |  |

NOTE: Q31(MOD) IS A MODIFIED RESPONSE SET FOR Q31 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS.

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 ALL REGIONS

|                                                                                   | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-----------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                   | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                                                                   | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| NUMBER OF VALID RESPONSES 10:<br>Q32 = 14,179<br>Q32(MOD) = 5,603                 |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| Q32: WHEN FIRST TRIED CANNABIS                                                    |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                                             | 5.6   | 7.3    | 6.5  | 4.8  | 4.0    | 4.4  | 3.0  | 3.3    | 3.1  | 2.6  | 2.5    | 2.5  | 1.9        | 2.7    | 2.4  |
| NEVER TRIED IT                                                                    | 74.2  | 79.2   | 76.5 | 63.3 | 67.0   | 65.1 | 54.3 | 58.0   | 55.9 | 42.3 | 44.6   | 43.4 | 40.5       | 43.5   | 41.9 |
| GRADE 4 OR BEFORE                                                                 | 2.3   | 1.5    | 1.9  | 2.9  | 1.0    | 1.9  | 1.8  | 0.6    | 1.2  | 2.1  | 0.9    | 1.4  | 1.6        | 0.7    | 1.2  |
| GRADE 5                                                                           | 2.6   | 1.2    | 1.9  | 1.9  | 1.2    | 1.5  | 2.1  | 0.9    | 1.5  | 2.4  | 0.9    | 1.6  | 1.8        | 0.4    | 1.1  |
| GRADE 6                                                                           | 3.4   | 2.1    | 2.8  | 3.2  | 2.4    | 2.8  | 3.8  | 1.5    | 2.7  | 3.6  | 2.0    | 2.8  | 3.5        | 2.3    | 2.9  |
| GRADE 7                                                                           | 7.2   | 4.2    | 5.8  | 7.8  | 6.7    | 7.3  | 7.6  | 5.0    | 6.4  | 6.3  | 6.0    | 6.2  | 6.9        | 6.5    | 6.7  |
| GRADE 8                                                                           | 4.2   | 4.2    | 4.3  | 11.6 | 11.6   | 11.6 | 11.7 | 12.6   | 12.2 | 13.1 | 13.7   | 13.4 | 12.1       | 13.0   | 12.5 |
| GRADE 9                                                                           | 0.1   | 0.1    | 0.1  | 4.4  | 5.9    | 5.2  | 10.7 | 12.5   | 11.7 | 11.5 | 15.2   | 13.4 | 11.5       | 13.1   | 12.3 |
| GRADE 10                                                                          | 0.1   | 0.0    | 0.0  | 0.0  | 0.1    | 0.1  | 4.8  | 5.7    | 5.3  | 10.8 | 10.1   | 10.6 | 9.8        | 9.5    | 9.6  |
| GRADE 11                                                                          | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 5.5  | 4.0    | 4.7  | 7.9        | 5.8    | 6.9  |
| GRADE 12                                                                          | 0.2   | 0.0    | 0.1  | 0.1  | 0.1    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.1    | 0.0  | 2.4        | 2.5    | 2.5  |
| Q32(MOD): WHEN FIRST TRIED CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| GRADE 4 OR BEFORE                                                                 | 11.6  | 11.2   | 11.3 | 9.1  | 3.5    | 6.3  | 4.2  | 1.5    | 2.9  | 3.7  | 1.6    | 2.6  | 2.8        | 1.3    | 2.1  |
| GRADE 5                                                                           | 12.8  | 9.2    | 11.3 | 5.8  | 4.1    | 4.9  | 4.8  | 2.4    | 3.7  | 4.3  | 1.6    | 2.9  | 3.2        | 0.8    | 2.1  |
| GRADE 6                                                                           | 17.1  | 15.4   | 16.4 | 10.0 | 8.2    | 9.2  | 8.8  | 3.8    | 6.5  | 6.5  | 3.9    | 5.1  | 6.1        | 4.2    | 5.2  |
| GRADE 7                                                                           | 35.8  | 31.4   | 34.2 | 24.4 | 23.2   | 23.8 | 16.4 | 12.9   | 15.7 | 11.3 | 11.3   | 11.4 | 12.0       | 12.1   | 12.0 |
| GRADE 8                                                                           | 20.9  | 31.4   | 25.2 | 38.4 | 40.1   | 38.0 | 27.4 | 32.6   | 29.7 | 23.7 | 26.0   | 24.8 | 21.1       | 24.2   | 22.5 |
| GRADE 9                                                                           | 0.4   | 1.1    | 0.6  | 13.8 | 20.2   | 17.1 | 25.0 | 32.3   | 28.5 | 20.8 | 28.8   | 24.8 | 20.0       | 24.4   | 22.1 |
| GRADE 10                                                                          | 0.3   | 0.0    | 0.2  | 0.1  | 0.4    | 0.4  | 11.3 | 14.6   | 12.9 | 19.6 | 19.2   | 19.5 | 17.1       | 17.6   | 17.2 |
| GRADE 11                                                                          | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 9.9  | 7.5    | 8.7  | 13.7       | 10.8   | 12.4 |
| GRADE 12                                                                          | 1.1   | 0.3    | 0.8  | 0.3  | 0.2    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.2    | 0.1  | 4.2        | 4.7    | 4.5  |

NOTE: Q32(MOD) IS A MODIFIED RESPONSE SET FOR Q32 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS.

|                                                                                            | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|--------------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |      |        |      |
|                                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  | MALE | FEMALE | ALL  |
| NUMBER OF VALID RESPONSES TO:<br>Q33 = 12,455<br>Q33(MOD) = 8,318                          | %     | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %          | %      | %    | %    | %      | %    |
|                                                                                            |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
|                                                                                            |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
|                                                                                            |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
|                                                                                            |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| Q33: REASON FOR NOT TRYING CANNABIS                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                                                      | 5.8   | 7.6    | 6.6  | 5.1  | 4.1    | 4.7  | 4.0  | 3.5    | 3.7  | 2.6  | 3.0    | 2.8  | 2.8        | 2.8    | 2.9  | 4.1  | 4.3    | 4.2  |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 26.3  | 16.4   | 21.5 | 21.5 | 10.8   | 16.0 | 19.7 | 8.7    | 14.4 | 14.7 | 7.8    | 11.1 | 13.8       | 8.2    | 11.0 | 19.5 | 10.5   | 15.0 |
| MIGHT BE ADDICTIVE                                                                         | 4.5   | 2.7    | 3.6  | 3.1  | 3.3    | 3.2  | 2.2  | 3.0    | 2.6  | 2.3  | 1.7    | 2.0  | 2.7        | 2.1    | 2.5  | 3.0  | 2.6    | 2.8  |
| ILLEGAL TO USE IT                                                                          | 2.0   | 0.9    | 1.5  | 2.2  | 0.9    | 1.5  | 1.9  | 0.7    | 1.3  | 1.0  | 0.7    | 0.8  | 0.7        | 1.1    | 0.9  | 1.8  | 0.9    | 1.2  |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 2.5   | 2.8    | 2.6  | 2.7  | 2.1    | 2.3  | 2.2  | 1.0    | 1.6  | 0.7  | 0.7    | 0.7  | 1.2        | 0.5    | 0.8  | 1.9  | 1.5    | 1.7  |
| TROUBLE WITH POLICE                                                                        | 0.8   | 0.4    | 0.6  | 0.3  | 0.0    | 0.1  | 0.6  | 0.1    | 0.3  | 0.5  | 0.0    | 0.2  | 0.0        | 0.3    | 0.2  | 0.4  | 0.2    | 0.3  |
| CAN NOT GET ANY                                                                            | 0.5   | 0.6    | 0.6  | 0.6  | 0.6    | 0.6  | 0.2  | 0.5    | 0.4  | 0.1  | 0.3    | 0.2  | 0.0        | 0.1    | 0.0  | 0.3  | 0.4    | 0.4  |
| CAN NOT AFFORD IT                                                                          | 0.7   | 0.7    | 0.7  | 0.9  | 0.5    | 0.7  | 0.7  | 0.4    | 0.5  | 0.5  | 0.2    | 0.3  | 0.2        | 0.1    | 0.1  | 0.6  | 0.4    | 0.5  |
| NOT INTERESTED                                                                             | 27.6  | 38.0   | 32.6 | 25.2 | 38.6   | 32.0 | 24.7 | 35.6   | 30.0 | 23.5 | 30.8   | 27.3 | 31.4       | 27.4   | 25.0 | 36.0 | 30.0   | 30.0 |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 6.4   | 8.5    | 7.4  | 5.6  | 7.8    | 6.6  | 3.5  | 5.5    | 4.4  | 3.1  | 5.9    | 4.6  | 2.3        | 3.0    | 2.6  | 4.3  | 6.3    | 5.3  |
| OTHER THINGS I ENJOY DOING                                                                 | 7.6   | 8.5    | 8.2  | 8.1  | 7.9    | 7.9  | 6.6  | 6.1    | 7.3  | 7.1  | 6.0    | 6.5  | 5.3        | 5.5    | 5.4  | 7.0  | 7.3    | 7.1  |
| FRIENDS DON'T USE IT                                                                       | 0.5   | 1.7    | 1.0  | 0.7  | 0.9    | 0.8  | 1.0  | 0.5    | 0.8  | 0.5  | 0.6    | 0.8  | 0.5        | 0.4    | 0.5  | 0.6  | 0.8    | 0.7  |
| OTHER REASON                                                                               | 3.4   | 3.1    | 3.3  | 2.3  | 2.9    | 2.6  | 3.0  | 2.7    | 2.9  | 2.0  | 1.9    | 2.1  | 2.4        | 2.3    | 2.4  | 2.7  | 2.6    | 2.7  |
| HAVE TRIED IT                                                                              | 11.2  | 8.2    | 9.7  | 21.6 | 19.7   | 20.8 | 29.7 | 29.8   | 29.7 | 41.5 | 40.3   | 40.9 | 44.4       | 42.2   | 43.3 | 26.9 | 27.4   | 26.1 |
| Q33(MOD): REASON FOR NOT TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE NOT TRIED CANNABIS) |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 31.7  | 19.5   | 25.7 | 29.4 | 14.2   | 21.4 | 29.7 | 13.0   | 21.6 | 26.3 | 13.7   | 19.6 | 26.1       | 14.9   | 20.5 | 29.2 | 15.3   | 22.2 |
| MIGHT BE ADDICTIVE                                                                         | 5.4   | 3.2    | 4.3  | 4.2  | 4.3    | 4.3  | 3.4  | 4.5    | 3.9  | 4.2  | 3.1    | 3.6  | 5.1        | 3.8    | 4.6  | 4.5  | 3.8    | 4.2  |
| ILLEGAL TO USE IT                                                                          | 2.4   | 1.0    | 1.8  | 3.0  | 1.2    | 2.0  | 2.8  | 1.1    | 2.0  | 1.7  | 1.3    | 1.5  | 1.3        | 2.1    | 1.7  | 2.4  | 1.3    | 1.8  |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 3.0   | 3.3    | 3.1  | 3.6  | 2.7    | 3.1  | 3.3  | 1.5    | 2.4  | 1.3  | 1.3    | 1.3  | 2.3        | 0.9    | 1.6  | 2.8  | 2.1    | 2.5  |
| TROUBLE WITH POLICE                                                                        | 1.0   | 0.5    | 0.7  | 0.4  | 0.0    | 0.2  | 0.9  | 0.1    | 0.5  | 0.8  | 0.0    | 0.4  | 0.0        | 0.6    | 0.3  | 0.7  | 0.2    | 0.4  |
| CAN NOT GET ANY                                                                            | 0.7   | 0.7    | 0.7  | 0.8  | 0.8    | 0.8  | 0.3  | 0.8    | 0.6  | 0.2  | 0.5    | 0.4  | 0.0        | 0.2    | 0.1  | 0.5  | 0.6    | 0.5  |
| CAN NOT AFFORD IT                                                                          | 0.8   | 0.8    | 0.8  | 1.2  | 0.6    | 0.9  | 1.1  | 0.6    | 0.8  | 0.9  | 0.3    | 0.6  | 0.4        | 0.1    | 0.3  | 0.9  | 0.5    | 0.7  |
| NOT INTERESTED                                                                             | 33.2  | 45.1   | 38.9 | 34.5 | 50.6   | 42.9 | 37.2 | 53.3   | 45.1 | 41.9 | 54.4   | 48.4 | 44.6       | 57.1   | 50.9 | 37.4 | 51.2   | 44.3 |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 7.8   | 10.1   | 8.9  | 7.6  | 10.2   | 9.2  | 5.2  | 8.3    | 6.7  | 5.5  | 10.4   | 8.1  | 4.4        | 5.5    | 4.9  | 6.3  | 9.2    | 7.8  |
| OTHER THINGS I ENJOY DOING                                                                 | 9.4   | 10.1   | 9.9  | 11.1 | 10.3   | 10.6 | 9.9  | 12.1   | 10.9 | 12.6 | 10.6   | 11.5 | 10.0       | 10.1   | 10.1 | 10.5 | 10.6   | 10.5 |
| FRIENDS DON'T USE IT                                                                       | 0.6   | 2.0    | 1.3  | 0.9  | 1.2    | 1.1  | 1.5  | 0.8    | 1.1  | 1.0  | 1.0    | 1.0  | 1.0        | 0.7    | 0.9  | 1.0  | 1.2    | 1.1  |
| OTHER REASON                                                                               | 4.0   | 3.7    | 3.9  | 3.2  | 3.6    | 3.5  | 4.6  | 4.0    | 4.3  | 3.5  | 3.3    | 3.7  | 4.6        | 4.2    | 4.4  | 4.0  | 3.8    | 3.9  |

NOTE: Q33(MOD) IS A MODIFIED RESPONSE SET FOR Q33 AND INCLUDES ONLY THOSE WHO HAVE NOT TRIED CANNABIS. THOSE WHO DON'T KNOW WHAT CANNABIS IS HAVE BEEN EXCLUDED.

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q34 = 13,528<br>Q34(MOD) = 3,471                       | GRADE  |        |      |        |        |      |        |        |      |        |        |      | ALL GRADES |        |      |      |      |
|-----------------------------------------------------------------------------------------|--------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------|------------|--------|------|------|------|
|                                                                                         | 8      |        |      | 9      |        |      | 10     |        |      | 11     |        |      | 12         |        |      | ALL  |      |
|                                                                                         | FEMALE |        | ALL  | FEMALE |        | ALL  | FEMALE |        | ALL  | FEMALE |        | ALL  | FEMALE     |        | ALL  |      |      |
|                                                                                         | MALE   | FEMALE |      | MALE   | FEMALE |      | MALE   | FEMALE |      | MALE   | FEMALE |      | MALE       | FEMALE |      |      | MALE |
| Q34: REASON FOR STOPPING CANNABIS USE                                                   |        |        |      |        |        |      |        |        |      |        |        |      |            |        |      |      |      |
| DON'T KNOW WHAT IT IS                                                                   | 5.8    | 7.5    | 6.6  | 4.4    | 3.6    | 4.0  | 3.0    | 2.8    | 2.9  | 2.0    | 2.7    | 2.4  | 1.9        | 2.4    | 2.1  | 3.4  | 3.6  |
| NEVER USED IT                                                                           | 73.7   | 79.2   | 76.2 | 63.9   | 67.6   | 65.7 | 55.2   | 58.8   | 56.8 | 44.2   | 45.4   | 44.7 | 41.5       | 45.7   | 43.3 | 58.1 | 57.7 |
| MIGHT BE HARMFUL TO MY HEALTH                                                           | 3.7    | 1.1    | 2.5  | 4.2    | 1.7    | 2.9  | 5.1    | 2.1    | 3.8  | 6.5    | 3.3    | 4.8  | 5.5        | 2.3    | 4.0  | 5.0  | 2.1  |
| MIGHT BE ADDICTIVE                                                                      | 1.0    | 0.3    | 0.7  | 1.4    | 0.9    | 1.1  | 1.2    | 0.8    | 0.9  | 1.3    | 1.0    | 1.1  | 0.8        | 0.7    | 0.7  | 1.1  | 0.9  |
| PARENTS MADE ME STOP                                                                    | 0.1    | 0.1    | 0.1  | 0.3    | 0.1    | 0.2  | 0.1    | 0.1    | 0.1  | 0.1    | 0.2    | 0.2  | 0.0        | 0.0    | 0.0  | 0.1  | 0.1  |
| ILLEGAL TO USE IT                                                                       | 0.6    | 0.0    | 0.3  | 0.6    | 0.2    | 0.4  | 0.6    | 0.2    | 0.4  | 0.5    | 0.2    | 0.4  | 0.3        | 0.1    | 0.2  | 0.5  | 0.2  |
| WAS JUST EXPERIMENTING                                                                  | 2.7    | 2.1    | 2.4  | 3.4    | 4.1    | 3.7  | 4.4    | 5.7    | 5.0  | 5.7    | 7.2    | 6.4  | 7.0        | 5.8    | 6.4  | 4.6  | 4.8  |
| NOT INTERESTED ANYMORE                                                                  | 1.2    | 1.0    | 1.1  | 3.3    | 2.4    | 2.8  | 5.0    | 5.9    | 5.4  | 6.1    | 7.8    | 7.0  | 6.8        | 9.6    | 9.1  | 4.8  | 5.0  |
| TROUBLE WITH PARENTS/TEACHERS                                                           | 0.1    | 0.2    | 0.1  | 0.4    | 0.4    | 0.4  | 0.5    | 0.3    | 0.4  | 0.3    | 0.1    | 0.2  | 0.1        | 0.3    | 0.2  | 0.3  | 0.3  |
| FRIENDS STOPPED USING IT                                                                | 0.1    | 0.1    | 0.1  | 0.2    | 0.2    | 0.2  | 0.1    | 0.4    | 0.2  | 0.1    | 0.2    | 0.2  | 0.1        | 0.1    | 0.1  | 0.1  | 0.2  |
| GOT INTO TROUBLE WITH POLICE                                                            | 0.3    | 0.3    | 0.3  | 0.1    | 0.0    | 0.1  | 0.4    | 0.1    | 0.2  | 0.0    | 0.0    | 0.0  | 0.0        | 0.1    | 0.0  | 0.2  | 0.1  |
| DIDN'T LIKE EFFECTS                                                                     | 1.0    | 0.5    | 0.7  | 0.6    | 2.0    | 1.4  | 1.7    | 2.9    | 2.5  | 3.0    | 6.0    | 4.5  | 3.9        | 6.9    | 5.4  | 2.0  | 3.8  |
| OTHER THINGS I ENJOY DOING                                                              | 1.7    | 0.8    | 1.2  | 3.2    | 2.5    | 2.8  | 4.2    | 4.6    | 4.4  | 5.9    | 5.3    | 5.6  | 5.3        | 4.5    | 4.9  | 4.0  | 3.5  |
| RESULT OF EDUCATIONAL EFFORTS                                                           | 0.3    | 0.0    | 0.1  | 0.2    | 0.7    | 0.5  | 0.6    | 0.2    | 0.4  | 0.5    | 0.1    | 0.3  | 0.4        | 0.3    | 0.4  | 0.4  | 0.3  |
| OTHER REASON                                                                            | 1.3    | 1.4    | 1.3  | 2.8    | 2.1    | 2.4  | 3.4    | 2.1    | 2.8  | 3.5    | 2.2    | 2.8  | 2.9        | 3.7    | 3.1  | 2.7  | 2.2  |
| STILL USE IT                                                                            | 6.5    | 5.6    | 6.1  | 11.0   | 11.4   | 11.4 | 14.5   | 13.1   | 13.8 | 20.3   | 18.3   | 19.3 | 21.7       | 18.4   | 20.1 | 14.6 | 13.3 |
| Q34(MOD): REASON FOR STOPPING CANNABIS USE (RESPONSES FOR THOSE WHO HAVE STOPPED USING) |        |        |      |        |        |      |        |        |      |        |        |      |            |        |      |      |      |
| MIGHT BE HARMFUL TO MY HEALTH                                                           | 26.5   | 14.1   | 22.7 | 20.4   | 10.0   | 15.2 | 16.8   | 8.5    | 14.2 | 19.5   | 9.8    | 14.3 | 15.8       | 6.9    | 11.5 | 19.3 | 14.5 |
| MIGHT BE ADDICTIVE                                                                      | 7.2    | 4.2    | 6.3  | 6.6    | 5.1    | 5.8  | 4.6    | 2.2    | 3.4  | 3.8    | 2.8    | 3.4  | 1.7        | 2.2    | 1.9  | 4.3  | 3.7  |
| PARENTS MADE ME STOP                                                                    | 1.0    | 1.9    | 1.3  | 1.5    | 0.4    | 0.9  | 0.3    | 0.4    | 0.3  | 0.4    | 0.5    | 0.5  | 0.0        | 0.0    | 0.0  | 0.5  | 0.5  |
| ILLEGAL TO USE IT                                                                       | 4.2    | 0.0    | 2.7  | 2.9    | 1.3    | 2.1  | 2.2    | 0.7    | 1.5  | 1.5    | 0.7    | 1.1  | 0.9        | 0.4    | 0.7  | 2.0  | 1.4  |
| WAS JUST EXPERIMENTING                                                                  | 18.9   | 28.9   | 21.5 | 16.3   | 23.6   | 19.6 | 16.0   | 22.7   | 19.0 | 17.1   | 21.4   | 19.2 | 20.0       | 17.1   | 18.6 | 17.7 | 21.3 |
| NOT INTERESTED ANYMORE                                                                  | 8.7    | 13.1   | 10.3 | 15.9   | 13.8   | 15.0 | 16.2   | 23.4   | 20.3 | 15.1   | 23.1   | 20.9 | 25.3       | 26.2   | 26.5 | 18.5 | 20.3 |
| TROUBLE WITH PARENTS/TEACHERS                                                           | 0.9    | 2.3    | 1.3  | 2.0    | 2.0    | 2.0  | 1.7    | 1.4    | 1.5  | 0.9    | 0.4    | 0.7  | 0.2        | 0.8    | 0.5  | 1.1  | 1.1  |
| FRIENDS STOPPED USING IT                                                                | 0.7    | 0.9    | 0.7  | 1.0    | 1.2    | 1.1  | 0.5    | 1.5    | 0.9  | 0.3    | 0.7    | 0.5  | 0.2        | 0.4    | 0.3  | 0.5  | 0.7  |
| GOT INTO TROUBLE WITH POLICE                                                            | 1.9    | 3.6    | 2.4  | 0.7    | 0.0    | 0.4  | 1.4    | 0.3    | 0.9  | 0.0    | 0.0    | 0.0  | 0.0        | 0.2    | 0.1  | 0.7  | 0.4  |
| DIDN'T LIKE EFFECTS                                                                     | 6.8    | 6.5    | 6.5  | 3.0    | 11.7   | 7.3  | 6.2    | 11.6   | 9.3  | 9.0    | 17.8   | 13.5 | 11.3       | 20.2   | 15.7 | 7.8  | 15.3 |
| OTHER THINGS I ENJOY DOING                                                              | 12.4   | 7.6    | 10.8 | 15.4   | 14.8   | 15.0 | 15.5   | 18.0   | 16.5 | 17.5   | 15.7   | 16.6 | 15.1       | 13.1   | 14.1 | 15.5 | 14.9 |
| RESULT OF EDUCATIONAL EFFORTS                                                           | 1.9    | 0.0    | 1.2  | 1.1    | 4.0    | 2.6  | 2.3    | 0.8    | 1.6  | 1.5    | 0.4    | 1.0  | 1.3        | 0.9    | 1.2  | 1.1  | 1.4  |
| OTHER REASON                                                                            | 9.0    | 18.8   | 12.1 | 13.4   | 12.1   | 12.8 | 12.4   | 8.5    | 10.6 | 10.3   | 6.6    | 8.5  | 8.2        | 9.5    | 8.9  | 10.6 | 10.1 |



ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q35 = 13,231<br>Q36(MOD) = 2,495                      | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      | ALL GRADES |      |      |
|----------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|------|------------|------|------|
|                                                                                        | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |      |            |      |      |
|                                                                                        | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | ALL  |      | ALL  |            |      |      |
|                                                                                        | N     | %    | N      | N    | %    | N      | N    | %    | N      | N    | %    | N      | N    | %    | N      | N    | %    | N    | N          | %    | N    |
| Q35: REASON FOR STILL USING CANNABIS                                                   |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      |            |      |      |
| DON'T KNOW WHAT IT IS                                                                  | 5.6   | 7.5  | 6.6    | 4.2  | 3.9  | 4.2    | 2.9  | 2.7  | 2.8    | 2.1  | 2.4  | 2.3    | 2.0  | 2.2  | 2.1    | 3.4  | 3.6  | 3.6  | 3.8        | 3.6  | 3.6  |
| NEVER USED IT                                                                          | 75.4  | 80.7 | 77.9   | 65.5 | 69.9 | 67.5   | 57.5 | 60.3 | 58.6   | 45.9 | 47.1 | 46.5   | 42.9 | 47.1 | 44.9   | 57.9 | 61.5 | 59.8 | 59.8       | 59.8 | 59.8 |
| STOPPED USING IT                                                                       | 9.4   | 4.8  | 7.2    | 15.1 | 11.7 | 13.4   | 19.3 | 19.5 | 19.5   | 25.7 | 27.3 | 26.5   | 26.2 | 27.4 | 27.8   | 19.3 | 17.8 | 18.6 | 18.6       | 18.6 | 18.6 |
| IT IS FUN                                                                              | 1.6   | 1.4  | 1.7    | 4.6  | 3.6  | 4.2    | 5.7  | 4.9  | 5.3    | 8.1  | 8.2  | 8.3    | 9.8  | 7.7  | 8.6    | 5.9  | 5.1  | 5.5  | 5.5        | 5.5  | 5.5  |
| FRIENDS STILL USE IT                                                                   | 0.3   | 0.4  | 0.3    | 0.6  | 0.4  | 0.5    | 0.9  | 0.9  | 0.9    | 1.1  | 0.8  | 0.9    | 1.2  | 1.1  | 1.2    | 0.8  | 0.7  | 0.7  | 0.7        | 0.7  | 0.7  |
| CANNOT STOP USING IT                                                                   | 0.3   | 0.1  | 0.2    | 0.3  | 0.5  | 0.4    | 0.7  | 0.1  | 0.4    | 0.6  | 0.2  | 0.4    | 0.4  | 0.2  | 0.3    | 0.5  | 0.2  | 0.3  | 0.3        | 0.3  | 0.3  |
| TO GET ALONG WITH FRIENDS                                                              | 0.2   | 0.0  | 0.1    | 0.4  | 0.0  | 0.3    | 0.4  | 0.2  | 0.3    | 0.3  | 0.0  | 0.1    | 0.0  | 0.3  | 0.1    | 0.2  | 0.1  | 0.2  | 0.1        | 0.2  | 0.2  |
| EASIER TO DO SCHOOL WORK                                                               | 0.2   | 0.3  | 0.3    | 0.2  | 0.2  | 0.2    | 0.5  | 0.1  | 0.3    | 0.5  | 0.5  | 0.5    | 0.3  | 0.2  | 0.2    | 0.3  | 0.3  | 0.3  | 0.3        | 0.3  | 0.3  |
| GOOD FOR MY HEALTH                                                                     | 0.3   | 0.0  | 0.2    | 0.1  | 0.1  | 0.1    | 0.3  | 0.0  | 0.2    | 0.4  | 0.1  | 0.2    | 0.1  | 0.1  | 0.1    | 0.2  | 0.1  | 0.1  | 0.1        | 0.1  | 0.1  |
| CALMS ME DOWN                                                                          | 0.7   | 0.4  | 0.5    | 0.4  | 0.1  | 0.3    | 0.3  | 0.5  | 0.4    | 0.7  | 0.5  | 0.6    | 0.7  | 0.7  | 0.7    | 0.6  | 0.4  | 0.5  | 0.5        | 0.5  | 0.5  |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 1.3   | 1.1  | 1.2    | 1.5  | 2.1  | 1.8    | 1.5  | 1.9  | 1.7    | 1.9  | 2.0  | 1.9    | 2.4  | 2.1  | 2.2    | 1.7  | 1.8  | 1.7  | 1.8        | 1.7  | 1.7  |
| ADULTS SAY IT IS NOT GOOD                                                              | 0.2   | 0.3  | 0.2    | 0.5  | 0.3  | 0.4    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1  | 0.1    | 0.0  | 0.2  | 0.1    | 0.1  | 0.2  | 0.2  | 0.2        | 0.2  | 0.2  |
| BORED, NOTHING ELSE TO DO                                                              | 0.4   | 0.3  | 0.4    | 0.9  | 1.1  | 1.0    | 1.1  | 1.6  | 1.4    | 1.1  | 1.2  | 1.1    | 1.2  | 1.2  | 1.2    | 0.9  | 1.1  | 1.0  | 1.1        | 1.0  | 1.0  |
| OLD ENOUGH TO USE CAREFULLY                                                            | 0.3   | 0.3  | 0.3    | 0.4  | 0.4  | 0.4    | 0.8  | 0.5  | 0.7    | 1.6  | 1.3  | 1.5    | 1.1  | 0.7  | 0.9    | 0.8  | 0.7  | 0.7  | 0.7        | 0.7  | 0.7  |
| TO FEEL GOOD                                                                           | 1.6   | 1.3  | 1.4    | 2.8  | 3.4  | 3.1    | 4.2  | 3.4  | 3.6    | 5.0  | 4.1  | 4.5    | 4.8  | 3.0  | 4.0    | 3.6  | 3.1  | 3.4  | 3.4        | 3.4  | 3.4  |
| OTHER REASON                                                                           | 2.0   | 1.1  | 1.6    | 2.4  | 2.4  | 2.4    | 3.9  | 3.3  | 3.7    | 5.0  | 4.3  | 4.6    | 4.9  | 5.8  | 5.3    | 3.6  | 3.3  | 3.3  | 3.3        | 3.5  | 3.5  |
| Q36(MOD): REASON FOR STILL USING CANNABIS (RESPONSES FOR THOSE WHO STILL USE CANNABIS) |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      |            |      |      |
| IT IS FUN                                                                              | 19.2  | 20.3 | 20.0   | 31.6 | 24.5 | 28.1   | 27.9 | 27.6 | 27.9   | 30.8 | 35.3 | 33.6   | 36.4 | 32.9 | 34.9   | 30.5 | 29.9 | 30.4 | 30.4       | 30.4 | 30.4 |
| FRIENDS STILL USE IT                                                                   | 3.3   | 5.0  | 4.0    | 4.2  | 2.4  | 3.4    | 4.2  | 5.1  | 4.6    | 4.1  | 3.3  | 3.6    | 4.6  | 4.7  | 4.6    | 4.2  | 4.0  | 4.1  | 4.1        | 4.1  | 4.1  |
| CANNOT STOP USING IT                                                                   | 3.2   | 2.1  | 2.7    | 2.2  | 3.4  | 2.8    | 3.3  | 0.8  | 2.1    | 2.1  | 0.8  | 1.4    | 1.8  | 0.9  | 1.3    | 2.4  | 1.4  | 1.9  | 1.9        | 1.9  | 1.9  |
| TO GET ALONG WITH FRIENDS                                                              | 1.7   | 0.0  | 1.0    | 2.6  | 0.3  | 1.7    | 1.9  | 1.2  | 1.6    | 1.0  | 0.0  | 0.5    | 0.0  | 1.2  | 0.5    | 1.3  | 0.6  | 1.0  | 1.0        | 1.0  | 1.0  |
| EASIER TO DO SCHOOL WORK                                                               | 2.6   | 4.5  | 3.4    | 1.1  | 1.1  | 1.1    | 2.4  | 0.8  | 1.7    | 1.9  | 2.1  | 1.9    | 0.9  | 0.8  | 0.9    | 1.7  | 1.5  | 1.6  | 1.6        | 1.6  | 1.6  |
| GOOD FOR MY HEALTH                                                                     | 3.3   | 0.0  | 1.9    | 0.5  | 0.6  | 0.5    | 1.7  | 0.0  | 0.9    | 1.4  | 0.3  | 0.8    | 0.4  | 0.6  | 0.5    | 1.2  | 0.3  | 0.8  | 0.8        | 0.8  | 0.8  |
| CALMS ME DOWN                                                                          | 7.3   | 5.7  | 6.9    | 2.7  | 0.8  | 1.7    | 1.7  | 2.9  | 2.2    | 2.8  | 2.3  | 2.5    | 2.5  | 2.9  | 2.6    | 2.9  | 2.6  | 2.8  | 2.8        | 2.8  | 2.8  |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 13.3  | 15.0 | 13.9   | 9.7  | 14.5 | 11.9   | 7.2  | 10.9 | 8.8    | 7.3  | 8.5  | 7.8    | 8.9  | 8.9  | 8.9    | 8.7  | 10.8 | 9.5  | 9.5        | 9.5  | 9.5  |
| ADULTS SAY IT IS NOT GOOD                                                              | 1.7   | 3.5  | 2.5    | 3.1  | 2.1  | 2.5    | 0.0  | 0.0  | 0.0    | 0.2  | 0.4  | 0.3    | 0.0  | 1.0  | 0.4    | 0.7  | 1.0  | 0.8  | 0.8        | 0.8  | 0.8  |
| BORED, NOTHING ELSE TO DO                                                              | 4.0   | 4.6  | 4.2    | 5.9  | 7.5  | 6.6    | 5.5  | 9.4  | 7.2    | 4.3  | 5.0  | 4.6    | 4.5  | 4.9  | 4.7    | 4.8  | 6.4  | 5.5  | 5.5        | 5.5  | 5.5  |
| OLD ENOUGH TO USE CAREFULLY                                                            | 2.9   | 4.6  | 3.6    | 2.6  | 2.5  | 2.5    | 4.1  | 2.9  | 3.5    | 6.2  | 5.8  | 5.9    | 4.2  | 3.1  | 3.7    | 4.3  | 3.9  | 4.1  | 4.1        | 4.1  | 4.1  |
| TO FEEL GOOD                                                                           | 16.3  | 18.7 | 17.2   | 18.3 | 23.4 | 20.9   | 20.9 | 19.4 | 20.1   | 19.2 | 17.8 | 18.3   | 17.7 | 13.1 | 15.8   | 18.0 | 18.1 | 18.4 | 18.4       | 18.4 | 18.4 |
| OTHER REASON                                                                           | 21.1  | 15.9 | 16.8   | 15.6 | 16.8 | 16.2   | 19.4 | 18.9 | 19.4   | 18.9 | 18.4 | 18.6   | 18.3 | 25.0 | 21.2   | 19.6 | 19.6 | 19.1 | 19.1       | 19.1 | 19.1 |

NOTE: Q35(MOD) IS A MODIFIED RESPONSE SET FOR Q35 AND INCLUDES ONLY THOSE WHO STILL USE CANNABIS



## WE BEGIN

| NUMBER OF VALID RESPONSES TO:<br>Q36 = 14,204 | GRADE |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     | ALL GRADES |  |  |
|-----------------------------------------------|-------|--------|-----|------|--------|-----|------|--------|-----|------|--------|-----|------|--------|-----|------|--------|-----|------------|--|--|
|                                               | 8     |        |     | 9    |        |     | 10   |        |     | 11   |        |     | 12   |        |     |      |        |     |            |  |  |
|                                               | MALE  | FEMALE | ALL | MALE | FEMALE | ALL | MALE | FEMALE | ALL | MALE | FEMALE | ALL | MALE | FEMALE | ALL | MALE | FEMALE | ALL |            |  |  |
| Q36: CANNABIS USE IN LAST MONTH               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
| DON'T KNOW WHAT IT IS                         |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
| NONE                                          |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
| 1 OR 2 TIMES                                  |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
| 3 TO 5 TIMES                                  |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
| 6 TO 9 TIMES                                  |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
| 10 TO 19 TIMES                                |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
| 20 TO 39 TIMES                                |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
| 40 OR MORE TIMES                              |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                               |       |        |     |      |        |     |      |        |     | </   |        |     |      |        |     |      |        |     |            |  |  |

ALL REGIONS

NOTE: Q37(MOD) IS A MODIFIED RESPONSE SET FOR Q37 AND INCLUDES ONLY THOSE WHO HAVE TRIED ALCOHOL.

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q39 = 12,828<br>Q39(MOD) = 3,597                      | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |  |  |  |
|----------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--|--|--|
|                                                                                        | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |      |        |      |            |  |  |  |
|                                                                                        | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |  |  |  |
|                                                                                        | X     | Z      |      | X    | Z      |      | X    | Z      |      | X    | Z      |      | X    | Z      |      | X    | Z      |      |            |  |  |  |
| Q39: REASON FOR STOPPING ALCOHOL USE                                                   |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |  |  |  |
| HAVE NEVER DRUNK ALCOHOL                                                               | 31.4  | 36.6   | 33.9 | 22.7 | 20.2   | 21.3 | 13.9 | 15.7   | 14.7 | 9.0  | 9.1    | 7.3  | 9.7  | 8.5    | 17.0 | 18.3 | 17.6   |      |            |  |  |  |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 8.2   | 3.5    | 5.9  | 5.2  | 2.2    | 3.6  | 4.0  | 2.5    | 3.3  | 3.9  | 2.6    | 3.2  | 2.8  | 1.9    | 2.4  | 4.8  | 2.6    | 3.7  |            |  |  |  |
| MIGHT BE ADDICTIVE                                                                     | 2.1   | 1.3    | 1.7  | 2.2  | 1.3    | 1.8  | 1.4  | 1.3    | 1.4  | 1.0  | 0.5    | 0.8  | 1.5  | 0.4    | 1.0  | 1.7  | 1.0    | 1.3  |            |  |  |  |
| PARENTS MADE ME STOP                                                                   | 0.7   | 0.6    | 0.7  | 0.9  | 0.3    | 0.6  | 0.8  | 0.1    | 0.5  | 0.3  | 0.2    | 0.2  | 0.2  | 0.0    | 0.1  | 0.6  | 0.2    | 0.4  |            |  |  |  |
| ILLEGAL TO USE IT                                                                      | 1.2   | 1.0    | 1.1  | 0.8  | 0.2    | 0.5  | 0.9  | 0.4    | 0.7  | 0.2  | 0.2    | 0.2  | 0.1  | 0.0    | 0.1  | 0.7  | 0.4    | 0.5  |            |  |  |  |
| WAS JUST EXPERIMENTING                                                                 | 8.5   | 11.1   | 9.7  | 6.3  | 9.9    | 8.2  | 6.0  | 7.2    | 6.6  | 4.5  | 5.9    | 5.2  | 3.4  | 5.0    | 4.1  | 5.8  | 7.9    | 6.8  |            |  |  |  |
| NOT INTERESTED ANYMORE                                                                 | 3.9   | 4.1    | 4.0  | 4.2  | 4.2    | 4.1  | 4.0  | 4.2    | 4.1  | 4.7  | 5.0    | 4.8  | 2.9  | 3.6    | 3.3  | 3.9  | 4.2    | 4.1  |            |  |  |  |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 0.9   | 0.6    | 0.8  | 0.8  | 1.6    | 1.2  | 0.4  | 1.1    | 0.7  | 0.2  | 0.8    | 0.4  | 0.2  | 0.1    | 0.1  | 0.5  | 0.8    | 0.7  |            |  |  |  |
| FRIENDS STOPPED USING IT                                                               | 0.2   | 0.0    | 0.1  | 0.4  | 0.1    | 0.2  | 0.3  | 0.1    | 0.2  | 0.0  | 0.0    | 0.0  | 0.1  | 0.1    | 0.1  | 0.2  | 0.0    | 0.1  |            |  |  |  |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.2   | 0.2    | 0.2  | 0.2  | 0.2    | 0.2  | 0.1  | 0.0    | 0.1  | 0.3  | 0.0    | 0.2  | 0.2  | 0.0    | 0.1  | 0.2  | 0.1    | 0.2  |            |  |  |  |
| DIDN'T LIKE EFFECTS                                                                    | 0.4   | 0.9    | 0.7  | 1.5  | 1.7    | 1.6  | 1.2  | 2.1    | 1.6  | 1.3  | 2.1    | 1.7  | 1.6  | 2.4    | 2.0  | 1.2  | 1.8    | 1.5  |            |  |  |  |
| OTHER THINGS I ENJOY DOING                                                             | 4.3   | 3.7    | 4.0  | 4.5  | 3.6    | 4.0  | 4.5  | 4.5    | 4.5  | 4.1  | 4.7    | 4.3  | 3.7  | 4.4    | 4.0  | 4.2  | 4.2    | 4.2  |            |  |  |  |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.0   | 0.0    | 0.0  | 0.1  | 0.2    | 0.2  | 0.2  | 0.2    | 0.2  | 0.1  | 0.3    | 0.2  | 0.3  | 0.1    | 0.2  | 0.1  | 0.2    | 0.2  |            |  |  |  |
| OTHER REASON                                                                           | 7.0   | 5.7    | 6.3  | 5.3  | 5.6    | 5.5  | 5.3  | 6.0    | 5.6  | 4.9  | 3.5    | 4.2  | 3.0  | 2.9    | 3.0  | 5.1  | 4.8    | 5.0  |            |  |  |  |
| STILL USE IT                                                                           | 31.0  | 30.6   | 30.9 | 44.9 | 48.7   | 47.0 | 58.8 | 54.6   | 55.9 | 65.5 | 65.2   | 65.3 | 72.7 | 69.3   | 71.0 | 53.9 | 53.5   | 53.7 |            |  |  |  |
| Q39(MOD): REASON FOR STOPPING ALCOHOL USE (RESPONSES FOR THOSE WHO HAVE STOPPED USING) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |  |  |  |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 21.7  | 10.8   | 16.8 | 15.9 | 7.0    | 11.4 | 13.8 | 8.5    | 11.3 | 15.3 | 10.3   | 12.6 | 14.2 | 9.1    | 11.6 | 16.7 | 9.1    | 13.0 |            |  |  |  |
| MIGHT BE ADDICTIVE                                                                     | 5.6   | 3.9    | 4.8  | 6.9  | 4.3    | 5.5  | 4.9  | 4.4    | 4.6  | 4.1  | 1.8    | 3.0  | 7.6  | 2.0    | 4.8  | 5.7  | 3.5    | 4.6  |            |  |  |  |
| PARENTS MADE ME STOP                                                                   | 1.7   | 1.9    | 1.9  | 2.9  | 1.0    | 1.9  | 2.9  | 0.3    | 1.6  | 1.1  | 0.8    | 1.0  | 1.2  | 0.0    | 0.6  | 2.1  | 0.9    | 1.5  |            |  |  |  |
| ILLEGAL TO USE IT                                                                      | 3.1   | 3.2    | 3.1  | 2.4  | 0.6    | 1.5  | 3.2  | 1.5    | 2.4  | 0.8  | 1.0    | 0.9  | 0.6  | 0.0    | 0.3  | 2.3  | 1.4    | 1.8  |            |  |  |  |
| WAS JUST EXPERIMENTING                                                                 | 22.6  | 33.8   | 27.5 | 19.4 | 31.8   | 25.8 | 20.4 | 24.3   | 22.5 | 17.6 | 23.2   | 20.5 | 16.9 | 23.8   | 20.1 | 19.8 | 28.0   | 23.8 |            |  |  |  |
| NOT INTERESTED ANYMORE                                                                 | 10.3  | 12.4   | 11.4 | 12.8 | 13.5   | 13.1 | 13.7 | 14.3   | 13.9 | 18.5 | 19.4   | 18.9 | 14.3 | 17.3   | 18.0 | 13.5 | 15.1   | 14.3 |            |  |  |  |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 2.4   | 1.8    | 2.2  | 2.5  | 5.0    | 3.8  | 1.5  | 3.5    | 2.5  | 0.8  | 2.2    | 1.5  | 0.8  | 0.3    | 0.5  | 1.8  | 2.8    | 2.3  |            |  |  |  |
| FRIENDS STOPPED USING IT                                                               | 0.6   | 0.0    | 0.3  | 1.4  | 0.2    | 0.8  | 0.9  | 0.3    | 0.6  | 0.0  | 0.0    | 0.0  | 0.6  | 0.4    | 0.5  | 0.7  | 0.2    | 0.5  |            |  |  |  |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.4   | 0.6    | 0.5  | 0.6  | 0.7    | 0.7  | 0.4  | 0.0    | 0.2  | 1.1  | 0.1    | 0.8  | 1.1  | 0.0    | 0.6  | 0.7  | 0.3    | 0.5  |            |  |  |  |
| DIDN'T LIKE EFFECTS                                                                    | 1.2   | 2.8    | 1.9  | 4.5  | 5.5    | 5.0  | 4.1  | 7.0    | 5.5  | 5.2  | 8.1    | 6.6  | 7.9  | 11.6   | 9.8  | 4.1  | 6.5    | 5.3  |            |  |  |  |
| OTHER THINGS I ENJOY DOING                                                             | 11.6  | 11.2   | 11.5 | 14.0 | 11.7   | 12.7 | 15.5 | 15.2   | 15.3 | 16.0 | 18.2   | 17.0 | 18.3 | 21.2   | 19.6 | 14.6 | 14.8   | 14.6 |            |  |  |  |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.0   | 0.1    | 0.1  | 0.2  | 0.7    | 0.5  | 0.8  | 0.5    | 0.7  | 0.4  | 1.1    | 0.8  | 1.3  | 0.6    | 0.9  | 0.5  | 0.8    | 0.5  |            |  |  |  |
| OTHER REASON                                                                           | 18.7  | 17.5   | 18.0 | 16.3 | 17.9   | 17.4 | 18.0 | 20.1   | 19.0 | 19.1 | 13.8   | 16.4 | 15.1 | 13.8   | 14.5 | 17.6 | 17.0   | 17.3 |            |  |  |  |

NOTE: Q39(MOD) IS A MODIFIED RESPONSE SET FOR Q39 AND INCLUDES ONLY THOSE WHO USED TO DRINK ALCOHOL BUT WHO DO NOT DRINK NOW.

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q40 = 13,184<br>Q40(MOD) = 8,696                    | GRADE |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |      |      |        |
|--------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|------|------|--------|
|                                                                                      | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        |            |      | 12     |      |      |        |
|                                                                                      | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |      | FEMALE | MALE |      | FEMALE |
|                                                                                      | X     | %    | X      | %    | X    | %      | X    | %    | X      | %    | X    | %      | X          | %    | X      | %    | X    | %      |
| Q40: REASON FOR STILL USING ALCOHOL                                                  |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |      |        |
| DON'T KNOW WHAT IT IS                                                                | 0.9   | 0.3  | 0.8    | 0.4  | 0.5  | 0.5    | 0.1  | 0.0  | 0.0    | 0.1  | 0.0  | 0.0    | 0.1        | 0.2  | 0.2    | 0.3  | 0.2  | 0.3    |
| HAVE NEVER DRUNK ALCOHOL                                                             | 33.4  | 39.6 | 36.3   | 24.8 | 22.0 | 23.2   | 15.2 | 17.0 | 16.0   | 9.6  | 10.3 | 10.0   | 7.6        | 9.7  | 8.7    | 18.2 | 19.7 | 18.9   |
| STOPPED DRINKING ALCOHOL                                                             | 23.2  | 18.2 | 20.9   | 18.7 | 16.3 | 17.4   | 17.7 | 16.3 | 17.0   | 14.1 | 14.9 | 14.5   | 11.4       | 11.5 | 11.5   | 17.1 | 15.5 | 16.3   |
| IT IS FUN                                                                            | 10.9  | 10.4 | 10.7   | 16.8 | 21.0 | 19.1   | 25.3 | 23.2 | 24.3   | 27.6 | 27.1 | 27.4   | 30.0       | 25.8 | 28.0   | 22.1 | 21.6 | 21.9   |
| FRIENDS STILL DRINK                                                                  | 2.9   | 2.4  | 2.7    | 3.9  | 2.3  | 3.0    | 4.0  | 1.9  | 3.0    | 2.9  | 2.3  | 2.6    | 2.7        | 1.2  | 2.0    | 3.3  | 2.0  | 2.7    |
| CANNOT STOP DRINKING                                                                 | 0.5   | 0.7  | 0.6    | 0.5  | 0.8  | 0.6    | 0.3  | 0.9  | 0.6    | 0.4  | 0.6  | 0.5    | 0.9        | 0.6  | 0.8    | 0.5  | 0.7  | 0.6    |
| TO GET ALONG WITH FRIENDS                                                            | 0.9   | 0.5  | 0.7    | 1.3  | 0.8  | 1.0    | 1.3  | 0.9  | 1.1    | 1.3  | 1.3  | 1.6    | 2.0        | 1.2  | 1.6    | 1.4  | 0.9  | 1.2    |
| EASIER TO DO SCHOOL WORK                                                             | 0.2   | 0.1  | 0.2    | 0.2  | 0.1  | 0.1    | 0.2  | 0.1  | 0.2    | 0.2  | 0.0  | 0.1    | 0.2        | 0.0  | 0.1    | 0.2  | 0.1  | 0.1    |
| GOOD FOR MY HEALTH                                                                   | 0.5   | 0.3  | 0.4    | 0.2  | 0.1  | 0.1    | 1.0  | 0.1  | 0.5    | 0.3  | 0.0  | 0.1    | 0.7        | 0.2  | 0.4    | 0.5  | 0.1  | 0.3    |
| CALMS ME DOWN                                                                        | 0.9   | 0.3  | 0.6    | 0.8  | 0.1  | 0.4    | 0.8  | 0.8  | 0.7    | 0.9  | 0.7  | 0.8    | 0.8        | 0.2  | 0.5    | 0.8  | 0.4  | 0.6    |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 1.8   | 3.1  | 2.4    | 2.1  | 4.0  | 3.2    | 3.0  | 3.6  | 3.3    | 3.0  | 3.8  | 3.4    | 3.1        | 3.1  | 3.1    | 2.6  | 3.5  | 3.1    |
| ADULTS SAY IT IS NOT GOOD                                                            | 0.4   | 0.2  | 0.3    | 0.1  | 0.5  | 0.3    | 0.1  | 0.4  | 0.3    | 0.1  | 0.3  | 0.2    | 0.0        | 0.3  | 0.2    | 0.1  | 0.4  | 0.3    |
| BORED, NOTHING ELSE TO DO                                                            | 1.0   | 1.6  | 1.3    | 2.1  | 2.0  | 2.0    | 2.6  | 2.0  | 2.3    | 1.8  | 1.3  | 1.5    | 1.6        | 1.7  | 1.6    | 1.8  | 1.7  | 1.7    |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 3.4   | 2.6  | 3.0    | 5.7  | 4.5  | 5.1    | 5.8  | 5.9  | 5.8    | 11.3 | 10.7 | 10.9   | 14.9       | 17.8 | 16.3   | 8.1  | 8.1  | 8.1    |
| MAKES ME FEEL GOOD                                                                   | 3.4   | 2.7  | 3.1    | 5.6  | 6.6  | 6.1    | 8.7  | 7.0  | 7.9    | 9.5  | 9.9  | 9.9    | 9.0        | 7.0  | 8.0    | 7.3  | 6.7  | 7.0    |
| OTHER REASON                                                                         | 15.8  | 17.1 | 16.3   | 17.0 | 18.5 | 17.8   | 14.2 | 19.9 | 17.0   | 16.0 | 16.9 | 16.5   | 15.0       | 19.5 | 17.1   | 15.5 | 18.4 | 16.9   |
| Q40(MOD): REASON FOR STILL USING ALCOHOL (RESPONSES FOR THOSE WHO STILL USE ALCOHOL) |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |      |        |
| IT IS FUN                                                                            | 25.6  | 24.8 | 25.4   | 29.9 | 34.4 | 32.5   | 37.7 | 34.8 | 36.3   | 36.2 | 36.3 | 36.3   | 37.1       | 32.9 | 35.2   | 34.3 | 33.4 | 33.9   |
| FRIENDS STILL DRINK                                                                  | 6.9   | 5.8  | 6.5    | 6.9  | 3.7  | 5.1    | 5.9  | 2.9  | 4.4    | 3.8  | 3.1  | 3.4    | 3.3        | 1.6  | 2.5    | 5.1  | 3.2  | 4.1    |
| CANNOT STOP DRINKING                                                                 | 1.1   | 1.6  | 1.3    | 0.9  | 1.3  | 1.1    | 0.5  | 1.4  | 0.9    | 0.6  | 0.9  | 0.7    | 1.2        | 0.7  | 0.9    | 0.8  | 1.1  | 1.0    |
| TO GET ALONG WITH FRIENDS                                                            | 2.1   | 1.2  | 1.7    | 2.3  | 1.3  | 1.8    | 1.9  | 1.4  | 1.6    | 2.3  | 1.7  | 2.1    | 2.5        | 1.5  | 2.0    | 2.2  | 1.4  | 1.9    |
| EASIER TO DO SCHOOL WORK                                                             | 0.5   | 0.3  | 0.4    | 0.3  | 0.2  | 0.2    | 0.3  | 0.2  | 0.2    | 0.3  | 0.0  | 0.1    | 0.2        | 0.0  | 0.1    | 0.3  | 0.1  | 0.2    |
| GOOD FOR MY HEALTH                                                                   | 1.1   | 0.7  | 0.9    | 0.4  | 0.1  | 0.2    | 1.4  | 0.1  | 0.8    | 0.4  | 0.0  | 0.2    | 0.9        | 0.2  | 0.6    | 0.8  | 0.2  | 0.5    |
| CALMS ME DOWN                                                                        | 2.1   | 0.6  | 1.4    | 1.4  | 0.2  | 0.7    | 0.9  | 1.2  | 1.0    | 1.2  | 0.9  | 1.0    | 1.0        | 0.3  | 0.7    | 1.2  | 0.8  | 0.9    |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 4.2   | 7.4  | 5.7    | 3.8  | 6.5  | 5.4    | 4.5  | 5.3  | 4.9    | 4.0  | 5.0  | 4.5    | 3.8        | 3.9  | 3.8    | 4.1  | 5.4  | 4.7    |
| ADULTS SAY IT IS NOT GOOD                                                            | 0.9   | 0.5  | 0.7    | 0.2  | 0.8  | 0.5    | 0.2  | 0.6  | 0.4    | 0.1  | 0.4  | 0.3    | 0.0        | 0.4  | 0.2    | 0.2  | 0.5  | 0.4    |
| BORED, NOTHING ELSE TO DO                                                            | 2.3   | 3.7  | 3.0    | 3.7  | 3.2  | 3.4    | 3.9  | 2.3  | 3.4    | 2.3  | 1.7  | 2.0    | 2.0        | 2.2  | 2.0    | 2.8  | 2.6  | 2.7    |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 8.0   | 6.1  | 7.1    | 10.2 | 7.4  | 8.6    | 8.7  | 8.8  | 8.7    | 14.8 | 14.2 | 14.5   | 18.4       | 22.7 | 20.4   | 12.6 | 12.6 | 12.5   |
| MAKES ME FEEL GOOD                                                                   | 8.1   | 6.5  | 7.4    | 9.9  | 10.7 | 10.3   | 13.0 | 10.5 | 11.8   | 13.0 | 13.2 | 13.2   | 11.2       | 8.9  | 10.1   | 11.4 | 10.3 | 10.9   |
| OTHER REASON                                                                         | 37.1  | 40.7 | 38.7   | 30.2 | 30.2 | 30.2   | 21.1 | 29.9 | 25.3   | 21.1 | 22.6 | 21.8   | 18.6       | 24.8 | 21.5   | 24.2 | 28.4 | 26.2   |

NOTE: Q40(MOD) IS A MODIFIED RESPONSE SET FOR Q40 AND INCLUDES ONLY THOSE WHO STILL USE ALCOHOL.

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q41 = 14,406<br>Q42 = 14,399 | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |   | ALL GRADES |   |      |   |        |   |     |   |      |   |        |   |     |   |
|---------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|---|------------|---|------|---|--------|---|-----|---|------|---|--------|---|-----|---|
|                                                               | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |      |        |   | 12         |   |      |   |        |   |     |   |      |   |        |   |     |   |
|                                                               | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |   | ALL        |   | MALE |   | FEMALE |   | ALL |   | MALE |   | FEMALE |   | ALL |   |
|                                                               | X     | Z    | X      | Z    | X    | Z    | X    | Z    | X      | Z    | X    | Z    | X    | Z    | X      | Z | X          | Z | X    | Z | X      | Z | X   | Z | X    | Z | X      | Z | X   | Z |
| Q41: FREQUENCY OF BEING TIGHT<br>IN LAST 4 WEEKS              |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| DO NOT DRINK ALCOHOL                                          | 33.4  | 38.2 | 35.6   | 27.0 | 23.5 | 25.1 | 16.3 | 18.8 | 17.4   | 13.2 | 14.0 | 13.7 | 10.0 | 12.6 | 11.3   |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| NO ALCOHOL IN LAST 4 WEEKS                                    | 31.7  | 27.9 | 29.9   | 26.1 | 28.3 | 27.3 | 24.5 | 24.8 | 24.6   | 18.1 | 19.3 | 18.8 | 15.8 | 18.9 | 17.3   |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| NOT BEEN TIGHT LAST 4 WEEKS                                   | 18.0  | 20.8 | 19.3   | 23.3 | 23.1 | 23.1 | 27.4 | 29.6 | 28.4   | 29.4 | 34.1 | 31.6 | 33.5 | 38.1 | 35.7   |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| ONCE IN LAST 4 WEEKS                                          | 7.2   | 6.9  | 7.0    | 10.5 | 13.1 | 11.8 | 14.6 | 13.6 | 14.4   | 17.7 | 18.4 | 18.0 | 16.1 | 16.2 | 16.1   |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| TWICE IN LAST 4 WEEKS                                         | 3.9   | 2.9  | 3.4    | 6.2  | 6.1  | 6.2  | 8.5  | 6.6  | 7.5    | 8.8  | 7.8  | 8.2  | 10.3 | 6.6  | 8.6    |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| 3 TIMES IN LAST 4 WEEKS                                       | 2.2   | 1.4  | 1.8    | 2.4  | 3.0  | 2.8  | 3.3  | 3.3  | 3.3    | 4.2  | 3.4  | 3.7  | 4.8  | 3.9  | 4.4    |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| 4 TIMES IN LAST 4 WEEKS                                       | 1.2   | 0.5  | 0.8    | 1.8  | 1.4  | 1.7  | 2.6  | 2.2  | 2.5    | 4.0  | 1.1  | 2.5  | 4.3  | 1.2  | 2.8    |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| 5 OR MORE TIMES LAST 4 WEEKS                                  | 2.4   | 1.4  | 1.9    | 2.7  | 1.5  | 2.1  | 2.7  | 1.2  | 2.0    | 4.6  | 2.1  | 3.3  | 5.3  | 2.4  | 3.8    |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| Q42: FREQUENCY OF BEING DRUNK<br>IN LAST 4 WEEKS              |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| DO NOT DRINK ALCOHOL                                          | 33.9  | 38.5 | 36.2   | 27.1 | 23.9 | 25.3 | 16.8 | 19.5 | 18.0   | 13.0 | 14.7 | 13.9 | 10.3 | 12.8 | 11.5   |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| NO ALCOHOL IN LAST 4 WEEKS                                    | 28.5  | 26.5 | 27.6   | 25.3 | 27.0 | 26.2 | 22.2 | 23.6 | 22.8   | 18.3 | 18.8 | 18.7 | 14.9 | 18.7 | 16.7   |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| NOT BEEN DRUNK LAST 4 WEEKS                                   | 20.3  | 21.3 | 20.7   | 25.3 | 26.9 | 26.1 | 32.9 | 32.3 | 32.7   | 32.1 | 41.5 | 39.8 | 43.6 | 47.5 | 45.4   |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| ONCE IN LAST 4 WEEKS                                          | 8.1   | 7.2  | 7.7    | 10.9 | 13.3 | 12.2 | 14.5 | 15.4 | 15.0   | 15.6 | 16.0 | 15.8 | 16.3 | 12.9 | 14.6   |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| TWICE IN LAST 4 WEEKS                                         | 3.6   | 3.7  | 3.6    | 5.0  | 4.2  | 4.6  | 6.6  | 4.5  | 5.6    | 6.3  | 4.7  | 5.4  | 5.7  | 3.2  | 4.6    |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| 3 TIMES IN LAST 4 WEEKS                                       | 1.9   | 0.9  | 1.5    | 2.6  | 2.1  | 2.3  | 2.4  | 2.2  | 2.4    | 2.8  | 1.5  | 2.1  | 3.7  | 2.2  | 2.9    |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| 4 TIMES IN LAST 4 WEEKS                                       | 1.4   | 0.8  | 1.1    | 1.7  | 1.6  | 1.6  | 2.2  | 1.1  | 1.7    | 2.2  | 1.7  | 1.9  | 2.1  | 1.3  | 1.7    |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |
| 5 OR MORE TIMES LAST 4 WEEKS                                  | 2.3   | 1.1  | 1.8    | 2.1  | 0.9  | 1.6  | 2.3  | 1.2  | 1.8    | 3.7  | 1.2  | 2.3  | 3.5  | 1.6  | 2.5    |   |            |   |      |   |        |   |     |   |      |   |        |   |     |   |



| NUMBER OF VALID RESPONSES TO:<br>Q43 = 14,404<br>Q44 = 14,413                        | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|--------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                                                      | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      |            |        |      | 12   |        |      |
|                                                                                      | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  | MALE | FEMALE | ALL  |
| Q43. FREQ. OF HAVING 5 OR MORE ALCOHOLIC DRINKS ON THE SAME OCCASION IN LAST 4 WEEKS |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DO NOT DRINK ALCOHOL                                                                 | 34.3  | 39.1   | 36.6 | 27.3 | 24.4   | 25.7 | 17.5 | 20.1   | 18.6 | 13.2 | 14.6   | 14.0 | 10.1       | 12.8   | 11.5 | 20.7 | 22.4   | 21.5 |
| NO ALCOHOL IN LAST 4 WEEKS                                                           | 30.3  | 27.9   | 29.2 | 26.9 | 27.6   | 27.2 | 24.1 | 24.0   | 24.0 | 18.1 | 19.0   | 18.7 | 16.1       | 19.1   | 17.6 | 23.3 | 23.6   | 23.5 |
| NOT ON SAME OCCASION LAST 4 WK                                                       | 16.7  | 20.5   | 19.5 | 20.9 | 23.1   | 22.0 | 22.0 | 25.9   | 23.8 | 20.1 | 29.8   | 25.1 | 19.3       | 30.1   | 24.6 | 20.2 | 25.8   | 23.0 |
| ONCE IN LAST 4 WEEKS                                                                 | 7.5   | 6.5    | 7.0  | 10.3 | 13.1   | 11.8 | 14.3 | 14.5   | 14.5 | 15.0 | 16.9   | 16.0 | 16.3       | 15.2   | 15.7 | 12.6 | 13.2   | 12.9 |
| TWICE IN LAST 4 WEEKS                                                                | 3.5   | 2.2    | 2.8  | 5.2  | 4.8    | 5.0  | 9.4  | 6.5    | 8.1  | 11.1 | 8.5    | 9.7  | 10.7       | 7.9    | 9.4  | 7.9  | 6.0    | 6.9  |
| 3 TIMES IN LAST 4 WEEKS                                                              | 1.6   | 1.3    | 1.5  | 3.7  | 3.2    | 3.4  | 5.0  | 3.7    | 4.5  | 6.8  | 4.2    | 5.4  | 7.5        | 5.0    | 6.3  | 4.9  | 3.4    | 4.2  |
| 4 TIMES DURING LAST 4 WEEKS                                                          | 1.3   | 1.1    | 1.2  | 2.4  | 1.6    | 2.0  | 3.0  | 2.9    | 2.9  | 7.4  | 3.1    | 5.2  | 8.7        | 3.7    | 6.2  | 4.5  | 2.4    | 3.4  |
| 5 OR MORE TIMES LAST 4 WEEKS                                                         | 2.8   | 1.5    | 2.2  | 3.3  | 2.2    | 2.9  | 4.6  | 2.5    | 3.6  | 8.7  | 3.9    | 5.9  | 11.2       | 6.2    | 8.8  | 5.9  | 3.2    | 4.6  |
| Q44. FREQUENCY OF GOING ON WEEKEND DRINKING SPREES                                   |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| HAVE NEVER DRUNK ALCOHOL                                                             | 23.8  | 27.9   | 25.8 | 18.1 | 15.6   | 16.7 | 10.8 | 13.1   | 11.8 | 7.7  | 8.1    | 7.9  | 5.8        | 7.9    | 6.9  | 13.4 | 14.6   | 14.0 |
| NEVER GONE ON WEEKEND SPREE                                                          | 47.3  | 49.5   | 48.3 | 47.2 | 50.3   | 48.7 | 45.1 | 48.3   | 46.6 | 40.6 | 46.9   | 43.9 | 37.4       | 45.0   | 41.0 | 43.7 | 48.1   | 45.8 |
| ONCE IN MY LIFE                                                                      | 10.5  | 9.7    | 10.1 | 11.2 | 11.5   | 11.4 | 13.7 | 15.1   | 14.3 | 13.4 | 13.6   | 13.4 | 13.1       | 11.7   | 12.4 | 12.4 | 12.3   | 12.3 |
| TWICE IN MY LIFE                                                                     | 4.9   | 3.6    | 4.4  | 6.6  | 6.2    | 6.4  | 7.4  | 5.8    | 6.7  | 7.5  | 7.9    | 7.7  | 9.0        | 9.3    | 9.1  | 7.0  | 6.5    | 6.8  |
| 3 OR MORE TIMES IN MY LIFE                                                           | 13.5  | 9.0    | 14.1 | 16.9 | 16.4   | 16.8 | 23.0 | 17.7   | 20.6 | 30.9 | 23.5   | 27.1 | 34.6       | 26.1   | 30.5 | 23.5 | 18.4   | 21.1 |



THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q45 = 14,443<br>Q46 = 14,447<br>Q47 = 14,450 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |   |        |     |
|-------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|---|--------|-----|
|                                                                               | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        |            |   |        |     |
|                                                                               | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |   | FEMALE | ALL |
|                                                                               | %     | N    | %      | N    | %    | N      | %    | N    | %      | N    | %    | N      | %    | N    | %      | N    | %    | N      | %          | N | %      | N   |
| Q45: FREQ. OF DRINKING PRIOR TO OR INSTEAD OF BREAKFAST                       |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |     |
| HAVE NEVER DRUNK ALCOHOL                                                      | 24.1  | 28.8 | 26.4   | 18.1 | 15.8 | 16.8   | 11.0 | 13.2 | 11.9   | 7.6  | 8.0  | 7.9    | 6.3  | 7.9  | 7.1    | 13.6 | 14.8 | 14.2   |            |   |        |     |
| NEVER DRANK PRIOR TO BREAKFAST                                                | 64.7  | 63.2 | 64.0   | 69.0 | 71.7 | 70.3   | 72.6 | 70.5 | 71.6   | 69.1 | 73.1 | 71.2   | 65.4 | 71.4 | 68.2   | 68.3 | 70.0 | 69.1   |            |   |        |     |
| ONCE IN MY LIFE                                                               | 5.6   | 4.5  | 5.1    | 7.0  | 7.3  | 7.2    | 7.1  | 8.5  | 7.7    | 8.5  | 9.1  | 8.7    | 10.4 | 9.4  | 10.0   | 7.6  | 7.7  | 7.7    |            |   |        |     |
| TWICE IN MY LIFE                                                              | 2.1   | 1.2  | 1.7    | 1.8  | 2.0  | 1.9    | 3.4  | 3.4  | 3.4    | 5.3  | 3.7  | 4.5    | 6.8  | 4.3  | 5.6    | 3.9  | 2.9  | 3.4    |            |   |        |     |
| 3 OR MORE TIMES IN MY LIFE                                                    | 3.4   | 2.3  | 2.9    | 4.1  | 3.2  | 3.7    | 6.0  | 4.4  | 5.3    | 9.4  | 6.1  | 7.7    | 11.2 | 7.0  | 9.2    | 6.7  | 4.5  | 5.7    |            |   |        |     |
| Q46: FREQ. OF AGGRESSIVE BEHAVIOUR DUE TO ALCOHOL                             |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |     |
| HAVE NEVER DRUNK ALCOHOL                                                      | 25.8  | 30.6 | 28.1   | 18.4 | 17.1 | 17.6   | 11.4 | 13.8 | 12.4   | 7.9  | 8.4  | 8.2    | 6.3  | 8.1  | 7.2    | 14.1 | 15.7 | 14.9   |            |   |        |     |
| NEVER AGGRESS. DUE TO ALCOHOL                                                 | 60.4  | 61.5 | 60.9   | 63.3 | 70.4 | 67.1   | 65.7 | 71.0 | 68.1   | 61.2 | 76.7 | 69.4   | 60.8 | 75.1 | 67.6   | 62.4 | 70.9 | 66.6   |            |   |        |     |
| ONCE IN MY LIFE                                                               | 5.2   | 4.1  | 4.7    | 8.4  | 7.9  | 8.1    | 9.1  | 9.0  | 9.2    | 9.7  | 7.7  | 8.7    | 11.0 | 7.9  | 9.6    | 8.6  | 7.3  | 8.0    |            |   |        |     |
| TWICE IN MY LIFE                                                              | 2.9   | 1.2  | 2.1    | 3.5  | 2.3  | 2.9    | 3.6  | 2.3  | 3.1    | 6.1  | 2.9  | 4.4    | 6.4  | 3.7  | 5.1    | 4.4  | 2.5  | 3.5    |            |   |        |     |
| 3 OR MORE TIMES IN MY LIFE                                                    | 5.6   | 2.7  | 4.2    | 6.4  | 2.3  | 4.4    | 10.2 | 3.9  | 7.2    | 15.1 | 4.2  | 9.3    | 15.5 | 5.1  | 10.5   | 10.4 | 3.6  | 7.0    |            |   |        |     |
| Q47: FREQ. OF MEMORY LOSS W/O PASSING OUT AFTER DRINKING                      |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |     |
| HAVE NEVER DRUNK ALCOHOL                                                      | 25.7  | 30.7 | 28.1   | 19.0 | 17.0 | 17.9   | 11.1 | 13.9 | 12.4   | 7.9  | 8.4  | 8.2    | 6.1  | 8.3  | 7.2    | 14.1 | 15.8 | 14.9   |            |   |        |     |
| NEVER MEMORY LOSS AFTER DRINKING                                              | 56.0  | 54.0 | 55.0   | 57.9 | 56.5 | 57.1   | 58.0 | 54.4 | 56.2   | 58.4 | 53.8 | 55.1   | 53.2 | 55.0 | 54.0   | 56.4 | 54.7 | 55.5   |            |   |        |     |
| ONCE IN MY LIFE                                                               | 9.4   | 7.2  | 8.3    | 12.2 | 14.3 | 13.3   | 14.4 | 15.4 | 14.9   | 13.9 | 17.9 | 15.9   | 16.8 | 17.7 | 17.3   | 13.3 | 14.5 | 13.9   |            |   |        |     |
| TWICE IN MY LIFE                                                              | 3.3   | 3.2  | 3.2    | 4.5  | 5.2  | 4.8    | 6.0  | 7.4  | 6.7    | 7.9  | 9.1  | 8.5    | 7.9  | 8.4  | 8.2    | 5.9  | 6.6  | 6.2    |            |   |        |     |
| 3 OR MORE TIMES IN MY LIFE                                                    | 5.6   | 5.0  | 5.4    | 6.4  | 7.0  | 6.9    | 10.5 | 8.9  | 9.7    | 14.0 | 10.9 | 12.3   | 16.0 | 10.6 | 13.3   | 10.4 | 8.4  | 9.5    |            |   |        |     |

ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q48 = 14,265<br>Q49 = 14,349<br>Q50 = 14,478 | GRADE |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |      |      |      |        |     |
|-------------------------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|------|------|------|--------|-----|
|                                                                               | 8     |      |        | 9    |      |      | 10     |      |      | 11   |        |      |            |      | 12     |      |      |      |        |     |
|                                                                               | MALE  |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE       |      | FEMALE | ALL  | MALE |      | FEMALE | ALL |
|                                                                               | %     | X    | %      |      | X    | %    | X      |      | %    | X    | %      |      | X          | %    | X      |      | %    | X    | %      |     |
| Q48: AVERAGE BOTTLES OF BEER CONSUMED AT ONE TIME                             |       |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |      |      |        |     |
| NONE, DO NOT DRINK BEER                                                       | 52.5  | 62.9 | 57.5   | 40.6 | 47.8 | 44.2 | 28.7   | 44.4 | 36.0 | 22.8 | 36.4   | 30.1 | 18.4       | 41.8 | 29.7   | 32.8 | 46.6 | 39.7 |        |     |
| 1 TO 3 BOTTLES                                                                | 30.7  | 28.4 | 28.5   | 30.3 | 31.2 | 30.8 | 27.6   | 29.9 | 28.8 | 22.8 | 31.8   | 27.4 | 23.2       | 29.7 | 26.2   | 27.0 | 29.8 | 26.4 |        |     |
| 4 TO 6 BOTTLES                                                                | 9.0   | 7.2  | 8.2    | 15.8 | 15.0 | 15.4 | 21.3   | 18.7 | 20.1 | 27.1 | 24.2   | 25.6 | 26.7       | 20.1 | 23.6   | 19.8 | 17.1 | 18.5 |        |     |
| 7 OR MORE BOTTLES                                                             | 7.8   | 3.5  | 5.8    | 13.4 | 6.0  | 9.7  | 22.3   | 7.0  | 15.1 | 27.3 | 7.6    | 17.0 | 31.7       | 8.4  | 20.5   | 20.3 | 6.5  | 13.5 |        |     |
| Q49: AVERAGE GLASSES OF WINE CONSUMED AT ONE TIME                             |       |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |      |      |        |     |
| NONE, DO NOT DRINK WINE                                                       | 58.5  | 57.5 | 58.0   | 53.8 | 44.6 | 48.9 | 50.3   | 40.1 | 45.3 | 50.3 | 37.1   | 43.5 | 52.7       | 36.7 | 45.0   | 53.1 | 43.3 | 48.2 |        |     |
| 1 TO 3 GLASSES                                                                | 34.6  | 36.6 | 35.5   | 35.8 | 45.6 | 40.9 | 35.3   | 43.9 | 39.5 | 34.7 | 47.1   | 41.2 | 34.4       | 49.2 | 41.5   | 35.0 | 44.5 | 39.7 |        |     |
| 4 TO 6 GLASSES                                                                | 3.4   | 4.3  | 3.8    | 6.6  | 5.8  | 6.2  | 7.8    | 11.3 | 9.6  | 7.9  | 10.8   | 9.4  | 7.2        | 10.0 | 8.6    | 6.6  | 8.4  | 7.5  |        |     |
| 7 OR MORE GLASSES                                                             | 3.5   | 1.6  | 2.7    | 3.9  | 4.0  | 4.0  | 6.6    | 4.7  | 5.7  | 7.1  | 5.0    | 5.9  | 5.6        | 4.1  | 4.9    | 5.4  | 3.9  | 4.6  |        |     |
| Q50: AVERAGE DRINKS OF HARD LIQUOR CONSUMED AT ONE TIME                       |       |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |      |      |        |     |
| NONE, DO NOT DRINK HARD LIQUOR                                                | 64.8  | 69.0 | 66.9   | 53.1 | 49.9 | 51.3 | 42.0   | 46.9 | 41.2 | 35.5 | 40.0   | 36.0 | 34.2       | 36.4 | 35.2   | 46.2 | 48.6 | 47.4 |        |     |
| 1 TO 3 DRINKS                                                                 | 24.4  | 22.6 | 23.6   | 29.0 | 34.8 | 32.0 | 29.0   | 35.2 | 31.9 | 30.1 | 37.6   | 33.9 | 29.9       | 36.3 | 33.8   | 28.4 | 33.7 | 31.0 |        |     |
| 4 TO 6 DRINKS                                                                 | 6.3   | 5.3  | 5.8    | 9.9  | 10.4 | 10.3 | 16.9   | 13.0 | 15.2 | 18.8 | 16.7   | 17.7 | 19.2       | 18.0 | 18.7   | 14.1 | 12.6 | 13.4 |        |     |
| 7 OR MORE DRINKS                                                              | 4.5   | 2.9  | 3.7    | 8.0  | 4.9  | 6.4  | 12.1   | 4.9  | 8.6  | 15.7 | 5.7    | 10.4 | 16.8       | 7.4  | 12.3   | 11.3 | 5.1  | 8.2  |        |     |



ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q55 = 14,470<br>Q56 = 14,425<br>Q57 = 14,393 | GRADE |      |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |      |            |
|-------------------------------------------------------------------------------|-------|------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|------|------------|
|                                                                               | 8     |      |      | 9    |      |        | 10   |      |      | 11     |      |      | 12         |        |      | ALL GRADES |
|                                                                               | MALE  |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |            | FEMALE | ALL  |            |
|                                                                               | %     | %    | %    | %    | %    | %      | %    | %    | %    | %      | %    | %    | %          | %      | %    |            |
| Q55: PARENTS THINK YOU DRINK<br>100 MUCH ALCOHOL                              |       |      |      |      |      |        |      |      |      |        |      |      |            |        |      |            |
| DO NOT USE ALCOHOL                                                            | 46.2  | 50.5 | 48.5 | 35.1 | 32.9 | 33.8   | 23.1 | 28.4 | 25.4 | 17.9   | 19.8 | 19.0 | 14.7       | 17.5   | 16.1 | 28.9       |
| YES                                                                           | 2.0   | 1.2  | 1.6  | 3.6  | 1.9  | 2.7    | 5.6  | 2.2  | 4.0  | 7.2    | 3.5  | 5.3  | 8.7        | 4.2    | 6.5  | 3.9        |
| NO                                                                            | 22.1  | 17.4 | 19.7 | 25.0 | 23.2 | 24.1   | 29.7 | 27.4 | 28.6 | 34.1   | 34.5 | 34.2 | 40.4       | 45.4   | 42.8 | 29.6       |
| DON'T KNOW                                                                    | 6.5   | 6.1  | 7.4  | 7.7  | 6.7  | 7.2    | 10.6 | 8.8  | 9.6  | 9.5    | 6.6  | 8.0  | 9.9        | 8.7    | 9.3  | 8.3        |
| THEY DON'T KNOW HOW MUCH I DRK                                                | 21.2  | 24.4 | 22.8 | 28.6 | 35.3 | 32.2   | 31.0 | 33.4 | 32.4 | 31.3   | 35.6 | 33.5 | 26.3       | 24.3   | 25.4 | 29.3       |
| Q56: ACCIDENT WHILE YOU WERE<br>DRIVING IN LAST 12 MONTHS                     |       |      |      |      |      |        |      |      |      |        |      |      |            |        |      |            |
| NO                                                                            | 95.2  | 98.0 | 96.6 | 95.7 | 97.8 | 96.8   | 95.3 | 97.2 | 98.1 | 92.9   | 90.4 | 88.8 | 77.3       | 85.6   | 81.3 | 89.6       |
| ONCE                                                                          | 2.6   | 1.0  | 1.8  | 2.3  | 1.3  | 1.8    | 3.0  | 2.0  | 2.6  | 12.3   | 6.1  | 10.1 | 15.3       | 11.4   | 13.4 | 6.9        |
| TWICE                                                                         | 0.5   | 0.5  | 0.5  | 0.6  | 0.5  | 0.6    | 1.1  | 0.7  | 0.9  | 3.0    | 1.3  | 2.1  | 4.7        | 2.5    | 3.6  | 1.9        |
| 3 TIMES                                                                       | 0.2   | 0.1  | 0.2  | 0.3  | 0.1  | 0.2    | 0.2  | 0.2  | 0.2  | 0.9    | 0.1  | 0.5  | 2.0        | 0.4    | 1.2  | 0.7        |
| 4 TIMES                                                                       | 0.1   | 0.0  | 0.1  | 0.3  | 0.1  | 0.2    | 0.1  | 0.0  | 0.1  | 0.2    | 0.1  | 0.2  | 0.4        | 0.2    | 0.3  | 0.2        |
| 5 OR MORE TIMES                                                               | 1.3   | 0.4  | 0.8  | 0.9  | 0.2  | 0.5    | 0.3  | 0.0  | 0.1  | 0.7    | 0.1  | 0.3  | 0.2        | 0.0    | 0.1  | 0.7        |
| Q57: ACCIDENT WHILE DRIVING<br>AFTER DRINKING LPST 12 MO.                     |       |      |      |      |      |        |      |      |      |        |      |      |            |        |      |            |
| NO                                                                            | 97.4  | 99.0 | 98.2 | 98.1 | 99.4 | 98.8   | 98.2 | 99.2 | 98.7 | 97.5   | 96.5 | 98.0 | 95.0       | 96.8   | 96.9 | 97.3       |
| ONCE                                                                          | 0.9   | 0.3  | 0.6  | 0.7  | 0.4  | 0.6    | 1.1  | 0.5  | 0.8  | 1.7    | 1.4  | 1.5  | 3.6        | 1.0    | 2.3  | 1.6        |
| TWICE                                                                         | 0.3   | 0.2  | 0.3  | 0.2  | 0.1  | 0.2    | 0.2  | 0.2  | 0.2  | 0.4    | 0.1  | 0.2  | 1.1        | 0.1    | 0.6  | 0.4        |
| 3 TIMES                                                                       | 0.2   | 0.1  | 0.2  | 0.2  | 0.0  | 0.1    | 0.2  | 0.1  | 0.1  | 0.1    | 0.0  | 0.1  | 0.2        | 0.1    | 0.1  | 0.2        |
| 4 TIMES                                                                       | 0.0   | 0.0  | 0.0  | 0.2  | 0.0  | 0.1    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0    | 0.0  | 0.0        |
| 5 OR MORE TIMES                                                               | 1.1   | 0.3  | 0.7  | 0.5  | 0.1  | 0.3    | 0.2  | 0.0  | 0.1  | 0.3    | 0.0  | 0.2  | 0.1        | 0.0    | 0.0  | 0.5        |



ALL REGIONS

| NUMBER OF VALID RESPONSES TO:<br>Q81A = 12,607<br>Q81B = 12,681<br>Q81C = 12,508 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|----------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                                                  | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | MALE | FEMALE | ALL  |
|                                                                                  | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |        |      |
|                                                                                  |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| Q81A: FREQUENCY OF DRINKING AT<br>TEEN PARTIES WHEN ADULTS ARE<br>NOT PRESENT    |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                     | 50.2  | 47.9   | 49.0 | 35.2 | 30.2   | 32.6 | 23.8 | 23.0   | 23.4 | 14.6 | 18.2   | 15.4 | 11.6       | 18.9   | 15.1 | 26.7 | 26.8   | 26.6 |
| SOMETIMES                                                                        | 25.8  | 26.4   | 26.2 | 24.9 | 28.0   | 26.5 | 25.6 | 28.0   | 26.7 | 25.6 | 28.9   | 27.4 | 23.7       | 28.9   | 26.3 | 25.2 | 28.1   | 26.6 |
| FREQUENTLY                                                                       | 7.8   | 6.9    | 7.4  | 12.8 | 11.7   | 12.1 | 14.5 | 12.5   | 13.6 | 16.9 | 16.3   | 16.6 | 19.3       | 14.7   | 17.1 | 14.4 | 12.6   | 13.5 |
| MOST OF THE TIME                                                                 | 16.2  | 18.8   | 17.4 | 27.0 | 30.1   | 28.8 | 36.0 | 36.4   | 36.3 | 42.9 | 36.6   | 40.7 | 45.3       | 37.5   | 41.5 | 33.8 | 32.7   | 33.3 |
| Q81B: FREQUENCY OF DRINKING AT<br>HOME ON SPECIAL OCCASIONS                      |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                     | 24.6  | 21.6   | 23.5 | 22.6 | 18.6   | 20.5 | 19.6 | 16.7   | 18.1 | 20.0 | 16.3   | 18.1 | 19.7       | 14.4   | 17.2 | 21.2 | 17.4   | 19.4 |
| SOMETIMES                                                                        | 50.2  | 50.4   | 50.0 | 49.3 | 50.0   | 49.8 | 50.7 | 50.2   | 50.5 | 48.1 | 48.2   | 48.1 | 49.1       | 49.5   | 49.2 | 49.5 | 49.6   | 49.5 |
| FREQUENTLY                                                                       | 11.8  | 12.8   | 12.3 | 12.0 | 13.8   | 12.9 | 14.0 | 14.7   | 14.3 | 15.0 | 15.3   | 15.2 | 15.6       | 17.2   | 16.3 | 13.7 | 14.8   | 14.2 |
| MOST OF THE TIME                                                                 | 13.4  | 15.3   | 14.3 | 16.1 | 17.6   | 16.8 | 15.7 | 16.4   | 17.0 | 16.9 | 20.1   | 18.6 | 15.9       | 18.9   | 17.3 | 15.0 | 18.2   | 16.8 |
| Q81C: FREQUENCY OF DRINKING IN<br>A CAR AT NIGHT                                 |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                     | 66.0  | 84.5   | 85.6 | 82.1 | 77.6   | 79.6 | 75.0 | 70.5   | 72.9 | 65.8 | 69.4   | 67.7 | 58.3       | 67.8   | 63.0 | 73.3 | 73.6   | 73.5 |
| SOMETIMES                                                                        | 8.2   | 9.2    | 8.6  | 12.0 | 14.6   | 13.4 | 17.4 | 19.9   | 18.6 | 25.4 | 21.6   | 23.4 | 30.1       | 25.1   | 27.7 | 16.8 | 16.3   | 16.6 |
| FREQUENTLY                                                                       | 2.6   | 3.3    | 3.0  | 3.0  | 4.5    | 3.9  | 4.5  | 5.6    | 5.1  | 5.7  | 5.3    | 5.5  | 7.6        | 4.7    | 6.2  | 4.7  | 4.7    | 4.8  |
| MOST OF THE TIME                                                                 | 2.6   | 3.0    | 2.6  | 3.0  | 3.3    | 3.2  | 3.1  | 4.0    | 3.9  | 3.1  | 3.6    | 3.4  | 4.0        | 2.4    | 3.2  | 3.2  | 3.3    | 3.2  |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS.  
 IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION.



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

ALL REGIONS

|                                                                                            | GRADE |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |
|--------------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|
|                                                                                            | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12         |      |        |
|                                                                                            | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |      | FEMALE |
|                                                                                            | X     | %    |        | X    | %    |        | X    | %    |        | X    | %    |        | X          | %    |        |
| NUMBER OF VALID RESPONSES TO:<br>Q81D = 12,543<br>Q81E = 12,552<br>Q81F = 12,574           | 60.2  | 61.3 | 60.8   | 57.8 | 57.4 | 57.5   | 54.7 | 52.0 | 52.5   | 53.9 | 54.4 | 54.1   | 53.9       | 52.0 | 53.0   |
| Q81D: FREQUENCY OF DRINKING AT<br>DINNER AT HOME WITH FAMILY                               |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| DO NOT DRINK IN THIS SETTING                                                               |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| SOMETIMES                                                                                  | 33.8  | 32.9 | 33.2   | 35.3 | 36.2 | 35.8   | 38.5 | 39.5 | 39.0   | 40.6 | 37.7 | 39.2   | 40.8       | 41.6 | 41.2   |
| FREQUENTLY                                                                                 | 2.9   | 3.9  | 3.4    | 3.8  | 4.0  | 3.9    | 3.7  | 5.1  | 4.4    | 3.9  | 4.8  | 4.2    | 3.6        | 4.3  | 4.0    |
| MOST OF THE TIME                                                                           | 3.1   | 1.9  | 2.0    | 3.1  | 2.4  | 2.7    | 3.0  | 3.3  | 3.2    | 1.7  | 3.3  | 2.5    | 1.6        | 2.0  | 1.8    |
| Q81E: FREQUENCY OF DRINKING AT<br>TEEN HANGOUTS WHEN ADULTS<br>ARE NOT PRESENT             |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| DO NOT DRINK IN THIS SETTING                                                               |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| SOMETIMES                                                                                  | 59.1  | 56.6 | 57.8   | 46.3 | 39.9 | 42.9   | 38.9 | 37.6 | 37.1   | 30.2 | 34.9 | 32.7   | 28.9       | 38.1 | 33.3   |
| FREQUENTLY                                                                                 | 21.7  | 22.0 | 21.9   | 27.8 | 28.6 | 28.1   | 29.8 | 28.9 | 29.5   | 35.2 | 33.3 | 34.2   | 38.1       | 31.4 | 34.8   |
| MOST OF THE TIME                                                                           | 8.6   | 8.3  | 8.4    | 12.2 | 13.0 | 12.7   | 15.3 | 15.3 | 15.4   | 17.2 | 15.4 | 16.2   | 17.0       | 16.5 | 16.8   |
|                                                                                            | 10.7  | 13.2 | 11.9   | 13.7 | 18.4 | 16.3   | 18.0 | 18.1 | 18.1   | 17.4 | 16.4 | 16.9   | 16.0       | 14.0 | 15.1   |
| Q81F: FREQUENCY OF DRINKING<br>DURING/AFTER SCHOOL ACTIVITY<br>WHEN ADULTS ARE NOT PRESENT |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| DO NOT DRINK IN THIS SETTING                                                               |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| SOMETIMES                                                                                  | 70.1  | 69.2 | 69.6   | 62.0 | 55.0 | 58.3   | 50.9 | 50.4 | 50.5   | 42.5 | 47.2 | 45.1   | 37.3       | 49.4 | 43.1   |
| FREQUENTLY                                                                                 | 17.3  | 17.2 | 17.2   | 21.7 | 24.7 | 23.3   | 27.0 | 26.5 | 27.7   | 32.2 | 30.8 | 31.3   | 34.4       | 30.3 | 32.5   |
| MOST OF THE TIME                                                                           | 4.9   | 5.9  | 5.4    | 7.9  | 9.6  | 8.6    | 10.2 | 9.5  | 10.0   | 12.3 | 11.4 | 11.8   | 13.8       | 10.0 | 12.0   |
|                                                                                            | 7.7   | 7.8  | 7.8    | 8.4  | 10.7 | 9.7    | 11.9 | 11.6 | 11.8   | 13.0 | 10.6 | 11.8   | 14.5       | 10.3 | 12.4   |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS.  
IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION.



APPENDIX D (continued)

Item Responses by Sex within Grade within Region

...

Lower Mainland Region

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
 PERCENTAGES OF RESPONDENTS WHO HAVE USED ALCOHOL OR OTHER DRUGS  
 IN THE LAST 12 MONTHS BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 LOWER MAINLAND

| NUMBER OF VALID RESPONSES<br>VARIES FROM 3,424 TO 3,462 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|---------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                         | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                         | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
|                                                         | %     | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %          | %      | %    |
| TOBACCO: Q8                                             | 17.0  | 17.4   | 17.2 | 23.1 | 28.9   | 26.0 | 23.1 | 32.1   | 27.7 | 31.4 | 39.8   | 35.8 | 30.4 | 36.6   | 33.2 | 25.2       | 31.4   | 28.3 |
| ALCOHOL: Q9                                             | 54.0  | 43.4   | 48.9 | 60.4 | 60.2   | 60.4 | 67.4 | 70.3   | 69.0 | 77.1 | 77.1   | 77.2 | 82.6 | 78.5   | 80.5 | 68.7       | 66.6   | 67.7 |
| CANNABIS: Q10                                           | 11.5  | 9.1    | 10.3 | 23.1 | 20.9   | 22.0 | 26.9 | 26.5   | 26.8 | 39.8 | 37.2   | 38.6 | 39.5 | 36.6   | 36.3 | 28.6       | 26.6   | 27.6 |
| GLUE: Q11                                               | 5.7   | 3.1    | 4.4  | 2.5  | 3.5    | 3.0  | 2.7  | 2.0    | 2.4  | 1.5  | 2.1    | 1.8  | 2.7  | 2.0    | 2.4  | 3.0        | 2.5    | 2.8  |
| SOLVENTS (PAINT THINNER, GAS): Q12                      | 6.0   | 5.7    | 5.9  | 3.5  | 6.5    | 5.0  | 3.5  | 3.7    | 3.5  | 1.9  | 3.0    | 2.4  | 3.7  | 1.0    | 2.4  | 3.7        | 3.9    | 3.8  |
| * INHALANTS (GLUE OR SOLVENTS)                          | 8.5   | 6.6    | 7.5  | 4.1  | 7.4    | 5.7  | 4.5  | 4.3    | 4.3  | 2.5  | 3.7    | 3.1  | 5.3  | 2.0    | 3.8  | 5.0        | 4.7    | 4.8  |
| LSD: Q26                                                | 5.5   | 2.7    | 4.3  | 6.3  | 7.1    | 6.8  | 7.7  | 8.2    | 8.1  | 11.9 | 11.1   | 11.5 | 14.4 | 11.0   | 12.8 | 9.3        | 8.2    | 6.8  |
| PCP: Q24                                                | 3.0   | 0.6    | 2.0  | 2.6  | 2.5    | 2.5  | 0.9  | 1.3    | 1.1  | 1.2  | 1.6    | 1.4  | 1.8  | 1.0    | 1.4  | 1.9        | 1.4    | 1.7  |
| HALLUCINOGENS (EXCL. LSD & PCP):Q25                     | 4.0   | 2.9    | 3.6  | 6.0  | 7.5    | 6.7  | 8.0  | 7.1    | 7.7  | 13.6 | 8.9    | 11.2 | 15.6 | 8.0    | 12.0 | 9.7        | 7.0    | 8.4  |
| * ANY HALLUCINOGEN                                      | 7.3   | 4.2    | 5.9  | 9.1  | 9.3    | 9.2  | 11.4 | 11.7   | 11.6 | 15.8 | 13.6   | 14.7 | 20.1 | 13.4   | 17.0 | 13.0       | 10.6   | 11.8 |
| COCAINE: Q17                                            | 3.2   | 2.8    | 2.9  | 3.5  | 4.2    | 3.8  | 4.0  | 3.4    | 3.7  | 12.2 | 9.4    | 10.7 | 13.0 | 8.7    | 11.0 | 7.4        | 5.8    | 6.5  |
| CRACK: Q18                                              | 1.8   | 1.4    | 1.6  | 1.1  | 0.5    | 0.8  | 0.0  | 1.2    | 0.6  | 1.2  | 1.5    | 1.3  | 2.8  | 1.4    | 2.1  | 1.4        | 1.2    | 1.3  |
| HEROIN: Q15                                             | 2.4   | 1.7    | 2.1  | 1.1  | 0.8    | 0.9  | 0.9  | 0.8    | 0.9  | 0.9  | 1.3    | 1.1  | 2.9  | 0.7    | 1.9  | 1.7        | 1.1    | 1.4  |
| SPEED: Q16                                              | 3.7   | 1.7    | 2.7  | 3.5  | 6.6    | 5.2  | 4.5  | 6.2    | 5.4  | 9.1  | 6.9    | 8.2  | 8.6  | 6.4    | 7.6  | 6.0        | 5.7    | 5.9  |
| STIMULANTS (W/O PRESCRIPTION): Q20                      | 4.9   | 6.0    | 5.4  | 3.2  | 12.1   | 7.8  | 5.0  | 15.5   | 10.4 | 9.5  | 13.5   | 11.7 | 6.6  | 11.8   | 8.9  | 5.9        | 11.9   | 8.9  |
| STIMULANTS (W. PRESCRIPTION): Q21                       | 5.1   | 5.1    | 5.1  | 8.1  | 5.6    | 6.9  | 4.5  | 7.8    | 6.4  | 5.9  | 4.5    | 5.1  | 6.6  | 2.7    | 4.8  | 6.0        | 5.2    | 5.6  |
| BARBITURATES (W/O PRESCRIPTION):Q13                     | 1.5   | 3.0    | 2.2  | 2.0  | 6.5    | 4.3  | 3.7  | 3.8    | 3.7  | 5.2  | 6.3    | 5.8  | 4.9  | 3.7    | 4.4  | 3.5        | 4.7    | 4.1  |
| TRANQUILIZERS (W/O PRESC.): Q22                         | 4.1   | 2.7    | 3.4  | 3.2  | 6.4    | 4.9  | 2.7  | 6.5    | 4.6  | 4.7  | 7.4    | 6.0  | 5.5  | 3.6    | 4.6  | 4.1        | 5.4    | 4.7  |
| * DEPRESSANTS (W/O PRESCRIPTION)                        | 5.0   | 4.4    | 4.7  | 4.1  | 9.9    | 7.1  | 5.6  | 8.5    | 7.0  | 7.7  | 10.9   | 9.4  | 8.3  | 5.8    | 7.1  | 6.2        | 8.0    | 7.1  |
| BARBITURATES (W. PRESCRIPTION): Q14                     | 8.7   | 6.0    | 7.3  | 9.8  | 8.7    | 9.5  | 5.2  | 10.0   | 7.6  | 12.2 | 12.3   | 12.3 | 9.4  | 9.6    | 9.5  | 9.1        | 9.4    | 9.3  |
| TRANQUILIZERS (W. PRESCRIPTION):Q23                     | 3.8   | 3.8    | 3.8  | 5.5  | 6.8    | 6.2  | 3.8  | 4.3    | 4.1  | 4.4  | 7.5    | 5.9  | 5.8  | 5.9    | 5.8  | 4.7        | 5.7    | 5.2  |
| * DEPRESSANTS (WITH PRESCRIPTION)                       | 11.3  | 8.7    | 10.0 | 12.7 | 13.6   | 13.3 | 8.6  | 13.2   | 11.0 | 14.8 | 16.8   | 15.8 | 13.0 | 13.8   | 13.4 | 12.1       | 13.4   | 12.7 |
| PRESCRIPTION (STIM,BARB,TRANQ)                          | 14.3  | 12.0   | 13.1 | 17.6 | 17.5   | 17.7 | 12.3 | 17.6   | 15.1 | 17.5 | 17.7   | 17.5 | 16.4 | 14.9   | 15.7 | 15.6       | 16.1   | 15.9 |

NOTES: \* REPRESENTS A COMBINATION OF DRUGS. "INHALANTS" REFERS TO USE OF GLUE OR SOLVENTS. "ANY HALLUCINOGEN" REFERS TO USE OF LSD, PCP, OR OTHER HALLUCINOGENS. "DEPRESSANTS (W/O PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITHOUT A PRESCRIPTION. "DEPRESSANTS (WITH PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITH A PRESCRIPTION. "PRESCRIPTION (STIM, BARB, TRANQ)" REFERS TO USE OF STIMULANTS, BARBITURATES, OR TRANQUILIZERS WITH A PRESCRIPTION.

TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE.  
 REFER TO APPROPRIATE QUESTIONNAIRE ITEMS TO DETERMINE WHAT INDIVIDUAL DRUGS ARE INCLUDED WITHIN EACH DRUG CATEGORY

## LOWER MAINLAND

|                                                                         | GRADE  |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        | ALL GRADES |  |     |
|-------------------------------------------------------------------------|--------|------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------------|--|-----|
|                                                                         | 8      |      |      | 9    |      |        | 10   |      |      | 11     |      |      | 12   |        |      |      |      |        |            |  |     |
|                                                                         | FEMALE |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE |            |  | ALL |
|                                                                         | Σ      | %    | Σ    | Σ    | %    | Σ      | %    | Σ    | %    | Σ      | %    | Σ    | %    | Σ      | %    | Σ    | %    | Σ      |            |  | %   |
| NUMBER OF VALID RESPONSES 10:<br>Q4 = 3,453<br>Q5 = 3,421<br>Q6 = 3,416 |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |  |     |
| Q4: USUAL SCHOOL MARKS                                                  |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |  |     |
| A                                                                       | 11.7   | 19.1 | 15.0 | 9.8  | 14.0 | 12.0   | 11.9 | 12.3 | 12.1 | 7.6    | 6.0  | 6.7  | 9.5  | 8.1    | 8.8  | 10.1 | 11.7 | 10.8   |            |  |     |
| B                                                                       | 38.6   | 41.0 | 39.7 | 36.4 | 35.2 | 35.5   | 36.7 | 38.9 | 37.7 | 34.2   | 39.3 | 36.8 | 35.8 | 43.7   | 39.6 | 36.3 | 39.6 | 37.9   |            |  |     |
| C                                                                       | 38.7   | 32.9 | 36.2 | 41.7 | 39.6 | 40.8   | 40.1 | 42.1 | 41.3 | 46.5   | 49.5 | 48.2 | 45.8 | 41.3   | 43.6 | 42.6 | 41.4 | 42.1   |            |  |     |
| PASS                                                                    | 9.0    | 5.1  | 7.1  | 10.3 | 10.8 | 10.7   | 10.2 | 6.6  | 8.3  | 11.1   | 4.8  | 7.8  | 8.4  | 6.3    | 7.4  | 9.7  | 6.7  | 8.3    |            |  |     |
| FAIL                                                                    | 2.1    | 1.9  | 2.0  | 1.9  | 0.3  | 1.1    | 1.1  | 0.0  | 0.6  | 0.6    | 0.3  | 0.5  | 0.5  | 0.7    | 0.6  | 1.2  | 0.6  | 0.9    |            |  |     |
| Q5: FATHER'S EMPLOYMENT STATUS                                          |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |  |     |
| PERMANENTLY EMPLOYED FULLTIME                                           | 82.5   | 77.8 | 80.5 | 78.6 | 80.3 | 79.6   | 85.0 | 79.8 | 82.3 | 81.3   | 79.8 | 80.5 | 84.5 | 82.8   | 83.7 | 82.5 | 80.1 | 81.4   |            |  |     |
| UNEMPLOYED PERMANENTLY/RETIRED                                          | 2.0    | 1.9  | 1.9  | 2.6  | 3.3  | 2.9    | 4.0  | 1.7  | 2.8  | 3.8    | 4.1  | 4.0  | 6.3  | 4.5    | 5.5  | 3.8  | 3.1  | 3.5    |            |  |     |
| SEASONALLY EMPLOYED                                                     | 3.4    | 4.4  | 3.8  | 3.0  | 2.3  | 2.6    | 2.0  | 4.9  | 3.4  | 2.6    | 3.6  | 3.1  | 2.4  | 2.8    | 2.6  | 2.7  | 3.6  | 3.1    |            |  |     |
| INTERMITTENTLY EMPLOYED                                                 | 4.9    | 5.9  | 5.3  | 9.3  | 7.5  | 8.3    | 4.1  | 5.7  | 4.8  | 6.1    | 5.4  | 5.7  | 3.1  | 2.6    | 2.9  | 5.4  | 5.4  | 5.4    |            |  |     |
| DON'T KNOW OR NOT LIVING                                                | 7.2    | 10.0 | 8.5  | 6.5  | 6.6  | 6.5    | 5.0  | 8.0  | 6.6  | 6.2    | 7.1  | 6.7  | 3.7  | 7.2    | 5.3  | 5.8  | 7.7  | 6.7    |            |  |     |
| Q6: MOTHER'S EMPLOYMENT STATUS                                          |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |  |     |
| FULLTIME HOMEAKER                                                       | 32.4   | 29.6 | 31.2 | 28.5 | 31.0 | 29.9   | 29.9 | 30.3 | 30.0 | 26.4   | 31.7 | 29.0 | 31.9 | 25.8   | 29.0 | 29.9 | 29.7 | 29.8   |            |  |     |
| PERMANENTLY EMPLOYED                                                    | 42.0   | 45.3 | 43.5 | 46.4 | 49.8 | 47.8   | 48.3 | 50.2 | 49.5 | 47.5   | 50.0 | 48.8 | 44.5 | 54.1   | 49.1 | 45.8 | 50.0 | 47.8   |            |  |     |
| UNEMPLOYED PERMANENTLY/RETIRED                                          | 3.0    | 3.6  | 3.2  | 2.8  | 2.6  | 2.8    | 1.7  | 2.3  | 2.0  | 2.5    | 1.1  | 1.8  | 3.4  | 2.6    | 3.0  | 2.7  | 2.4  | 2.5    |            |  |     |
| SEASONALLY EMPLOYED                                                     | 8.2    | 6.2  | 7.2  | 5.1  | 5.6  | 5.5    | 6.1  | 4.4  | 5.2  | 6.2    | 4.3  | 5.4  | 5.0  | 6.0    | 5.4  | 6.1  | 5.3  | 5.7    |            |  |     |
| INTERMITTENTLY EMPLOYED                                                 | 11.4   | 10.7 | 11.2 | 12.7 | 9.9  | 11.1   | 12.0 | 11.3 | 11.6 | 14.7   | 10.0 | 12.3 | 13.5 | 10.0   | 11.8 | 12.9 | 10.4 | 11.6   |            |  |     |
| DON'T KNOW OR NOT LIVING                                                | 3.0    | 4.5  | 3.7  | 4.6  | 1.1  | 2.8    | 1.9  | 1.5  | 1.7  | 2.8    | 2.8  | 2.8  | 1.7  | 1.6    | 1.6  | 2.7  | 2.2  | 2.5    |            |  |     |





THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

|                                                            | GRADE  |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |  |      |   |
|------------------------------------------------------------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|--|------|---|
|                                                            | 8      |      |      |      | 9      |      |      |      | 10     |      |      |      | 11     |      |      |      | 12     |      |            |  |      |   |
|                                                            | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      |            |  | MALE |   |
|                                                            | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    |            |  | %    | N |
| NUMBER OF VALID RESPONSES TO:<br>Q9 = 3,462<br>Q10 = 3,456 |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |  |      |   |
| Q9: ALCOHOL USE IN LAST 12 MO.                             |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |  |      |   |
| NONE                                                       | 33.5   | 42.5 |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |  |      |   |
| ONE SIP                                                    | 12.5   | 14.2 | 13.2 | 10.6 | 11.6   | 11.1 | 8.6  | 6.0  | 7.3    | 5.3  | 4.2  | 4.7  | 2.7    | 5.6  | 4.2  | 7.8  | 8.1    | 7.9  |            |  |      |   |
| SPECIAL EVENTS ONLY                                        | 27.6   | 24.5 | 26.1 | 21.6 | 25.4   | 23.7 | 23.8 | 22.4 | 23.2   | 14.9 | 22.2 | 18.6 | 16.2   | 15.8 | 16.0 | 20.7 | 22.0   | 21.4 |            |  |      |   |
| ONCE MONTHLY OR LESS                                       | 11.6   | 10.4 | 11.1 | 15.2 | 15.7   | 15.5 | 15.9 | 20.9 | 18.4   | 14.9 | 19.0 | 17.2 | 17.1   | 23.1 | 19.9 | 15.0 | 18.0   | 16.5 |            |  |      |   |
| 2 TO 3 TIMES MONTHLY                                       | 6.5    | 4.7  | 5.6  | 14.0 | 10.8   | 12.2 | 14.5 | 13.7 | 14.3   | 19.5 | 19.0 | 19.1 | 19.3   | 16.8 | 18.1 | 14.9 | 13.3   | 14.0 |            |  |      |   |
| ONCE PER WEEK                                              | 3.7    | 0.9  | 2.4  | 6.5  | 5.7    | 6.2  | 9.3  | 8.4  | 8.8    | 12.0 | 10.2 | 11.3 | 14.6   | 10.7 | 12.8 | 9.4  | 7.4    | 8.4  |            |  |      |   |
| 2 OR 3 TIMES WEEKLY                                        | 2.5    | 1.4  | 2.0  | 2.3  | 2.4    | 2.5  | 3.9  | 3.8  | 3.8    | 14.3 | 5.1  | 9.5  | 13.9   | 10.2 | 12.1 | 7.6  | 4.6    | 6.1  |            |  |      |   |
| 4 OR 5 TIMES WEEKLY                                        | 0.2    | 0.3  | 0.2  | 0.6  | 0.3    | 0.4  | 0.0  | 0.8  | 0.4    | 0.5  | 1.0  | 0.8  | 1.2    | 0.6  | 0.9  | 0.5  | 0.6    | 0.6  |            |  |      |   |
| Q10: CANNABIS USE IN LAST 12 MONTHS                        |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |  |      |   |
| DON'T KNOW WHAT IT IS                                      | 19.7   | 24.1 | 21.8 | 12.6 | 14.2   | 13.6 | 11.4 | 9.9  | 10.6   | 8.7  | 12.6 | 10.8 | 6.7    | 8.6  | 7.6  | 11.7 | 13.6   | 12.7 |            |  |      |   |
| NONE                                                       | 68.8   | 66.8 | 67.9 | 64.3 | 64.9   | 64.4 | 61.7 | 63.6 | 62.6   | 51.5 | 50.2 | 50.6 | 53.4   | 54.7 | 54.1 | 59.7 | 59.8   | 59.7 |            |  |      |   |
| 1 OR 2 TIMES                                               | 6.1    | 2.6  | 4.4  | 7.6  | 9.2    | 8.3  | 10.1 | 7.8  | 6.9    | 10.5 | 13.8 | 12.3 | 9.5    | 11.8 | 10.6 | 8.8  | 9.2    | 9.0  |            |  |      |   |
| 3 TO 5 TIMES                                               | 2.0    | 2.1  | 2.1  | 5.1  | 3.5    | 4.2  | 4.5  | 6.6  | 5.8    | 4.9  | 6.3  | 5.6  | 5.6    | 7.0  | 6.3  | 4.4  | 5.2    | 4.8  |            |  |      |   |
| 6 TO 9 TIMES                                               | 0.7    | 1.2  | 0.9  | 3.6  | 1.9    | 2.7  | 3.1  | 4.0  | 3.5    | 4.4  | 5.0  | 4.6  | 5.5    | 3.9  | 4.7  | 3.5  | 3.3    | 3.4  |            |  |      |   |
| 10 TO 19 TIMES                                             | 0.8    | 1.0  | 0.9  | 2.8  | 2.1    | 2.4  | 3.3  | 2.7  | 2.9    | 3.7  | 3.0  | 3.3  | 5.1    | 5.6  | 5.3  | 3.2  | 2.9    | 3.0  |            |  |      |   |
| 20 TO 39 TIMES                                             | 0.5    | 0.3  | 0.4  | 1.1  | 0.5    | 1.0  | 1.2  | 3.3  | 2.3    | 5.7  | 4.5  | 5.2  | 5.0    | 4.6  | 4.8  | 2.8  | 2.7    | 2.8  |            |  |      |   |
| 40 OR MORE TIMES                                           | 1.3    | 2.0  | 1.6  | 2.9  | 3.7    | 3.4  | 4.6  | 2.1  | 3.4    | 10.5 | 4.6  | 7.6  | 9.3    | 3.7  | 6.7  | 5.9  | 3.3    | 4.6  |            |  |      |   |

LOWER MATH AND

| NUMBER OF VALID RESPONSES 10:<br>Q8(MOD) = 982<br>Q9(MOD) = 2,368<br>Q10(MOD) = 968 | GRADE |      |        |      |      |        |      |      |      |        |      |      | ALL GRADES |        |      |      |        |      |
|-------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|------|--------|------|------|------------|--------|------|------|--------|------|
|                                                                                     | 8     |      |        | 9    |      |        | 10   |      |      | 11     |      |      | 12         |        |      | MALE | FEMALE | ALL  |
|                                                                                     | MALE  |      | FEMALE | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |            | FEMALE | ALL  |      |        |      |
|                                                                                     | %     | N    | %      | N    | %    | N      | %    | N    | %    | N      | %    | N    | %          | N      | %    |      |        |      |
| Q8(MOD): TOBACCO USE IN LAST 12 MONTHS                                              |       |      |        |      |      |        |      |      |      |        |      |      |            |        |      |      |        |      |
| LESS THAN 1 CIGARETTE DAILY                                                         | 40.9  | 35.2 | 37.8   | 30.0 | 39.1 | 34.8   | 39.7 | 39.8 | 39.7 | 39.5   | 34.8 | 36.4 | 34.6       | 41.4   | 38.1 | 36.9 | 38.2   | 37.4 |
| 1 TO 2 DAILY                                                                        | 17.4  | 26.8 | 21.7   | 16.8 | 19.1 | 17.9   | 17.8 | 13.0 | 14.8 | 3.5    | 9.5  | 6.8  | 8.5        | 5.8    | 7.1  | 11.5 | 12.9   | 12.1 |
| 3 TO 5 DAILY                                                                        | 15.5  | 21.0 | 18.7   | 27.7 | 18.9 | 22.5   | 18.6 | 20.8 | 19.7 | 21.3   | 14.7 | 17.3 | 18.1       | 13.5   | 15.7 | 20.3 | 17.1   | 18.5 |
| 6 TO 10 DAILY                                                                       | 5.1   | 8.5  | 6.6    | 13.5 | 14.9 | 14.6   | 10.1 | 16.1 | 14.1 | 19.1   | 21.8 | 21.2 | 18.0       | 18.6   | 18.3 | 14.3 | 17.2   | 16.2 |
| 11 TO 15 DAILY                                                                      | 8.7   | 0.0  | 4.5    | 4.6  | 2.7  | 3.5    | 7.5  | 6.2  | 6.7  | 7.4    | 7.8  | 7.9  | 10.5       | 9.1    | 9.8  | 8.0  | 6.1    | 7.0  |
| 16 TO 20 DAILY                                                                      | 1.5   | 1.5  | 1.5    | 2.3  | 2.1  | 2.1    | 5.4  | 1.9  | 3.3  | 6.2    | 10.1 | 8.3  | 7.1        | 7.5    | 7.3  | 5.0  | 5.4    | 5.2  |
| MORE THAN 20 DAILY                                                                  | 11.1  | 7.1  | 9.1    | 5.0  | 3.3  | 4.6    | 1.0  | 2.2  | 1.7  | 3.1    | 1.3  | 2.1  | 3.1        | 4.1    | 3.6  | 4.1  | 3.1    | 3.6  |
| Q9(MOD): ALCOHOL USE IN LAST 12 MONTHS                                              |       |      |        |      |      |        |      |      |      |        |      |      |            |        |      |      |        |      |
| SPECIAL EVENTS ONLY                                                                 | 51.1  | 56.9 | 53.4   | 35.8 | 42.2 | 39.1   | 35.3 | 31.9 | 33.6 | 19.3   | 28.8 | 24.1 | 19.6       | 20.1   | 19.8 | 30.1 | 33.1   | 31.6 |
| ONCE MONTHLY OR LESS                                                                | 21.5  | 23.9 | 22.6   | 25.3 | 26.1 | 25.6   | 23.6 | 29.7 | 26.7 | 19.3   | 24.7 | 22.3 | 20.7       | 29.5   | 24.7 | 21.8 | 27.1   | 24.4 |
| 2 TO 3 TIMES MONTHLY                                                                | 11.9  | 10.9 | 11.5   | 23.2 | 17.9 | 20.7   | 21.5 | 19.4 | 20.7 | 25.3   | 24.7 | 24.7 | 23.3       | 21.4   | 22.4 | 21.6 | 19.9   | 20.7 |
| ONCE PER WEEK                                                                       | 6.9   | 2.0  | 4.8    | 10.8 | 9.4  | 10.2   | 13.8 | 12.0 | 12.8 | 15.6   | 13.2 | 14.6 | 17.7       | 13.7   | 15.9 | 13.7 | 11.1   | 12.5 |
| 2 OR 3 TIMES WEEKLY                                                                 | 4.7   | 3.2  | 4.1    | 3.8  | 3.9  | 4.1    | 5.8  | 5.5  | 5.5  | 18.6   | 6.6  | 12.3 | 16.8       | 13.0   | 15.1 | 11.1 | 6.9    | 9.1  |
| 4 OR 5 TIMES WEEKLY                                                                 | 0.4   | 0.6  | 0.5    | 1.0  | 0.4  | 0.7    | 0.0  | 1.2  | 0.6  | 0.7    | 1.3  | 1.0  | 1.5        | 0.7    | 1.1  | 0.8  | 0.9    | 0.8  |
| 6 TO 7 TIMES WEEKLY                                                                 | 3.4   | 2.7  | 3.1    | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.2  | 1.2    | 0.8  | 1.0  | 0.4        | 1.7    | 1.0  | 0.9  | 1.0    | 0.9  |
| Q10(MOD): CANNABIS USE IN LAST 12 MONTHS                                            |       |      |        |      |      |        |      |      |      |        |      |      |            |        |      |      |        |      |
| 1 OR 2 TIMES                                                                        | 53.5  | 27.9 | 42.9   | 32.8 | 44.0 | 37.7   | 37.5 | 29.5 | 33.1 | 26.5   | 37.0 | 31.9 | 23.8       | 32.3   | 27.6 | 30.8 | 34.6   | 32.6 |
| 3 TO 5 TIMES                                                                        | 17.7  | 23.2 | 20.0   | 22.0 | 16.6 | 19.1   | 16.8 | 24.9 | 21.7 | 12.3   | 17.0 | 14.4 | 14.0       | 19.2   | 16.3 | 15.5 | 19.6   | 17.6 |
| 6 TO 9 TIMES                                                                        | 6.2   | 13.2 | 9.1    | 15.8 | 9.2  | 12.4   | 11.6 | 15.0 | 13.2 | 11.0   | 13.4 | 12.0 | 13.7       | 10.7   | 12.3 | 12.3 | 12.3   | 12.2 |
| 10 TO 19 TIMES                                                                      | 7.3   | 10.4 | 8.6    | 12.0 | 10.1 | 10.9   | 12.1 | 10.1 | 11.0 | 9.4    | 8.1  | 8.6  | 12.7       | 15.2   | 13.8 | 11.1 | 10.9   | 10.9 |
| 20 TO 39 TIMES                                                                      | 4.1   | 3.0  | 3.6    | 4.8  | 2.4  | 4.4    | 4.6  | 12.5 | 8.5  | 14.3   | 12.1 | 13.4 | 12.4       | 12.5   | 12.5 | 9.7  | 10.2   | 10.1 |
| 40 OR MORE TIMES                                                                    | 11.3  | 22.3 | 15.8   | 12.7 | 17.7 | 15.5   | 17.3 | 8.1  | 12.6 | 26.5   | 12.4 | 19.6 | 23.4       | 10.1   | 17.4 | 20.6 | 12.3   | 16.7 |

NOTE: Q8(MOD), Q9(MOD), AND Q10(MOD) ARE MODIFIED RESPONSE SETS FOR Q8, Q9, AND Q10, RESPECTIVELY, AND INCLUDE ONLY THOSE WHO USED THESE DRUGS DURING THE LAST 12 MONTHS. TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE.

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q11 = 3,434<br>Q12 = 3,434 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      | ALL GRADES |   |
|-------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|------|------------|---|
|                                                             | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |      |            |   |
|                                                             | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | ALL  |      | MALE |            |   |
|                                                             | Σ     | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ          | Σ |
| Q11: GLUE USE IN LAST 12 MO.                                |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      |            |   |
| NONE                                                        | 94.3  | 96.9 | 95.6   | 97.5 | 96.5 | 97.0   | 97.3 | 98.0 | 97.6   | 98.5 | 97.9 | 98.2   | 97.3 | 98.0 | 97.6   | 97.0 | 97.5 | 97.2 |            |   |
| 1 OR 2 TIMES                                                | 3.5   | 1.9  | 2.7    | 1.4  | 2.4  | 1.9    | 2.0  | 0.9  | 1.4    | 0.9  | 1.4  | 1.1    | 1.7  | 1.0  | 1.3    | 1.9  | 1.5  | 1.7  |            |   |
| 3 TO 5 TIMES                                                | 0.2   | 0.3  | 0.3    | 0.3  | 0.9  | 0.6    | 0.8  | 0.4  | 0.6    | 0.0  | 0.0  | 0.0    | 0.3  | 0.0  | 0.2    | 0.3  | 0.3  | 0.3  |            |   |
| 6 TO 9 TIMES                                                | 0.7   | 0.0  | 0.4    | 0.3  | 0.0  | 0.1    | 0.0  | 0.2  | 0.1    | 0.0  | 0.0  | 0.0    | 0.2  | 0.4  | 0.3    | 0.2  | 0.1  | 0.2  |            |   |
| 10 TO 19 TIMES                                              | 0.7   | 0.0  | 0.4    | 0.3  | 0.0  | 0.1    | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.2    | 0.2  | 0.0  | 0.1    | 0.2  | 0.1  | 0.2  |            |   |
| 20 TO 39 TIMES                                              | 0.6   | 0.0  | 0.3    | 0.3  | 0.3  | 0.3    | 0.0  | 0.6  | 0.3    | 0.0  | 0.3  | 0.2    | 0.0  | 0.0  | 0.0    | 0.2  | 0.3  | 0.2  |            |   |
| 40 OR MORE TIMES                                            | 0.0   | 0.9  | 0.4    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.6  | 0.0  | 0.3    | 0.2  | 0.7  | 0.5    | 0.2  | 0.3  | 0.2  |            |   |
| Q12: SOLVENT USE IN LAST 12 MO.                             |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      |            |   |
| NONE                                                        | 94.0  | 94.3 | 94.1   | 96.5 | 93.5 | 95.0   | 96.5 | 96.3 | 96.5   | 98.1 | 97.0 | 97.6   | 96.3 | 99.0 | 97.6   | 96.3 | 96.1 | 96.2 |            |   |
| 1 OR 2 TIMES                                                | 3.8   | 2.6  | 3.3    | 1.2  | 5.0  | 3.1    | 3.2  | 1.6  | 2.4    | 1.0  | 2.7  | 1.8    | 2.6  | 0.3  | 1.5    | 2.4  | 2.4  | 2.4  |            |   |
| 3 TO 5 TIMES                                                | 0.6   | 1.3  | 0.9    | 1.2  | 0.9  | 1.0    | 0.2  | 0.5  | 0.4    | 0.0  | 0.0  | 0.0    | 0.9  | 0.0  | 0.5    | 0.6  | 0.5  | 0.5  |            |   |
| 6 TO 9 TIMES                                                | 0.5   | 0.6  | 0.5    | 0.5  | 0.6  | 0.6    | 0.0  | 0.8  | 0.4    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.2  | 0.4  | 0.3  |            |   |
| 10 TO 19 TIMES                                              | 0.5   | 0.3  | 0.4    | 0.3  | 0.0  | 0.1    | 0.0  | 0.2  | 0.1    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.2  | 0.1  | 0.1  |            |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.2  | 0.1    | 0.3  | 0.0  | 0.1    | 0.0  | 0.0  | 0.0    | 0.1  | 0.0  | 0.1  |            |   |
| 40 OR MORE TIMES                                            | 0.5   | 0.9  | 0.7    | 0.4  | 0.0  | 0.2    | 0.0  | 0.2  | 0.1    | 0.6  | 0.3  | 0.5    | 0.3  | 0.7  | 0.5    | 0.4  | 0.4  | 0.4  |            |   |

| NUMBER OF VALID RESPONSES TO:<br>Q13 = 3,451<br>Q14 = 3,440 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q13: BARBITURATE USE WITHOUT<br>PRESC. IN LAST 12 MONTHS    |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                       | 55.6  | 60.5   | 57.8 | 41.5 | 49.0   | 45.3 | 42.3 | 45.6   | 43.8 | 31.8 | 36.2   | 34.0 | 35.3       | 38.0   | 36.7 |
| NONE                                                        | 42.9  | 36.5   | 40.0 | 56.5 | 44.6   | 50.4 | 53.9 | 50.6   | 52.5 | 63.0 | 57.5   | 60.1 | 59.7       | 58.3   | 59.0 |
| 1 TO 2 TIMES                                                | 1.3   | 1.3    | 1.3  | 0.9  | 4.7    | 2.8  | 3.1  | 1.4    | 2.2  | 2.8  | 3.6    | 3.3  | 3.6        | 1.9    | 2.6  |
| 3 TO 5 TIMES                                                | 0.0   | 0.6    | 0.3  | 0.0  | 0.7    | 0.3  | 0.6  | 1.3    | 0.9  | 0.6  | 1.9    | 1.2  | 0.9        | 0.6    | 0.7  |
| 6 TO 9 TIMES                                                | 0.0   | 0.0    | 0.0  | 0.3  | 0.8    | 0.6  | 0.0  | 0.5    | 0.2  | 1.1  | 0.0    | 0.6  | 0.2        | 0.0    | 0.1  |
| 10 TO 19 TIMES                                              | 0.0   | 0.3    | 0.1  | 0.6  | 0.0    | 0.3  | 0.0  | 0.6    | 0.3  | 0.3  | 0.3    | 0.3  | 0.2        | 0.0    | 0.1  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.3    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.3    | 0.1  | 0.0        | 0.3    | 0.1  |
| 40 OR MORE TIMES                                            | 0.2   | 0.9    | 0.5  | 0.3  | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.4  | 0.3    | 0.3  | 0.0        | 1.0    | 0.5  |
| Q14: BARBITURATE USE WITH<br>PRESC. IN LAST 12 MONTHS       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                       | 54.8  | 58.0   | 56.2 | 42.2 | 48.7   | 45.3 | 41.5 | 46.7   | 44.0 | 29.4 | 35.8   | 32.7 | 32.0       | 38.4   | 35.1 |
| NONE                                                        | 36.5  | 36.0   | 36.5 | 48.0 | 42.7   | 45.2 | 53.2 | 43.3   | 48.4 | 58.4 | 51.9   | 55.1 | 58.5       | 52.1   | 55.4 |
| 1 TO 2 TIMES                                                | 6.9   | 3.9    | 5.4  | 5.3  | 4.5    | 5.0  | 4.7  | 6.6    | 5.6  | 9.6  | 8.6    | 9.1  | 7.2        | 6.4    | 6.8  |
| 3 TO 5 TIMES                                                | 1.0   | 1.2    | 1.1  | 1.8  | 1.2    | 1.6  | 0.5  | 2.0    | 1.3  | 1.7  | 2.1    | 1.9  | 1.9        | 1.7    | 1.8  |
| 6 TO 9 TIMES                                                | 0.0   | 0.3    | 0.1  | 1.5  | 1.4    | 1.4  | 0.0  | 0.2    | 0.1  | 0.3  | 0.3    | 0.3  | 0.0        | 0.8    | 0.4  |
| 10 TO 19 TIMES                                              | 0.6   | 0.3    | 0.4  | 0.3  | 0.7    | 0.5  | 0.0  | 1.2    | 0.6  | 0.0  | 0.7    | 0.3  | 0.3        | 0.3    | 0.2  |
| 20 TO 39 TIMES                                              | 0.0   | 0.3    | 0.1  | 0.7  | 0.9    | 0.8  | 0.0  | 0.0    | 0.0  | 0.0  | 0.6    | 0.3  | 0.0        | 0.0    | 0.1  |
| 40 OR MORE TIMES                                            | 0.2   | 0.0    | 0.1  | 0.3  | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.6  | 0.0    | 0.3  | 0.0        | 0.4    | 0.2  |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q15 = 3,453<br>Q16 = 3,452 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q15: HEROIN USE IN LAST 12 MO.                              |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                       | 16.6  | 20.3   | 18.4 | 7.6  | 13.3   | 10.6 | 11.0 | 9.4    | 10.1 | 6.2  | 10.3   | 8.4  | 4.8        | 7.3    | 6.1  |
| NONE                                                        | 81.0  | 78.0   | 79.6 | 91.3 | 85.9   | 88.5 | 88.1 | 89.7   | 89.0 | 92.9 | 88.4   | 90.5 | 92.3       | 92.0   | 92.0 |
| 1 TO 2 TIMES                                                | 0.5   | 0.3    | 0.4  | 0.8  | 0.5    | 0.7  | 0.9  | 0.6    | 0.8  | 0.0  | 1.0    | 0.5  | 1.6        | 0.0    | 0.9  |
| 3 TO 5 TIMES                                                | 0.5   | 0.3    | 0.4  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.5        | 0.0    | 0.3  |
| 6 TO 9 TIMES                                                | 0.0   | 0.3    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.2    | 0.1  | 0.3  | 0.0    | 0.1  | 0.5        | 0.0    | 0.3  |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.3  | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.3    | 0.2  | 0.0        | 0.0    | 0.0  |
| 20 TO 39 TIMES                                              | 0.0   | 0.3    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  |
| 40 OR MORE TIMES                                            | 1.4   | 0.6    | 1.0  | 0.0  | 0.3    | 0.1  | 0.0  | 0.0    | 0.0  | 0.6  | 0.0    | 0.3  | 0.2        | 0.7    | 0.5  |
| Q16: SPEED USE IN LAST 12 MO.                               |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                       | 32.5  | 37.9   | 35.1 | 18.2 | 24.1   | 21.4 | 18.1 | 14.9   | 16.5 | 13.4 | 15.0   | 14.1 | 13.9       | 12.8   | 13.5 |
| NONE                                                        | 63.6  | 60.3   | 62.2 | 78.3 | 69.2   | 73.4 | 77.4 | 78.9   | 78.2 | 77.5 | 78.1   | 77.8 | 77.5       | 80.7   | 78.9 |
| 1 TO 2 TIMES                                                | 1.9   | 0.6    | 1.2  | 2.5  | 5.0    | 3.7  | 3.5  | 3.4    | 3.4  | 6.0  | 3.9    | 4.9  | 6.1        | 4.2    | 5.2  |
| 3 TO 5 TIMES                                                | 0.2   | 0.3    | 0.2  | 0.3  | 0.8    | 0.7  | 0.0  | 0.7    | 0.4  | 1.4  | 0.8    | 1.2  | 0.5        | 0.9    | 0.7  |
| 6 TO 9 TIMES                                                | 0.2   | 0.3    | 0.2  | 0.5  | 0.5    | 0.5  | 0.0  | 1.1    | 0.6  | 0.7  | 0.6    | 0.8  | 0.5        | 0.3    | 0.4  |
| 10 TO 19 TIMES                                              | 0.2   | 0.3    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.2    | 0.1  | 0.3  | 0.5    | 0.4  | 0.7        | 0.0    | 0.4  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.3  | 0.0    | 0.1  | 0.8  | 0.6    | 0.7  | 0.0  | 0.7    | 0.3  | 0.2        | 0.0    | 0.1  |
| 40 OR MORE TIMES                                            | 1.1   | 0.3    | 0.7  | 0.0  | 0.3    | 0.1  | 0.2  | 0.2    | 0.2  | 0.2  | 0.6    | 0.3  | 0.5        | 1.0    | 0.8  |



[illegible]



## LOWER MAINLAND

NOTE: "BINDRO" IS A FICTITIOUS DRUG. IT WAS INCLUDED AS A QUESTIONNAIRE ITEM FOR PURPOSES OF EXAMINING RESPONSE VALIDITY.

| NUMBER OF VALID RESPONSES TO:<br>Q21 = 3,433<br>Q22 = 3,440 | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |     |   |
|-------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|-----|---|
|                                                             | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      |            |        | 12  |   |
|                                                             | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL | % |
| Q21: STIMULANT USE WITH<br>PRESC. IN LAST 12 MONTHS         |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| NONE                                                        | 26.3  | 30.5   | 28.5 | 14.6 | 17.5 | 15.9   | 17.8 | 13.1 | 15.5 | 11.7   | 13.5 | 12.7 | 8.9  | 10.7   | 9.7  | 15.7 | 16.7       | 16.2   |     |   |
| 1 TO 2 TIMES                                                | 68.5  | 64.5   | 66.4 | 77.2 | 76.9 | 77.1   | 77.6 | 79.1 | 78.2 | 82.4   | 82.0 | 82.2 | 84.5 | 86.6   | 85.5 | 78.2 | 78.1       | 78.1   |     |   |
| 3 TO 5 TIMES                                                | 3.5   | 3.3    | 3.4  | 5.4  | 3.1  | 4.3    | 4.3  | 5.2  | 4.9  | 4.3    | 2.1  | 3.1  | 3.9  | 1.2    | 2.7  | 4.2  | 3.0        | 3.7    |     |   |
| 6 TO 9 TIMES                                                | 0.8   | 0.9    | 0.9  | 0.9  | 1.0  | 0.9    | 0.0  | 2.0  | 1.0  | 0.9    | 1.8  | 1.3  | 1.4  | 0.3    | 0.9  | 0.8  | 1.2        | 1.0    |     |   |
| 10 TO 19 TIMES                                              | 0.5   | 0.3    | 0.4  | 1.3  | 1.4  | 1.4    | 0.0  | 0.0  | 0.0  | 0.4    | 0.0  | 0.2  | 0.3  | 0.0    | 0.2  | 0.5  | 0.3        | 0.4    |     |   |
| 20 TO 39 TIMES                                              | 0.3   | 0.3    | 0.3  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.3    | 0.1  | 0.1  | 0.1        | 0.1    |     |   |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 0.4  | 0.0  | 0.2    | 0.0  | 0.6  | 0.3  | 0.0    | 0.3  | 0.1  | 0.6  | 0.6    | 0.6  | 0.2  | 0.3        | 0.3    |     |   |
| Q22: TRANQUILIZER USE WITHOUT<br>PRESC. IN LAST 12 MONTHS   |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| NONE                                                        | 15.6  | 20.2   | 17.8 | 10.9 | 14.3 | 12.9   | 10.6 | 9.9  | 10.2 | 7.9    | 10.5 | 9.4  | 6.6  | 7.9    | 7.2  | 10.2 | 12.3       | 11.3   |     |   |
| 1 TO 2 TIMES                                                | 80.3  | 77.1   | 78.8 | 85.9 | 79.3 | 82.2   | 86.7 | 83.7 | 85.2 | 87.3   | 82.2 | 84.5 | 87.9 | 88.5   | 88.2 | 85.7 | 82.2       | 83.9   |     |   |
| 3 TO 5 TIMES                                                | 2.1   | 1.7    | 1.9  | 1.7  | 4.7  | 3.3    | 1.6  | 3.9  | 2.8  | 2.4    | 4.9  | 3.6  | 3.1  | 2.0    | 2.6  | 2.2  | 3.5        | 2.9    |     |   |
| 6 TO 9 TIMES                                                | 0.8   | 0.3    | 0.5  | 1.2  | 1.1  | 1.1    | 0.9  | 1.4  | 1.2  | 0.6    | 1.5  | 1.1  | 1.6  | 0.9    | 1.2  | 1.0  | 1.1        | 1.0    |     |   |
| 10 TO 19 TIMES                                              | 0.5   | 0.3    | 0.4  | 0.0  | 0.3  | 0.2    | 0.0  | 0.7  | 0.4  | 0.5    | 0.0  | 0.3  | 0.3  | 0.0    | 0.2  | 0.3  | 0.3        | 0.3    |     |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.3  | 0.0  | 0.1    | 0.2  | 0.4  | 0.3  | 0.3    | 0.3  | 0.3  | 0.2  | 0.0    | 0.1  | 0.2  | 0.2        | 0.2    |     |   |
| 40 OR MORE TIMES                                            | 0.2   | 0.0    | 0.1  | 0.0  | 0.3  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.3  | 0.1  | 0.2  | 0.0    | 0.1  | 0.1  | 0.1        | 0.1    |     |   |
|                                                             | 0.5   | 0.3    | 0.4  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.9    | 0.3  | 0.6  | 0.0  | 0.7    | 0.3  | 0.3  | 0.3        | 0.3    |     |   |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q23: TRANQUILIZER USE WITH<br>PRESC. IN LAST 12 MONTHS<br>Q24: PCP USE IN LAST 12 MONTHS | GRADE |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        | ALL GRADES |        |
|---------------------------------------------------------------------------------------------------------------------------|-------|------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------------|--------|
|                                                                                                                           | 8     |      |      | 9    |      |        | 10   |      |      | 11     |      |      | 12   |        |      |      |      |        | MALE       | FEMALE |
|                                                                                                                           | MALE  |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE |            |        |
|                                                                                                                           | %     | %    | %    | %    | %    | %      | %    | %    | %    | %      | %    | %    | %    | %      | %    | %    | %    | %      | %          | %      |
| DON'T KNOW WHAT IT IS                                                                                                     |       |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |        |
| NONE                                                                                                                      | 15.8  | 19.7 | 17.5 | 11.6 | 15.1 | 13.4   | 12.0 | 9.0  | 10.4 | 8.6    | 9.6  | 9.3  | 6.3  | 8.2    | 7.2  | 10.7 | 12.1 | 11.4   |            |        |
| 1 TO 2 TIMES                                                                                                              | 80.4  | 76.5 | 78.7 | 82.9 | 78.2 | 80.3   | 84.3 | 86.7 | 85.5 | 87.0   | 82.9 | 84.6 | 87.9 | 85.9   | 87.0 | 84.6 | 82.3 | 83.4   |            |        |
| 3 TO 5 TIMES                                                                                                              | 2.9   | 2.3  | 2.6  | 4.6  | 5.6  | 5.2    | 1.8  | 3.0  | 2.5  | 2.1    | 4.7  | 3.4  | 4.1  | 3.0    | 3.6  | 3.1  | 3.8  | 3.4    |            |        |
| 6 TO 9 TIMES                                                                                                              | 0.3   | 0.3  | 0.3  | 0.3  | 0.3  | 0.3    | 1.3  | 0.6  | 0.9  | 0.5    | 1.7  | 1.1  | 1.7  | 1.6    | 1.8  | 0.9  | 0.9  | 0.9    |            |        |
| 10 TO 19 TIMES                                                                                                            | 0.3   | 0.9  | 0.6  | 0.3  | 0.0  | 0.1    | 0.0  | 0.4  | 0.2  | 0.6    | 0.0  | 0.3  | 0.0  | 0.9    | 0.4  | 0.2  | 0.4  | 0.3    |            |        |
| 20 TO 39 TIMES                                                                                                            | 0.0   | 0.0  | 0.0  | 0.0  | 0.6  | 0.3    | 0.6  | 0.4  | 0.5  | 0.6    | 0.7  | 0.6  | 0.0  | 0.4    | 0.2  | 0.2  | 0.4  | 0.3    |            |        |
| 40 OR MORE TIMES                                                                                                          | 0.0   | 0.3  | 0.1  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.3    | 0.3  | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.1  | 0.1    |            |        |
|                                                                                                                           | 0.3   | 0.0  | 0.2  | 0.3  | 0.3  | 0.3    | 0.0  | 0.0  | 0.0  | 0.4    | 0.0  | 0.2  | 0.0  | 0.0    | 0.0  | 0.2  | 0.1  | 0.1    |            |        |
| DON'T KNOW WHAT IT IS                                                                                                     |       |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |        |
| NONE                                                                                                                      | 21.3  | 33.6 | 26.9 | 15.1 | 21.2 | 18.4   | 17.2 | 14.9 | 16.2 | 10.3   | 12.6 | 11.5 | 10.3 | 13.6   | 12.0 | 14.8 | 16.8 | 16.8   |            |        |
| 1 TO 2 TIMES                                                                                                              | 75.6  | 65.8 | 71.0 | 82.4 | 76.2 | 79.1   | 81.9 | 83.8 | 82.7 | 88.5   | 85.8 | 87.1 | 87.9 | 85.4   | 86.6 | 83.4 | 79.8 | 81.5   |            |        |
| 3 TO 5 TIMES                                                                                                              | 1.2   | 0.3  | 0.9  | 1.5  | 1.2  | 1.3    | 0.5  | 0.8  | 0.7  | 0.5    | 1.2  | 0.9  | 1.0  | 0.0    | 0.5  | 0.9  | 0.7  | 0.8    |            |        |
| 6 TO 9 TIMES                                                                                                              | 0.5   | 0.0  | 0.2  | 0.3  | 0.6  | 0.4    | 0.0  | 0.5  | 0.2  | 0.3    | 0.0  | 0.1  | 0.3  | 0.0    | 0.2  | 0.3  | 0.2  | 0.2    |            |        |
| 10 TO 19 TIMES                                                                                                            | 0.5   | 0.0  | 0.3  | 0.3  | 0.5  | 0.4    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.2  | 0.1  | 0.1    |            |        |
| 20 TO 39 TIMES                                                                                                            | 0.0   | 0.0  | 0.0  | 0.5  | 0.0  | 0.3    | 0.4  | 0.0  | 0.2  | 0.0    | 0.3  | 0.2  | 0.0  | 0.3    | 0.1  | 0.2  | 0.1  | 0.2    |            |        |
| 40 OR MORE TIMES                                                                                                          | 0.0   | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.2  | 0.0    | 0.1  | 0.1  | 0.0  | 0.0    |            |        |
|                                                                                                                           | 0.8   | 0.3  | 0.6  | 0.0  | 0.3  | 0.1    | 0.0  | 0.0  | 0.0  | 0.4    | 0.0  | 0.2  | 0.3  | 0.7    | 0.5  | 0.3  | 0.2  | 0.3    |            |        |

| NUMBER OF VALID RESPONSES TO:<br>Q25 = 3,443<br>Q26 = 3,445 | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      | ALL GRADES |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
|-------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------|------|------------|---|--------|----|-----|---|------|---|--------|----|-----|---|------|---|--------|---|-----|--|
|                                                             | 8     |      |        |      |      |      | 9    |      |        |      |      |      | 10   |      |        |      |      |      |            |   |        | 11 |     |   |      |   |        | 12 |     |   |      |   |        |   |     |  |
|                                                             | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE       |   | FEMALE |    | ALL |   | MALE |   | FEMALE |    | ALL |   | MALE |   | FEMALE |   | ALL |  |
|                                                             | Σ     | %    | Σ      | %    | Σ    | %    | Σ    | %    | Σ      | %    | Σ    | %    | Σ    | %    | Σ      | %    | Σ    | %    | Σ          | % | Σ      | %  | Σ   | % | Σ    | % | Σ      | %  | Σ   | % | Σ    | % | Σ      | % |     |  |
| Q25: HALLUCINOGEN USE IN LAST 12 MO. (EXCLUDING LSD & PCP)  |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| DON'T KNOW WHAT IT IS                                       | 27.9  | 42.4 | 34.8   | 17.8 | 26.1 | 22.2 | 10.9 | 23.9 | 22.0   | 12.6 | 18.0 | 15.5 | 11.7 | 17.2 | 14.4   | 17.8 | 25.1 | 21.5 |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| NONE                                                        | 68.0  | 54.7 | 61.8   | 76.2 | 66.4 | 71.1 | 72.1 | 69.0 | 70.3   | 73.8 | 73.1 | 73.3 | 72.7 | 74.8 | 73.6   | 72.5 | 67.9 | 70.2 |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 1 TO 2 TIMES                                                | 2.5   | 2.0  | 2.4    | 3.5  | 5.5  | 4.5  | 4.6  | 5.1  | 4.8    | 6.2  | 6.6  | 6.3  | 8.7  | 4.9  | 6.9    | 5.2  | 4.9  | 5.1  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 3 TO 5 TIMES                                                | 0.0   | 0.0  | 0.0    | 1.4  | 0.5  | 0.9  | 1.4  | 1.9  | 1.8    | 3.4  | 1.7  | 2.5  | 2.8  | 1.6  | 2.2    | 1.8  | 1.2  | 1.5  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 6 TO 9 TIMES                                                | 0.0   | 0.3  | 0.2    | 0.5  | 0.3  | 0.4  | 1.2  | 0.0  | 0.6    | 1.3  | 0.3  | 0.9  | 2.2  | 0.9  | 1.6    | 1.1  | 0.4  | 0.7  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 10 TO 19 TIMES                                              | 0.3   | 0.3  | 0.3    | 0.0  | 0.8  | 0.4  | 0.6  | 0.0  | 0.3    | 0.6  | 0.3  | 0.5  | 1.2  | 0.0  | 0.6    | 0.6  | 0.3  | 0.4  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 20 TO 39 TIMES                                              | 0.5   | 0.3  | 0.4    | 0.3  | 0.0  | 0.1  | 0.0  | 0.0  | 0.0    | 0.6  | 0.0  | 0.3  | 0.0  | 0.0  | 0.0    | 0.3  | 0.0  | 0.2  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 40 OR MORE TIMES                                            | 0.8   | 0.0  | 0.4    | 0.3  | 0.3  | 0.3  | 0.2  | 0.0  | 0.1    | 1.4  | 0.0  | 0.7  | 0.8  | 0.7  | 0.7    | 0.7  | 0.2  | 0.4  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| Q26: LSD USE IN LAST 12 MONTHS                              |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| DON'T KNOW WHAT IT IS                                       | 26.1  | 34.6 | 29.9   | 14.1 | 20.9 | 17.8 | 15.8 | 18.1 | 16.9   | 10.8 | 14.5 | 12.7 | 8.9  | 11.7 | 10.4   | 15.0 | 19.6 | 17.3 |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| NONE                                                        | 68.5  | 62.7 | 65.8   | 79.5 | 72.0 | 75.5 | 76.5 | 73.7 | 75.0   | 77.3 | 74.4 | 75.7 | 76.7 | 77.3 | 76.8   | 75.7 | 72.2 | 73.9 |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 1 TO 2 TIMES                                                | 3.2   | 1.8  | 2.7    | 3.5  | 3.6  | 3.7  | 4.2  | 4.3  | 4.2    | 6.0  | 4.7  | 5.2  | 6.5  | 6.6  | 6.5    | 4.7  | 4.2  | 4.5  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 3 TO 5 TIMES                                                | 1.1   | 0.3  | 0.7    | 1.4  | 1.0  | 1.2  | 2.6  | 2.2  | 2.4    | 2.6  | 3.0  | 2.8  | 3.2  | 2.3  | 2.7    | 2.2  | 1.8  | 2.0  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 6 TO 9 TIMES                                                | 0.2   | 0.0  | 0.1    | 0.3  | 0.6  | 0.4  | 0.5  | 0.3  | 0.4    | 0.4  | 0.3  | 0.3  | 1.5  | 0.6  | 1.1    | 0.6  | 0.4  | 0.5  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 10 TO 19 TIMES                                              | 0.2   | 0.6  | 0.4    | 0.8  | 1.3  | 1.1  | 0.4  | 1.4  | 1.1    | 0.8  | 1.9  | 1.5  | 2.2  | 0.8  | 1.5    | 0.9  | 1.2  | 1.1  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 20 TO 39 TIMES                                              | 0.5   | 0.0  | 0.3    | 0.0  | 0.3  | 0.1  | 0.0  | 0.0  | 0.0    | 1.2  | 0.9  | 1.1  | 0.3  | 0.0  | 0.2    | 0.4  | 0.2  | 0.3  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |
| 40 OR MORE TIMES                                            | 0.2   | 0.0  | 0.1    | 0.3  | 0.3  | 0.3  | 0.0  | 0.0  | 0.0    | 0.9  | 0.3  | 0.6  | 0.7  | 0.7  | 0.7    | 0.4  | 0.3  | 0.3  |            |   |        |    |     |   |      |   |        |    |     |   |      |   |        |   |     |  |

DOUGLAS M. MAINLAND

|                                                             | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |      |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |      |      |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |      |      |
|                                                             | Σ     | %      | %    | Σ    | %      | %    | Σ    | %      | %    | Σ    | %      | %    | Σ    | %      | %    |            |      |      |
| NUMBER OF VALID RESPONSES TO:<br>Q27 = 3,439<br>Q28 = 3,438 |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |      |      |
| Q27: CIGARETTE USE IN LAST 4 WEEKS                          |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |      |      |
| NONE                                                        | 79.9  | 79.2   | 79.6 | 77.6 | 69.1   | 73.2 | 76.9 | 70.3   | 73.7 | 71.1 | 59.3   | 65.0 | 68.4 | 64.3   | 66.6 | 74.6       | 68.1 | 71.4 |
| 1 OR 2 TIMES                                                | 9.8   | 8.4    | 9.0  | 6.2  | 12.2   | 9.2  | 8.3  | 10.0   | 9.1  | 7.1  | 11.7   | 9.4  | 7.9  | 11.3   | 9.5  | 7.9        | 10.8 | 9.2  |
| 1 OR 2 TIMES WEEKLY                                         | 2.3   | 2.5    | 2.4  | 2.4  | 2.5    | 2.4  | 3.4  | 2.5    | 2.9  | 2.9  | 4.4    | 3.6  | 4.3  | 3.1    | 3.8  | 3.1        | 3.0  | 3.0  |
| 3 OR 4 TIMES WEEKLY                                         | 1.3   | 3.6    | 2.4  | 2.0  | 2.5    | 2.2  | 2.0  | 1.4    | 1.7  | 2.4  | 2.0    | 2.2  | 2.2  | 1.9    | 2.1  | 2.0        | 2.3  | 2.1  |
| 5 OR 6 TIMES WEEKLY                                         | 1.7   | 0.3    | 1.0  | 0.3  | 0.8    | 0.5  | 1.1  | 2.3    | 1.7  | 1.2  | 1.3    | 1.2  | 0.9  | 1.2    | 1.1  | 1.0        | 1.2  | 1.1  |
| ONCE DAILY                                                  | 0.2   | 2.2    | 1.2  | 1.9  | 1.9    | 1.9  | 0.4  | 0.9    | 0.6  | 1.2  | 1.5    | 1.3  | 0.5  | 0.3    | 0.4  | 0.8        | 1.3  | 1.1  |
| MORE THAN ONCE DAILY                                        | 4.9   | 3.8    | 4.5  | 9.6  | 11.0   | 10.5 | 8.0  | 12.7   | 10.3 | 14.1 | 19.9   | 17.3 | 15.7 | 17.8   | 18.6 | 10.6       | 13.3 | 12.0 |
| Q28: CANNABIS USE IN LAST 4 WEEKS                           |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |      |      |
| DON'T KNOW WHAT IT IS                                       | 12.6  | 19.3   | 15.8 | 11.0 | 10.3   | 10.9 | 10.5 | 10.2   | 10.3 | 8.2  | 11.8   | 9.9  | 6.9  | 6.7    | 6.8  | 9.8        | 11.5 | 10.7 |
| NONE                                                        | 78.8  | 74.9   | 77.0 | 75.9 | 76.8   | 76.0 | 71.1 | 76.6   | 74.0 | 62.3 | 66.3   | 64.3 | 65.9 | 72.3   | 68.9 | 70.6       | 73.3 | 71.9 |
| 1 OR 2 TIMES                                                | 5.4   | 3.2    | 4.3  | 9.2  | 6.8    | 7.9  | 10.4 | 10.3   | 10.3 | 14.4 | 13.3   | 13.8 | 14.6 | 15.7   | 15.1 | 10.9       | 10.0 | 10.5 |
| 1 OR 2 TIMES WEEKLY                                         | 0.3   | 0.9    | 0.6  | 2.2  | 1.5    | 1.9  | 3.4  | 1.6    | 2.5  | 6.5  | 3.2    | 4.9  | 5.5  | 2.2    | 3.9  | 3.7        | 1.9  | 2.8  |
| 3 OR 4 TIMES WEEKLY                                         | 1.0   | 1.1    | 1.1  | 0.5  | 2.3    | 1.6  | 2.2  | 0.6    | 1.4  | 4.7  | 3.8    | 4.3  | 2.4  | 1.6    | 2.0  | 2.2        | 1.9  | 2.1  |
| 5 OR 6 TIMES WEEKLY                                         | 0.9   | 0.0    | 0.5  | 0.8  | 0.8    | 0.8  | 0.9  | 0.5    | 0.7  | 0.5  | 1.3    | 0.9  | 2.2  | 0.6    | 1.4  | 1.1        | 0.7  | 0.9  |
| ONCE DAILY                                                  | 0.0   | 0.0    | 0.0  | 0.0  | 0.3    | 0.2  | 0.0  | 0.0    | 0.0  | 0.9  | 0.3    | 0.6  | 0.5  | 0.4    | 0.4  | 0.3        | 0.2  | 0.2  |
| MORE THAN ONCE DAILY                                        | 1.0   | 0.6    | 0.8  | 0.3  | 1.1    | 0.7  | 1.5  | 0.3    | 0.9  | 2.6  | 0.0    | 1.2  | 2.1  | 0.7    | 1.4  | 1.5        | 0.5  | 1.0  |



| NUMBER OF VALID RESPONSES TO<br>Q29 = 3,433<br>Q30A = 3,382<br>Q30B = 3,370 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |        |     |
|-----------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|--------|-----|
|                                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      | ALL  |        |      | MALE       |        | FEMALE |     |
|                                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL    | ALL |
| Q29: ALCOHOL USE IN LAST 4 WEEKS                                            |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |        |     |
| NONE                                                                        | 61.4  | 73.9   | 67.2 | 53.6 | 53.9   | 53.6 | 51.8 | 45.4   | 48.6 | 37.2 | 39.0   | 38.3 | 30.0 | 35.0   | 32.4 | 46.3 | 48.8   | 47.5 |            |        |        |     |
| 1 OR 2 TIMES                                                                | 28.6  | 19.4   | 24.4 | 34.1 | 33.5   | 33.8 | 34.6 | 38.7   | 36.6 | 31.0 | 43.9   | 37.5 | 39.4 | 39.8   | 39.5 | 33.7 | 35.5   | 34.6 |            |        |        |     |
| 1 OR 2 TIMES WEEKLY                                                         | 5.4   | 4.1    | 4.7  | 9.7  | 9.1    | 9.4  | 10.4 | 12.4   | 11.5 | 22.4 | 11.7   | 17.0 | 21.7 | 16.6   | 13.3 | 14.2 | 10.9   | 12.6 |            |        |        |     |
| 3 OR 4 TIMES WEEKLY                                                         | 1.9   | 1.8    | 1.8  | 0.6  | 2.0    | 1.5  | 2.7  | 3.0    | 2.8  | 6.0  | 2.7    | 4.3  | 6.6  | 5.5    | 6.0  | 3.7  | 3.0    | 3.3  |            |        |        |     |
| 5 OR 6 TIMES WEEKLY                                                         | 0.5   | 0.3    | 0.4  | 2.0  | 1.3    | 1.6  | 0.0  | 0.5    | 0.2  | 2.4  | 2.2    | 2.3  | 1.5  | 1.6    | 1.5  | 1.3  | 1.2    | 1.2  |            |        |        |     |
| ONCE DAILY                                                                  | 0.2   | 0.6    | 0.4  | 0.0  | 0.0    | 0.0  | 0.5  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.6  | 0.3    | 0.5  | 0.3  | 0.2    | 0.2  |            |        |        |     |
| MORE THAN ONCE DAILY                                                        | 2.0   | 0.0    | 1.0  | 0.0  | 0.3    | 0.1  | 0.0  | 0.0    | 0.0  | 0.9  | 0.6    | 0.7  | 0.2  | 1.3    | 0.7  | 0.6  | 0.4    | 0.5  |            |        |        |     |
| Q30A: DIFFICULTY GETTING ALCOHOL                                            |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |        |     |
| IMPOSSIBLE                                                                  | 5.1   | 2.6    | 3.9  | 1.5  | 1.2    | 1.4  | 0.6  | 1.6    | 1.1  | 1.0  | 0.7    | 0.8  | 0.8  | 0.7    | 0.7  | 1.8  | 1.3    | 1.5  |            |        |        |     |
| DIFFICULT                                                                   | 10.1  | 5.4    | 8.0  | 10.9 | 6.3    | 8.5  | 5.2  | 5.2    | 5.3  | 2.3  | 2.1    | 2.1  | 2.3  | 1.6    | 2.0  | 6.0  | 4.1    | 5.0  |            |        |        |     |
| FAIRLY EASY                                                                 | 30.8  | 38.8   | 34.5 | 32.6 | 36.1   | 34.4 | 38.0 | 36.1   | 36.9 | 34.5 | 32.9   | 33.7 | 20.5 | 22.3   | 21.3 | 31.0 | 33.2   | 32.1 |            |        |        |     |
| VERY EASY                                                                   | 41.4  | 36.3   | 39.0 | 48.7 | 48.3   | 48.6 | 50.6 | 53.5   | 52.1 | 58.9 | 61.2   | 60.2 | 73.9 | 73.0   | 73.5 | 55.3 | 55.0   | 55.2 |            |        |        |     |
| DON'T KNOW                                                                  | 12.8  | 16.8   | 14.6 | 6.3  | 8.0    | 7.1  | 5.6  | 3.6    | 4.6  | 3.3  | 3.1    | 3.2  | 2.6  | 2.4    | 2.5  | 6.0  | 6.5    | 6.2  |            |        |        |     |
| Q30B: DIFFICULTY GETTING TOBACCO                                            |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |        |     |
| IMPOSSIBLE                                                                  | 8.5   | 5.9    | 7.3  | 3.5  | 3.0    | 3.2  | 0.3  | 2.0    | 1.1  | 1.8  | 1.6    | 1.7  | 0.3  | 1.0    | 0.6  | 2.8  | 2.6    | 2.7  |            |        |        |     |
| DIFFICULT                                                                   | 8.6   | 8.6    | 8.5  | 6.5  | 6.5    | 6.4  | 4.7  | 3.9    | 4.3  | 0.7  | 2.3    | 1.5  | 0.0  | 2.0    | 0.9  | 3.9  | 4.5    | 4.2  |            |        |        |     |
| FAIRLY EASY                                                                 | 18.5  | 17.4   | 18.0 | 14.7 | 14.8   | 14.6 | 13.4 | 10.6   | 11.9 | 5.9  | 8.2    | 7.0  | 4.2  | 6.9    | 5.4  | 11.1 | 11.3   | 11.2 |            |        |        |     |
| VERY EASY                                                                   | 49.6  | 45.7   | 48.0 | 65.3 | 64.4   | 65.2 | 74.5 | 75.5   | 75.0 | 83.6 | 80.6   | 82.2 | 90.7 | 85.8   | 88.3 | 73.4 | 71.3   | 72.4 |            |        |        |     |
| DON'T KNOW                                                                  | 14.9  | 22.3   | 18.2 | 10.0 | 11.4   | 10.6 | 7.1  | 8.1    | 7.7  | 7.9  | 7.3    | 7.5  | 4.8  | 4.3    | 4.7  | 8.8  | 10.3   | 9.5  |            |        |        |     |



| NUMBER OF VALID RESPONSES 10:<br>Q30C = 3,264<br>Q30D = 3,354<br>Q30E = 3,355 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |     |   |
|-------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|-----|---|
|                                                                               | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |            |      |        |     |   |
|                                                                               | MALE  |      | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL        | MALE | FEMALE | ALL |   |
|                                                                               | Σ     | %    | Σ      | Σ    | %    | Σ      | Σ    | %    | Σ      | Σ    | %    | Σ      | Σ    | %    | Σ      | Σ          | %    | Σ      | Σ   | % |
| Q30C: DIFFICULTY GETTING CANNABIS                                             |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |      |        |     |   |
| IMPOSSIBLE                                                                    | 23.9  | 15.6 | 20.1   | 12.6 | 10.6 | 11.5   | 8.9  | 9.2  | 9.0    | 5.9  | 3.6  | 4.7    | 3.2  | 4.1  | 3.6    | 10.6       | 8.4  | 9.5    |     |   |
| DIFFICULT                                                                     | 14.7  | 20.3 | 17.4   | 17.5 | 17.5 | 17.6   | 16.3 | 11.9 | 14.0   | 7.9  | 8.9  | 8.3    | 9.5  | 6.2  | 8.0    | 13.0       | 12.7 | 12.9   |     |   |
| FAIRLY EASY                                                                   | 17.3  | 12.2 | 15.0   | 24.8 | 24.0 | 24.5   | 22.8 | 34.4 | 28.8   | 33.1 | 36.5 | 34.9   | 33.2 | 36.1 | 35.4   | 26.4       | 29.6 | 28.1   |     |   |
| VERY EASY                                                                     | 8.1   | 5.5  | 6.8    | 17.6 | 12.1 | 15.0   | 24.2 | 14.7 | 19.4   | 28.5 | 22.4 | 25.6   | 31.6 | 23.1 | 27.6   | 22.4       | 15.8 | 19.3   |     |   |
| DON'T KNOW                                                                    | 35.9  | 46.5 | 40.7   | 27.5 | 35.8 | 31.5   | 27.8 | 29.9 | 28.9   | 24.6 | 28.6 | 26.4   | 22.5 | 26.4 | 25.4   | 27.5       | 33.4 | 30.3   |     |   |
| Q30D: DIFFICULTY GETTING HALLUCINOGENS                                        |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |      |        |     |   |
| IMPOSSIBLE                                                                    | 26.2  | 16.9 | 22.0   | 23.6 | 15.3 | 19.2   | 11.3 | 11.0 | 11.1   | 8.3  | 7.6  | 7.9    | 6.5  | 5.1  | 5.8    | 14.8       | 11.0 | 12.9   |     |   |
| DIFFICULT                                                                     | 19.8  | 17.7 | 18.8   | 25.0 | 18.6 | 22.2   | 20.0 | 16.2 | 18.1   | 20.2 | 22.4 | 21.4   | 20.4 | 13.3 | 17.1   | 21.0       | 17.7 | 19.5   |     |   |
| FAIRLY EASY                                                                   | 5.3   | 4.1  | 4.7    | 11.4 | 9.5  | 10.4   | 15.8 | 16.9 | 16.4   | 18.2 | 13.8 | 15.9   | 21.6 | 19.6 | 20.6   | 14.7       | 13.1 | 13.9   |     |   |
| VERY EASY                                                                     | 3.5   | 1.5  | 2.7    | 2.7  | 5.6  | 4.2    | 8.1  | 5.6  | 6.8    | 8.4  | 7.0  | 7.7    | 9.7  | 5.7  | 7.8    | 6.6        | 5.2  | 5.9    |     |   |
| DON'T KNOW                                                                    | 45.2  | 59.9 | 51.8   | 37.4 | 50.9 | 44.1   | 44.8 | 50.4 | 47.7   | 44.9 | 49.3 | 47.0   | 41.8 | 56.4 | 48.7   | 42.9       | 53.1 | 47.8   |     |   |
| Q30E: DIFFICULTY GETTING AMPHETAMINES                                         |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |      |        |     |   |
| IMPOSSIBLE                                                                    | 26.4  | 16.8 | 22.1   | 18.1 | 13.8 | 15.9   | 12.1 | 9.7  | 10.8   | 9.0  | 7.3  | 8.1    | 5.2  | 4.3  | 4.8    | 13.8       | 10.2 | 12.0   |     |   |
| DIFFICULT                                                                     | 15.6  | 14.6 | 15.0   | 25.2 | 16.8 | 21.2   | 19.9 | 15.9 | 18.0   | 21.6 | 14.8 | 18.3   | 25.3 | 12.4 | 19.2   | 21.5       | 14.9 | 18.4   |     |   |
| FAIRLY EASY                                                                   | 8.4   | 6.8  | 7.7    | 13.0 | 16.2 | 14.5   | 14.1 | 18.4 | 16.1   | 17.3 | 23.8 | 20.8   | 19.9 | 23.1 | 21.3   | 14.7       | 18.0 | 16.3   |     |   |
| VERY EASY                                                                     | 4.3   | 2.5  | 3.4    | 2.9  | 4.3  | 3.6    | 6.8  | 5.3  | 6.0    | 7.5  | 6.6  | 7.0    | 8.0  | 8.1  | 8.1    | 6.0        | 5.5  | 5.7    |     |   |
| DON'T KNOW                                                                    | 45.3  | 59.4 | 51.8   | 40.8 | 48.8 | 44.1   | 47.2 | 50.7 | 49.0   | 44.6 | 47.6 | 45.8   | 41.6 | 52.1 | 46.6   | 43.9       | 51.5 | 47.6   |     |   |

|                                                                                               | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |      |      |
|-----------------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|------|------|
|                                                                                               | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |      |      |
|                                                                                               | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |      |      |
|                                                                                               | %     | %      | N    | %    | %      | N    | %    | %      | N    | %    | %      | N    | %    | %      | N    |            |      |      |
| NUMBER OF VALID RESPONSES TO:<br>Q30F = 3,348<br>Q30G = 3,350<br>Q30H = 3,352<br>Q30I = 3,329 |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |      |      |
| Q30F: DIFFICULTY GETTING HEROIN                                                               |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |      |      |
| IMPOSSIBLE                                                                                    | 32.9  | 21.8   | 27.8 | 25.0 | 20.3   | 22.7 | 19.8 | 17.0   | 18.5 | 17.6 | 13.3   | 15.4 | 13.2 | 8.3    | 10.9 | 21.4       | 15.9 | 18.8 |
| DIFFICULT                                                                                     | 17.5  | 17.1   | 17.3 | 26.3 | 20.3   | 23.3 | 23.6 | 18.7   | 21.0 | 22.6 | 17.1   | 19.9 | 28.1 | 19.7   | 24.1 | 23.7       | 18.6 | 21.2 |
| FAIRLY EASY                                                                                   | 5.6   | 6.1    | 5.8  | 6.4  | 5.8    | 6.2  | 6.0  | 8.2    | 7.2  | 7.3  | 9.8    | 8.6  | 6.4  | 7.2    | 6.8  | 6.4        | 7.5  | 7.0  |
| VERY EASY                                                                                     | 3.6   | 0.6    | 2.4  | 1.0  | 2.2    | 1.6  | 2.0  | 1.7    | 1.9  | 2.7  | 3.3    | 3.0  | 3.1  | 1.4    | 2.3  | 2.5        | 1.9  | 2.2  |
| DON'T KNOW                                                                                    | 40.4  | 54.5   | 46.7 | 41.4 | 51.4   | 46.2 | 48.5 | 54.4   | 51.5 | 49.8 | 56.5   | 53.1 | 49.1 | 63.4   | 55.9 | 46.0       | 56.1 | 50.8 |
| Q30G: DIFFICULTY GETTING COCAINE                                                              |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |      |      |
| IMPOSSIBLE                                                                                    | 32.3  | 20.9   | 27.0 | 27.1 | 17.2   | 22.0 | 19.8 | 13.6   | 16.6 | 12.1 | 9.9    | 10.9 | 9.0  | 4.7    | 7.0  | 19.6       | 13.0 | 16.4 |
| DIFFICULT                                                                                     | 21.4  | 15.5   | 18.6 | 25.1 | 23.2   | 24.3 | 20.1 | 18.2   | 19.2 | 25.0 | 19.2   | 22.1 | 25.0 | 17.0   | 21.2 | 23.3       | 18.7 | 21.1 |
| FAIRLY EASY                                                                                   | 5.5   | 12.4   | 8.7  | 9.6  | 12.7   | 11.5 | 14.2 | 17.6   | 15.8 | 15.9 | 19.4   | 17.8 | 21.3 | 23.5   | 22.3 | 13.6       | 17.3 | 15.5 |
| VERY EASY                                                                                     | 5.6   | 3.0    | 4.5  | 3.5  | 5.5    | 4.5  | 4.3  | 4.2    | 4.3  | 6.3  | 7.4    | 6.8  | 8.6  | 6.9    | 7.8  | 5.7        | 5.5  | 5.6  |
| DON'T KNOW                                                                                    | 35.2  | 48.2   | 41.1 | 34.7 | 41.4   | 37.8 | 41.6 | 46.1   | 44.0 | 40.6 | 44.1   | 42.3 | 36.1 | 48.0   | 41.7 | 37.7       | 45.5 | 41.5 |
| Q30H: DIFFICULTY GETTING CRACK                                                                |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |      |      |
| IMPOSSIBLE                                                                                    | 33.1  | 18.2   | 26.0 | 30.7 | 17.0   | 23.5 | 20.3 | 14.0   | 17.2 | 15.4 | 13.9   | 14.5 | 15.1 | 8.0    | 11.8 | 22.5       | 14.1 | 18.3 |
| DIFFICULT                                                                                     | 12.3  | 14.0   | 13.0 | 18.0 | 18.7   | 18.6 | 18.5 | 14.9   | 16.6 | 19.4 | 14.9   | 17.3 | 19.6 | 16.4   | 18.1 | 17.6       | 15.8 | 16.8 |
| FAIRLY EASY                                                                                   | 6.4   | 7.4    | 6.8  | 8.2  | 8.1    | 8.3  | 9.9  | 11.3   | 10.5 | 8.8  | 10.3   | 9.7  | 9.6  | 9.9    | 9.7  | 8.6        | 9.5  | 9.1  |
| VERY EASY                                                                                     | 5.1   | 2.6    | 4.1  | 1.4  | 2.9    | 2.3  | 3.4  | 3.6    | 3.6  | 3.1  | 2.2    | 2.6  | 4.4  | 3.6    | 4.0  | 3.5        | 3.0  | 3.3  |
| DON'T KNOW                                                                                    | 43.1  | 57.9   | 50.1 | 41.8 | 53.3   | 47.3 | 47.9 | 56.2   | 52.1 | 53.3 | 58.8   | 55.9 | 51.3 | 62.1   | 56.4 | 47.7       | 57.7 | 52.5 |
| Q30I: DIFFICULTY GETTING BINGO                                                                |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |      |      |
| IMPOSSIBLE                                                                                    | 28.3  | 15.7   | 22.3 | 23.8 | 16.6   | 20.1 | 17.3 | 10.2   | 13.8 | 14.5 | 10.2   | 12.2 | 9.9  | 5.6    | 7.9  | 18.4       | 11.5 | 15.0 |
| DIFFICULT                                                                                     | 10.3  | 9.5    | 9.8  | 15.3 | 12.6   | 14.3 | 12.4 | 8.7    | 10.6 | 11.1 | 9.8    | 10.5 | 11.4 | 8.6    | 10.1 | 12.0       | 9.8  | 11.0 |
| FAIRLY EASY                                                                                   | 1.9   | 3.6    | 2.9  | 2.8  | 2.6    | 2.6  | 2.7  | 3.5    | 3.1  | 2.8  | 3.5    | 3.1  | 2.8  | 3.9    | 3.3  | 2.6        | 3.4  | 3.0  |
| VERY EASY                                                                                     | 2.2   | 0.9    | 1.6  | 0.8  | 2.4    | 1.6  | 1.3  | 1.9    | 1.6  | 2.0  | 2.4    | 2.2  | 1.1  | 1.7    | 1.4  | 1.5        | 1.9  | 1.7  |
| DON'T KNOW                                                                                    | 57.3  | 70.4   | 63.4 | 57.3 | 65.8   | 61.4 | 66.4 | 75.7   | 71.0 | 69.6 | 74.1   | 72.0 | 74.8 | 80.2   | 77.3 | 65.5       | 73.4 | 69.3 |

| NUMBER OF VALID RESPONSES TO:<br>Q30J = 3,355<br>Q30K = 3,328<br>Q30L = 3,365 | GRADE  |      |      |      |      |        |      |      |      |        |      |      |      |        | ALL GRADES |      |      |        |     |
|-------------------------------------------------------------------------------|--------|------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------------|------|------|--------|-----|
|                                                                               | 8      |      |      | 9    |      |        | 10   |      |      | 11     |      |      | 12   |        |            |      |      |        |     |
|                                                                               | FEMALE |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL        | MALE |      | FEMALE | ALL |
|                                                                               | Σ      | Σ    | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ          | Σ    | Σ    | Σ      |     |
| Q30J: DIFFICULTY GETTING TRANQUILIZERS                                        |        |      |      |      |      |        |      |      |      |        |      |      |      |        |            |      |      |        |     |
| IMPOSSIBLE                                                                    | 23.3   | 12.7 | 18.3 | 18.0 | 10.8 | 14.4   | 10.5 | 6.6  | 8.7  | 8.0    | 6.3  | 7.1  | 5.1  | 5.0    | 5.1        | 12.6 | 8.1  | 10.4   |     |
| DIFFICULT                                                                     | 18.2   | 14.0 | 16.3 | 22.2 | 15.0 | 19.0   | 21.0 | 12.8 | 16.9 | 18.7   | 15.2 | 17.0 | 16.6 | 9.3    | 13.2       | 19.3 | 13.3 | 16.4   |     |
| FAIRLY EASY                                                                   | 13.5   | 19.6 | 16.4 | 13.7 | 21.8 | 17.7   | 15.9 | 27.9 | 21.8 | 19.5   | 23.1 | 21.5 | 19.7 | 23.2   | 21.3       | 16.6 | 23.3 | 19.9   |     |
| VERY EASY                                                                     | 7.2    | 6.5  | 7.0  | 4.6  | 9.8  | 7.2    | 9.1  | 10.7 | 9.8  | 9.9    | 14.3 | 12.1 | 12.8 | 15.7   | 14.1       | 8.9  | 11.6 | 10.2   |     |
| DON'T KNOW                                                                    | 37.8   | 47.3 | 42.1 | 41.4 | 42.6 | 41.7   | 43.4 | 42.0 | 42.8 | 43.8   | 41.1 | 42.4 | 45.7 | 46.7   | 46.3       | 42.6 | 43.8 | 43.1   |     |
| Q30K: DIFFICULTY GETTING BARBITURATES                                         |        |      |      |      |      |        |      |      |      |        |      |      |      |        |            |      |      |        |     |
| IMPOSSIBLE                                                                    | 27.0   | 14.7 | 21.3 | 20.2 | 14.1 | 17.3   | 11.7 | 7.8  | 9.7  | 8.5    | 7.3  | 7.8  | 6.0  | 4.7    | 5.4        | 14.3 | 9.5  | 11.9   |     |
| DIFFICULT                                                                     | 11.7   | 10.7 | 11.1 | 16.7 | 12.6 | 14.8   | 15.2 | 10.3 | 12.9 | 18.7   | 12.6 | 15.6 | 14.5 | 8.0    | 11.5       | 15.4 | 10.9 | 13.2   |     |
| FAIRLY EASY                                                                   | 4.5    | 5.1  | 4.9  | 9.2  | 6.7  | 8.9    | 9.1  | 10.4 | 9.7  | 9.1    | 12.3 | 11.0 | 13.6 | 13.8   | 13.6       | 9.2  | 10.3 | 9.8    |     |
| VERY EASY                                                                     | 2.7    | 2.4  | 2.5  | 3.0  | 4.5  | 3.8    | 4.4  | 5.4  | 4.9  | 6.2    | 5.8  | 6.0  | 7.3  | 8.6    | 7.9        | 4.8  | 5.4  | 5.1    |     |
| DON'T KNOW                                                                    | 54.1   | 67.0 | 60.1 | 50.9 | 60.1 | 55.3   | 59.6 | 66.1 | 62.8 | 57.5   | 62.0 | 59.6 | 58.6 | 65.0   | 61.6       | 56.3 | 64.0 | 60.0   |     |
| Q30L: DIFFICULTY GETTING SOLVENTS                                             |        |      |      |      |      |        |      |      |      |        |      |      |      |        |            |      |      |        |     |
| IMPOSSIBLE                                                                    | 6.7    | 4.6  | 5.7  | 2.8  | 3.1  | 2.9    | 2.4  | 1.6  | 2.0  | 2.1    | 1.9  | 2.0  | 0.3  | 2.7    | 1.4        | 2.8  | 2.7  | 2.7    |     |
| DIFFICULT                                                                     | 2.0    | 2.6  | 2.2  | 1.7  | 2.1  | 2.0    | 0.9  | 1.0  | 1.0  | 0.6    | 1.2  | 0.9  | 0.6  | 1.1    | 0.8        | 1.1  | 1.6  | 1.4    |     |
| FAIRLY EASY                                                                   | 8.5    | 12.8 | 10.5 | 8.8  | 12.5 | 10.6   | 8.0  | 10.6 | 9.2  | 5.8    | 10.9 | 8.4  | 4.9  | 6.1    | 5.4        | 7.1  | 10.5 | 8.7    |     |
| VERY EASY                                                                     | 63.8   | 51.6 | 58.3 | 72.6 | 64.0 | 68.3   | 73.7 | 69.6 | 71.6 | 76.1   | 67.5 | 71.8 | 74.6 | 70.8   | 72.9       | 72.3 | 65.2 | 68.8   |     |
| DON'T KNOW                                                                    | 18.9   | 28.3 | 23.3 | 14.2 | 18.3 | 16.2   | 15.0 | 17.2 | 16.2 | 15.4   | 18.4 | 16.9 | 19.5 | 19.4   | 19.4       | 16.7 | 20.1 | 18.3   |     |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q31 = 3,155<br>Q31(MOD) = 1,029                   | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      | ALL GRADES |      |      |   |        |   |     |   |
|------------------------------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------------|------|------|---|--------|---|-----|---|
|                                                                                    | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |      |        |      | 12         |      |      |   |        |   |     |   |
|                                                                                    | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL        |      | MALE |   | FEMALE |   | ALL |   |
|                                                                                    | %     | Σ    | %      | Σ    | %    | Σ    | %    | Σ    | %      | Σ    | %    | Σ    | %    | Σ    | %      | Σ    | %          | Σ    | %    | Σ | %      | Σ | %   | Σ |
| Q31: REASON FOR TRYING CANNABIS                                                    |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |      |   |        |   |     |   |
| DON'T KNOW WHAT IT IS                                                              | 7.3   | 11.6 | 9.3    | 6.3  | 6.2  | 5.4  | 6.1  | 5.5  | 5.3    | 4.2  | 6.4  | 5.3  | 3.0  | 3.9  | 3.6    | 5.3  | 6.8        | 6.1  |      |   |        |   |     |   |
| NEVER TRIED IT                                                                     | 77.6  | 78.3 | 77.9   | 69.5 | 71.0 | 70.0 | 62.7 | 63.8 | 63.1   | 50.4 | 47.5 | 48.9 | 51.5 | 51.4 | 51.4   | 62.0 | 61.8       | 61.8 |      |   |        |   |     |   |
| TO SEE WHAT IT WAS LIKE                                                            | 6.9   | 4.0  | 5.6    | 13.0 | 11.8 | 12.4 | 21.1 | 20.4 | 20.8   | 26.1 | 32.2 | 29.2 | 28.2 | 32.0 | 29.9   | 19.4 | 20.6       | 20.0 |      |   |        |   |     |   |
| FRIENDS WERE USING IT                                                              | 0.3   | 0.7  | 0.5    | 2.2  | 2.4  | 2.5  | 1.2  | 1.3  | 1.3    | 2.5  | 2.8  | 2.8  | 2.7  | 2.9  | 2.8    | 1.8  | 2.1        | 2.0  |      |   |        |   |     |   |
| SEEMED LIKE FUN                                                                    | 1.3   | 1.8  | 1.5    | 2.9  | 1.8  | 2.3  | 3.0  | 2.0  | 2.5    | 5.8  | 5.6  | 5.6  | 6.2  | 4.2  | 5.2    | 3.9  | 3.1        | 3.5  |      |   |        |   |     |   |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.2    | 0.1  | 0.0        | 0.0  |      |   |        |   |     |   |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 2.5   | 1.1  | 1.8    | 2.4  | 2.7  | 2.5  | 1.1  | 1.7  | 1.6    | 1.4  | 1.0  | 1.4  | 1.6  | 1.0  | 1.3    | 1.8  | 1.5        | 1.7  |      |   |        |   |     |   |
| OLD ENOUGH TO USE SAFELY                                                           | 0.8   | 0.0  | 0.4    | 0.0  | 0.0  | 0.0  | 0.3  | 0.0  | 0.1    | 0.0  | 0.0  | 0.0  | 0.6  | 0.0  | 0.3    | 0.3  | 0.0        | 0.2  |      |   |        |   |     |   |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 0.9   | 0.0  | 0.5    | 0.9  | 0.3  | 0.6  | 0.4  | 0.5  | 0.6    | 2.7  | 1.3  | 2.0  | 0.9  | 1.3  | 1.1    | 1.2  | 0.7        | 1.0  |      |   |        |   |     |   |
| BORED, NOTHING ELSE TO DO                                                          | 0.8   | 0.7  | 0.7    | 0.9  | 1.2  | 1.0  | 1.3  | 1.4  | 1.3    | 2.4  | 0.4  | 1.4  | 3.1  | 0.7  | 2.0    | 1.7  | 0.9        | 1.3  |      |   |        |   |     |   |
| OTHER REASON                                                                       | 1.5   | 1.8  | 1.6    | 2.0  | 2.6  | 2.3  | 2.8  | 2.4  | 2.6    | 4.3  | 2.7  | 3.5  | 1.9  | 2.6  | 2.2    | 2.5  | 2.4        | 2.5  |      |   |        |   |     |   |
| Q31(MOD): REASON FOR TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |      |   |        |   |     |   |
| TO SEE WHAT IT WAS LIKE                                                            | 45.5  | 39.3 | 44.0   | 53.6 | 51.6 | 52.7 | 67.8 | 68.7 | 67.6   | 57.4 | 59.9 | 63.6 | 61.9 | 71.5 | 66.4   | 59.3 | 65.8       | 62.3 |      |   |        |   |     |   |
| FRIENDS WERE USING IT                                                              | 2.2   | 7.3  | 4.1    | 9.2  | 10.7 | 10.4 | 3.9  | 4.5  | 4.1    | 5.6  | 6.1  | 6.1  | 5.9  | 6.5  | 6.2    | 5.5  | 6.6        | 6.2  |      |   |        |   |     |   |
| SEEMED LIKE FUN                                                                    | 8.8   | 17.7 | 12.0   | 12.0 | 7.8  | 9.8  | 9.6  | 6.6  | 8.0    | 12.8 | 12.1 | 12.3 | 13.7 | 9.3  | 11.6   | 12.0 | 9.9        | 10.9 |      |   |        |   |     |   |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.4    | 0.2  | 0.0        | 0.1  |      |   |        |   |     |   |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 16.5  | 11.0 | 14.2   | 9.8  | 11.7 | 10.6 | 3.4  | 5.8  | 5.2    | 3.2  | 2.3  | 3.1  | 3.5  | 2.3  | 3.0    | 5.4  | 4.8        | 5.3  |      |   |        |   |     |   |
| OLD ENOUGH TO USE SAFELY                                                           | 5.5   | 0.0  | 3.4    | 0.0  | 0.0  | 0.0  | 0.8  | 0.0  | 0.8    | 0.0  | 0.0  | 0.0  | 1.3  | 0.0  | 0.7    | 1.1  | 0.0        | 0.5  |      |   |        |   |     |   |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 6.1   | 0.0  | 3.7    | 3.5  | 1.2  | 2.4  | 1.3  | 1.8  | 1.9    | 6.1  | 2.9  | 4.3  | 2.0  | 2.9  | 2.4    | 3.5  | 2.3        | 3.0  |      |   |        |   |     |   |
| BORED, NOTHING ELSE TO DO                                                          | 5.3   | 6.9  | 5.8    | 3.6  | 5.3  | 4.4  | 4.3  | 4.6  | 4.4    | 5.4  | 0.8  | 3.0  | 6.7  | 1.7  | 4.4    | 5.3  | 2.8        | 4.1  |      |   |        |   |     |   |
| OTHER REASON                                                                       | 10.1  | 17.7 | 12.5   | 8.2  | 11.5 | 9.7  | 9.0  | 8.0  | 8.3    | 9.6  | 5.9  | 7.6  | 4.3  | 5.8  | 5.0    | 7.7  | 7.8        | 7.6  |      |   |        |   |     |   |

NOTE: Q31(MOD) IS A MODIFIED RESPONSE SET FOR Q31 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q32 = 3,382<br>Q32(MOD) = 1,196                  | GRADE |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     | ALL GRADES |        |
|-----------------------------------------------------------------------------------|-------|--------|-----|------|--------|-----|------|--------|-----|------|--------|-----|------|--------|-----|------|--------|-----|------------|--------|
|                                                                                   | 8     |        |     | 9    |        |     | 10   |        |     | 11   |        |     | 12   |        |     |      |        |     | MALE       | FEMALE |
|                                                                                   | MALE  |        | ALL | MALE |        | ALL | MALE |        | ALL | MALE |        | ALL | MALE |        | ALL | MALE |        | ALL |            |        |
|                                                                                   | Σ     | FEMALE | Σ   | Σ    | FEMALE | Σ   | Σ    | FEMALE | Σ   | Σ    | FEMALE | Σ   | Σ    | FEMALE | Σ   | Σ    | FEMALE | Σ   |            |        |
| Q32: WHEN FIRST TRIED CANNABIS                                                    |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| DON'T KNOW WHAT IT IS                                                             |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| NEVER TRIED IT                                                                    |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 4 OR BEFORE                                                                 |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 5                                                                           |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 6                                                                           |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 7                                                                           |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 8                                                                           |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 9                                                                           |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 10                                                                          |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 11                                                                          |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 12                                                                          |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| Q32(MOD): WHEN FIRST TRIED CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 4 OR BEFORE                                                                 |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 5                                                                           |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 6                                                                           |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 7                                                                           |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 8                                                                           |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 9                                                                           |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 10                                                                          |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 11                                                                          |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |
| GRADE 12                                                                          |       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |        |

NOTE: Q32(MOD) IS A MODIFIED RESPONSE SET FOR Q32 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS.



| NUMBER OF VALID RESPONSES TO:<br>Q33 = 3.014<br>Q33(MOD) = 2.081                           | GRADE |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |      |
|--------------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|------|
|                                                                                            | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12         |      |        | ALL  |
|                                                                                            | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |      | FEMALE |      |
|                                                                                            | %     | N    | %      | N    | %    | N      | %    | N    | %      | N    | %    | N      | %          | N    | %      |      |
| Q33: REASON FOR NOT TRYING CANNABIS                                                        |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| DON'T KNOW WHAT IT IS                                                                      | 8.1   | 10.0 | 9.0    | 6.1  | 4.9  | 5.0    | 7.3  | 5.3  | 6.2    | 4.5  | 5.9  | 5.2    | 4.5        | 4.8  | 6.1    | 6.1  |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 32.6  | 21.0 | 27.0   | 24.9 | 12.3 | 18.4   | 24.5 | 11.6 | 17.9   | 15.8 | 10.3 | 13.0   | 16.7       | 8.4  | 12.8   | 17.7 |
| MIGHT BE ADDICTIVE                                                                         | 4.5   | 2.9  | 3.7    | 2.5  | 3.2  | 3.0    | 1.6  | 3.4  | 2.5    | 3.8  | 2.6  | 3.1    | 4.2        | 2.6  | 3.3    | 3.1  |
| ILLEGAL TO USE IT                                                                          | 2.8   | 0.4  | 1.8    | 2.7  | 1.7  | 2.2    | 1.8  | 1.2  | 1.5    | 0.6  | 0.0  | 0.3    | 0.7        | 0.7  | 1.7    | 1.3  |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 1.7   | 2.8  | 2.2    | 2.2  | 1.9  | 2.1    | 2.0  | 0.7  | 1.3    | 0.4  | 0.4  | 0.4    | 2.3        | 0.3  | 1.4    | 1.5  |
| TROUBLE WITH POLICE                                                                        | 0.0   | 0.0  | 0.0    | 0.3  | 0.0  | 0.1    | 1.0  | 0.0  | 0.5    | 0.0  | 0.0  | 0.0    | 0.0        | 0.7  | 0.3    | 0.1  |
| CAN NOT GET ANY                                                                            | 0.3   | 0.0  | 0.2    | 0.9  | 0.3  | 0.6    | 0.0  | 0.4  | 0.2    | 0.3  | 0.0  | 0.2    | 0.0        | 0.0  | 0.3    | 0.2  |
| CAN NOT AFFORD IT                                                                          | 0.6   | 0.3  | 0.4    | 1.5  | 0.7  | 1.1    | 0.3  | 0.4  | 0.3    | 0.0  | 0.0  | 0.0    | 0.0        | 0.0  | 0.5    | 0.4  |
| NOT INTERESTED                                                                             | 23.1  | 37.4 | 29.8   | 25.7 | 40.4 | 33.1   | 24.1 | 34.4 | 29.5   | 23.0 | 29.3 | 26.3   | 25.7       | 31.5 | 28.4   | 29.4 |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 5.0   | 10.1 | 7.5    | 5.7  | 9.3  | 7.6    | 5.1  | 5.9  | 5.5    | 3.8  | 6.7  | 5.2    | 3.6        | 2.9  | 3.2    | 5.8  |
| OTHER THINGS I ENJOY DOING                                                                 | 9.0   | 4.3  | 6.8    | 7.8  | 7.4  | 7.5    | 6.5  | 8.6  | 7.6    | 6.0  | 5.8  | 5.9    | 5.3        | 6.0  | 5.6    | 6.7  |
| FRIENDS DON'T USE IT                                                                       | 0.3   | 2.0  | 1.1    | 0.0  | 0.3  | 0.2    | 0.8  | 0.3  | 0.5    | 0.3  | 1.1  | 0.7    | 0.6        | 0.0  | 0.3    | 0.6  |
| OTHER REASON                                                                               | 1.9   | 2.7  | 2.5    | 2.0  | 1.8  | 1.9    | 3.0  | 1.8  | 2.4    | 2.9  | 2.1  | 2.6    | 2.3        | 2.6  | 2.4    | 2.4  |
| HAVE TRIED IT                                                                              | 10.0  | 5.9  | 8.0    | 17.7 | 15.7 | 16.7   | 22.0 | 25.9 | 24.1   | 38.5 | 35.8 | 37.2   | 34.0       | 39.6 | 24.6   | 24.8 |
| Q33(MOD): REASON FOR NOT TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE NOT TRIED CANNABIS) |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 39.9  | 25.0 | 32.5   | 32.7 | 15.5 | 23.7   | 34.6 | 16.9 | 25.7   | 27.8 | 17.7 | 22.6   | 27.2       | 15.0 | 21.8   | 25.6 |
| MIGHT BE ADDICTIVE                                                                         | 5.5   | 3.5  | 4.5    | 3.3  | 4.1  | 3.9    | 2.2  | 4.9  | 3.6    | 6.6  | 4.4  | 5.4    | 6.8        | 4.8  | 5.9    | 4.5  |
| ILLEGAL TO USE IT                                                                          | 3.4   | 0.5  | 2.2    | 3.6  | 2.2  | 2.8    | 2.6  | 1.8  | 2.2    | 1.1  | 0.0  | 0.5    | 1.2        | 1.3  | 1.2    | 1.9  |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 2.1   | 3.3  | 2.7    | 2.9  | 2.5  | 2.7    | 2.9  | 1.0  | 1.9    | 0.7  | 0.7  | 0.7    | 3.8        | 0.6  | 2.4    | 2.1  |
| TROUBLE WITH POLICE                                                                        | 0.0   | 0.0  | 0.0    | 0.4  | 0.0  | 0.2    | 1.4  | 0.0  | 0.7    | 0.0  | 0.0  | 0.0    | 0.0        | 1.2  | 0.5    | 0.3  |
| CAN NOT GET ANY                                                                            | 0.4   | 0.0  | 0.2    | 1.2  | 0.4  | 0.8    | 0.0  | 0.6  | 0.3    | 0.6  | 0.0  | 0.3    | 0.0        | 0.0  | 0.4    | 0.3  |
| CAN NOT AFFORD IT                                                                          | 0.7   | 0.4  | 0.5    | 2.0  | 0.8  | 1.4    | 0.4  | 0.6  | 0.5    | 0.0  | 0.0  | 0.0    | 0.0        | 0.0  | 0.7    | 0.5  |
| NOT INTERESTED                                                                             | 28.2  | 44.5 | 35.9   | 33.7 | 50.9 | 42.5   | 34.0 | 50.1 | 42.3   | 40.3 | 50.2 | 45.6   | 41.8       | 56.7 | 48.4   | 42.5 |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 6.0   | 12.1 | 9.0    | 7.5  | 11.7 | 9.8    | 7.2  | 8.6  | 7.9    | 6.7  | 11.5 | 9.1    | 5.8        | 5.2  | 5.5    | 8.4  |
| OTHER THINGS I ENJOY DOING                                                                 | 11.0  | 5.2  | 8.2    | 10.2 | 9.3  | 9.6    | 9.2  | 12.6 | 10.9   | 10.8 | 10.0 | 10.1   | 8.6        | 10.7 | 9.5    | 9.4  |
| FRIENDS DON'T USE IT                                                                       | 0.4   | 2.4  | 1.4    | 0.0  | 0.4  | 0.2    | 1.2  | 0.4  | 0.8    | 0.6  | 1.9  | 1.7    | 1.0        | 0.0  | 0.5    | 1.0  |
| OTHER REASON                                                                               | 2.4   | 3.2  | 3.0    | 2.6  | 2.3  | 2.4    | 4.3  | 2.6  | 3.4    | 5.0  | 3.7  | 4.5    | 3.6        | 4.6  | 3.5    | 3.4  |

NOTE: Q33(MOD) IS A MODIFIED RESPONSE SET FOR Q33 AND INCLUDES ONLY THOSE WHO HAVE NOT TRIED CANNABIS. THOSE WHO DON'T KNOW WHAT CANNABIS IS HAVE BEEN EXCLUDED.



LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q34 = 3,205<br>Q34(MOD) = 694                          | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-----------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                         | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      | MALE       | FEMALE | ALL  |
|                                                                                         | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |        |      |
| Q34: REASON FOR STOPPING CANNABIS USE                                                   |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                                                   | 8.7   | 10.9   | 9.7  | 6.1  | 5.3    | 5.8  | 6.5  | 4.4    | 5.4  | 2.9  | 5.2    | 4.2  | 3.4  | 4.1    | 3.7  | 5.5        | 5.9    | 5.7  |
| NEVER USED IT                                                                           | 73.1  | 77.6   | 75.3 | 66.7 | 71.3   | 68.9 | 60.1 | 61.3   | 60.5 | 47.1 | 47.2   | 46.9 | 50.0 | 47.8   | 49.1 | 59.0       | 60.5   | 59.7 |
| MIGHT BE HARMFUL TO MY HEALTH                                                           | 4.8   | 1.0    | 3.1  | 4.3  | 1.4    | 2.8  | 4.7  | 2.9    | 3.8  | 4.9  | 2.0    | 3.4  | 3.8  | 1.7    | 2.8  | 4.5        | 1.9    | 3.2  |
| MIGHT BE ADDICTIVE                                                                      | 0.6   | 0.0    | 0.3  | 1.4  | 0.6    | 1.0  | 0.3  | 0.3    | 0.3  | 1.4  | 2.0    | 1.7  | 0.0  | 0.7    | 0.3  | 0.7        | 0.7    | 0.7  |
| PARENTS MADE ME STOP                                                                    | 0.2   | 0.3    | 0.3  | 0.3  | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.1    | 0.1  |
| ILLEGAL TO USE IT                                                                       | 0.3   | 0.0    | 0.2  | 0.6  | 0.3    | 0.4  | 0.4  | 0.4    | 0.4  | 0.3  | 0.3    | 0.3  | 0.6  | 0.0    | 0.3  | 0.4        | 0.2    | 0.3  |
| WAS JUST EXPERIMENTING                                                                  | 2.5   | 1.2    | 1.8  | 0.3  | 4.4    | 2.4  | 4.8  | 3.6    | 4.2  | 5.4  | 6.9    | 6.1  | 4.6  | 6.6    | 5.5  | 3.6        | 4.6    | 4.1  |
| NOT INTERESTED ANYMORE                                                                  | 0.9   | 1.3    | 1.1  | 4.4  | 0.3    | 2.3  | 2.7  | 5.4    | 4.1  | 5.0  | 7.0    | 6.3  | 6.7  | 7.4    | 7.0  | 4.0        | 4.4    | 4.2  |
| TROUBLE WITH PARENTS/TEACHERS                                                           | 0.0   | 0.3    | 0.2  | 0.7  | 0.0    | 0.3  | 0.0  | 0.6    | 0.3  | 0.7  | 0.0    | 0.3  | 0.0  | 0.3    | 0.1  | 0.3        | 0.3    | 0.3  |
| FRIENDS STOPPED USING IT                                                                | 0.0   | 0.0    | 0.0  | 0.0  | 0.6    | 0.3  | 0.2  | 0.4    | 0.3  | 0.3  | 0.3    | 0.3  | 0.0  | 0.0    | 0.0  | 0.1        | 0.3    | 0.2  |
| GOT INTO TROUBLE WITH POLICE                                                            | 0.3   | 0.0    | 0.2  | 0.3  | 0.0    | 0.1  | 0.4  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.2        | 0.0    | 0.1  |
| DIDN'T LIKE EFFECTS                                                                     | 0.6   | 0.9    | 0.8  | 0.6  | 1.2    | 0.9  | 0.7  | 2.7    | 2.2  | 2.5  | 4.2    | 3.4  | 3.5  | 5.6    | 4.5  | 1.7        | 3.0    | 2.4  |
| OTHER THINGS I ENJOY DOING                                                              | 1.5   | 1.0    | 1.3  | 3.5  | 1.2    | 2.3  | 3.0  | 4.5    | 3.7  | 4.9  | 4.4    | 4.7  | 4.2  | 3.7    | 3.9  | 3.4        | 3.0    | 3.3  |
| RESULT OF EDUCATIONAL EFFORTS                                                           | 0.0   | 0.0    | 0.0  | 0.3  | 0.7    | 0.5  | 0.2  | 0.0    | 0.1  | 0.4  | 0.3    | 0.3  | 0.7  | 0.3    | 0.5  | 0.3        | 0.3    | 0.3  |
| OTHER REASON                                                                            | 1.1   | 1.3    | 1.2  | 1.9  | 1.9    | 1.9  | 3.8  | 1.6    | 2.6  | 2.9  | 1.8    | 2.3  | 3.0  | 3.3    | 3.2  | 2.6        | 2.0    | 2.3  |
| STILL USE IT                                                                            | 5.3   | 4.2    | 4.7  | 8.7  | 10.7   | 10.0 | 12.0 | 12.0   | 11.9 | 21.4 | 18.4   | 19.8 | 19.6 | 18.4   | 19.0 | 13.6       | 13.0   | 13.3 |
| Q34(MOD): REASON FOR STOPPING CANNABIS USE (RESPONSES FOR THOSE WHO HAVE STOPPED USING) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| MIGHT BE HARMFUL TO MY HEALTH                                                           | 37.1  | 13.6   | 30.3 | 23.4 | 10.9   | 18.2 | 22.0 | 13.1   | 17.1 | 17.0 | 7.0    | 11.6 | 13.9 | 5.9    | 10.0 | 20.5       | 9.0    | 14.9 |
| MIGHT BE ADDICTIVE                                                                      | 4.5   | 0.0    | 2.9  | 7.5  | 4.4    | 6.2  | 1.3  | 1.1    | 1.2  | 4.8  | 6.9    | 5.8  | 0.0  | 2.3    | 1.1  | 3.2        | 3.5    | 3.3  |
| PARENTS MADE ME STOP                                                                    | 1.9   | 3.9    | 2.6  | 1.6  | 0.0    | 0.9  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.5        | 0.3    | 0.4  |
| ILLEGAL TO USE IT                                                                       | 2.3   | 0.0    | 1.5  | 3.4  | 2.2    | 2.9  | 1.8  | 1.7    | 1.7  | 1.0  | 1.0    | 1.0  | 2.3  | 0.0    | 1.2  | 2.0        | 1.0    | 1.5  |
| WAS JUST EXPERIMENTING                                                                  | 19.3  | 16.1   | 17.9 | 1.6  | 35.1   | 15.5 | 22.6 | 16.1   | 18.8 | 18.8 | 23.5   | 20.9 | 16.9 | 22.2   | 19.5 | 16.5       | 22.3   | 19.1 |
| NOT INTERESTED ANYMORE                                                                  | 6.9   | 18.2   | 10.6 | 23.6 | 2.2    | 14.7 | 12.7 | 24.2   | 18.3 | 17.5 | 24.1   | 21.7 | 24.7 | 25.1   | 24.9 | 18.2       | 21.5   | 19.9 |
| TROUBLE WITH PARENTS/TEACHERS                                                           | 0.0   | 4.4    | 1.5  | 3.6  | 0.0    | 2.1  | 0.0  | 2.8    | 1.4  | 2.5  | 0.0    | 1.2  | 0.0  | 1.0    | 0.5  | 1.2        | 1.2    | 1.2  |
| FRIENDS STOPPED USING IT                                                                | 0.0   | 0.0    | 0.0  | 0.0  | 4.7    | 2.0  | 1.2  | 1.7    | 1.4  | 1.0  | 0.9    | 0.9  | 0.0  | 0.0    | 0.0  | 0.5        | 1.2    | 0.8  |
| GOT INTO TROUBLE WITH POLICE                                                            | 2.6   | 0.0    | 1.7  | 1.6  | 0.0    | 0.9  | 1.8  | 0.0    | 0.9  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.9        | 0.0    | 0.5  |
| DIDN'T LIKE EFFECTS                                                                     | 4.8   | 12.6   | 7.4  | 3.1  | 9.8    | 5.9  | 3.5  | 12.2   | 9.8  | 8.9  | 14.4   | 11.6 | 13.0 | 19.0   | 16.0 | 7.6        | 14.5   | 11.2 |
| OTHER THINGS I ENJOY DOING                                                              | 11.7  | 13.7   | 12.2 | 19.0 | 9.5    | 15.0 | 14.2 | 20.0   | 16.8 | 17.0 | 15.1   | 16.2 | 15.5 | 12.4   | 14.0 | 15.7       | 14.7   | 15.2 |
| RESULT OF EDUCATIONAL EFFORTS                                                           | 0.0   | 0.0    | 0.0  | 1.6  | 5.8    | 3.3  | 1.2  | 0.0    | 0.6  | 1.3  | 0.9    | 1.1  | 2.5  | 1.0    | 1.8  | 1.5        | 1.3    | 1.4  |
| OTHER REASON                                                                            | 8.9   | 17.4   | 11.6 | 10.1 | 15.3   | 12.3 | 17.8 | 7.0    | 11.9 | 10.1 | 6.3    | 8.0  | 11.2 | 11.2   | 11.2 | 11.8       | 9.6    | 10.6 |

NOTE: Q34(MOD) IS A MODIFIED RESPONSE SET FOR Q34 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS BUT WHO DID NOT USE IT NOW

| NUMBER OF VALID RESPONSES TO:<br>Q35 = 3,126<br>Q35(MOD) = 546                         | GRADE  |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        | ALL GRADES |  |  |
|----------------------------------------------------------------------------------------|--------|------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------------|--|--|
|                                                                                        | 8      |      |      | 9    |      |        | 10   |      |      | 11     |      |      | 12   |        |      |      |      |        |            |  |  |
|                                                                                        | FEMALE |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL        |  |  |
|                                                                                        | Σ      | %    | Σ    | Σ    | %    | Σ      | %    | Σ    | %    | Σ      | %    | Σ    | %    | Σ      | %    | Σ    | %    | Σ      | %          |  |  |
| Q35: REASON FOR STILL USING CANNABIS                                                   |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |  |  |
| DON'T KNOW WHAT IT IS                                                                  | 8.0    | 10.8 | 9.3  | 5.5  | 5.4  | 5.6    | 6.9  | 4.0  | 5.4  | 3.7    | 4.2  | 4.1  | 3.7  | 3.1    | 3.4  | 5.5  | 5.4  | 5.5    |            |  |  |
| NEVER USED IT                                                                          | 75.9   | 80.0 | 78.1 | 68.6 | 72.8 | 70.5   | 61.5 | 64.6 | 63.0 | 48.8   | 49.9 | 49.1 | 50.7 | 51.1   | 51.0 | 60.7 | 63.3 | 61.9   |            |  |  |
| STOPPED USING IT                                                                       | 8.0    | 3.4  | 5.7  | 12.1 | 7.2  | 9.5    | 14.7 | 15.1 | 15.2 | 22.4   | 23.5 | 23.1 | 20.5 | 23.3   | 21.7 | 15.8 | 14.8 | 15.3   |            |  |  |
| IT IS FUN                                                                              | 1.5    | 1.2  | 1.3  | 5.9  | 4.9  | 5.6    | 5.7  | 4.7  | 5.2  | 9.1    | 7.5  | 8.4  | 12.6 | 9.4    | 11.1 | 7.1  | 5.6  | 6.4    |            |  |  |
| FRIENDS STILL USE IT                                                                   | 0.0    | 0.4  | 0.2  | 0.3  | 0.0  | 0.1    | 1.2  | 0.9  | 1.1  | 1.6    | 0.3  | 0.9  | 0.3  | 0.6    | 0.4  | 0.7  | 0.5  | 0.6    |            |  |  |
| CANNOT STOP USING IT                                                                   | 0.5    | 0.3  | 0.4  | 0.0  | 0.6  | 0.3    | 0.7  | 0.0  | 0.3  | 0.0    | 0.0  | 0.0  | 0.6  | 0.0    | 0.3  | 0.4  | 0.2  | 0.3    |            |  |  |
| TO GET ALONG WITH FRIENDS                                                              | 0.3    | 0.0  | 0.1  | 0.4  | 0.0  | 0.3    | 0.3  | 0.4  | 0.3  | 0.6    | 0.0  | 0.3  | 0.0  | 0.4    | 0.2  | 0.3  | 0.2  | 0.3    |            |  |  |
| EASIER TO DO SCHOOL WORK                                                               | 0.0    | 0.4  | 0.2  | 0.4  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.7  | 0.4  | 0.3  | 0.3    | 0.3  | 0.1  | 0.3  | 0.2    |            |  |  |
| GOOD FOR MY HEALTH                                                                     | 0.3    | 0.0  | 0.1  | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2  | 0.4    | 0.0  | 0.2  | 0.0  | 0.4    | 0.2  | 0.2  | 0.1  | 0.1    |            |  |  |
| CALMS ME DOWN                                                                          | 0.6    | 0.0  | 0.3  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.7    | 0.4  | 0.5  | 0.9  | 0.3    | 0.6  | 0.5  | 0.1  | 0.3    |            |  |  |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 1.1    | 0.4  | 0.7  | 1.5  | 2.3  | 1.9    | 0.3  | 1.3  | 0.8  | 1.2    | 1.9  | 1.6  | 2.9  | 1.9    | 2.4  | 1.4  | 1.6  | 1.5    |            |  |  |
| ADULTS SAY IT IS NOT GOOD                                                              | 0.3    | 0.6  | 0.5  | 0.9  | 0.0  | 0.4    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.4    | 0.2  | 0.2  | 0.2  | 0.2    |            |  |  |
| BORED, NOTHING ELSE TO DO                                                              | 0.0    | 0.0  | 0.0  | 0.4  | 1.3  | 0.9    | 0.7  | 2.1  | 1.4  | 0.4    | 0.6  | 0.5  | 0.6  | 0.3    | 0.5  | 0.4  | 0.9  | 0.7    |            |  |  |
| OLD ENOUGH TO USE CAREFULLY                                                            | 0.3    | 0.6  | 0.4  | 1.0  | 0.8  | 0.9    | 0.7  | 0.3  | 0.5  | 1.8    | 0.9  | 1.4  | 1.7  | 0.0    | 0.9  | 1.1  | 0.5  | 0.8    |            |  |  |
| TO FEEL GOOD                                                                           | 1.5    | 1.2  | 1.4  | 2.2  | 3.0  | 2.6    | 4.7  | 3.3  | 3.9  | 5.4    | 4.2  | 4.8  | 2.1  | 3.1    | 2.5  | 3.2  | 3.0  | 3.1    |            |  |  |
| OTHER REASON                                                                           | 1.7    | 0.8  | 1.3  | 0.9  | 1.6  | 1.2    | 2.4  | 3.2  | 2.8  | 3.7    | 5.8  | 4.9  | 3.1  | 5.4    | 4.1  | 2.4  | 3.4  | 2.9    |            |  |  |
| Q35(MOD): REASON FOR STILL USING CANNABIS (RESPONSES FOR THOSE WHO STILL USE CANNABIS) |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |  |  |
| IT IS FUN                                                                              | 18.2   | 20.5 | 19.2 | 42.6 | 34.0 | 38.6   | 33.7 | 29.0 | 31.8 | 36.5   | 33.6 | 35.3 | 50.2 | 41.7   | 46.5 | 39.5 | 34.0 | 37.0   |            |  |  |
| FRIENDS STILL USE IT                                                                   | 0.0    | 6.3  | 2.5  | 2.1  | 0.0  | 1.0    | 7.0  | 5.8  | 6.4  | 6.4    | 1.3  | 3.9  | 1.1  | 2.8    | 1.8  | 3.7  | 2.7  | 3.3    |            |  |  |
| CANNOT STOP USING IT                                                                   | 6.3    | 4.7  | 5.7  | 0.0  | 4.0  | 2.0    | 4.0  | 0.0  | 2.0  | 0.0    | 0.0  | 0.0  | 2.4  | 0.0    | 1.3  | 2.0  | 1.0  | 1.5    |            |  |  |
| TO GET ALONG WITH FRIENDS                                                              | 3.4    | 0.0  | 2.0  | 2.8  | 0.0  | 2.3    | 1.7  | 2.4  | 2.0  | 2.5    | 0.0  | 1.3  | 0.0  | 1.8    | 0.8  | 1.7  | 1.0  | 1.5    |            |  |  |
| EASIER TO DO SCHOOL WORK                                                               | 0.0    | 6.3  | 2.5  | 2.8  | 0.0  | 1.3    | 0.0  | 0.0  | 0.0  | 0.0    | 3.3  | 1.6  | 1.3  | 1.4    | 1.4  | 0.8  | 1.7  | 1.2    |            |  |  |
| GOOD FOR MY HEALTH                                                                     | 3.2    | 0.0  | 1.9  | 0.0  | 0.0  | 0.0    | 2.4  | 0.0  | 1.2  | 1.6    | 0.0  | 0.8  | 0.0  | 1.8    | 0.8  | 1.2  | 0.5  | 0.8    |            |  |  |
| CALMS ME DOWN                                                                          | 8.0    | 0.0  | 4.8  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 2.7    | 1.7  | 2.2  | 3.5  | 1.4    | 2.6  | 2.5  | 0.9  | 1.7    |            |  |  |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 13.4   | 6.3  | 10.5 | 10.9 | 15.8 | 13.1   | 1.7  | 7.9  | 4.8  | 5.0    | 8.6  | 6.6  | 11.6 | 8.4    | 10.2 | 7.9  | 9.4  | 8.6    |            |  |  |
| ADULTS SAY IT IS NOT GOOD                                                              | 4.2    | 11.0 | 7.0  | 6.4  | 0.0  | 3.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 1.8    | 0.8  | 1.3  | 1.2  | 1.2    |            |  |  |
| BORED, NOTHING ELSE TO DO                                                              | 0.0    | 0.0  | 0.0  | 2.8  | 9.2  | 6.0    | 4.0  | 12.9 | 8.4  | 1.6    | 2.6  | 2.0  | 2.4  | 1.5    | 2.0  | 2.3  | 5.5  | 3.8    |            |  |  |
| OLD ENOUGH TO USE CAREFULLY                                                            | 3.4    | 9.7  | 5.9  | 7.4  | 5.3  | 6.1    | 4.1  | 2.0  | 3.0  | 7.3    | 4.2  | 5.7  | 6.8  | 0.0    | 3.9  | 6.2  | 3.1  | 4.7    |            |  |  |
| TO FEEL GOOD                                                                           | 19.2   | 20.9 | 19.9 | 15.8 | 20.5 | 17.8   | 27.6 | 20.1 | 23.8 | 21.6   | 18.8 | 20.0 | 8.4  | 13.6   | 10.7 | 17.7 | 18.1 | 17.8   |            |  |  |
| OTHER REASON                                                                           | 20.7   | 14.4 | 18.2 | 6.3  | 11.2 | 8.7    | 13.9 | 19.9 | 16.9 | 14.8   | 25.9 | 20.5 | 12.2 | 24.0   | 17.3 | 13.2 | 20.9 | 16.9   |            |  |  |

NOTE: Q35(MOD) IS A MODIFIED RESPONSE SET FOR Q35 AND INCLUDES ONLY THOSE WHO STILL USE CANNABIS.

[illegible]

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q37 = 3,436<br>Q37(MOD) = 2,816                 | GRADE |      |      |        |      |      |      |      |      |        |      |      | ALL GRADES |      |        |      |      |
|----------------------------------------------------------------------------------|-------|------|------|--------|------|------|------|------|------|--------|------|------|------------|------|--------|------|------|
|                                                                                  | 8     |      |      | 9      |      |      | 10   |      |      | 11     |      |      | 12         |      |        | ALL  |      |
|                                                                                  | MALE  |      | %    | FEMALE |      | %    | MALE |      | %    | FEMALE |      | %    | MALE       |      | FEMALE |      |      |
|                                                                                  | ALL   | %    |      | ALL    | %    |      | ALL  | %    |      | ALL    | %    |      | ALL        | %    | ALL    |      | %    |
| Q37: REASON FOR TRYING ALCOHOL                                                   |       |      |      |        |      |      |      |      |      |        |      |      |            |      |        |      |      |
| NEVER TRIED IT                                                                   | 27.2  | 37.6 | 32.0 | 23.6   | 22.6 | 23.1 | 17.5 | 17.0 | 17.1 | 8.8    | 13.4 | 11.1 | 9.3        | 10.9 | 10.0   | 16.9 | 18.3 |
| TO SEE WHAT IT WAS LIKE                                                          | 37.8  | 36.5 | 37.3 | 34.5   | 35.0 | 34.8 | 41.5 | 39.4 | 40.6 | 40.0   | 44.5 | 42.0 | 38.9       | 42.6 | 40.6   | 36.6 | 39.2 |
| FRIENDS WERE DRINKING                                                            | 2.7   | 4.4  | 3.7  | 5.6    | 5.5  | 5.5  | 5.8  | 4.8  | 5.3  | 8.7    | 5.1  | 7.1  | 11.6       | 6.5  | 9.2    | 7.0  | 6.2  |
| SEEMED LIKE FUN                                                                  | 5.0   | 4.4  | 4.7  | 9.7    | 8.6  | 9.1  | 7.5  | 13.7 | 10.7 | 13.3   | 10.6 | 11.9 | 13.6       | 10.5 | 12.1   | 9.9  | 9.8  |
| THOUGHT IT WOULD CALM ME DOWN                                                    | 0.3   | 0.0  | 0.1  | 0.4    | 0.5  | 0.4  | 0.0  | 0.0  | 0.0  | 0.4    | 0.3  | 0.3  | 0.3        | 0.0  | 0.2    | 0.3  | 0.2  |
| ESCAPE HOME/SCHOOL WORRIES                                                       | 3.6   | 1.9  | 2.8  | 1.2    | 2.1  | 1.6  | 0.5  | 1.9  | 1.2  | 1.5    | 0.8  | 1.1  | 1.6        | 2.4  | 2.0    | 1.7  | 1.7  |
| OLD ENOUGH TO USE SAFELY                                                         | 2.4   | 0.5  | 1.5  | 3.2    | 2.7  | 2.9  | 2.0  | 2.8  | 2.5  | 5.7    | 3.5  | 4.5  | 5.1        | 3.0  | 4.1    | 3.7  | 2.8  |
| HEARD COULD MAKE ME FEEL GOOD                                                    | 1.8   | 0.0  | 0.9  | 1.1    | 2.3  | 1.8  | 1.2  | 1.5  | 1.3  | 0.6    | 0.9  | 0.8  | 0.6        | 0.9  | 0.8    | 1.1  | 1.1  |
| BORED, NOTHING ELSE TO DO                                                        | 1.1   | 1.2  | 1.2  | 1.8    | 2.1  | 1.9  | 1.2  | 2.4  | 1.8  | 1.7    | 1.7  | 1.7  | 1.8        | 0.9  | 1.4    | 1.5  | 1.7  |
| OTHER REASON                                                                     | 18.1  | 13.4 | 15.7 | 18.9   | 18.6 | 18.7 | 22.8 | 16.4 | 19.5 | 19.4   | 19.3 | 19.4 | 17.2       | 22.2 | 19.5   | 19.3 | 18.1 |
| Q37(MOD): REASON FOR TRYING ALCOHOL (RESPONSES FOR THOSE WHO HAVE TRIED ALCOHOL) |       |      |      |        |      |      |      |      |      |        |      |      |            |      |        |      |      |
| TO SEE WHAT IT WAS LIKE                                                          | 51.9  | 58.5 | 54.9 | 45.1   | 45.2 | 45.3 | 50.3 | 47.5 | 48.9 | 43.8   | 51.3 | 47.3 | 42.9       | 47.9 | 45.3   | 46.5 | 48.0 |
| FRIENDS WERE DRINKING                                                            | 3.7   | 7.0  | 5.4  | 7.4    | 7.1  | 7.2  | 7.1  | 5.8  | 6.4  | 9.5    | 5.9  | 8.0  | 12.8       | 7.3  | 10.2   | 8.5  | 7.6  |
| SEEMED LIKE FUN                                                                  | 6.9   | 7.1  | 6.9  | 12.8   | 11.2 | 11.8 | 9.0  | 16.5 | 12.9 | 14.6   | 12.2 | 13.4 | 15.0       | 11.8 | 13.5   | 11.9 | 12.2 |
| THOUGHT IT WOULD CALM ME DOWN                                                    | 0.4   | 0.0  | 0.2  | 0.5    | 0.7  | 0.6  | 0.0  | 0.0  | 0.0  | 0.4    | 0.4  | 0.4  | 0.3        | 0.0  | 0.2    | 0.3  | 0.3  |
| ESCAPE HOME/SCHOOL WORRIES                                                       | 4.9   | 3.1  | 4.1  | 1.6    | 2.7  | 2.1  | 0.6  | 2.3  | 1.5  | 1.7    | 0.9  | 1.3  | 1.8        | 2.7  | 2.2    | 2.0  | 2.1  |
| OLD ENOUGH TO USE SAFELY                                                         | 3.4   | 0.8  | 2.2  | 4.2    | 3.5  | 3.8  | 2.4  | 3.4  | 3.0  | 6.2    | 4.0  | 5.1  | 5.6        | 3.3  | 4.5    | 4.5  | 3.2  |
| HEARD COULD MAKE ME FEEL GOOD                                                    | 2.5   | 0.0  | 1.4  | 1.4    | 3.0  | 2.4  | 1.5  | 1.8  | 1.6  | 0.7    | 1.1  | 0.9  | 0.7        | 1.0  | 0.8    | 1.3  | 1.4  |
| BORED, NOTHING ELSE TO DO                                                        | 1.5   | 2.0  | 1.7  | 2.3    | 2.7  | 2.5  | 1.5  | 2.9  | 2.2  | 1.8    | 1.9  | 1.9  | 2.0        | 1.0  | 1.5    | 1.8  | 2.1  |
| OTHER REASON                                                                     | 24.9  | 21.4 | 23.2 | 24.7   | 24.0 | 24.3 | 27.6 | 19.8 | 23.5 | 21.3   | 22.3 | 21.9 | 19.0       | 24.9 | 21.7   | 23.2 | 22.5 |

NOTE: Q37(MOD) IS A MODIFIED RESPONSE SET FOR Q37 AND INCLUDES ONLY THOSE WHO HAVE TRIED ALCOHOL.



• • • • • THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 • • • • •  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q39 = 3,025<br>Q39(W00) = 919                         | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|----------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                        | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      | MALE       | FEMALE | ALL  |
|                                                                                        | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |        |      |
|                                                                                        |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| Q39: REASON FOR STOPPING ALCOHOL USE                                                   |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| HAVE NEVER DRUNK ALCOHOL                                                               | 35.5  | 48.1   | 40.5 | 29.0 | 28.6   | 28.7 | 22.4 | 22.6   | 22.3 | 12.6 | 15.2   | 13.9 | 11.3 | 15.0   | 13.2 | 21.7       | 24.9   | 23.2 |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 11.0  | 3.6    | 7.4  | 5.1  | 2.8    | 3.9  | 5.0  | 4.2    | 4.6  | 4.8  | 5.4    | 5.1  | 4.3  | 1.5    | 3.0  | 6.0        | 3.6    | 4.7  |
| MIGHT BE ADDICTIVE                                                                     | 2.9   | 1.2    | 2.0  | 1.9  | 2.5    | 2.2  | 1.4  | 1.9    | 1.7  | 1.2  | 0.7    | 1.0  | 2.3  | 0.4    | 1.4  | 1.9        | 1.3    | 1.6  |
| PARENTS MADE ME STOP                                                                   | 0.6   | 1.2    | 0.9  | 0.3  | 0.4    | 0.3  | 1.0  | 0.0    | 0.5  | 0.6  | 0.0    | 0.3  | 0.3  | 0.0    | 0.1  | 0.6        | 0.3    | 0.4  |
| ILLEGAL TO USE IT                                                                      | 0.9   | 1.9    | 1.4  | 1.0  | 0.4    | 0.7  | 1.4  | 0.4    | 0.9  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.6        | 0.5    | 0.6  |
| WAS JUST EXPERIMENTING                                                                 | 11.5  | 13.9   | 12.6 | 6.7  | 12.7   | 9.8  | 9.5  | 9.7    | 9.8  | 6.3  | 8.1    | 7.2  | 4.2  | 7.1    | 5.5  | 7.5        | 10.2   | 8.9  |
| NOT INTERESTED ANYMORE                                                                 | 4.3   | 3.7    | 4.2  | 3.6  | 4.2    | 3.9  | 4.5  | 3.3    | 3.8  | 5.4  | 4.4    | 4.9  | 3.2  | 3.9    | 3.5  | 4.2        | 3.9    | 4.1  |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 0.6   | 0.6    | 0.6  | 1.0  | 1.3    | 1.1  | 0.3  | 1.4    | 0.8  | 0.0  | 0.6    | 0.3  | 0.0  | 0.0    | 0.0  | 0.4        | 0.8    | 0.6  |
| FRIENDS STOPPED USING IT                                                               | 0.0   | 0.0    | 0.0  | 0.3  | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.0    | 0.2  | 0.1        | 0.0    | 0.1  |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.0   | 0.4    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0        | 0.1    | 0.1  |
| DIDN'T LIKE EFFECTS                                                                    | 0.3   | 1.3    | 0.8  | 1.8  | 1.3    | 1.5  | 0.9  | 2.1    | 1.5  | 1.3  | 1.3    | 1.3  | 1.7  | 2.1    | 1.9  | 1.2        | 1.6    | 1.4  |
| OTHER THINGS I ENJOY DOING                                                             | 2.5   | 2.4    | 2.4  | 3.9  | 2.5    | 3.2  | 4.8  | 3.5    | 4.1  | 3.9  | 4.4    | 4.1  | 3.9  | 4.6    | 4.3  | 3.8        | 3.5    | 3.7  |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.0   | 0.0    | 0.0  | 0.0  | 0.4    | 0.2  | 0.0  | 0.0    | 0.0  | 0.3  | 0.3    | 0.3  | 0.3  | 0.4    | 0.3  | 0.1        | 0.2    | 0.2  |
| OTHER REASON                                                                           | 5.4   | 5.2    | 5.3  | 3.4  | 5.9    | 4.8  | 7.7  | 3.8    | 5.6  | 6.0  | 4.1    | 5.2  | 2.2  | 2.6    | 2.3  | 4.9        | 4.3    | 4.6  |
| STILL USE IT                                                                           | 24.6  | 18.7   | 21.9 | 41.9 | 37.1   | 39.5 | 41.1 | 47.1   | 44.2 | 57.5 | 55.5   | 56.4 | 68.0 | 62.4   | 64.2 | 46.9       | 44.8   | 45.9 |
| Q39(W00): REASON FOR STOPPING ALCOHOL USE (RESPONSES FOR THOSE WHO HAVE STOPPED USING) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 27.5  | 10.2   | 19.6 | 17.7 | 8.1    | 12.3 | 13.8 | 13.9   | 13.8 | 16.0 | 18.5   | 17.1 | 18.8 | 6.6    | 13.2 | 19.0       | 11.7   | 15.4 |
| MIGHT BE ADDICTIVE                                                                     | 7.2   | 3.3    | 5.4  | 6.5  | 7.3    | 6.8  | 3.9  | 6.3    | 4.9  | 4.1  | 2.6    | 3.3  | 10.3 | 1.8    | 6.4  | 6.2        | 4.4    | 5.3  |
| PARENTS MADE ME STOP                                                                   | 1.5   | 3.3    | 2.3  | 1.0  | 1.1    | 1.1  | 2.8  | 0.0    | 1.5  | 2.1  | 0.0    | 1.0  | 1.2  | 0.0    | 0.6  | 1.8        | 0.9    | 1.4  |
| ILLEGAL TO USE IT                                                                      | 2.3   | 5.3    | 3.6  | 3.4  | 1.1    | 2.1  | 3.9  | 1.4    | 2.8  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 2.1        | 1.7    | 1.9  |
| WAS JUST EXPERIMENTING                                                                 | 28.7  | 39.5   | 33.4 | 23.1 | 37.0   | 30.9 | 25.9 | 32.1   | 29.2 | 21.1 | 27.6   | 24.2 | 18.5 | 31.4   | 24.4 | 24.0       | 33.7   | 28.7 |
| NOT INTERESTED ANYMORE                                                                 | 10.8  | 10.6   | 11.2 | 12.4 | 12.4   | 12.2 | 12.2 | 10.8   | 11.5 | 18.2 | 15.2   | 16.5 | 14.2 | 17.3   | 15.6 | 13.4       | 13.0   | 13.2 |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 1.5   | 1.6    | 1.5  | 3.5  | 3.7    | 3.6  | 0.7  | 4.7    | 2.5  | 0.0  | 1.9    | 1.0  | 0.0  | 0.0    | 0.0  | 1.1        | 2.5    | 1.8  |
| FRIENDS STOPPED USING IT                                                               | 0.0   | 0.0    | 0.0  | 1.0  | 0.0    | 0.5  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 1.3  | 0.0    | 0.7  | 0.4        | 0.0    | 0.2  |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.0   | 1.1    | 0.5  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.5  | 0.0  | 0.0    | 0.0  | 0.0        | 0.2    | 0.2  |
| DIDN'T LIKE EFFECTS                                                                    | 0.7   | 3.7    | 2.0  | 6.3  | 3.8    | 4.8  | 2.6  | 7.1    | 4.6  | 4.4  | 4.3    | 4.3  | 7.6  | 9.5    | 8.4  | 3.9        | 5.4    | 4.6  |
| OTHER THINGS I ENJOY DOING                                                             | 6.2   | 6.8    | 6.4  | 13.6 | 7.3    | 10.0 | 13.1 | 11.6   | 12.3 | 13.0 | 14.9   | 13.9 | 17.4 | 20.5   | 18.8 | 12.2       | 11.6   | 11.8 |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.0   | 0.0    | 0.0  | 0.0  | 1.1    | 0.6  | 0.0  | 0.0    | 0.0  | 1.0  | 0.9    | 1.0  | 1.2  | 1.6    | 1.4  | 0.4        | 0.7    | 0.5  |
| OTHER REASON                                                                           | 13.6  | 14.6   | 14.0 | 11.6 | 17.1   | 15.0 | 21.1 | 12.0   | 16.9 | 20.1 | 14.1   | 17.4 | 9.5  | 11.4   | 10.4 | 15.6       | 14.1   | 15.0 |

NOTE: Q39(W00) IS A MODIFIED RESPONSE SET FOR Q39 AND INCLUDES ONLY THOSE WHO USED TO DRINK ALCOHOL BUT WHO DO NOT DRINK NOW

LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q40 = 3,125<br>Q40(MOD) = 1,830                     | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |      |   |
|--------------------------------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|------|---|
|                                                                                      | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      |            |        | 12   |   |
|                                                                                      | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL  | % |
| Q40: REASON FOR STILL USING ALCOHOL                                                  |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |      |   |
| DON'T KNOW WHAT IT IS                                                                | 1.3   | 1.1    | 1.2  | 0.3  | 0.8  | 0.5    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.4        | 0.4    | 0.4  |   |
| HAVE NEVER DRUNK ALCOHOL                                                             | 38.8  | 52.2   | 45.0 | 30.7 | 30.4 | 30.5   | 24.2 | 23.2 | 23.5 | 13.8   | 17.0 | 15.4 | 12.0 | 14.0   | 13.1 | 23.3 | 28.4       | 24.8   | 24.8 |   |
| STOPPED DRINKING ALCOHOL                                                             | 23.1  | 17.2   | 20.4 | 17.4 | 18.7 | 18.0   | 22.2 | 15.1 | 18.6 | 16.4   | 15.7 | 16.1 | 10.5 | 11.8   | 11.1 | 17.7 | 15.6       | 16.7   | 16.7 |   |
| IT IS FUN                                                                            | 10.2  | 7.2    | 8.7  | 15.4 | 15.5 | 15.5   | 19.9 | 21.0 | 20.7 | 26.9   | 23.2 | 24.9 | 30.7 | 24.3   | 27.7 | 21.1 | 18.7       | 19.9   | 19.9 |   |
| FRIENDS STILL DRINK                                                                  | 2.6   | 2.0    | 2.5  | 3.8  | 1.7  | 2.7    | 2.6  | 1.3  | 2.0  | 1.5    | 1.8  | 1.6  | 2.6  | 0.3    | 1.5  | 2.6  | 1.4        | 2.0    | 2.0  |   |
| CANNOT STOP DRINKING                                                                 | 0.4   | 1.1    | 0.7  | 0.4  | 1.0  | 0.7    | 0.3  | 0.3  | 0.3  | 0.0    | 0.7  | 0.3  | 0.6  | 0.6    | 0.6  | 0.3  | 0.7        | 0.5    | 0.5  |   |
| TO GET ALONG WITH FRIENDS                                                            | 0.6   | 0.0    | -0.3 | 0.3  | 0.6  | 0.6    | 0.6  | 0.8  | 0.7  | 1.4    | 1.4  | 1.6  | 1.6  | 1.0    | 1.3  | 0.9  | 0.8        | 0.9    | 0.9  |   |
| EASIER TO DO SCHOOL WORK                                                             | 0.0   | 0.4    | 0.2  | 0.3  | 0.0  | 0.1    | 0.0  | 0.0  | 0.0  | 0.4    | 0.0  | 0.2  | 0.0  | 0.0    | 0.0  | 0.1  | 0.1        | 0.1    | 0.1  |   |
| GOOD FOR MY HEALTH                                                                   | 1.1   | 0.0    | 0.6  | 0.6  | 0.0  | 0.3    | 1.1  | 0.0  | 0.5  | 0.4    | 0.0  | 0.2  | 0.6  | 0.3    | 0.4  | 0.8  | 0.1        | 0.4    | 0.4  |   |
| CALMS ME DOWN                                                                        | 0.9   | 0.3    | 0.6  | 0.4  | 0.0  | 0.2    | 0.3  | 0.4  | 0.3  | 0.8    | 0.3  | 0.5  | 0.9  | 0.0    | 0.5  | 0.7  | 0.2        | 0.4    | 0.4  |   |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 2.2   | 3.1    | 2.6  | 1.3  | 3.8  | 2.5    | 2.3  | 1.7  | 2.0  | 3.8    | 2.9  | 3.3  | 3.9  | 2.9    | 3.4  | 2.7  | 2.8        | 2.8    | 2.8  |   |
| ADULTS SAY IT IS NOT GOOD                                                            | 0.4   | 0.0    | 0.2  | 0.0  | 0.7  | 0.3    | 0.3  | 0.3  | 0.3  | 0.0    | 0.4  | 0.2  | 0.0  | 0.6    | 0.3  | 0.1  | 0.4        | 0.3    | 0.3  |   |
| BORED, NOTHING ELSE TO DO                                                            | 0.0   | 0.7    | 0.3  | 2.6  | 1.3  | 1.9    | 1.7  | 0.8  | 1.2  | 0.7    | 0.4  | 0.5  | 0.3  | 1.9    | 1.1  | 1.0  | 1.0        | 1.0    | 1.0  |   |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 1.9   | 2.3    | 2.1  | 5.7  | 3.5  | 4.6    | 3.8  | 6.5  | 5.1  | 10.8   | 11.3 | 11.1 | 17.3 | 19.2   | 18.2 | 8.2  | 8.8        | 8.5    | 8.5  |   |
| MAKES ME FEEL GOOD                                                                   | 2.6   | 0.7    | 1.8  | 3.5  | 7.8  | 5.6    | 8.0  | 6.4  | 7.1  | 9.9    | 9.4  | 9.7  | 4.9  | 4.4    | 4.7  | 5.9  | 5.9        | 5.9    | 5.9  |   |
| OTHER REASON                                                                         | 13.9  | 11.8   | 12.8 | 17.4 | 14.4 | 15.9   | 12.8 | 22.4 | 17.6 | 13.3   | 15.5 | 14.2 | 13.7 | 18.2   | 15.8 | 14.1 | 18.7       | 15.3   | 15.3 |   |
| Q40(MOD): REASON FOR STILL USING ALCOHOL (RESPONSES FOR THOSE WHO STILL USE ALCOHOL) |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |      |   |
| IT IS FUN                                                                            | 21.7  | 24.4   | 26.1 | 29.9 | 30.9 | 30.4   | 37.1 | 34.0 | 35.7 | 38.6   | 34.6 | 36.4 | 39.8 | 33.0   | 36.7 | 36.0 | 32.5       | 34.3   | 34.3 |   |
| FRIENDS STILL DRINK                                                                  | 7.2   | 6.8    | 7.5  | 7.4  | 3.3  | 5.3    | 4.9  | 2.1  | 3.4  | 2.1    | 2.7  | 2.4  | 3.4  | 0.4    | 2.0  | 4.5  | 2.4        | 3.5    | 3.5  |   |
| CANNOT STOP DRINKING                                                                 | 1.0   | 3.7    | 2.1  | 0.7  | 1.9  | 1.3    | 0.5  | 0.4  | 0.5  | 0.0    | 1.0  | 0.5  | 0.8  | 0.8    | 0.8  | 0.6  | 1.2        | 0.9    | 0.9  |   |
| TO GET ALONG WITH FRIENDS                                                            | 1.7   | 0.0    | 1.0  | 0.6  | 1.1  | 1.1    | 1.1  | 1.3  | 1.2  | 2.0    | 2.1  | 2.3  | 2.0  | 1.4    | 1.8  | 1.8  | 1.4        | 1.6    | 1.6  |   |
| EASIER TO DO SCHOOL WORK                                                             | 0.0   | 1.3    | 0.5  | 0.6  | 0.0  | 0.3    | 0.0  | 0.0  | 0.0  | 0.6    | 0.0  | 0.3  | 0.0  | 0.0    | 0.0  | 0.2  | 0.1        | 0.2    | 0.2  |   |
| GOOD FOR MY HEALTH                                                                   | 3.1   | 0.0    | 1.8  | 1.2  | 0.0  | 0.6    | 2.0  | 0.0  | 0.9  | 0.6    | 0.0  | 0.3  | 0.8  | 0.4    | 0.6  | 1.3  | 0.1        | 0.7    | 0.7  |   |
| CALMS ME DOWN                                                                        | 2.4   | 1.1    | 1.8  | 0.7  | 0.0  | 0.4    | 0.5  | 0.7  | 0.6  | 1.1    | 0.4  | 0.8  | 1.2  | 0.0    | 0.6  | 1.1  | 0.4        | 0.7    | 0.7  |   |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 8.0   | 10.4   | 7.7  | 2.5  | 7.5  | 5.0    | 4.2  | 2.8  | 3.4  | 5.5    | 4.3  | 4.8  | 5.0  | 3.9    | 4.5  | 4.7  | 4.9        | 4.8    | 4.8  |   |
| ADULTS SAY IT IS NOT GOOD                                                            | 1.0   | 0.0    | 0.5  | 0.0  | 1.3  | 0.7    | 0.5  | 0.5  | 0.5  | 0.0    | 0.6  | 0.3  | 0.0  | 0.9    | 0.4  | 0.2  | 0.7        | 0.4    | 0.4  |   |
| BORED, NOTHING ELSE TO DO                                                            | 0.0   | 2.3    | 1.0  | 5.0  | 2.7  | 3.8    | 3.2  | 1.2  | 2.1  | 1.0    | 0.6  | 0.8  | 0.4  | 2.6    | 1.4  | 1.8  | 1.8        | 1.8    | 1.8  |   |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 5.2   | 7.8    | 6.2  | 11.0 | 7.1  | 8.9    | 7.2  | 10.5 | 8.9  | 15.5   | 16.8 | 16.2 | 22.4 | 26.1   | 24.1 | 14.0 | 15.3       | 14.8   | 14.8 |   |
| MAKES ME FEEL GOOD                                                                   | 7.1   | 2.3    | 5.5  | 6.8  | 15.5 | 11.0   | 15.0 | 10.3 | 12.4 | 14.2   | 14.0 | 14.2 | 6.4  | 5.9    | 6.2  | 10.0 | 10.2       | 10.2   | 10.2 |   |
| OTHER REASON                                                                         | 37.8  | 39.9   | 38.3 | 33.6 | 28.6 | 31.2   | 23.8 | 36.2 | 30.4 | 19.0   | 23.0 | 20.8 | 17.7 | 24.7   | 20.9 | 24.1 | 28.9       | 26.4   | 26.4 |   |

NOTE: Q40(MOD) IS A MODIFIED RESPONSE SET FOR Q40 AND INCLUDES ONLY THOSE WHO STILL USE ALCOHOL



\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q41 = 3,429<br>Q42 = 3,422 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |      |   |        |  |
|-------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|------|---|--------|--|
|                                                             | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      |            |      | 12   |   |        |  |
|                                                             | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      |            |      | MALE |   | FEMALE |  |
|                                                             | Σ     | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ          | Σ    | Σ    | Σ | Σ      |  |
| Q41: FREQUENCY OF BEING TIGHT<br>IN LAST 4 WEEKS            |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |  |
| DO NOT DRINK ALCOHOL                                        | 40.0  | 49.3 | 44.3   | 32.3 | 32.7 | 32.4 | 25.6   | 26.2 | 25.8 | 18.0 | 20.7   | 19.5 | 13.4 | 17.1 | 15.2   | 25.4 | 28.7       | 27.0 |      |   |        |  |
| NO ALCOHOL IN LAST 4 WEEKS                                  | 31.6  | 29.6 | 30.9   | 27.1 | 29.6 | 28.5 | 29.4   | 22.4 | 28.0 | 19.8 | 21.2   | 20.7 | 20.0 | 19.1 | 19.6   | 25.5 | 24.2       | 25.0 |      |   |        |  |
| NOT BEEN TIGHT LAST 4 WEEKS                                 | 15.2  | 13.1 | 14.2   | 22.3 | 17.4 | 19.7 | 23.3   | 29.9 | 26.5 | 27.1 | 32.3   | 29.8 | 30.0 | 38.7 | 34.0   | 23.8 | 26.7       | 25.1 |      |   |        |  |
| ONCE IN LAST 4 WEEKS                                        | 5.8   | 4.0  | 4.9    | 8.0  | 10.9 | 9.4  | 11.8   | 10.6 | 11.4 | 15.9 | 13.7   | 14.6 | 14.4 | 12.1 | 13.3   | 11.3 | 10.4       | 10.9 |      |   |        |  |
| TWICE IN LAST 4 WEEKS                                       | 3.5   | 1.7  | 2.6    | 5.9  | 4.4  | 5.1  | 5.5    | 5.5  | 5.5  | 9.7  | 6.3    | 7.9  | 10.1 | 5.6  | 8.0    | 7.0  | 4.8        | 5.9  |      |   |        |  |
| 3 TIMES IN LAST 4 WEEKS                                     | 1.3   | 0.8  | 1.1    | 2.3  | 2.8  | 2.5  | 2.0    | 3.0  | 2.6  | 3.4  | 3.4    | 3.3  | 4.8  | 4.0  | 4.4    | 2.8  | 2.8        | 2.8  |      |   |        |  |
| 4 TIMES IN LAST 4 WEEKS                                     | 0.8   | 0.0  | 0.4    | 1.1  | 1.1  | 1.4  | 1.5    | 1.7  | 1.6  | 3.3  | 0.6    | 1.9  | 2.8  | 0.6  | 1.8    | 1.9  | 0.8        | 1.4  |      |   |        |  |
| 5 OR MORE TIMES LAST 4 WEEKS                                | 1.7   | 1.4  | 1.5    | 1.1  | 1.0  | 1.0  | 0.8    | 0.7  | 0.8  | 2.8  | 1.8    | 2.3  | 4.5  | 2.8  | 3.7    | 2.2  | 1.5        | 1.9  |      |   |        |  |
| Q42: FREQUENCY OF BEING DRUNK<br>IN LAST 4 WEEKS            |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |  |
| DO NOT DRINK ALCOHOL                                        | 41.8  | 49.7 | 45.5   | 31.5 | 33.8 | 32.5 | 27.0   | 27.8 | 27.3 | 17.7 | 22.1   | 20.0 | 13.7 | 17.2 | 15.4   | 25.9 | 29.6       | 27.7 |      |   |        |  |
| NO ALCOHOL IN LAST 4 WEEKS                                  | 26.9  | 29.1 | 28.1   | 26.2 | 28.4 | 27.5 | 26.1   | 20.7 | 23.5 | 20.4 | 19.9   | 20.5 | 18.5 | 19.5 | 18.9   | 23.5 | 23.3       | 23.5 |      |   |        |  |
| NOT BEEN DRUNK LAST 4 WEEKS                                 | 17.5  | 12.5 | 15.1   | 26.8 | 22.3 | 24.2 | 24.8   | 32.0 | 28.5 | 36.8 | 36.0   | 36.2 | 41.5 | 45.9 | 43.5   | 29.8 | 30.1       | 29.9 |      |   |        |  |
| ONCE IN LAST 4 WEEKS                                        | 6.6   | 5.5  | 6.0    | 7.8  | 7.9  | 7.8  | 14.1   | 11.8 | 13.0 | 12.5 | 14.3   | 13.3 | 11.0 | 10.8 | 10.9   | 10.5 | 10.2       | 10.3 |      |   |        |  |
| TWICE IN LAST 4 WEEKS                                       | 3.7   | 1.8  | 2.7    | 4.3  | 4.2  | 4.4  | 4.5    | 4.2  | 4.3  | 6.2  | 4.4    | 5.2  | 4.8  | 1.6  | 3.3    | 4.7  | 3.3        | 4.0  |      |   |        |  |
| 3 TIMES IN LAST 4 WEEKS                                     | 0.5   | 0.8  | 0.5    | 1.9  | 0.8  | 1.3  | 2.0    | 1.8  | 1.9  | 3.1  | 0.9    | 2.0  | 5.6  | 2.1  | 3.9    | 2.7  | 1.3        | 2.0  |      |   |        |  |
| 4 TIMES IN LAST 4 WEEKS                                     | 1.2   | 0.3  | 0.7    | 1.1  | 1.6  | 1.3  | 1.3    | 0.5  | 0.9  | 1.1  | 0.8    | 0.9  | 1.7  | 1.5  | 1.8    | 1.3  | 0.9        | 1.1  |      |   |        |  |
| 5 OR MORE TIMES LAST 4 WEEKS                                | 2.0   | 0.6  | 1.3    | 0.5  | 1.0  | 0.9  | 0.2    | 1.2  | 0.7  | 2.2  | 1.6    | 1.9  | 3.2  | 1.5  | 2.4    | 1.7  | 1.2        | 1.5  |      |   |        |  |

## LOWER MAINLAND

GRADE

## LOWER MAINI AND

LOWER MAIN AND

| NUMBER OF VALID RESPONSES TO:<br>Q45 = 3,429<br>Q46 = 3,426<br>Q47 = 3,424 |  | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
|----------------------------------------------------------------------------|--|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------|------|------|---|--------|---|-----|---|------|---|--------|---|-----|---|------------|--|
|                                                                            |  | 8     |      |        |      |      |      | 9    |      |        |      |      |      | 10   |      |        |      |      |      | 11   |   |        |   |     |   | 12   |   |        |   |     |   | ALL GRADES |  |
|                                                                            |  | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |   | FEMALE |   | ALL |   | MALE |   | FEMALE |   | ALL |   |            |  |
|                                                                            |  | X     | Z    | X      | Z    | X    | Z    | X    | Z    | X      | Z    | X    | Z    | X    | Z    | X      | Z    | X    | Z    | X    | Z | X      | Z | X   | Z | X    | Z | X      | Z | X   | Z |            |  |
| Q45: FREQ. OF DRINKING PRIOR TO OR INSTEAD OF BREAKFAST                    |  | 29.5  | 38.9 | 34.0   | 23.6 | 19.8 | 21.6 | 18.7 | 19.5 | 19.0   | 13.6 | 13.0 | 10.1 | 11.8 | 10.9 | 18.5   | 20.2 | 19.4 |      |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| HAVE NEVER DRUNK ALCOHOL                                                   |  |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| NEVER DRANK PRIOR TO BREAKFAST                                             |  | 61.4  | 54.8 | 58.3   | 64.5 | 68.9 | 66.8 | 71.3 | 67.5 | 69.6   | 70.3 | 71.7 | 71.1 | 67.2 | 70.7 | 68.7   | 67.1 | 67.0 | 67.1 |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| ONCE IN MY LIFE                                                            |  | 5.6   | 4.1  | 4.8    | 8.1  | 7.2  | 7.5  | 4.7  | 6.7  | 5.6    | 6.6  | 7.5  | 7.0  | 9.7  | 7.3  | 8.6    | 6.9  | 6.6  | 6.7  |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| TWICE IN MY LIFE                                                           |  | 1.1   | 0.8  | 1.0    | 0.9  | 1.4  | 1.2  | 1.7  | 2.8  | 2.3    | 4.2  | 2.8  | 3.6  | 5.9  | 5.0  | 5.5    | 2.9  | 2.6  | 2.8  |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| 3 OR MORE TIMES IN MY LIFE                                                 |  | 2.4   | 1.4  | 1.9    | 2.9  | 2.7  | 2.9  | 3.6  | 3.5  | 3.5    | 6.5  | 4.3  | 5.3  | 7.3  | 5.3  | 6.4    | 4.6  | 3.5  | 4.1  |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| Q46: FREQ. OF AGGRESSIVE BEHAVIOUR DUE TO ALCOHOL                          |  |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| HAVE NEVER DRUNK ALCOHOL                                                   |  |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| NEVER AGGRESS. DUE TO ALCOHOL                                              |  | 30.4  | 41.6 | 35.6   | 23.1 | 22.5 | 22.6 | 18.6 | 20.6 | 19.5   | 12.5 | 14.3 | 13.4 | 10.1 | 12.0 | 11.1   | 18.6 | 21.7 | 20.1 |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| ONCE IN MY LIFE                                                            |  | 56.4  | 53.4 | 55.0   | 61.5 | 68.9 | 65.5 | 65.9 | 69.7 | 67.7   | 57.7 | 74.5 | 66.4 | 61.0 | 75.2 | 67.5   | 60.6 | 68.7 | 64.6 |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| TWICE IN MY LIFE                                                           |  | 4.9   | 2.0  | 3.6    | 6.3  | 5.7  | 6.0  | 5.8  | 5.5  | 5.8    | 10.0 | 5.9  | 8.0  | 9.4  | 6.2  | 7.9    | 7.3  | 5.1  | 6.3  |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| 3 OR MORE TIMES IN MY LIFE                                                 |  | 3.3   | 0.3  | 1.9    | 4.2  | 0.3  | 2.3  | 3.1  | 1.4  | 2.2    | 4.8  | 1.7  | 3.2  | 4.8  | 2.5  | 3.7    | 4.0  | 1.3  | 2.7  |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| Q47: FREQ. OF MEMORY LOSS W/O PASSING OUT AFTER DRINKING                   |  |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| HAVE NEVER DRUNK ALCOHOL                                                   |  |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| NEVER MEMORY LOSS AFTER DRINK                                              |  | 30.9  | 42.6 | 36.4   | 24.4 | 22.4 | 23.3 | 18.5 | 20.8 | 19.5   | 12.8 | 14.3 | 13.6 | 9.4  | 12.3 | 10.9   | 18.8 | 22.0 | 20.4 |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| ONCE IN MY LIFE                                                            |  | 53.9  | 47.0 | 50.8   | 57.7 | 58.8 | 58.3 | 62.7 | 51.7 | 57.4   | 57.4 | 56.0 | 57.0 | 58.5 | 56.9 | 57.7   | 58.1 | 54.2 | 56.3 |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| TWICE IN MY LIFE                                                           |  | 8.6   | 4.4  | 6.5    | 9.4  | 10.4 | 9.9  | 9.9  | 14.3 | 12.2   | 10.5 | 14.3 | 12.4 | 14.1 | 13.5 | 13.8   | 10.6 | 11.6 | 11.1 |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
| 3 OR MORE TIMES IN MY LIFE                                                 |  | 1.9   | 2.8  | 2.3    | 3.7  | 3.0  | 3.3  | 4.2  | 6.4  | 5.3    | 7.5  | 5.5  | 6.4  | 4.1  | 7.2  | 5.6    | 4.3  | 5.0  | 4.6  |      |   |        |   |     |   |      |   |        |   |     |   |            |  |
|                                                                            |  | 4.8   | 3.2  | 4.0    | 4.7  | 5.3  | 5.2  | 4.6  | 6.8  | 5.6    | 11.8 | 9.9  | 10.7 | 13.8 | 10.0 | 12.0   | 8.1  | 7.1  | 7.6  |      |   |        |   |     |   |      |   |        |   |     |   |            |  |

|                                                                            | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|----------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      |            |        |      | 12   |        |      |
|                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  | MALE | FEMALE | ALL  |
| NUMBER OF VALID RESPONSES TO:<br>Q48 = 3,395<br>Q49 = 3,423<br>Q50 = 3,430 |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| Q48: AVERAGE BOTTLES OF BEER<br>CONSUMED AT ONE TIME                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE, DO NOT DRINK BEER                                                    |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 3 BOTTLES                                                             | 59.5  | 75.0   | 66.9 | 46.6 | 61.4   | 54.1 | 41.7 | 54.5   | 47.9 | 28.3 | 44.0   | 36.4 | 23.6       | 53.5   | 37.6 | 39.2 | 57.0   | 48.0 |
| 4 TO 8 BOTTLES                                                             | 28.2  | 17.5   | 23.1 | 31.6 | 25.9   | 28.7 | 28.8 | 26.5   | 27.7 | 25.2 | 29.5   | 27.4 | 29.1       | 25.7   | 27.5 | 28.5 | 25.3   | 26.9 |
| 7 OR MORE BOTTLES                                                          | 6.8   | 5.8    | 6.3  | 12.8 | 10.3   | 11.5 | 16.5 | 16.2   | 16.4 | 26.8 | 22.1   | 24.3 | 22.6       | 14.5   | 18.8 | 17.5 | 14.1   | 15.8 |
| 7 OR MORE BOTTLES                                                          | 5.5   | 1.7    | 3.7  | 9.0  | 2.5    | 5.7  | 13.0 | 2.8    | 7.9  | 19.6 | 4.4    | 11.9 | 24.7       | 6.2    | 16.1 | 14.8 | 3.6    | 9.2  |
| Q49: AVERAGE GLASSES OF WINE<br>CONSUMED AT ONE TIME                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE, DO NOT DRINK WINE                                                    |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 3 GLASSES                                                             | 68.4  | 72.1   | 69.1 | 58.6 | 49.3   | 53.6 | 52.5 | 46.7   | 49.4 | 51.6 | 41.9   | 46.8 | 49.2       | 38.5   | 44.3 | 55.3 | 49.1   | 52.2 |
| 4 TO 8 GLASSES                                                             | 28.2  | 23.3   | 26.0 | 35.0 | 43.2   | 39.2 | 35.1 | 39.6   | 37.5 | 34.6 | 45.2   | 40.0 | 38.7       | 48.9   | 43.4 | 34.5 | 40.4   | 37.5 |
| 7 OR MORE GLASSES                                                          | 1.7   | 3.0    | 2.3  | 4.6  | 4.4    | 4.6  | 7.0  | 10.9   | 9.1  | 8.4  | 8.4    | 8.3  | 8.0        | 9.7    | 8.8  | 6.1  | 7.4    | 6.8  |
| 7 OR MORE GLASSES                                                          | 3.7   | 1.6    | 2.6  | 1.7  | 3.2    | 2.6  | 5.4  | 2.8    | 4.0  | 5.3  | 4.5    | 4.9  | 4.2        | 2.8    | 3.5  | 4.1  | 3.0    | 3.6  |
| Q50: AVERAGE DRINKS OF HARD<br>LIQUOR CONSUMED AT ONE TIME                 |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE, DO NOT DRINK HARD LIQUOR                                             |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 3 DRINKS                                                              | 73.2  | 77.5   | 75.2 | 60.4 | 60.6   | 60.3 | 58.9 | 56.1   | 57.6 | 44.3 | 48.6   | 46.9 | 40.3       | 42.6   | 41.5 | 54.9 | 56.6   | 55.8 |
| 4 TO 8 DRINKS                                                              | 19.8  | 16.2   | 18.2 | 28.3 | 30.5   | 29.4 | 23.3 | 30.8   | 27.0 | 28.0 | 34.6   | 31.2 | 30.9       | 36.2   | 33.3 | 26.1 | 30.0   | 28.0 |
| 7 OR MORE DRINKS                                                           | 4.0   | 4.5    | 4.2  | 5.8  | 6.3    | 6.3  | 11.2 | 9.8    | 10.4 | 16.7 | 13.4   | 14.8 | 16.4       | 15.7   | 16.0 | 11.1 | 10.1   | 10.6 |
| 7 OR MORE DRINKS                                                           | 3.0   | 1.8    | 2.4  | 5.5  | 2.5    | 3.9  | 6.6  | 3.3    | 4.9  | 11.1 | 3.4    | 7.0  | 12.4       | 5.5    | 9.2  | 7.9  | 3.3    | 5.6  |



\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q55 = 3,425<br>Q56 = 3,409<br>Q57 = 3,397 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|----------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q55: PARENTS THINK YOU DRINK TOO MUCH ALCOHOL                              |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DO NOT USE ALCOHOL                                                         | 54.4  | 68.4   | 60.2 | 40.5 | 43.6   | 42.0 | 35.5 | 37.3   | 38.2 | 24.6 | 28.6   | 26.8 | 18.9       | 23.1   | 21.0 |
| YES                                                                        | 0.7   | 1.1    | 0.9  | 2.7  | 2.3    | 2.5  | 3.5  | 1.1    | 2.3  | 6.0  | 2.2    | 4.0  | 7.2        | 3.6    | 5.5  |
| NO                                                                         | 21.7  | 11.8   | 16.8 | 26.8 | 21.1   | 23.7 | 26.9 | 27.3   | 27.2 | 33.0 | 31.0   | 31.8 | 36.0       | 40.5   | 38.2 |
| DON'T KNOW                                                                 | 7.0   | 3.9    | 5.6  | 5.8  | 3.2    | 4.5  | 7.4  | 6.7    | 7.0  | 7.3  | 4.3    | 5.9  | 8.6        | 8.4    | 8.5  |
| THEY DON'T KNOW HOW MUCH I DRK                                             | 16.2  | 16.7   | 16.4 | 24.2 | 29.8   | 27.2 | 26.6 | 27.6   | 27.4 | 29.1 | 33.9   | 31.5 | 29.3       | 24.0   | 26.8 |
| Q56: ACCIDENT WHILE YOU WERE DRIVING IN LAST 12 MONTHS                     |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NO                                                                         | 97.1  | 99.0   | 98.0 | 97.1 | 98.7   | 98.0 | 96.8 | 98.5   | 97.4 | 85.0 | 92.2   | 86.8 | 80.6       | 85.7   | 83.1 |
| ONCE                                                                       | 1.4   | 0.4    | 0.9  | 1.4  | 0.3    | 0.8  | 1.8  | 0.9    | 1.6  | 10.3 | 5.4    | 7.7  | 12.1       | 11.6   | 11.9 |
| TWICE                                                                      | 0.3   | 0.3    | 0.3  | 0.0  | 0.3    | 0.1  | 1.4  | 0.0    | 0.7  | 3.1  | 2.4    | 2.7  | 4.8        | 2.4    | 3.7  |
| 3 TIMES                                                                    | 0.3   | 0.0    | 0.1  | 0.0  | 0.3    | 0.1  | 0.0  | 0.6    | 0.3  | 0.6  | 0.0    | 0.3  | 2.0        | 0.3    | 1.2  |
| 4 TIMES                                                                    | 0.3   | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.2        | 0.0    | 0.1  |
| 5 OR MORE TIMES                                                            | 0.5   | 0.4    | 0.4  | 1.5  | 0.5    | 1.0  | 0.0  | 0.0    | 0.0  | 0.6  | 0.0    | 0.3  | 0.0        | 0.0    | 0.0  |
| Q57: ACCIDENT WHILE DRIVING AFTER DRINKING LAST 12 MO.                     |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NO                                                                         | 98.0  | 99.0   | 98.5 | 98.9 | 99.7   | 99.3 | 99.2 | 99.5   | 99.3 | 98.5 | 99.2   | 98.9 | 96.4       | 99.4   | 97.8 |
| ONCE                                                                       | 1.5   | 0.3    | 0.9  | 0.9  | 0.3    | 0.5  | 0.8  | 0.2    | 0.5  | 0.8  | 0.8    | 0.8  | 2.0        | 0.6    | 1.3  |
| TWICE                                                                      | 0.0   | 0.3    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.0    | 0.1  | 0.8        | 0.0    | 0.4  |
| 3 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.3    | 0.1  | 0.0  | 0.0    | 0.0  | 0.6        | 0.0    | 0.3  |
| 4 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  |
| 5 OR MORE TIMES                                                            | 0.6   | 0.3    | 0.5  | 0.3  | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.2        | 0.0    | 0.1  |



LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q58 = 3,397<br>Q59 = 3,444<br>Q60 = 3,421 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|----------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      | MALE       | FEMALE | ALL  |
|                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |        |      |
| Q58: EVER CONVICTED OF A<br>DRINKING-DRIVING OFFENSE                       |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NEVER                                                                      | 96.5  | 99.1   | 98.8 | 98.6 | 99.7   | 99.2 | 99.4 | 100.0  | 99.7 | 99.1 | 100.0  | 99.8 | 98.4 | 100.0  | 99.2 | 98.8       | 99.8   | 99.3 |
| ONCE                                                                       | 0.9   | 0.3    | 0.6  | 0.5  | 0.3    | 0.4  | 0.6  | 0.0    | 0.3  | 0.3  | 0.0    | 0.1  | 1.0  | 0.0    | 0.6  | 0.7        | 0.1    | 0.4  |
| TWICE                                                                      | 0.0   | 0.3    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.3  | 0.0    | 0.2  | 0.1        | 0.0    | 0.1  |
| 3 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.5  | 0.0    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.0    | 0.0  |
| 4 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.1        | 0.0    | 0.0  |
| 5 OR MORE TIMES                                                            | 0.6   | 0.4    | 0.5  | 0.3  | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.2  | 0.0    | 0.1  | 0.2        | 0.1    | 0.1  |
| Q59: HAD ALCOHOL/DRUG EDUCATION<br>IN SCHOOL SINCE SEPTEMBER               |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| YES                                                                        | 30.3  | 35.2   | 32.5 | 45.9 | 48.5   | 47.1 | 43.1 | 53.6   | 48.2 | 23.3 | 27.8   | 25.5 | 22.3 | 26.6   | 24.4 | 32.7       | 38.5   | 35.5 |
| NO                                                                         | 54.8  | 49.8   | 52.5 | 41.2 | 42.6   | 42.0 | 45.5 | 35.2   | 40.6 | 67.2 | 63.3   | 65.4 | 70.3 | 65.4   | 67.9 | 56.3       | 51.2   | 53.8 |
| DON'T KNOW                                                                 | 14.9  | 15.0   | 15.0 | 12.8 | 8.9    | 10.9 | 11.3 | 11.2   | 11.2 | 9.5  | 8.9    | 9.1  | 7.3  | 8.1    | 7.7  | 11.1       | 10.3   | 10.7 |
| Q60: TOTAL ALCOHOL OR DRUG<br>CLASSES EVER HAD                             |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE                                                                       | 36.1  | 22.2   | 29.7 | 23.1 | 17.1   | 20.3 | 17.0 | 13.2   | 15.2 | 22.5 | 18.1   | 20.6 | 25.7 | 21.2   | 23.5 | 24.8       | 18.2   | 21.7 |
| 1 OR 2                                                                     | 40.2  | 44.8   | 42.1 | 37.7 | 44.8   | 41.5 | 42.8 | 43.3   | 43.0 | 43.2 | 46.5   | 44.9 | 40.0 | 44.0   | 42.0 | 40.8       | 44.7   | 42.7 |
| 3 TO 5                                                                     | 11.9  | 21.9   | 16.7 | 26.8 | 25.5   | 25.9 | 26.2 | 24.8   | 25.6 | 23.2 | 25.1   | 23.9 | 24.5 | 23.5   | 24.0 | 22.6       | 24.2   | 23.3 |
| 6 TO 10                                                                    | 4.5   | 6.9    | 5.6  | 7.3  | 8.5    | 7.8  | 8.6  | 12.4   | 10.4 | 8.9  | 7.3    | 8.0  | 5.7  | 6.5    | 6.1  | 7.0        | 8.4    | 7.6  |
| 11 TO 20                                                                   | 2.4   | 2.7    | 2.7  | 3.1  | 2.6    | 2.8  | 3.2  | 5.4    | 4.3  | 1.2  | 1.8    | 1.5  | 2.1  | 4.2    | 3.1  | 2.4        | 3.4    | 2.9  |
| MORE THAN 20                                                               | 4.9   | 1.5    | 3.2  | 2.0  | 1.5    | 1.7  | 2.2  | 0.8    | 1.5  | 1.0  | 1.2    | 1.1  | 2.0  | 0.6    | 1.4  | 2.4        | 1.1    | 1.8  |

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q81A = 2,817<br>Q81B = 2,839<br>Q81C = 2,796 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |     |   |
|-------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|-----|---|
|                                                                               | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |            |      |        |     |   |
|                                                                               | MALE  |      | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL        | MALE | FEMALE | ALL |   |
|                                                                               | Z     | %    |        | Z    | %    |        | Z    | %    |        | Z    | %    |        | Z    | %    |        | Z          | %    |        | Z   | % |
| Q81A: FREQUENCY OF DRINKING AT TEEN PARTIES WHEN ADULTS ARE NOT PRESENT       |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |      |        |     |   |
| DO NOT DRINK IN THIS SETTING                                                  | 54.2  | 55.1 | 54.5   | 42.0 | 32.7 | 37.4   | 34.5 | 26.7 | 30.7   | 19.0 | 19.7 | 19.2   | 14.0 | 22.6 | 18.1   | 31.0       | 29.5 | 30.2   |     |   |
| SOMETIMES                                                                     | 23.6  | 22.5 | 23.2   | 22.0 | 26.6 | 25.5   | 26.6 | 26.6 | 26.5   | 23.0 | 26.4 | 25.1   | 27.4 | 27.5 | 27.5   | 24.7       | 26.6 | 25.7   |     |   |
| FREQUENTLY                                                                    | 7.3   | 6.8  | 7.2    | 14.0 | 12.9 | 13.4   | 10.5 | 9.9  | 10.2   | 16.3 | 16.2 | 16.3   | 18.9 | 14.0 | 16.6   | 13.8       | 12.4 | 13.1   |     |   |
| MOST OF THE TIME                                                              | 14.9  | 15.6 | 15.1   | 22.0 | 25.6 | 23.6   | 26.4 | 36.6 | 32.6   | 41.8 | 37.6 | 39.4   | 39.7 | 35.8 | 37.9   | 30.5       | 31.6 | 31.0   |     |   |
| Q81B: FREQUENCY OF DRINKING AT HOME ON SPECIAL OCCASIONS                      |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |      |        |     |   |
| DO NOT DRINK IN THIS SETTING                                                  | 29.5  | 28.6 | 29.5   | 25.8 | 21.0 | 23.2   | 23.8 | 20.4 | 22.0   | 22.3 | 15.6 | 19.0   | 23.2 | 14.5 | 19.1   | 24.7       | 19.3 | 22.1   |     |   |
| SOMETIMES                                                                     | 44.3  | 46.6 | 45.0   | 46.8 | 47.3 | 47.4   | 50.2 | 48.6 | 49.7   | 50.5 | 50.2 | 50.3   | 48.5 | 51.8 | 50.0   | 46.3       | 49.1 | 48.8   |     |   |
| FREQUENTLY                                                                    | 14.4  | 12.6 | 13.5   | 10.7 | 9.5  | 10.2   | 13.5 | 14.7 | 14.0   | 12.8 | 13.4 | 13.0   | 14.1 | 17.1 | 15.5   | 13.2       | 13.6 | 13.4   |     |   |
| MOST OF THE TIME                                                              | 11.8  | 12.3 | 12.0   | 16.6 | 22.2 | 19.2   | 12.4 | 16.3 | 14.2   | 14.4 | 20.8 | 17.7   | 14.2 | 16.7 | 15.3   | 13.9       | 17.9 | 15.8   |     |   |
| Q81C: FREQUENCY OF DRINKING IN A CAR AT NIGHT                                 |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |      |        |     |   |
| DO NOT DRINK IN THIS SETTING                                                  | 66.5  | 67.1 | 66.0   | 84.6 | 80.8 | 82.7   | 83.8 | 76.3 | 80.2   | 69.2 | 78.5 | 74.1   | 66.4 | 74.8 | 70.3   | 77.5       | 78.9 | 78.2   |     |   |
| SOMETIMES                                                                     | 6.3   | 7.3  | 6.7    | 9.9  | 14.3 | 12.0   | 12.0 | 17.4 | 14.5   | 23.5 | 15.7 | 19.4   | 26.6 | 20.7 | 23.8   | 16.6       | 15.7 | 16.1   |     |   |
| FREQUENTLY                                                                    | 3.0   | 3.4  | 3.1    | 2.4  | 2.3  | 2.3    | 2.9  | 3.4  | 3.2    | 5.2  | 3.2  | 4.2    | 4.7  | 3.0  | 3.9    | 3.7        | 3.0  | 3.4    |     |   |
| MOST OF THE TIME                                                              | 2.2   | 2.2  | 2.2    | 3.1  | 2.6  | 3.0    | 1.3  | 2.9  | 2.1    | 2.0  | 2.6  | 2.3    | 2.2  | 1.6  | 2.0    | 2.1        | 2.4  | 2.3    |     |   |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS. IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY, 1987 ...  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 LOWER MAINLAND

| NUMBER OF VALID RESPONSES TO:<br>Q81D = 2,810<br>Q81E = 2,782<br>Q81F = 2,810        | GRADE  |      |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |      |      |        |      |
|--------------------------------------------------------------------------------------|--------|------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|------|------|--------|------|
|                                                                                      | 8      |      |      | 9    |      |        | 10   |      |      | 11     |      |      | 12         |        |      | MALE | FEMALE | ALL  |
|                                                                                      | FEMALE |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |            | FEMALE | ALL  |      |        |      |
|                                                                                      | %      | %    | %    | %    | %    | %      | %    | %    | %    | %      | %    | %    | %          | %      | %    |      |        |      |
| Q81D: FREQUENCY OF DRINKING AT DINNER AT HOME WITH FAMILY                            |        |      |      |      |      |        |      |      |      |        |      |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                         | 60.4   | 63.9 | 62.2 | 58.4 | 53.5 | 55.8   | 58.1 | 49.0 | 53.8 | 56.0   | 54.3 | 55.1 | 56.1       | 54.2   | 55.2 | 57.6 | 54.3   | 56.1 |
| SOMETIMES                                                                            | 31.1   | 31.2 | 30.9 | 33.8 | 36.0 | 35.1   | 35.6 | 40.9 | 38.0 | 37.4   | 38.6 | 38.2 | 37.1       | 37.9   | 37.5 | 35.3 | 37.4   | 38.3 |
| FREQUENTLY                                                                           | 4.2    | 3.4  | 3.8  | 3.8  | 6.0  | 4.9    | 3.3  | 5.3  | 4.3  | 4.2    | 4.3  | 4.2  | 4.3        | 5.7    | 5.0  | 4.0  | 5.0    | 4.4  |
| MOST OF THE TIME                                                                     | 4.4    | 1.6  | 3.1  | 4.0  | 4.5  | 4.2    | 3.1  | 4.8  | 3.9  | 2.4    | 2.7  | 2.6  | 2.5        | 2.1    | 2.3  | 3.2  | 3.2    | 3.2  |
| Q81E: FREQUENCY OF DRINKING AT TEEN HANGOUTS WHEN ADULTS ARE NOT PRESENT             |        |      |      |      |      |        |      |      |      |        |      |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                         | 61.1   | 65.3 | 63.0 | 51.9 | 45.3 | 48.5   | 52.7 | 38.8 | 46.0 | 36.1   | 39.4 | 37.9 | 38.0       | 42.1   | 38.9 | 46.5 | 44.7   | 45.6 |
| SOMETIMES                                                                            | 24.1   | 17.9 | 21.4 | 27.7 | 25.6 | 26.4   | 22.4 | 29.7 | 24.5 | 30.3   | 31.2 | 30.9 | 35.6       | 29.5   | 32.7 | 28.4 | 28.9   | 27.7 |
| FREQUENTLY                                                                           | 4.7    | 7.5  | 5.9  | 10.8 | 13.9 | 12.4   | 12.5 | 15.6 | 13.9 | 16.9   | 14.4 | 15.5 | 16.7       | 14.7   | 15.6 | 12.8 | 13.5   | 13.1 |
| MOST OF THE TIME                                                                     | 10.1   | 9.4  | 9.7  | 9.7  | 15.3 | 12.8   | 12.4 | 18.8 | 15.6 | 16.7   | 15.0 | 15.7 | 11.7       | 14.1   | 12.8 | 12.3 | 14.9   | 13.5 |
| Q81F: FREQUENCY OF DRINKING DURING/AFTER SCHOOL ACTIVITY WHEN ADULTS ARE NOT PRESENT |        |      |      |      |      |        |      |      |      |        |      |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                         | 73.8   | 74.4 | 74.3 | 65.2 | 58.4 | 61.6   | 67.7 | 52.2 | 60.0 | 49.1   | 53.2 | 51.4 | 45.5       | 55.4   | 50.1 | 59.1 | 57.5   | 58.3 |
| SOMETIMES                                                                            | 13.5   | 13.6 | 13.5 | 21.0 | 21.6 | 21.4   | 17.4 | 25.9 | 21.4 | 29.1   | 26.4 | 27.7 | 32.5       | 24.2   | 28.6 | 23.4 | 23.1   | 23.2 |
| FREQUENTLY                                                                           | 4.3    | 6.1  | 5.1  | 8.5  | 10.7 | 9.7    | 6.7  | 8.3  | 7.6  | 11.8   | 11.1 | 11.4 | 11.2       | 9.1    | 10.2 | 8.8  | 9.3    | 9.1  |
| MOST OF THE TIME                                                                     | 8.3    | 5.8  | 7.2  | 5.2  | 9.2  | 7.3    | 8.2  | 13.6 | 10.8 | 9.9    | 9.3  | 9.6  | 10.7       | 11.4   | 11.0 | 8.7  | 10.2   | 9.4  |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS.  
 IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION



APPENDIX D (continued)

Item Responses by Sex within Grade within Region

...

Fraser Valley Region

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
PERCENTAGES OF RESPONDENTS WHO HAVE USED ALCOHOL OR OTHER DRUGS  
IN THE LAST 12 MONTHS BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

FRASER VALLEY

| NUMBER OF VALID RESPONSES<br>VARIES FROM 2,926 TO 2,971 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|---------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                         | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                         | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
|                                                         | Σ     | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ          | Σ      | Σ    |
| TOBACCO: Q8                                             | 22.7  | 24.3   | 23.5 | 20.1 | 37.0   | 29.6 | 29.7 | 30.2   | 29.9 | 31.0 | 37.1   | 34.2 | 27.4 | 42.3   | 35.1 | 26.1       | 34.1   | 30.2 |
| ALCOHOL: Q9                                             | 55.6  | 57.6   | 56.6 | 69.2 | 72.1   | 71.0 | 81.0 | 72.2   | 76.9 | 89.6 | 80.0   | 84.3 | 86.5 | 83.8   | 85.1 | 75.5       | 73.0   | 74.3 |
| CANNABIS: Q10                                           | 14.8  | 11.3   | 13.1 | 21.0 | 23.3   | 22.5 | 35.0 | 26.1   | 30.8 | 43.9 | 33.2   | 38.2 | 45.7 | 39.5   | 42.6 | 31.1       | 26.4   | 28.8 |
| GLUE: Q11                                               | 5.6   | 3.9    | 4.8  | 4.5  | 3.5    | 4.0  | 5.7  | 3.4    | 4.6  | 2.7  | 1.0    | 1.8  | 3.7  | 0.4    | 1.9  | 4.6        | 2.5    | 3.5  |
| SOLVENTS (PAINT THINNER, GAS): Q12                      | 9.1   | 6.0    | 7.9  | 5.8  | 4.7    | 5.1  | 5.3  | 2.7    | 3.8  | 1.4  | 2.6    | 2.0  | 4.2  | 1.0    | 2.5  | 5.3        | 3.4    | 4.4  |
| * INHALANTS (GLUE OR SOLVENTS)                          | 11.1  | 8.5    | 10.1 | 8.4  | 6.6    | 7.4  | 8.1  | 4.5    | 6.4  | 3.3  | 2.9    | 3.1  | 4.8  | 1.0    | 2.8  | 7.4        | 4.8    | 6.1  |
| LSD: Q26                                                | 6.9   | 4.5    | 5.8  | 7.5  | 9.6    | 8.8  | 17.0 | 7.3    | 12.3 | 14.0 | 9.4    | 11.7 | 19.1 | 11.3   | 15.3 | 12.7       | 8.4    | 10.6 |
| PCP: Q24                                                | 5.3   | 3.8    | 4.6  | 0.8  | 2.0    | 1.4  | 2.9  | 2.2    | 2.6  | 1.0  | 0.3    | 0.7  | 4.4  | 0.7    | 2.4  | 2.9        | 1.8    | 2.3  |
| HALLUCINOGENS (EXCL. LSD & PCP): Q25                    | 8.1   | 4.7    | 6.5  | 7.7  | 5.8    | 6.9  | 16.6 | 7.2    | 12.1 | 18.6 | 8.0    | 13.0 | 18.1 | 13.0   | 15.6 | 13.6       | 7.6    | 10.6 |
| * ANY HALLUCINOGEN                                      | 10.9  | 7.8    | 9.4  | 10.2 | 11.0   | 10.8 | 22.8 | 9.1    | 16.2 | 21.0 | 12.2   | 16.4 | 24.0 | 16.7   | 20.4 | 17.6       | 11.3   | 14.4 |
| COCAINE: Q17                                            | 5.5   | 3.9    | 4.7  | 3.9  | 5.2    | 4.8  | 6.2  | 6.1    | 6.1  | 13.2 | 6.5    | 9.6  | 12.1 | 10.5   | 11.3 | 7.9        | 6.3    | 7.2  |
| CRACK: Q18                                              | 5.4   | 1.4    | 3.5  | 1.5  | 1.3    | 1.6  | 2.0  | 1.8    | 1.9  | 1.1  | 1.6    | 1.3  | 4.9  | 1.0    | 2.8  | 3.0        | 1.4    | 2.2  |
| HEROIN: Q15                                             | 4.2   | 1.4    | 2.9  | 0.7  | 2.0    | 1.6  | 2.5  | 1.8    | 2.1  | 1.1  | 0.6    | 0.8  | 5.4  | 0.7    | 2.9  | 2.7        | 1.3    | 2.0  |
| SPEED: Q16                                              | 8.4   | 4.9    | 6.8  | 6.4  | 8.2    | 7.5  | 11.4 | 7.0    | 9.2  | 12.3 | 9.7    | 10.9 | 13.2 | 9.8    | 11.4 | 10.2       | 7.9    | 9.1  |
| STIMULANTS (W/O PRESCRIPTION): Q20                      | 5.5   | 6.8    | 6.1  | 8.4  | 12.3   | 10.6 | 11.7 | 11.6   | 11.6 | 6.2  | 14.0   | 10.4 | 9.5  | 10.0   | 9.9  | 8.2        | 11.0   | 9.7  |
| STIMULANTS (WITH PRESCRIPTION): Q21                     | 8.1   | 7.2    | 7.6  | 5.1  | 7.7    | 6.9  | 7.4  | 6.0    | 6.7  | 4.6  | 5.2    | 4.9  | 3.8  | 7.5    | 5.7  | 6.0        | 6.7    | 6.4  |
| BARBITURATES (W/O PRESCRIPTION): Q13                    | 5.4   | 3.9    | 4.7  | 2.7  | 4.1    | 3.4  | 6.3  | 5.4    | 5.8  | 6.0  | 6.6    | 6.3  | 5.8  | 4.2    | 5.1  | 5.2        | 4.9    | 5.1  |
| TRANQUILIZERS (W/O PRESCR.): Q22                        | 5.7   | 2.5    | 4.2  | 4.1  | 6.1    | 5.3  | 6.4  | 7.3    | 6.8  | 5.6  | 7.2    | 6.6  | 4.7  | 6.5    | 5.8  | 5.4        | 5.9    | 5.7  |
| * DEPRESSANTS (W/O PRESCRIPTION)                        | 8.3   | 5.7    | 7.0  | 6.4  | 9.4    | 8.1  | 10.1 | 10.3   | 10.1 | 9.3  | 11.7   | 10.7 | 8.4  | 8.2    | 8.4  | 8.5        | 9.1    | 8.9  |
| BARBITURATES (W. PRESCRIPTION): Q14                     | 9.0   | 8.6    | 8.8  | 8.3  | 12.7   | 10.6 | 9.5  | 8.3    | 8.9  | 11.5 | 15.7   | 13.7 | 8.7  | 11.9   | 10.5 | 9.4        | 11.5   | 10.4 |
| * DEPRESSANTS (WITH PRESCRIPTION)                       | 14.4  | 12.1   | 13.2 | 11.1 | 19.6   | 15.8 | 11.7 | 15.6   | 13.5 | 15.0 | 20.8   | 18.1 | 14.2 | 16.4   | 15.4 | 13.2       | 17.0   | 15.2 |
| * PRESCRIPTION (STIM, BARB, TRAN)                       | 17.8  | 15.7   | 16.7 | 14.0 | 22.6   | 19.1 | 16.3 | 18.5   | 17.3 | 17.8 | 22.9   | 20.5 | 16.4 | 20.7   | 18.7 | 16.5       | 20.2   | 18.4 |

NOTES: \* REPRESENTS A COMBINATION OF DRUGS. "INHALANTS" REFERS TO USE OF GLUE OR SOLVENTS. "ANY HALLUCINOGEN" REFERS TO USE OF LSD, PCP, OR OTHER HALLUCINOGENS. "DEPRESSANTS (W/D PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITHOUT A PRESCRIPTION. "DEPRESSANTS (WITH PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITH A PRESCRIPTION. "PRESCRIPTION (STIM, BARB, TRAN)" REFERS TO USE OF STIMULANTS, BARBITURATES, OR TRANQUILIZERS WITH A PRESCRIPTION.

TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE. REFER TO APPROPRIATE QUESTIONNAIRE ITEMS TO DETERMINE WHAT INDIVIDUAL DRUGS ARE INCLUDED WITHIN EACH DRUG CATEGORY.



## FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q4 = 2,960<br>Q5 = 2,917<br>Q6 = 2,899 | GRADE  |      |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |     |
|-------------------------------------------------------------------------|--------|------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|-----|
|                                                                         | 8      |      |      | 9    |      |        | 10   |      |      | 11     |      |      | 12   |        |      |            |      |        |     |
|                                                                         | FEMALE |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE       |      | FEMALE | ALL |
|                                                                         | 1      | 2    | 3    | 4    | 5    | 6      | 7    | 8    | 9    | 10     | 11   | 12   | 13   | 14     | 15   | 16         | 17   | 18     |     |
| Q4: USUAL SCHOOL MARKS                                                  |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |     |
| A                                                                       | 12.0   | 13.7 | 12.6 | 8.5  | 8.8  | 8.6    | 4.4  | 13.0 | 8.6  | 3.8    | 7.8  | 5.9  | 2.4  | 3.8    | 7.0  | 9.3        | 8.1  |        |     |
| B                                                                       | 30.7   | 45.5 | 40.8 | 35.7 | 40.7 | 36.2   | 32.6 | 37.6 | 34.8 | 26.7   | 34.8 | 30.6 | 28.1 | 39.3   | 34.2 | 32.3       | 35.9 |        |     |
| C                                                                       | 40.0   | 34.7 | 37.6 | 43.6 | 43.5 | 43.7   | 49.2 | 42.5 | 46.0 | 55.2   | 47.4 | 51.3 | 55.6 | 53.6   | 54.4 | 48.2       | 46.3 |        |     |
| PASS                                                                    | 8.6    | 5.0  | 7.1  | 10.6 | 6.7  | 8.6    | 13.0 | 5.9  | 9.7  | 13.7   | 9.0  | 11.1 | 10.9 | 4.7    | 7.6  | 11.4       | 8.8  |        |     |
| FAIL                                                                    | 2.7    | 1.1  | 2.0  | 1.4  | 0.3  | 0.8    | 0.7  | 1.1  | 0.9  | 0.7    | 1.0  | 0.8  | 0.0  | 0.0    | 0.0  | 1.2        | 0.9  |        |     |
| Q5: FATHER'S EMPLOYMENT STATUS                                          |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |     |
| PERMANENTLY EMPLOYED FULLTIME                                           | 78.0   | 82.4 | 80.0 | 78.2 | 73.3 | 75.8   | 84.8 | 77.7 | 81.5 | 80.3   | 83.3 | 82.0 | 81.5 | 85.9   | 83.6 | 80.6       | 80.5 |        |     |
| UNEMPLOYED PERMANENTLY/RETIRED                                          | 1.4    | 1.0  | 1.2  | 2.0  | 2.1  | 2.0    | 1.3  | 3.0  | 2.1  | 1.8    | 2.0  | 1.9  | 3.3  | 3.0    | 3.1  | 1.9        | 2.0  |        |     |
| SEASONALLY EMPLOYED                                                     | 8.0    | 3.8  | 6.0  | 4.7  | 5.0  | 4.8    | 3.9  | 5.1  | 4.4  | 3.4    | 6.4  | 5.0  | 3.7  | 2.4    | 3.2  | 4.9        | 4.7  |        |     |
| INTERMITTENTLY EMPLOYED                                                 | 6.8    | 5.1  | 6.1  | 8.2  | 8.6  | 6.4    | 5.0  | 6.3  | 6.5  | 7.2    | 3.2  | 5.1  | 4.4  | 4.6    | 4.6  | 6.0        | 6.2  |        |     |
| DON'T KNOW OR NOT LIVING                                                | 5.8    | 7.8  | 6.7  | 6.8  | 11.0 | 9.0    | 5.1  | 5.9  | 5.5  | 7.2    | 5.1  | 6.0  | 7.1  | 4.1    | 5.5  | 6.3        | 6.6  |        |     |
| Q6: MOTHER'S EMPLOYMENT STATUS                                          |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |     |
| FULLTIME HOMEWORKER                                                     | 35.7   | 33.7 | 34.8 | 31.9 | 29.3 | 30.5   | 28.9 | 32.9 | 30.7 | 28.5   | 31.8 | 30.4 | 26.6 | 28.2   | 27.4 | 30.5       | 31.2 |        |     |
| PERMANENTLY EMPLOYED                                                    | 43.3   | 45.5 | 44.1 | 45.4 | 47.4 | 46.5   | 45.3 | 43.1 | 44.3 | 48.0   | 48.3 | 48.1 | 45.3 | 52.2   | 48.9 | 45.4       | 48.3 |        |     |
| UNEMPLOYED PERMANENTLY/RETIRED                                          | 2.0    | 0.0  | 1.1  | 1.1  | 0.3  | 0.7    | 3.6  | 1.5  | 2.6  | 1.1    | 0.9  | 1.0  | 2.6  | 1.2    | 1.9  | 2.1        | 0.8  |        |     |
| SEASONALLY EMPLOYED                                                     | 4.0    | 6.3  | 5.2  | 9.2  | 10.4 | 9.7    | 7.2  | 7.1  | 7.3  | 6.3    | 5.1  | 5.6  | 6.9  | 6.3    | 6.7  | 6.6        | 7.1  |        |     |
| INTERMITTENTLY EMPLOYED                                                 | 11.8   | 11.2 | 11.6 | 8.7  | 10.5 | 9.8    | 12.0 | 10.6 | 11.4 | 13.6   | 11.4 | 12.4 | 16.6 | 9.9    | 13.3 | 12.5       | 10.6 |        |     |
| DON'T KNOW OR NOT LIVING                                                | 3.2    | 3.3  | 3.3  | 3.7  | 2.1  | 2.8    | 3.0  | 4.5  | 3.7  | 2.5    | 2.6  | 2.5  | 1.8  | 1.9    | 1.8  | 2.9        | 2.9  |        |     |

| NUMBER OF VALID RESPONSES TO:<br>Q7 = 2,938<br>Q8 = 2,939 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |   |
|-----------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|---|
|                                                           | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      | 12         |      |        |   |
|                                                           | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE       |      | FEMALE |   |
|                                                           | %     | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %          | N    | %      | N |
| Q7: WEEKLY SPENDING MONEY                                 |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |
| LESS THAN \$5                                             | 21.2  | 20.2 | 20.6   | 15.7 | 14.8 | 15.2 | 12.8   | 13.0 | 13.0 | 7.9  | 12.6   | 10.5 | 5.0  | 7.7  | 6.3    | 13.1 | 13.7       | 13.4 |        |   |
| \$5 TO \$10                                               | 38.5  | 42.9 | 40.6   | 35.4 | 35.5 | 35.4 | 31.7   | 31.6 | 31.7 | 20.6 | 28.0   | 24.6 | 14.1 | 18.8 | 16.6   | 29.0 | 31.6       | 30.3 |        |   |
| \$10 TO \$20                                              | 21.3  | 22.4 | 21.7   | 27.4 | 31.2 | 29.5 | 24.7   | 31.3 | 27.9 | 26.6 | 25.4   | 28.0 | 20.6 | 25.8 | 23.5   | 24.1 | 27.3       | 25.8 |        |   |
| \$20 TO \$30                                              | 5.7   | 8.5  | 7.1    | 11.5 | 10.7 | 11.0 | 10.4   | 10.5 | 10.4 | 15.7 | 13.8   | 14.6 | 19.7 | 20.1 | 19.9   | 12.1 | 12.5       | 12.3 |        |   |
| \$30 TO \$50                                              | 6.0   | 3.3  | 4.8    | 4.6  | 5.9  | 5.2  | 9.6    | 8.8  | 9.2  | 12.1 | 9.7    | 10.8 | 16.7 | 12.2 | 14.2   | 9.5  | 7.9        | 8.6  |        |   |
| OVER \$50                                                 | 7.3   | 2.7  | 5.3    | 5.3  | 2.2  | 3.7  | 10.8   | 4.8  | 7.9  | 17.0 | 10.5   | 13.5 | 23.9 | 15.5 | 19.5   | 12.3 | 7.0        | 9.6  |        |   |
| Q8: TOBACCO USE IN LAST 12 MO                             |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |
| NONE                                                      | 69.3  | 55.4 | 62.6   | 65.9 | 44.9 | 54.3 | 56.9   | 53.5 | 55.3 | 51.2 | 48.6   | 49.9 | 60.6 | 48.7 | 54.5   | 61.0 | 50.1       | 55.4 |        |   |
| TRIED ONE CIGARETTE                                       | 8.1   | 20.3 | 13.9   | 14.0 | 18.1 | 16.1 | 13.4   | 16.4 | 14.7 | 17.8 | 14.4   | 15.9 | 12.0 | 8.9  | 10.5   | 12.9 | 15.8       | 14.3 |        |   |
| LESS THAN 1 DAILY                                         | 4.1   | 6.9  | 5.4    | 8.7  | 13.8 | 11.5 | 8.1    | 7.1  | 7.6  | 7.6  | 9.6    | 8.6  | 7.3  | 11.1 | 9.2    | 7.1  | 9.7        | 8.4  |        |   |
| 1 TO 2 DAILY                                              | 4.4   | 6.3  | 5.4    | 2.2  | 8.1  | 5.3  | 2.7    | 4.4  | 3.5  | 1.1  | 2.9    | 2.1  | 1.0  | 2.3  | 1.8    | 2.4  | 4.9        | 3.7  |        |   |
| 3 TO 5 DAILY                                              | 4.7   | 7.2  | 5.8    | 3.4  | 6.1  | 5.0  | 6.4    | 6.5  | 6.4  | 6.1  | 6.6    | 6.3  | 3.8  | 7.3  | 5.6    | 4.9  | 6.7        | 5.8  |        |   |
| 6 TO 10 DAILY                                             | 2.8   | 2.5  | 2.7    | 2.9  | 5.1  | 4.4  | 4.9    | 6.7  | 5.7  | 4.6  | 9.2    | 7.0  | 5.0  | 11.3 | 8.2    | 4.0  | 8.9        | 5.5  |        |   |
| 11 TO 15 DAILY                                            | 2.5   | 1.1  | 1.8    | 1.1  | 2.2  | 1.7  | 3.3    | 2.9  | 3.1  | 6.3  | 4.7    | 5.6  | 6.6  | 4.8  | 5.6    | 3.8  | 3.1        | 3.5  |        |   |
| 16 TO 20 DAILY                                            | 1.2   | 0.3  | 0.8    | 1.0  | 1.3  | 1.2  | 3.2    | 1.8  | 2.5  | 4.0  | 3.4    | 3.7  | 2.1  | 4.6  | 3.5    | 2.3  | 2.3        | 2.3  |        |   |
| MORE THAN 20 DAILY                                        | 3.0   | 0.0  | 1.6    | 0.8  | 0.3  | 0.6  | 1.0    | 0.7  | 1.1  | 1.4  | 0.6    | 1.0  | 1.5  | 0.7  | 1.1    | 1.6  | 0.5        | 1.1  |        |   |

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY, 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

|                                                            | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      | ALL GRADES |     |  |
|------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|------------|-----|--|
|                                                            | 8     |      |        | 9    |      |      | 10     |      |      | 11   |        |      | 12   |      |        |      |      |      |            |     |  |
|                                                            | MALE  |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE     | ALL |  |
|                                                            | X     | %    |        | X    | %    |      | X      | %    |      | X    | %      |      | X    | %    |        | X    | %    |      | X          | %   |  |
| NUMBER OF VALID RESPONSES TO:<br>Q8 = 2,971<br>Q10 = 2,867 |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| Q9: ALCOHOL USE IN LAST 12 MO.                             |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| NONE                                                       | 30.0  | 32.5 | 31.2   | 25.7 | 19.9 | 22.4 | 13.7   | 19.7 | 16.5 | 8.3  | 14.0   | 11.4 | 9.7  | 12.9 | 11.5   | 18.0 | 19.9 | 18.9 |            |     |  |
| ONE SIP                                                    | 14.4  | 9.9  | 12.2   | 5.1  | 8.0  | 6.6  | 5.3    | 8.1  | 6.6  | 2.1  | 6.0    | 4.3  | 3.8  | 3.2  | 3.5    | 6.5  | 7.1  | 5.8  |            |     |  |
| SPECIAL EVENTS ONLY                                        | 27.2  | 28.8 | 28.2   | 26.4 | 24.3 | 25.1 | 23.2   | 26.5 | 24.6 | 14.8 | 17.9   | 16.4 | 9.3  | 17.2 | 13.3   | 20.8 | 23.0 | 21.9 |            |     |  |
| ONCE MONTHLY OR LESS                                       | 10.1  | 13.0 | 11.4   | 16.5 | 27.1 | 22.5 | 21.5   | 21.8 | 21.5 | 25.1 | 27.7   | 28.3 | 21.2 | 19.6 | 20.5   | 18.6 | 22.1 | 20.4 |            |     |  |
| 2 TO 3 TIMES MONTHLY                                       | 6.8   | 8.6  | 7.6    | 12.4 | 12.3 | 12.4 | 19.0   | 10.9 | 15.1 | 20.2 | 18.7   | 19.5 | 21.9 | 22.7 | 22.1   | 15.7 | 14.5 | 15.0 |            |     |  |
| ONCE PER WEEK                                              | 4.6   | 3.3  | 4.0    | 8.9  | 5.7  | 7.1  | 10.2   | 8.3  | 9.9  | 16.1 | 9.7    | 12.7 | 15.8 | 12.4 | 14.1   | 10.9 | 7.8  | 9.3  |            |     |  |
| 2 OR 3 TIMES WEEKLY                                        | 3.3   | 2.6  | 3.1    | 2.7  | 2.2  | 2.4  | 4.5    | 3.2  | 3.9  | 12.1 | 5.0    | 8.3  | 13.9 | 10.6 | 12.2   | 6.9  | 4.6  | 5.7  |            |     |  |
| 4 OR 5 TIMES WEEKLY                                        | 1.6   | 0.7  | 1.2    | 2.0  | 0.6  | 1.2  | 1.7    | 0.7  | 1.2  | 1.4  | 0.7    | 1.0  | 2.5  | 1.0  | 1.7    | 1.8  | 0.7  | 1.3  |            |     |  |
| 6 TO 7 TIMES WEEKLY                                        | 2.0   | 0.4  | 1.3    | 0.3  | 0.0  | 0.2  | 0.3    | 0.7  | 0.5  | 0.0  | 0.3    | 0.7  | 1.9  | 0.4  | 1.1    | 0.9  | 0.3  | 0.6  |            |     |  |
| Q10: CANNABIS USE IN LAST 12 MONTHS                        |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| DON'T KNOW WHAT IT IS                                      | 14.7  | 11.8 | 13.6   | 11.0 | 10.1 | 10.5 | 8.5    | 10.2 | 9.7  | 3.9  | 5.9    | 5.1  | 3.8  | 5.3  | 4.7    | 8.7  | 8.7  | 8.8  |            |     |  |
| NONE                                                       | 70.5  | 76.9 | 73.3   | 68.0 | 66.6 | 67.0 | 56.5   | 63.7 | 60.0 | 52.3 | 61.0   | 56.7 | 50.6 | 55.2 | 52.7   | 60.2 | 64.9 | 62.4 |            |     |  |
| 1 OR 2 TIMES                                               | 5.9   | 6.0  | 5.9    | 7.0  | 8.9  | 8.1  | 11.4   | 8.6  | 10.1 | 12.0 | 13.6   | 12.9 | 13.4 | 13.0 | 13.3   | 9.7  | 10.0 | 9.9  |            |     |  |
| 3 TO 5 TIMES                                               | 1.5   | 1.9  | 1.7    | 3.7  | 5.0  | 4.8  | 3.9    | 5.0  | 4.4  | 8.2  | 8.1    | 7.1  | 5.0  | 7.5  | 6.3    | 4.3  | 5.2  | 4.8  |            |     |  |
| 6 TO 9 TIMES                                               | 1.5   | 1.0  | 1.3    | 2.0  | 2.8  | 2.4  | 4.2    | 2.2  | 3.3  | 3.6  | 3.0    | 3.2  | 4.8  | 4.3  | 4.5    | 3.1  | 2.7  | 2.9  |            |     |  |
| 10 TO 19 TIMES                                             | 1.9   | 1.4  | 1.7    | 1.8  | 1.9  | 1.9  | 2.7    | 2.9  | 2.8  | 4.5  | 3.7    | 4.1  | 7.5  | 5.7  | 6.5    | 3.5  | 3.1  | 3.2  |            |     |  |
| 20 TO 39 TIMES                                             | 0.7   | 0.3  | 0.5    | 1.9  | 1.7  | 1.8  | 5.2    | 2.6  | 3.9  | 3.7  | 2.8    | 3.2  | 4.1  | 3.7  | 3.9    | 3.0  | 2.2  | 2.8  |            |     |  |
| 40 OR MORE TIMES                                           | 3.3   | 0.7  | 2.1    | 4.6  | 2.3  | 3.6  | 7.7    | 4.6  | 6.4  | 11.9 | 4.1    | 7.7  | 10.8 | 5.2  | 8.1    | 7.4  | 3.3  | 5.4  |            |     |  |



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q11 = 2,942<br>Q12 = 2,940 | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      | ALL GRADES |   |        |   |     |   |      |   |        |   |     |   |
|-------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------|------|------------|---|--------|---|-----|---|------|---|--------|---|-----|---|
|                                                             | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |      |        |      | 12   |      |            |   |        |   |     |   |      |   |        |   |     |   |
|                                                             | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE       |   | FEMALE |   | ALL |   | MALE |   | FEMALE |   | ALL |   |
|                                                             | X     | Z    | X      | Z    | X    | Z    | X    | Z    | X      | Z    | X    | Z    | X    | Z    | X      | Z    | X    | Z    | X          | Z | X      | Z | X   | Z | X    | Z | X      | Z | X   | Z |
| Q11: GLUE USE IN LAST 12 MO.                                |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |            |   |        |   |     |   |      |   |        |   |     |   |
| NONE                                                        | 94.4  | 96.1 | 95.2   | 95.5 | 96.5 | 96.0 | 94.3 | 96.6 | 95.4   | 97.3 | 99.0 | 98.2 | 96.3 | 99.6 | 98.1   | 95.4 | 97.5 | 96.5 |            |   |        |   |     |   |      |   |        |   |     |   |
| 1 OR 2 TIMES                                                | 2.6   | 2.8  | 2.7    | 3.3  | 2.0  | 2.6  | 2.4  | 3.0  | 2.7    | 2.3  | 0.4  | 1.3  | 1.0  | 0.0  | 0.5    | 2.4  | 1.7  | 2.0  |            |   |        |   |     |   |      |   |        |   |     |   |
| 3 TO 5 TIMES                                                | 0.9   | 0.0  | 0.5    | 0.8  | 0.9  | 0.9  | 1.6  | 0.0  | 0.9    | 0.0  | 0.0  | 0.0  | 0.4  | 0.0  | 0.2    | 0.8  | 0.2  | 0.5  |            |   |        |   |     |   |      |   |        |   |     |   |
| 6 TO 9 TIMES                                                | 0.3   | 0.7  | 0.5    | 0.4  | 0.3  | 0.3  | 0.3  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.8  | 0.0  | 0.4    | 0.3  | 0.2  | 0.3  |            |   |        |   |     |   |      |   |        |   |     |   |
| 10 TO 19 TIMES                                              | 0.3   | 0.4  | 0.3    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.2  | 0.0  | 0.0  | 0.0    | 0.1  | 0.1  | 0.1  |            |   |        |   |     |   |      |   |        |   |     |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.7  | 0.0  | 0.4    | 0.4  | 0.3  | 0.3  | 0.4  | 0.0  | 0.2    | 0.3  | 0.1  | 0.2  |            |   |        |   |     |   |      |   |        |   |     |   |
| 40 OR MORE TIMES                                            | 1.5   | 0.0  | 0.8    | 0.0  | 0.4  | 0.2  | 0.7  | 0.4  | 0.5    | 0.0  | 0.0  | 0.0  | 1.1  | 0.4  | 0.7    | 0.7  | 0.2  | 0.4  |            |   |        |   |     |   |      |   |        |   |     |   |
| Q12: SOLVENT USE IN LAST 12 MO.                             |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |            |   |        |   |     |   |      |   |        |   |     |   |
| NONE                                                        | 90.9  | 94.0 | 92.1   | 94.4 | 95.3 | 94.9 | 94.7 | 97.8 | 96.2   | 98.6 | 97.4 | 98.0 | 95.8 | 99.0 | 97.5   | 94.7 | 98.6 | 95.6 |            |   |        |   |     |   |      |   |        |   |     |   |
| 1 OR 2 TIMES                                                | 6.7   | 4.6  | 6.0    | 4.6  | 3.4  | 3.9  | 3.6  | 1.5  | 2.6    | 0.7  | 2.3  | 1.5  | 2.3  | 0.0  | 1.1    | 3.7  | 2.4  | 3.1  |            |   |        |   |     |   |      |   |        |   |     |   |
| 3 TO 5 TIMES                                                | 0.0   | 1.0  | 0.5    | 0.3  | 0.4  | 0.4  | 0.7  | 0.4  | 0.5    | 0.4  | 0.0  | 0.2  | 0.8  | 0.7  | 0.7    | 0.4  | 0.5  | 0.4  |            |   |        |   |     |   |      |   |        |   |     |   |
| 6 TO 9 TIMES                                                | 0.3   | 0.0  | 0.1    | 0.6  | 0.0  | 0.3  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.2  | 0.0  | 0.1  |            |   |        |   |     |   |      |   |        |   |     |   |
| 10 TO 19 TIMES                                              | 0.3   | 0.4  | 0.4    | 0.0  | 0.6  | 0.3  | 0.3  | 0.0  | 0.2    | 0.4  | 0.0  | 0.2  | 0.8  | 0.0  | 0.4    | 0.3  | 0.2  | 0.3  |            |   |        |   |     |   |      |   |        |   |     |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.4  | 0.2  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.1  | 0.0  |            |   |        |   |     |   |      |   |        |   |     |   |
| 40 OR MORE TIMES                                            | 1.8   | 0.0  | 0.9    | 0.0  | 0.0  | 0.0  | 0.7  | 0.4  | 0.5    | 0.0  | 0.3  | 0.2  | 0.4  | 0.4  | 0.4    | 0.6  | 0.2  | 0.4  |            |   |        |   |     |   |      |   |        |   |     |   |



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q13 = 2,955<br>Q14 = 2,949 | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |
|-------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|
|                                                             | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      | 12         |        |
|                                                             | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE |
| Q13: BARBITURATE USE WITHOUT PRESC. IN LAST 12 MONTHS       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |
| NONE                                                        | 47.8  | 47.5   | 47.7 | 39.1 | 40.6 | 39.6   | 34.3 | 36.1 | 27.3 | 27.8   | 27.6 | 24.5 | 32.9 | 28.8   | 35.4 | 37.4 | 36.3       |        |
| 1 TO 2 TIMES                                                | 46.8  | 48.7   | 47.6 | 58.2 | 55.3 | 57.0   | 59.5 | 58.1 | 66.7 | 65.6   | 66.1 | 69.7 | 62.9 | 66.1   | 59.4 | 57.7 | 58.6       |        |
| 3 TO 5 TIMES                                                | 2.5   | 1.7    | 2.1  | 2.7  | 2.6  | 2.7    | 2.8  | 2.2  | 2.5  | 4.6    | 4.2  | 1.9  | 2.8  | 2.5    | 2.9  | 2.7  | 2.8        |        |
| 6 TO 9 TIMES                                                | 0.6   | 1.1    | 0.8  | 0.0  | 0.2  | 0.1    | 1.1  | 1.1  | 0.8  | 1.5    | 1.2  | 2.0  | 0.4  | 1.2    | 0.8  | 0.9  | 0.9        |        |
| 10 TO 19 TIMES                                              | 0.0   | 0.4    | 0.2  | 0.0  | 1.3  | 0.7    | 1.0  | 0.4  | 0.7  | 0.3    | 0.4  | 0.8  | 0.0  | 0.4    | 0.5  | 0.5  | 0.5        |        |
| 20 TO 39 TIMES                                              | 0.3   | 0.4    | 0.3  | 0.0  | 0.0  | 0.0    | 0.7  | 0.0  | 0.4  | 0.0    | 0.3  | 0.2  | 0.7  | 0.7    | 0.3  | 0.3  | 0.3        |        |
| 40 OR MORE TIMES                                            | 0.3   | 0.3    | 0.3  | 0.0  | 0.0  | 0.0    | 0.4  | 0.7  | 0.5  | 0.0    | 0.3  | 0.2  | 0.4  | 0.0    | 0.2  | 0.3  | 0.2        |        |
|                                                             | 1.7   | 0.0    | 0.9  | 0.0  | 0.0  | 0.0    | 0.3  | 1.0  | 0.7  | 0.0    | 0.0  | 0.0  | 0.3  | 0.2    | 0.5  | 0.3  | 0.4        |        |
| Q14: BARBITURATE USE WITH PRESC. IN LAST 12 MONTHS          |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |
| NONE                                                        | 47.5  | 48.2   | 47.7 | 38.2 | 42.2 | 40.1   | 33.8 | 38.3 | 35.9 | 24.4   | 28.6 | 20.5 | 31.2 | 28.1   | 33.9 | 37.8 | 35.7       |        |
| 1 TO 2 TIMES                                                | 43.5  | 43.2   | 43.5 | 53.5 | 45.1 | 49.4   | 56.8 | 53.5 | 55.2 | 64.1   | 55.7 | 70.8 | 58.9 | 63.5   | 58.8 | 50.7 | 53.8       |        |
| 3 TO 5 TIMES                                                | 5.5   | 3.5    | 4.5  | 4.5  | 5.2  | 4.9    | 6.9  | 4.0  | 5.5  | 8.0    | 11.6 | 6.1  | 6.7  | 6.6    | 6.2  | 6.3  | 6.2        |        |
| 6 TO 9 TIMES                                                | 1.2   | 2.5    | 1.8  | 1.8  | 3.6  | 2.8    | 1.2  | 1.5  | 1.3  | 1.7    | 1.6  | 1.1  | 3.1  | 2.1    | 1.4  | 2.5  | 1.9        |        |
| 10 TO 19 TIMES                                              | 0.9   | 1.2    | 1.0  | 0.4  | 2.1  | 1.3    | 0.3  | 1.0  | 0.7  | 0.0    | 1.3  | 0.7  | 0.6  | 0.7    | 0.5  | 1.3  | 0.9        |        |
| 20 TO 39 TIMES                                              | 0.9   | 0.0    | 0.5  | 0.8  | 0.3  | 0.5    | 0.3  | 0.7  | 0.5  | 1.4    | 0.6  | 1.0  | 0.4  | 0.7    | 0.5  | 0.8  | 0.5        |        |
| 40 OR MORE TIMES                                            | 0.0   | 0.4    | 0.2  | 0.4  | 0.5  | 0.4    | 0.7  | 0.0  | 0.4  | 0.4    | 0.3  | 0.3  | 0.0  | 0.0    | 0.0  | 0.3  | 0.2        |        |
|                                                             | 0.5   | 1.0    | 0.8  | 0.3  | 1.0  | 0.7    | 0.0  | 1.1  | 0.5  | 0.0    | 0.3  | 0.2  | 0.4  | 0.7    | 0.6  | 0.3  | 0.8        |        |



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS, ADOLESCENT SURVEY, 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q15 = 2,947<br>Q16 = 2,954 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | MALE | FEMALE | ALL  |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |        |      |
| Q15: HEROIN USE IN LAST 12 MO.                              |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        | 11.2  | 11.5   | 11.3 | 9.0  | 10.1   | 9.5  | 3.8  | 8.1    | 5.8  | 4.3  | 4.5    | 4.6  | 3.0        | 4.6    | 3.8  | 6.5  | 7.8    | 7.1  |
| 1 TO 2 TIMES                                                | 84.7  | 87.1   | 85.9 | 90.3 | 87.9   | 88.9 | 93.7 | 90.1   | 92.1 | 94.6 | 94.9   | 94.6 | 91.6       | 94.7   | 93.3 | 90.8 | 90.9   | 90.8 |
| 3 TO 5 TIMES                                                | 0.6   | 1.0    | 0.8  | 0.4  | 2.0    | 1.3  | 1.0  | 0.7    | 0.9  | 0.4  | 0.6    | 0.5  | 1.5        | 0.7    | 1.1  | 0.8  | 1.0    | 0.9  |
| 6 TO 9 TIMES                                                | 0.9   | 0.4    | 0.7  | 0.0  | 0.0    | 0.0  | 0.7  | 0.4    | 0.5  | 0.0  | 0.0    | 0.0  | 0.8        | 0.0    | 0.4  | 0.5  | 0.1    | 0.3  |
| 10 TO 19 TIMES                                              | 0.6   | 0.0    | 0.3  | 0.0  | 0.0    | 0.0  | 0.8  | 0.3    | 0.6  | 0.4  | 0.0    | 0.2  | 1.1        | 0.0    | 0.5  | 0.6  | 0.1    | 0.3  |
| 20 TO 39 TIMES                                              | 0.3   | 0.0    | 0.1  | 0.0  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 1.6        | 0.0    | 0.7  | 0.4  | 0.0    | 0.2  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  |
|                                                             | 1.7   | 0.0    | 0.9  | 0.3  | 0.0    | 0.2  | 0.0  | 0.4    | 0.2  | 0.0  | 0.0    | 0.0  | 0.4        | 0.0    | 0.2  | 0.5  | 0.1    | 0.3  |
| Q16: SPEED USE IN LAST 12 MO.                               |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        | 25.0  | 23.7   | 24.3 | 13.8 | 16.1   | 14.9 | 8.5  | 12.9   | 10.5 | 5.3  | 7.5    | 6.6  | 3.7        | 8.2    | 6.0  | 11.9 | 13.8   | 12.8 |
| 1 TO 2 TIMES                                                | 66.5  | 71.3   | 68.9 | 79.8 | 75.7   | 77.6 | 80.1 | 80.1   | 80.2 | 82.4 | 82.8   | 82.5 | 83.0       | 82.2   | 82.6 | 77.9 | 78.4   | 78.2 |
| 3 TO 5 TIMES                                                | 4.3   | 2.7    | 3.5  | 4.9  | 5.8    | 5.3  | 6.0  | 4.1    | 5.1  | 6.2  | 6.6    | 7.3  | 4.7        | 7.6    | 6.1  | 5.6  | 5.3    | 5.4  |
| 6 TO 9 TIMES                                                | 0.3   | 1.2    | 0.7  | 0.4  | 0.4    | 0.4  | 2.3  | 0.4    | 1.4  | 2.0  | 0.6    | 1.2  | 3.6        | 1.0    | 2.2  | 1.6  | 0.7    | 1.1  |
| 10 TO 19 TIMES                                              | 0.6   | 0.3    | 0.4  | 0.0  | 1.2    | 0.6  | 2.0  | 1.8    | 1.9  | 1.4  | 1.6    | 1.5  | 2.3        | 0.0    | 1.1  | 1.2  | 1.0    | 1.1  |
| 20 TO 39 TIMES                                              | 1.5   | 0.8    | 1.2  | 0.8  | 0.5    | 0.6  | 0.3  | 0.0    | 0.2  | 0.8  | 0.3    | 0.5  | 0.4        | 0.3    | 0.5  | 0.8  | 0.4    | 0.6  |
| 40 OR MORE TIMES                                            | 0.3   | 0.0    | 0.2  | 0.0  | 0.3    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 1.2        | 0.3    | 0.7  | 0.3  | 0.1    | 0.2  |
|                                                             | 1.4   | 0.0    | 0.8  | 0.3  | 0.0    | 0.4  | 0.7  | 0.7    | 0.7  | 0.0  | 0.6    | 0.3  | 1.1        | 0.3    | 0.7  | 0.7  | 0.3    | 0.6  |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q17 = 2,947<br>Q18 = 2,947 | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |     |   |
|-------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|-----|---|
|                                                             | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      | 12         |        |     |   |
|                                                             | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL | % |
| Q17: COCAINE USE IN LAST 12 MO.                             |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| NONE                                                        | 7.4   | 6.4    | 6.9  | 4.1  | 4.4  | 4.2    | 4.0  | 3.4  | 2.1  | 1.8    | 2.1  |      |      |        |      |      |            |        |     |   |
| 1 TO 2 TIMES                                                | 87.1  | 89.8   | 88.4 | 92.0 | 90.4 | 91.0   | 90.8 | 89.9 | 84.7 | 91.7   | 88.3 | 85.5 | 80.1 | 85.8   | 88.1 | 89.7 | 88.9       |        |     |   |
| 3 TO 5 TIMES                                                | 1.6   | 2.8    | 2.1  | 3.1  | 4.7  | 3.9    | 3.2  | 4.0  | 7.2  | 4.0    | 5.5  | 6.2  | 5.5  | 6.0    | 4.1  | 4.2  | 4.1        |        |     |   |
| 6 TO 9 TIMES                                                | 1.0   | 0.7    | 0.9  | 0.0  | 0.5  | 0.3    | 1.3  | 0.4  | 0.9  | 4.5    | 1.9  | 3.1  | 2.2  | 2.6    | 1.9  | 1.1  | 1.5        |        |     |   |
| 10 TO 19 TIMES                                              | 0.9   | 0.4    | 0.7  | 0.4  | 0.0  | 0.2    | 0.2  | 0.6  | 0.4  | 0.6    | 0.5  | 1.3  | 1.7  | 1.5    | 0.6  | 0.6  | 0.6        |        |     |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.7  | 0.4  | 0.5  | 0.0    | 0.2  | 1.5  | 0.7  | 1.1    | 0.5  | 0.2  | 0.3        |        |     |   |
| 40 OR MORE TIMES                                            | 0.3   | 0.0    | 0.1  | 0.0  | 0.0  | 0.0    | 0.6  | 0.0  | 0.3  | 0.4    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0        | 0.1    |     |   |
|                                                             | 1.8   | 0.0    | 0.9  | 0.3  | 0.0  | 0.4    | 0.2  | 0.7  | 0.5  | 0.4    | 0.2  | 0.0  | 0.0  | 0.4    | 0.2  | 0.6  | 0.2        | 0.4    |     |   |
| Q18: CRACK USE IN LAST 12 MO.                               |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| NONE                                                        | 16.6  | 27.0   | 21.5 | 11.7 | 22.3 | 17.2   | 8.9  | 16.8 | 13.7 | 7.9    | 13.3 | 10.8 | 7.7  | 14.2   | 11.0 | 10.8 | 19.2       | 15.0   |     |   |
| 1 TO 2 TIMES                                                | 77.9  | 71.7   | 75.0 | 86.8 | 76.4 | 81.2   | 89.1 | 79.4 | 84.4 | 91.1   | 85.1 | 87.8 | 87.4 | 84.7   | 86.1 | 86.2 | 79.4       | 82.7   |     |   |
| 3 TO 5 TIMES                                                | 2.8   | 1.0    | 1.9  | 0.8  | 0.7  | 0.8    | 1.3  | 0.7  | 1.0  | 0.7    | 1.6  | 1.2  | 3.0  | 0.4    | 1.6  | 1.7  | 0.9        | 1.3    |     |   |
| 6 TO 9 TIMES                                                | 0.3   | 0.0    | 0.1  | 0.3  | 0.3  | 0.3    | 0.3  | 0.7  | 0.5  | 0.0    | 0.0  | 0.0  | 0.7  | 0.3    | 0.5  | 0.3  | 0.3        | 0.3    |     |   |
| 10 TO 19 TIMES                                              | 0.6   | 0.4    | 0.5  | 0.0  | 0.3  | 0.2    | 0.3  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.4  | 0.3    | 0.3  | 0.3  | 0.2        | 0.2    |     |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.4  | 0.0    | 0.2  | 0.2  | 0.0        | 0.1    |     |   |
| 40 OR MORE TIMES                                            | 1.2   | 0.0    | 0.6  | 0.3  | 0.0  | 0.4    | 0.0  | 0.4  | 0.2  | 0.4    | 0.0  | 0.2  | 0.0  | 0.0    | 0.0  | 0.1  | 0.0        | 0.0    |     |   |



\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q21 = 2,943<br>Q22 = 2,939 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |  |  |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--|--|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |      |        |      |            |  |  |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |  |  |
|                                                             | %     | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    |            |  |  |
| Q21: STIMULANT USE WITH<br>PRESC. IN LAST 12 MONTHS         |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |  |  |
| DON'T KNOW WHAT IT IS                                       | 18.9  | 20.4   | 19.5 | 13.7 | 17.3   | 15.5 | 9.7  | 10.3   | 10.3 | 8.0  | 5.7    | 6.9  | 5.6  | 7.2    | 6.6  | 11.6 | 12.2   | 12.0 |            |  |  |
| NONE                                                        | 73.0  | 72.4   | 72.9 | 81.2 | 75.0   | 77.6 | 82.9 | 83.7   | 83.0 | 87.4 | 89.1   | 86.2 | 90.6 | 85.3   | 87.7 | 82.4 | 81.0   | 81.6 |            |  |  |
| 1 TO 2 TIMES                                                | 4.7   | 5.1    | 4.9  | 3.7  | 5.3    | 4.7  | 4.6  | 3.9    | 4.2  | 3.2  | 2.5    | 2.8  | 2.7  | 5.0    | 3.8  | 3.9  | 4.3    | 4.1  |            |  |  |
| 3 TO 5 TIMES                                                | 0.9   | 0.4    | 0.7  | 0.4  | 0.9    | 0.8  | 1.0  | 0.7    | 0.9  | 0.7  | 0.6    | 0.7  | 0.4  | 0.7    | 0.6  | 0.7  | 0.7    | 0.7  |            |  |  |
| 6 TO 9 TIMES                                                | 0.9   | 0.4    | 0.7  | 0.7  | 0.3    | 0.5  | 0.7  | 0.0    | 0.3  | 0.0  | 0.3    | 0.2  | 0.4  | 0.4    | 0.4  | 0.6  | 0.3    | 0.4  |            |  |  |
| 10 TO 19 TIMES                                              | 0.0   | 0.3    | 0.1  | 0.2  | 0.3    | 0.5  | 0.3  | 0.0    | 0.2  | 0.7  | 0.6    | 0.7  | 0.4  | 1.1    | 0.7  | 0.3  | 0.5    | 0.4  |            |  |  |
| 20 TO 39 TIMES                                              | 0.3   | 0.0    | 0.2  | 0.0  | 0.2    | 0.1  | 0.3  | 1.4    | 0.9  | 0.0  | 0.6    | 0.3  | 0.0  | 0.4    | 0.2  | 0.1  | 0.5    | 0.3  |            |  |  |
| 40 OR MORE TIMES                                            | 1.1   | 1.1    | 1.1  | 0.0  | 0.7    | 0.4  | 0.5  | 0.0    | 0.3  | 0.0  | 0.6    | 0.3  | 0.0  | 0.0    | 0.0  | 0.4  | 0.5    | 0.4  |            |  |  |
| Q22: TRANQUILIZER USE WITHOUT<br>PRESC. IN LAST 12 MONTHS   |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |  |  |
| DON'T KNOW WHAT IT IS                                       | 13.2  | 11.6   | 12.4 | 7.6  | 10.8   | 9.4  | 6.2  | 4.1    | 5.4  | 4.9  | 2.6    | 3.7  | 3.3  | 2.3    | 2.8  | 7.3  | 6.4    | 6.9  |            |  |  |
| NONE                                                        | 81.1  | 85.9   | 83.4 | 88.3 | 83.1   | 85.3 | 87.4 | 86.7   | 87.9 | 89.5 | 90.2   | 89.8 | 91.9 | 91.2   | 91.5 | 87.3 | 87.7   | 87.4 |            |  |  |
| 1 TO 2 TIMES                                                | 2.0   | 1.0    | 1.5  | 1.5  | 4.5    | 3.2  | 4.7  | 4.4    | 4.5  | 4.0  | 3.5    | 3.9  | 1.0  | 3.7    | 2.5  | 2.7  | 3.4    | 3.1  |            |  |  |
| 3 TO 5 TIMES                                                | 1.3   | 1.1    | 1.2  | 1.6  | 0.6    | 1.1  | 0.3  | 0.4    | 0.3  | 1.2  | 1.6    | 1.4  | 2.3  | 0.7    | 1.5  | 1.3  | 0.9    | 1.1  |            |  |  |
| 6 TO 9 TIMES                                                | 0.6   | 0.4    | 0.5  | 0.0  | 0.7    | 0.4  | 1.0  | 0.7    | 0.9  | 0.0  | 1.5    | 0.8  | 0.0  | 0.7    | 0.4  | 0.4  | 0.8    | 0.6  |            |  |  |
| 10 TO 19 TIMES                                              | 0.6   | 0.0    | 0.3  | 0.7  | 0.0    | 0.3  | 0.3  | 0.7    | 0.5  | 0.4  | 0.0    | 0.2  | 0.7  | 0.7    | 0.7  | 0.5  | 0.3    | 0.4  |            |  |  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.3    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.3    | 0.2  | 0.4  | 0.3    | 0.3  | 0.1  | 0.2    | 0.1  |            |  |  |
| 40 OR MORE TIMES                                            | 1.2   | 0.0    | 0.6  | 0.3  | 0.0    | 0.2  | 0.0  | 1.1    | 0.5  | 0.0  | 0.3    | 0.2  | 0.4  | 0.4    | 0.4  | 0.4  | 0.3    | 0.4  |            |  |  |





| NUMBER OF VALID RESPONSES TO:<br>Q25 = 2,954<br>Q26 = 2,954 | GRADE |      |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |      |      |      |        |     |
|-------------------------------------------------------------|-------|------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|------|------|------|--------|-----|
|                                                             | 8     |      |      | 9    |      |        | 10   |      |      | 11     |      |      |            |        | 12   |      |      |        |     |
|                                                             | MALE  |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |            | FEMALE | ALL  | MALE |      | FEMALE | ALL |
|                                                             | Σ     | %    |      | Σ    | %    |        | Σ    | %    |      | Σ      | %    |      | Σ          | %      |      | Σ    | %    |        | Σ   |
| Q25: HALLUCINOGEN USE IN LAST 12 MO. (EXCLUDING LSD & PCP)  |       |      |      |      |      |        |      |      |      |        |      |      |            |        |      |      |      |        |     |
| DON'T KNOW WHAT IT IS                                       | 23.4  | 27.8 | 25.5 | 19.3 | 22.0 | 20.6   | 10.3 | 19.6 | 14.8 | 7.6    | 12.6 | 10.4 | 6.4        | 10.1   | 8.5  | 13.9 | 18.6 | 16.3   |     |
| NONE                                                        | 68.4  | 87.6 | 68.0 | 73.0 | 72.2 | 72.5   | 73.1 | 73.2 | 73.1 | 73.7   | 79.3 | 76.6 | 75.5       | 76.9   | 75.9 | 72.5 | 73.8 | 73.1   |     |
| 1 TO 2 TIMES                                                | 3.9   | 4.0  | 3.9  | 4.6  | 4.2  | 4.3    | 8.2  | 3.5  | 5.9  | 10.0   | 5.0  | 7.4  | 9.7        | 9.3    | 9.6  | 7.1  | 5.1  | 6.1    |     |
| 3 TO 5 TIMES                                                | 0.7   | 0.3  | 0.5  | 1.2  | 1.0  | 1.3    | 4.1  | 0.7  | 2.5  | 4.4    | 1.8  | 3.0  | 2.1        | 2.0    | 2.2  | 2.5  | 1.2  | 1.9    |     |
| 6 TO 9 TIMES                                                | 0.3   | 0.0  | 0.2  | 0.8  | 0.3  | 0.5    | 1.3  | 0.7  | 1.0  | 1.8    | 0.6  | 1.1  | 3.7        | 0.7    | 2.1  | 1.5  | 0.5  | 1.0    |     |
| 10 TO 19 TIMES                                              | 0.9   | 0.0  | 0.5  | 0.4  | 0.3  | 0.4    | 1.0  | 1.8  | 1.4  | 1.4    | 0.3  | 0.8  | 0.6        | 0.7    | 0.6  | 0.9  | 0.6  | 0.7    |     |
| 20 TO 39 TIMES                                              | 0.3   | 0.0  | 0.2  | 0.4  | 0.0  | 0.2    | 0.3  | 0.0  | 0.2  | 0.7    | 0.0  | 0.3  | 1.1        | 0.0    | 0.5  | 0.5  | 0.0  | 0.3    |     |
| 40 OR MORE TIMES                                            | 2.1   | 0.4  | 1.3  | 0.3  | 0.0  | 0.2    | 1.7  | 0.4  | 1.1  | 0.4    | 0.3  | 0.3  | 0.8        | 0.3    | 0.5  | 1.1  | 0.3  | 0.7    |     |
| Q26: LSD USE IN LAST 12 MONTHS                              |       |      |      |      |      |        |      |      |      |        |      |      |            |        |      |      |      |        |     |
| DON'T KNOW WHAT IT IS                                       | 23.2  | 24.5 | 23.7 | 13.2 | 16.1 | 14.6   | 7.7  | 12.7 | 10.2 | 5.3    | 8.0  | 6.9  | 3.2        | 5.3    | 4.4  | 11.1 | 13.4 | 12.3   |     |
| NONE                                                        | 69.8  | 70.9 | 70.5 | 79.2 | 74.4 | 76.6   | 75.3 | 80.1 | 77.5 | 80.7   | 82.7 | 81.5 | 77.7       | 83.4   | 80.3 | 76.2 | 76.2 | 77.1   |     |
| 1 TO 2 TIMES                                                | 2.9   | 3.2  | 3.0  | 3.5  | 6.9  | 5.3    | 8.5  | 2.8  | 5.8  | 5.3    | 5.3  | 5.4  | 8.9        | 7.9    | 8.5  | 5.7  | 5.2  | 5.5    |     |
| 3 TO 5 TIMES                                                | 1.0   | 0.3  | 0.7  | 2.1  | 1.4  | 1.7    | 4.1  | 2.6  | 3.4  | 4.1    | 2.5  | 3.2  | 3.1        | 1.0    | 2.1  | 2.8  | 1.8  | 2.2    |     |
| 6 TO 9 TIMES                                                | 1.3   | 0.3  | 0.8  | 1.3  | 0.6  | 0.9    | 1.3  | 0.7  | 1.0  | 1.8    | 0.8  | 1.2  | 3.4        | 1.4    | 2.3  | 1.7  | 0.7  | 1.2    |     |
| 10 TO 19 TIMES                                              | 0.0   | 0.4  | 0.2  | 0.4  | 0.7  | 0.7    | 1.4  | 0.4  | 0.9  | 0.4    | 0.3  | 0.3  | 1.9        | 0.7    | 1.2  | 0.8  | 0.5  | 0.7    |     |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.3  | 0.4  | 0.3  | 0.7    | 0.3  | 0.5  | 0.7        | 0.3    | 0.5  | 0.3  | 0.2  | 0.3    |     |
| 40 OR MORE TIMES                                            | 1.8   | 0.3  | 1.1  | 0.3  | 0.0  | 0.2    | 1.3  | 0.4  | 0.9  | 1.7    | 0.3  | 1.0  | 1.1        | 0.0    | 0.5  | 1.3  | 0.2  | 0.7    |     |



FRASER VALLEY

|                                                             | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     | ALL GRADES |      |   |        |   |     |   |
|-------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------|------|------|---|--------|---|-----|------------|------|---|--------|---|-----|---|
|                                                             | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |      |        |      | 12   |      |      |   |        |   |     |            |      |   |        |   |     |   |
|                                                             | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |   | FEMALE |   | ALL |            | MALE |   | FEMALE |   | ALL |   |
|                                                             | %     | #    | %      | #    | %    | #    | %    | #    | %      | #    | %    | #    | %    | #    | %      | #    | %    | #    | %    | # | %      | # | %   | #          | %    | # | %      | # | %   | # |
| NUMBER OF VALID RESPONSES TO:<br>Q27 = 2,935<br>Q28 = 2,936 |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |            |      |   |        |   |     |   |
| Q27: CIGARETTE USE IN LAST 4 WEEKS                          |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |            |      |   |        |   |     |   |
| NONE                                                        | 77.1  | 71.1 | 74.2   | 80.5 | 63.4 | 71.3 | 70.2 | 69.4 | 69.6   | 64.6 | 62.1 | 63.4 | 71.5 | 60.2 | 65.7   | 72.9 | 65.3 | 69.0 |      |   |        |   |     |            |      |   |        |   |     |   |
| 1 OR 2 TIMES                                                | 6.5   | 12.8 | 9.4    | 4.2  | 13.5 | 9.1  | 6.3  | 8.3  | 7.2    | 11.3 | 7.9  | 9.5  | 6.1  | 6.8  | 6.4    | 8.9  | 9.9  | 8.4  |      |   |        |   |     |            |      |   |        |   |     |   |
| 1 OR 2 TIMES WEEKLY                                         | 3.0   | 2.6  | 2.8    | 3.0  | 2.8  | 2.9  | 2.0  | 2.2  | 2.1    | 0.8  | 3.4  | 2.2  | 3.3  | 3.8  | 3.7    | 2.4  | 3.0  | 2.7  |      |   |        |   |     |            |      |   |        |   |     |   |
| 3 OR 4 TIMES WEEKLY                                         | 1.6   | 3.0  | 2.3    | 0.8  | 3.5  | 2.2  | 1.7  | 0.3  | 1.0    | 1.1  | 1.7  | 1.4  | 1.4  | 2.8  | 2.1    | 1.3  | 2.3  | 1.8  |      |   |        |   |     |            |      |   |        |   |     |   |
| 5 OR 6 TIMES WEEKLY                                         | 1.1   | 1.0  | 1.3    | 1.9  | 1.7  | 1.8  | 1.4  | 1.1  | 1.2    | 1.0  | 1.4  | 1.2  | 0.7  | 0.7  | 0.7    | 1.2  | 1.2  | 1.2  |      |   |        |   |     |            |      |   |        |   |     |   |
| ONCE DAILY                                                  | 0.0   | 0.4  | 0.2    | 1.1  | 2.1  | 1.6  | 1.7  | 1.9  | 1.8    | 1.8  | 0.7  | 1.2  | 0.4  | 2.4  | 1.4    | 1.0  | 1.5  | 1.2  |      |   |        |   |     |            |      |   |        |   |     |   |
| MORE THAN ONCE DAILY                                        | 10.6  | 9.1  | 9.9    | 8.6  | 13.0 | 11.2 | 16.7 | 16.9 | 16.9   | 19.2 | 22.9 | 21.2 | 16.6 | 23.3 | 20.0   | 14.2 | 16.9 | 15.6 |      |   |        |   |     |            |      |   |        |   |     |   |
| Q28: CANNABIS USE IN LAST 4 WEEKS                           |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |            |      |   |        |   |     |   |
| DON'T KNOW WHAT IT IS                                       | 13.3  | 11.2 | 12.2   | 8.6  | 9.2  | 8.9  |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |            |      |   |        |   |     |   |
| NONE                                                        | 77.1  | 83.8 | 80.3   | 77.2 | 77.7 | 77.4 | 70.8 | 79.8 | 75.0   | 66.9 | 79.1 | 73.3 | 68.6 | 71.7 | 70.0   | 72.4 | 78.6 | 75.4 |      |   |        |   |     |            |      |   |        |   |     |   |
| 1 OR 2 TIMES                                                | 5.3   | 2.6  | 4.0    | 7.8  | 7.0  | 7.5  | 11.7 | 7.0  | 9.4    | 14.7 | 8.9  | 11.6 | 15.5 | 13.7 | 14.4   | 10.7 | 7.7  | 9.2  |      |   |        |   |     |            |      |   |        |   |     |   |
| 1 OR 2 TIMES WEEKLY                                         | 1.3   | 0.0  | 0.7    | 2.3  | 2.2  | 2.2  | 5.5  | 3.2  | 4.4    | 4.6  | 4.0  | 4.3  | 4.5  | 4.7  | 4.5    | 3.0  | 2.8  | 3.2  |      |   |        |   |     |            |      |   |        |   |     |   |
| 3 OR 4 TIMES WEEKLY                                         | 0.7   | 1.5  | 1.0    | 1.4  | 2.0  | 1.7  | 2.9  | 2.2  | 2.7    | 0.8  | 2.8  | 1.8  | 3.4  | 2.6  | 3.2    | 1.8  | 2.2  | 2.1  |      |   |        |   |     |            |      |   |        |   |     |   |
| 5 OR 6 TIMES WEEKLY                                         | 1.0   | 0.6  | 0.8    | 1.1  | 1.0  | 1.0  | 1.7  | 0.7  | 1.2    | 3.0  | 0.3  | 1.6  | 3.5  | 1.1  | 2.2    | 1.9  | 0.7  | 1.3  |      |   |        |   |     |            |      |   |        |   |     |   |
| ONCE DAILY                                                  | 0.6   | 0.4  | 0.5    | 0.4  | 0.3  | 0.3  | 0.3  | 0.0  | 0.2    | 2.1  | 0.3  | 1.2  | 0.0  | 0.6  | 0.3    | 0.7  | 0.3  | 0.5  |      |   |        |   |     |            |      |   |        |   |     |   |
| MORE THAN ONCE DAILY                                        | 0.9   | 0.0  | 0.5    | 1.2  | 0.6  | 0.9  | 1.6  | 0.4  | 1.0    | 3.4  | 0.6  | 1.9  | 1.1  | 0.9  | 1.2    | 1.6  | 0.5  | 1.1  |      |   |        |   |     |            |      |   |        |   |     |   |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q29 = 2,949<br>Q30A = 2,884<br>Q30B = 2,680 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                              | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                                                              | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q29: ALCOHOL USE IN LAST 4 WEEKS                                             |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE                                                                         | 58.8  | 60.2   | 59.4 | 49.7 | 45.9   | 47.5 | 33.4 | 49.7   | 40.9 | 34.7 | 30.6   | 23.5 | 34.5       | 29.4   | 45.1 |
| 1 OR 2 TIMES                                                                 | 27.2  | 32.2   | 29.6 | 36.4 | 38.2   | 37.5 | 45.1 | 34.0   | 39.8 | 48.2 | 44.1   | 40.3 | 39.3       | 39.8   | 38.5 |
| 1 OR 2 TIMES WEEKLY                                                          | 6.8   | 5.2    | 6.0  | 8.8  | 10.9   | 9.8  | 14.6 | 12.0   | 13.5 | 14.1 | 19.5   | 25.1 | 17.8       | 21.3   | 15.8 |
| 3 OR 4 TIMES WEEKLY                                                          | 4.1   | 1.1    | 2.6  | 3.2  | 4.1    | 3.8  | 4.9  | 2.8    | 3.9  | 8.3  | 1.5    | 3.8  | 9.2        | 8.0    | 7.8  |
| 5 OR 6 TIMES WEEKLY                                                          | 1.7   | 1.1    | 1.4  | 0.8  | 0.3    | 0.5  | 1.0  | 1.1    | 1.1  | 1.8  | 0.9    | 1.3  | 0.8        | 1.8    | 1.3  |
| ONCE DAILY                                                                   | 0.3   | 0.0    | 0.2  | 0.4  | 0.6    | 0.5  | 0.3  | 0.0    | 0.2  | 0.4  | 0.3    | 0.4  | 0.0        | 0.2    | 0.4  |
| MORE THAN ONCE DAILY                                                         | 1.2   | 0.3    | 0.8  | 0.7  | 0.0    | 0.3  | 0.7  | 0.7    | 0.7  | 0.4  | 0.3    | 0.4  | 0.7        | 0.7    | 0.7  |
| Q30A: DIFFICULTY GETTING ALCOHOL                                             |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| IMPOSSIBLE                                                                   | 3.9   | 1.5    | 2.8  | 2.1  | 2.7    | 2.4  | 1.4  | 1.9    | 1.6  | 0.0  | 0.8    | 0.3  | 0.4        | 0.3    | 1.7  |
| DIFFICULT                                                                    | 12.0  | 10.0   | 11.2 | 8.8  | 8.9    | 8.0  | 4.2  | 3.8    | 4.0  | 4.1  | 3.2    | 3.8  | 1.0        | 0.9    | 5.9  |
| FAIRLY EASY                                                                  | 29.2  | 39.7   | 34.2 | 33.6 | 35.3   | 34.3 | 35.1 | 42.4   | 38.6 | 24.9 | 27.7   | 26.6 | 18.7       | 20.6   | 28.8 |
| VERY EASY                                                                    | 39.7  | 35.7   | 37.7 | 49.5 | 48.4   | 48.0 | 54.2 | 46.8   | 50.7 | 69.2 | 64.8   | 66.6 | 78.4       | 75.8   | 56.9 |
| DON'T KNOW                                                                   | 15.2  | 13.1   | 14.2 | 8.0  | 6.7    | 7.3  | 5.1  | 5.3    | 5.2  | 1.8  | 3.7    | 2.8  | 1.5        | 2.4    | 6.7  |
| Q30B: DIFFICULTY GETTING TOBACCO                                             |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| IMPOSSIBLE                                                                   | 5.0   | 5.9    | 5.4  | 3.6  | 4.2    | 3.9  | 1.4  | 1.5    | 1.4  | 0.4  | 0.6    | 0.5  | 0.4        | 0.3    | 2.3  |
| DIFFICULT                                                                    | 6.9   | 5.4    | 6.2  | 4.2  | 1.8    | 2.9  | 1.7  | 1.8    | 1.8  | 1.0  | 1.3    | 1.2  | 0.8        | 0.7    | 3.1  |
| FAIRLY EASY                                                                  | 15.7  | 16.4   | 16.1 | 11.4 | 12.1   | 11.9 | 5.9  | 14.7   | 10.1 | 5.1  | 8.8    | 7.3  | 3.4        | 5.0    | 8.6  |
| VERY EASY                                                                    | 56.7  | 55.6   | 56.2 | 69.5 | 69.0   | 69.3 | 85.2 | 74.2   | 80.1 | 90.0 | 81.9   | 85.5 | 89.8       | 88.8   | 77.5 |
| DON'T KNOW                                                                   | 15.7  | 16.6   | 16.1 | 11.2 | 12.8   | 12.0 | 5.7  | 7.7    | 6.7  | 3.5  | 7.4    | 5.5  | 5.7        | 5.2    | 8.6  |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q30C = 2,785<br>Q30D = 2,889<br>Q30E = 2,887 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |   |        |
|-------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|---|--------|
|                                                                               | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        |            |   |        |
|                                                                               | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |   | FEMALE |
|                                                                               | X     | Z    |        | X    | Z    |        | X    | Z    |        | X    | Z    |        | X    | Z    |        | X    | Z    |        | X          | Z |        |
| Q30C: DIFFICULTY GETTING CANNABIS                                             |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |
| IMPOSSIBLE                                                                    | 14.5  | 15.5 | 14.9   | 7.4  | 12.3 | 9.9    | 8.2  | 7.0  | 6.9    | 1.4  | 2.7  | 2.1    | 1.6  | 1.5  | 1.5    | 6.6  | 7.9  | 7.3    |            |   |        |
| DIFFICULT                                                                     | 21.5  | 20.2 | 20.8   | 10.8 | 10.4 | 10.5   | 8.7  | 7.3  | 8.0    | 7.9  | 6.7  | 7.4    | 3.3  | 6.6  | 5.0    | 10.9 | 10.2 | 10.5   |            |   |        |
| FAIRLY EASY                                                                   | 20.1  | 17.0 | 18.6   | 31.2 | 22.8 | 26.8   | 37.2 | 28.7 | 33.0   | 34.5 | 33.4 | 33.9   | 38.1 | 38.0 | 36.0   | 31.9 | 27.8 | 29.8   |            |   |        |
| VERY EASY                                                                     | 9.5   | 5.9  | 7.9    | 18.5 | 14.2 | 16.5   | 26.4 | 22.0 | 24.2   | 39.8 | 29.7 | 34.3   | 39.0 | 29.5 | 34.1   | 25.8 | 20.1 | 23.0   |            |   |        |
| DON'T KNOW                                                                    | 34.4  | 41.4 | 37.8   | 32.1 | 40.2 | 36.3   | 21.4 | 35.0 | 27.8   | 16.3 | 27.6 | 22.3   | 18.1 | 24.4 | 21.4   | 24.9 | 33.9 | 29.4   |            |   |        |
| Q30D: DIFFICULTY GETTING HALLUCINOGENS                                        |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |
| IMPOSSIBLE                                                                    | 20.1  | 16.7 | 18.4   | 13.3 | 16.3 | 14.8   | 13.5 | 9.1  | 11.7   | 7.0  | 5.8  | 6.3    | 5.6  | 6.1  | 5.6    | 12.3 | 10.9 | 11.6   |            |   |        |
| DIFFICULT                                                                     | 23.9  | 17.9 | 21.0   | 24.9 | 13.0 | 18.5   | 25.0 | 17.8 | 21.7   | 24.6 | 18.4 | 21.4   | 25.5 | 19.5 | 20.9   | 24.7 | 16.7 | 20.7   |            |   |        |
| FAIRLY EASY                                                                   | 8.0   | 7.1  | 7.6    | 13.5 | 12.0 | 13.0   | 13.3 | 14.0 | 16.2   | 21.4 | 18.0 | 19.7   | 17.2 | 19.1 | 18.1   | 15.5 | 14.0 | 14.8   |            |   |        |
| VERY EASY                                                                     | 4.7   | 1.8  | 3.4    | 3.7  | 3.1  | 3.6    | 5.5  | 3.4  | 4.5    | 9.6  | 6.7  | 8.0    | 7.2  | 6.6  | 7.0    | 6.0  | 4.3  | 5.2    |            |   |        |
| DON'T KNOW                                                                    | 43.2  | 56.4 | 49.6   | 44.6 | 55.5 | 50.2   | 37.7 | 55.7 | 46.0   | 37.4 | 51.1 | 44.5   | 44.6 | 51.7 | 48.2   | 41.4 | 54.1 | 47.7   |            |   |        |
| Q30E: DIFFICULTY GETTING AMPHETAMINES                                         |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |
| IMPOSSIBLE                                                                    | 19.3  | 17.7 | 18.5   | 12.5 | 14.6 | 13.5   | 10.7 | 8.3  | 9.7    | 6.9  | 4.8  | 5.8    | 4.2  | 4.1  | 4.1    | 11.2 | 10.0 | 10.5   |            |   |        |
| DIFFICULT                                                                     | 20.8  | 16.0 | 18.5   | 22.2 | 10.8 | 16.2   | 22.9 | 13.1 | 18.5   | 21.9 | 16.6 | 19.3   | 20.8 | 13.0 | 16.5   | 21.7 | 13.9 | 17.9   |            |   |        |
| FAIRLY EASY                                                                   | 11.3  | 10.2 | 10.8   | 17.3 | 21.3 | 19.3   | 21.0 | 19.8 | 20.3   | 27.6 | 24.4 | 25.8   | 23.2 | 26.5 | 25.3   | 19.8 | 20.4 | 20.1   |            |   |        |
| VERY EASY                                                                     | 5.8   | 7.0  | 6.5    | 4.8  | 5.7  | 5.6    | 8.0  | 6.7  | 7.3    | 10.0 | 8.4  | 9.1    | 9.1  | 9.2  | 9.3    | 7.4  | 7.4  | 7.5    |            |   |        |
| DON'T KNOW                                                                    | 42.8  | 49.0 | 45.7   | 43.3 | 47.5 | 45.4   | 37.4 | 52.1 | 44.1   | 33.7 | 45.9 | 40.0   | 42.8 | 47.1 | 44.8   | 39.9 | 48.3 | 44.0   |            |   |        |



. . . . . THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 . . . . .  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 FRASER VALLEY

|                                        | GRADE |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |      |
|----------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|------|
|                                        | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11         |      |        |      |
|                                        | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE       |      | FEMALE |      |
|                                        | N     | %    | N      | %    | N    | %    | N      | %    | N    | %    | N      | %    | N          | %    | N      | %    |
| NUMBER OF VALID RESPONSES TO:          |       |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |
| Q30J: DIFFICULTY GETTING TRANQUILIZERS |       |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |
| IMPOSSIBLE                             | 17.2  | 11.7 | 14.6   | 13.6 | 13.0 | 13.3 | 13.1   | 7.5  | 10.6 | 7.2  | 5.2    | 6.1  | 4.9        | 4.0  | 4.4    | 11.6 |
| DIFFICULT                              | 20.7  | 16.3 | 18.7   | 17.7 | 9.6  | 13.4 | 15.5   | 14.2 | 15.0 | 19.0 | 14.0   | 16.4 | 15.7       | 14.9 | 15.3   | 17.8 |
| FAIRLY EASY                            | 10.6  | 18.0 | 14.0   | 14.8 | 21.3 | 18.1 | 17.0   | 25.4 | 21.1 | 22.0 | 21.1   | 21.6 | 19.7       | 26.7 | 23.7   | 16.6 |
| VERY EASY                              | 9.1   | 9.9  | 9.5    | 8.6  | 11.0 | 9.9  | 10.7   | 14.3 | 12.4 | 11.2 | 13.7   | 12.4 | 13.4       | 13.8 | 13.5   | 10.5 |
| DON'T KNOW                             | 42.4  | 44.0 | 43.2   | 45.2 | 45.1 | 45.2 | 43.6   | 38.6 | 41.0 | 40.6 | 46.1   | 43.4 | 46.3       | 40.5 | 43.1   | 43.5 |
| Q30K: DIFFICULTY GETTING BARBITURATES  |       |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |
| IMPOSSIBLE                             | 20.2  | 17.4 | 18.8   | 14.0 | 15.7 | 14.8 | 15.8   | 9.4  | 12.9 | 6.2  | 5.1    | 5.6  | 5.8        | 4.8  | 5.2    | 12.9 |
| DIFFICULT                              | 15.3  | 12.9 | 14.1   | 15.7 | 6.9  | 11.1 | 12.5   | 8.6  | 10.9 | 18.8 | 11.2   | 14.9 | 14.6       | 10.0 | 12.1   | 15.3 |
| FAIRLY EASY                            | 7.1   | 5.5  | 6.3    | 10.1 | 9.3  | 9.8  | 14.3   | 9.2  | 11.8 | 15.3 | 13.3   | 14.2 | 15.5       | 16.2 | 16.1   | 12.2 |
| VERY EASY                              | 7.5   | 5.1  | 6.3    | 3.3  | 4.0  | 3.6  | 6.0    | 7.8  | 6.8  | 5.9  | 4.4    | 5.1  | 6.8        | 4.3  | 6.4    | 6.2  |
| DON'T KNOW                             | 50.0  | 59.2 | 54.5   | 57.0 | 64.1 | 60.7 | 51.4   | 65.0 | 57.6 | 53.8 | 65.9   | 60.3 | 55.4       | 64.8 | 60.2   | 53.3 |
| Q30L: DIFFICULTY GETTING SOLVENTS      |       |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |
| IMPOSSIBLE                             | 3.7   | 2.8  | 3.2    | 3.0  | 3.6  | 3.5  | 1.4    | 1.5  | 1.6  | 1.2  | 1.0    | 1.1  | 1.2        | 1.3  | 1.3    | 2.1  |
| DIFFICULT                              | 3.3   | 1.5  | 2.5    | 2.3  | 1.9  | 2.1  | 1.4    | 1.9  | 1.6  | 2.4  | 0.6    | 1.4  | 0.8        | 0.7  | 0.7    | 2.1  |
| FAIRLY EASY                            | 6.0   | 13.9 | 9.7    | 8.7  | 12.8 | 10.8 | 8.1    | 13.3 | 10.5 | 6.1  | 7.7    | 8.9  | 2.3        | 10.8 | 6.7    | 6.4  |
| VERY EASY                              | 71.6  | 65.6 | 68.7   | 69.8 | 64.2 | 66.7 | 77.7   | 69.0 | 73.6 | 76.7 | 71.8   | 74.1 | 84.1       | 68.8 | 76.3   | 75.6 |
| DON'T KNOW                             | 15.4  | 16.2 | 15.9   | 16.1 | 17.5 | 16.9 | 11.4   | 14.3 | 12.7 | 13.6 | 18.9   | 16.5 | 11.6       | 18.4 | 15.0   | 13.7 |



| NUMBER OF VALID RESPONSES TO:<br>Q31 = 2,689<br>Q31(MOD) = 985                     | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                    | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                                                    | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
|                                                                                    | %     | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %          | %      | %    |
| Q31 REASON FOR TRYING CANNABIS                                                     |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                                              | 6.6   | 9.8    | 8.0  | 4.7  | 5.5    | 5.1  | 2.6  | 2.8    | 2.7  | 3.0  | 1.4    | 2.1  | 0.8  | 2.3    | 1.8  | 3.7        | 4.3    | 4.0  |
| NEVER TRIED IT                                                                     | 74.9  | 80.3   | 77.6 | 67.6 | 69.7   | 68.5 | 56.1 | 66.1   | 60.9 | 41.3 | 49.6   | 45.8 | 41.4 | 49.8   | 45.6 | 57.2       | 63.3   | 60.3 |
| TO SEE WHAT IT WAS LIKE                                                            | 8.7   | 2.3    | 5.7  | 13.6 | 10.3   | 11.9 | 21.4 | 17.5   | 19.7 | 34.2 | 33.3   | 33.7 | 33.4 | 31.6   | 32.4 | 21.5       | 16.6   | 20.2 |
| FRIENDS WERE USING IT                                                              | 2.5   | 0.4    | 1.5  | 1.7  | 3.4    | 2.6  | 3.4  | 4.1    | 3.7  | 4.3  | 3.4    | 3.8  | 5.4  | 2.4    | 3.8  | 3.4        | 2.8    | 3.1  |
| SEEMED LIKE FUN                                                                    | 0.9   | 1.6    | 1.2  | 3.7  | 2.9    | 3.3  | 4.5  | 2.8    | 3.6  | 5.6  | 4.9    | 5.2  | 4.8  | 5.3    | 5.0  | 3.8        | 3.5    | 3.6  |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.0   | 0.4    | 0.2  | 1.2  | 0.4    | 0.8  | 0.0  | 0.4    | 0.2  | 0.0  | 1.0    | 0.5  | 0.8  | 0.0    | 0.4  | 0.4        | 0.5    | 0.4  |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 2.1   | 2.0    | 2.1  | 1.3  | 1.8    | 1.7  | 1.1  | 3.1    | 2.1  | 3.8  | 2.7    | 3.2  | 3.7  | 1.2    | 2.4  | 2.3        | 2.2    | 2.3  |
| OLD ENOUGH TO USE SAFELY                                                           | 0.4   | 0.0    | 0.2  | 0.4  | 0.8    | 0.6  | 0.4  | 0.0    | 0.2  | 1.0  | 0.0    | 0.5  | 1.1  | 0.4    | 0.7  | 0.6        | 0.2    | 0.4  |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 1.1   | 0.3    | 0.7  | 2.2  | 1.8    | 1.9  | 2.2  | 0.7    | 1.5  | 1.5  | 0.7    | 1.1  | 1.7  | 1.6    | 1.6  | 1.7        | 1.0    | 1.3  |
| BORED, NOTHING ELSE TO DO                                                          | 0.2   | 0.8    | 0.5  | 1.0  | 0.3    | 0.6  | 1.5  | 0.4    | 0.9  | 1.5  | 1.0    | 1.2  | 2.9  | 1.7    | 2.3  | 1.3        | 0.8    | 1.1  |
| OTHER REASON                                                                       | 2.6   | 2.0    | 2.3  | 2.7  | 3.2    | 2.9  | 6.8  | 2.3    | 4.6  | 3.7  | 2.1    | 2.8  | 4.1  | 3.7    | 4.0  | 4.0        | 2.8    | 3.3  |
| Q31(MOD): REASON FOR TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| TO SEE WHAT IT WAS LIKE                                                            | 46.9  | 23.4   | 39.3 | 48.9 | 41.4   | 45.2 | 52.0 | 56.2   | 54.0 | 61.4 | 67.8   | 64.7 | 57.9 | 66.0   | 61.6 | 55.1       | 56.1   | 56.5 |
| FRIENDS WERE USING IT                                                              | 13.7  | 4.2    | 10.7 | 6.2  | 13.6   | 9.8  | 8.2  | 13.0   | 10.1 | 7.8  | 6.9    | 7.3  | 9.3  | 5.1    | 7.3  | 6.7        | 8.6    | 8.6  |
| SEEMED LIKE FUN                                                                    | 4.9   | 16.2   | 8.5  | 13.3 | 11.8   | 12.4 | 10.8 | 8.9    | 10.0 | 10.0 | 10.0   | 10.0 | 8.2  | 11.0   | 9.5  | 9.7        | 10.7   | 10.1 |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.0   | 4.2    | 1.4  | 4.5  | 1.7    | 3.0  | 0.0  | 1.3    | 0.5  | 0.0  | 2.1    | 1.1  | 1.4  | 0.0    | 0.8  | 0.9        | 1.5    | 1.2  |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 11.5  | 20.4   | 14.4 | 4.7  | 7.2    | 6.5  | 2.7  | 9.9    | 5.6  | 6.9  | 5.5    | 6.2  | 6.3  | 2.4    | 4.5  | 6.0        | 6.8    | 6.4  |
| OLD ENOUGH TO USE SAFELY                                                           | 2.0   | 0.0    | 1.4  | 1.4  | 3.0    | 2.2  | 0.9  | 0.0    | 0.5  | 1.8  | 0.0    | 0.9  | 1.9  | 0.8    | 1.4  | 1.6        | 0.7    | 1.2  |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 5.9   | 3.5    | 5.1  | 7.6  | 7.1    | 7.4  | 5.4  | 2.1    | 4.0  | 2.7  | 1.4    | 2.0  | 2.9  | 3.3    | 3.1  | 4.4        | 3.1    | 3.8  |
| BORED, NOTHING ELSE TO DO                                                          | 1.0   | 7.7    | 3.2  | 3.6  | 1.4    | 2.4  | 3.6  | 1.3    | 2.6  | 2.8  | 2.0    | 2.4  | 5.1  | 3.6    | 4.3  | 3.4        | 2.5    | 3.0  |
| OTHER REASON                                                                       | 14.0  | 20.4   | 16.1 | 9.6  | 12.9   | 11.1 | 16.5 | 7.4    | 12.7 | 6.6  | 4.3    | 5.4  | 7.0  | 7.7    | 7.7  | 10.2       | 8.1    | 9.3  |

NOTE: Q31(W00) IS A MODIFIED RESPONSE SET FOR Q31 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q32 = 2,905<br>Q32(MOD) = 1,136                  | GRADE  |      |      |   |      |      |        |   |      |      |      |   |        |      |      |   | ALL GRADES |      |        |      |      |      |      |   |        |   |     |   |
|-----------------------------------------------------------------------------------|--------|------|------|---|------|------|--------|---|------|------|------|---|--------|------|------|---|------------|------|--------|------|------|------|------|---|--------|---|-----|---|
|                                                                                   | 8      |      |      |   | 9    |      |        |   | 10   |      |      |   | 11     |      |      |   | 12         |      |        |      |      |      |      |   |        |   |     |   |
|                                                                                   | FEMALE |      | ALL  |   | MALE |      | FEMALE |   | ALL  |      | MALE |   | FEMALE |      | ALL  |   | MALE       |      | FEMALE |      | ALL  |      | MALE |   | FEMALE |   | ALL |   |
|                                                                                   | %      | X    | %    | X | %    | X    | %      | X | %    | X    | %    | X | %      | X    | %    | X | %          | X    | %      | X    | %    | X    | %    | X | %      | X | %   | X |
| Q32: WHEN FIRST TRIED CANNABIS                                                    |        |      |      |   |      |      |        |   |      |      |      |   |        |      |      |   |            |      |        |      |      |      |      |   |        |   |     |   |
| DON'T KNOW WHAT IT IS                                                             | 5.9    | 8.1  | 6.9  |   | 5.0  | 4.6  | 4.8    |   | 3.1  | 2.7  | 2.9  |   | 2.1    | 1.3  | 1.6  |   | 0.8        | 3.1  | 2.0    | 3.5  | 3.9  | 3.7  |      |   |        |   |     |   |
| NEVER TRIED IT                                                                    | 75.0   | 78.8 | 76.9 |   | 66.0 | 67.2 | 66.4   |   | 54.0 | 64.0 | 58.8 |   | 39.8   | 47.8 | 44.2 |   | 38.7       | 44.2 | 41.5   | 55.8 | 60.6 | 58.2 |      |   |        |   |     |   |
| GRADE 4 OR BEFORE                                                                 | 3.1    | 1.8  | 2.5  |   | 3.9  | 0.0  | 2.0    |   | 1.6  | 0.8  | 1.2  |   | 2.1    | 1.3  | 1.6  |   | 1.7        | 1.6  | 1.8    | 2.5  | 1.1  | 1.8  |      |   |        |   |     |   |
| GRADE 5                                                                           | 2.5    | 1.6  | 2.1  |   | 2.1  | 0.8  | 1.4    |   | 1.3  | 0.8  | 1.0  |   | 3.8    | 0.6  | 2.1  |   | 2.3        | 0.9  | 1.8    | 2.4  | 0.9  | 1.6  |      |   |        |   |     |   |
| GRADE 6                                                                           | 3.0    | 2.7  | 2.8  |   | 3.2  | 1.3  | 2.3    |   | 3.1  | 1.3  | 2.3  |   | 4.5    | 2.2  | 3.3  |   | 3.3        | 1.7  | 2.4    | 3.4  | 1.8  | 2.6  |      |   |        |   |     |   |
| GRADE 7                                                                           | 8.0    | 4.5  | 6.3  |   | 5.4  | 7.9  | 6.9    |   | 10.8 | 4.9  | 8.0  |   | 7.7    | 5.3  | 6.4  |   | 5.1        | 8.0  | 6.7    | 7.8  | 6.1  | 6.8  |      |   |        |   |     |   |
| GRADE 8                                                                           | 2.4    | 2.2  | 2.3  |   | 12.2 | 10.6 | 11.3   |   | 13.3 | 13.1 | 13.1 |   | 16.8   | 14.9 | 15.7 |   | 14.2       | 12.2 | 13.0   | 11.4 | 10.6 | 11.0 |      |   |        |   |     |   |
| GRADE 9                                                                           | 0.0    | 0.4  | 0.2  |   | 2.1  | 7.0  | 4.7    |   | 10.1 | 6.7  | 8.8  |   | 8.6    | 13.7 | 11.3 |   | 13.6       | 11.6 | 12.8   | 6.6  | 7.9  | 7.3  |      |   |        |   |     |   |
| GRADE 10                                                                          | 0.0    | 0.0  | 0.0  |   | 0.0  | 0.6  | 0.3    |   | 2.7  | 5.9  | 4.2  |   | 9.5    | 9.1  | 9.4  |   | 8.7        | 8.9  | 8.7    | 3.9  | 4.8  | 4.3  |      |   |        |   |     |   |
| GRADE 11                                                                          | 0.0    | 0.0  | 0.0  |   | 0.0  | 0.0  | 0.0    |   | 0.0  | 0.0  | 0.0  |   | 5.1    | 3.8  | 4.4  |   | 10.1       | 7.4  | 8.6    | 2.6  | 2.1  | 2.4  |      |   |        |   |     |   |
| GRADE 12                                                                          | 0.0    | 0.0  | 0.0  |   | 0.0  | 0.0  | 0.0    |   | 0.0  | 0.0  | 0.0  |   | 0.0    | 0.0  | 0.0  |   | 1.5        | 0.6  | 1.0    | 0.2  | 0.1  | 0.2  |      |   |        |   |     |   |
| Q32(MOD): WHEN FIRST TRIED CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |        |      |      |   |      |      |        |   |      |      |      |   |        |      |      |   |            |      |        |      |      |      |      |   |        |   |     |   |
| GRADE 4 OR BEFORE                                                                 | 16.4   | 13.8 | 15.5 |   | 13.6 | 0.0  | 7.0    |   | 3.8  | 2.2  | 3.1  |   | 3.8    | 2.5  | 3.0  |   | 2.9        | 3.0  | 3.2    | 6.2  | 3.0  | 4.8  |      |   |        |   |     |   |
| GRADE 5                                                                           | 13.3   | 11.9 | 12.8 |   | 7.2  | 2.8  | 4.8    |   | 3.1  | 2.2  | 2.7  |   | 6.5    | 1.3  | 3.9  |   | 3.8        | 1.8  | 2.8    | 5.9  | 2.6  | 4.3  |      |   |        |   |     |   |
| GRADE 6                                                                           | 15.9   | 20.2 | 17.5 |   | 10.3 | 4.7  | 8.1    |   | 7.3  | 4.0  | 5.9  |   | 7.8    | 4.4  | 6.1  |   | 5.5        | 3.2  | 4.3    | 8.4  | 5.2  | 6.9  |      |   |        |   |     |   |
| GRADE 7                                                                           | 41.7   | 33.9 | 38.8 |   | 18.7 | 28.1 | 23.8   |   | 25.1 | 14.7 | 20.6 |   | 13.3   | 10.4 | 11.8 |   | 8.4        | 15.1 | 11.9   | 18.6 | 17.2 | 18.0 |      |   |        |   |     |   |
| GRADE 8                                                                           | 12.6   | 17.1 | 14.3 |   | 42.3 | 37.5 | 39.1   |   | 30.9 | 39.1 | 34.0 |   | 28.9   | 29.2 | 29.0 |   | 23.4       | 23.2 | 23.1   | 28.1 | 30.0 | 28.8 |      |   |        |   |     |   |
| GRADE 9                                                                           | 0.0    | 3.0  | 1.1  |   | 7.3  | 24.9 | 16.2   |   | 23.5 | 20.1 | 22.8 |   | 14.8   | 27.0 | 20.8 |   | 22.5       | 21.9 | 22.4   | 16.1 | 22.3 | 19.1 |      |   |        |   |     |   |
| GRADE 10                                                                          | 0.0    | 0.0  | 0.0  |   | 0.0  | 2.1  | 1.1    |   | 6.3  | 17.6 | 10.8 |   | 16.3   | 17.9 | 17.3 |   | 14.4       | 16.8 | 15.4   | 9.5  | 13.5 | 11.4 |      |   |        |   |     |   |
| GRADE 11                                                                          | 0.0    | 0.0  | 0.0  |   | 0.0  | 0.0  | 0.0    |   | 0.0  | 0.0  | 0.0  |   | 8.7    | 7.4  | 8.1  |   | 16.7       | 13.9 | 15.2   | 6.5  | 6.0  | 6.2  |      |   |        |   |     |   |
| GRADE 12                                                                          | 0.0    | 0.0  | 0.0  |   | 0.0  | 0.0  | 0.0    |   | 0.0  | 0.0  | 0.0  |   | 0.0    | 0.0  | 0.0  |   | 2.4        | 1.1  | 1.7    | 0.6  | 0.3  | 0.4  |      |   |        |   |     |   |

NOTE: Q32(MOD) IS A MODIFIED RESPONSE SET FOR Q32 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS

| NUMBER OF VALID RESPONSES TO:<br>Q33 = 2,526<br>Q33(MOD) = 1,728                           | GRADE |        |      |  |      |        |      |  |      |        |      |  |      |        |      |  | ALL GRADES |        |      |  |      |        |      |
|--------------------------------------------------------------------------------------------|-------|--------|------|--|------|--------|------|--|------|--------|------|--|------|--------|------|--|------------|--------|------|--|------|--------|------|
|                                                                                            | 8     |        |      |  | 9    |        |      |  | 10   |        |      |  | 11   |        |      |  |            |        | 12   |  |      |        |      |
|                                                                                            | MALE  | FEMALE | ALL  |  | MALE | FEMALE | ALL  |  | MALE | FEMALE | ALL  |  | MALE | FEMALE | ALL  |  | MALE       | FEMALE | ALL  |  | MALE | FEMALE | ALL  |
| Q33: REASON FOR NOT TRYING CANNABIS                                                        |       |        |      |  |      |        |      |  |      |        |      |  |      |        |      |  |            |        |      |  |      |        |      |
| DON'T KNOW WHAT IT IS                                                                      | 6.9   | 10.0   | 8.3  |  | 3.6  | 5.3    | 4.5  |  | 2.9  | 2.1    | 2.5  |  | 1.3  | 1.5    | 1.4  |  | 2.4        | 2.3    | 2.3  |  | 3.6  | 4.4    | 4.0  |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 21.6  | 14.9   | 18.5 |  | 23.1 | 9.8    | 16.1 |  | 16.4 | 8.6    | 12.5 |  | 13.9 | 6.4    | 9.7  |  | 9.3        | 7.7    | 8.4  |  | 17.4 | 9.6    | 13.4 |
| MIGHT BE ADDICTIVE                                                                         | 6.0   | 3.3    | 4.7  |  | 3.9  | 1.6    | 2.8  |  | 2.0  | 2.9    | 2.4  |  | 1.8  | 0.0    | 0.8  |  | 1.4        | 1.7    | 1.6  |  | 3.2  | 1.9    | 2.6  |
| ILLEGAL TO USE IT                                                                          | 1.0   | 0.8    | 0.9  |  | 2.4  | 0.8    | 1.5  |  | 1.2  | 0.9    | 1.0  |  | 1.5  | 1.8    | 1.7  |  | 0.0        | 0.0    | 0.0  |  | 1.2  | 0.9    | 1.1  |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 2.4   | 3.0    | 2.7  |  | 2.1  | 1.5    | 1.8  |  | 2.3  | 1.7    | 2.0  |  | 2.2  | 0.8    | 1.4  |  | 0.0        | 0.4    | 0.2  |  | 1.9  | 1.5    | 1.7  |
| TROUBLE WITH POLICE                                                                        | 2.0   | 0.4    | 1.2  |  | 0.5  | 0.0    | 0.2  |  | 0.4  | 0.0    | 0.2  |  | 1.4  | 0.0    | 0.6  |  | 0.0        | 0.0    | 0.0  |  | 0.9  | 0.1    | 0.5  |
| CAN NOT GET ANY                                                                            | 0.0   | 1.2    | 0.6  |  | 0.5  | 1.2    | 0.8  |  | 0.3  | 0.4    | 0.4  |  | 0.0  | 0.3    | 0.2  |  | 0.0        | 0.0    | 0.0  |  | 0.2  | 0.7    | 0.4  |
| CAN NOT AFFORD IT                                                                          | 0.6   | 1.2    | 0.8  |  | 0.4  | 0.0    | 0.2  |  | 1.2  | 0.0    | 0.6  |  | 0.9  | 0.4    | 0.6  |  | 0.4        | 0.0    | 0.2  |  | 0.7  | 0.3    | 0.5  |
| NOT INTERESTED                                                                             | 32.3  | 40.7   | 36.3 |  | 24.4 | 40.3   | 32.6 |  | 27.3 | 40.5   | 33.9 |  | 24.0 | 36.3   | 30.6 |  | 23.8       | 32.2   | 28.3 |  | 26.8 | 38.3   | 32.6 |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 7.9   | 7.5    | 7.7  |  | 4.1  | 5.0    | 4.5  |  | 4.0  | 6.6    | 5.3  |  | 1.8  | 6.5    | 4.5  |  | 1.4        | 5.1    | 3.3  |  | 4.2  | 6.2    | 5.2  |
| OTHER THINGS I ENJOY DOING                                                                 | 5.3   | 6.3    | 5.9  |  | 10.6 | 9.0    | 9.7  |  | 7.4  | 8.9    | 8.1  |  | 7.9  | 6.3    | 7.0  |  | 6.0        | 7.8    | 6.9  |  | 7.4  | 7.7    | 7.5  |
| FRIENDS DON'T USE IT                                                                       | 1.0   | 1.4    | 1.2  |  | 1.5  | 2.7    | 2.1  |  | 1.3  | 0.8    | 1.0  |  | 1.0  | 0.8    | 0.8  |  | 1.0        | 0.5    | 0.7  |  | 1.1  | 1.3    | 1.2  |
| OTHER REASON                                                                               | 3.1   | 2.3    | 2.7  |  | 3.5  | 4.2    | 3.9  |  | 0.8  | 2.5    | 1.6  |  | 1.7  | 1.1    | 1.6  |  | 4.2        | 2.2    | 3.2  |  | 2.6  | 2.5    | 2.6  |
| HAVE TRIED IT                                                                              | 10.1  | 6.8    | 8.5  |  | 19.5 | 18.7   | 19.1 |  | 32.4 | 24.1   | 28.3 |  | 40.6 | 37.9   | 39.1 |  | 50.0       | 40.2   | 45.0 |  | 28.6 | 24.8   | 26.6 |
| Q33(MOD): REASON FOR NOT TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE NOT TRIED CANNABIS) |       |        |      |  |      |        |      |  |      |        |      |  |      |        |      |  |            |        |      |  |      |        |      |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 26.0  | 17.9   | 22.2 |  | 30.1 | 12.9   | 21.1 |  | 25.3 | 11.7   | 18.1 |  | 23.9 | 10.6   | 16.3 |  | 19.6       | 13.3   | 15.9 |  | 25.8 | 13.5   | 19.4 |
| MIGHT BE ADDICTIVE                                                                         | 7.2   | 4.0    | 5.7  |  | 5.1  | 2.1    | 3.7  |  | 3.1  | 3.9    | 3.5  |  | 3.1  | 0.0    | 1.3  |  | 3.0        | 3.0    | 3.0  |  | 4.8  | 2.7    | 3.7  |
| ILLEGAL TO USE IT                                                                          | 1.2   | 1.0    | 1.1  |  | 3.1  | 1.0    | 2.0  |  | 1.9  | 1.2    | 1.5  |  | 2.5  | 3.0    | 2.8  |  | 0.0        | 0.0    | 0.0  |  | 1.8  | 1.2    | 1.5  |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 2.8   | 3.6    | 3.2  |  | 2.7  | 2.0    | 2.3  |  | 3.6  | 2.2    | 2.9  |  | 3.9  | 1.2    | 2.4  |  | 0.0        | 0.7    | 0.4  |  | 2.8  | 2.1    | 2.5  |
| TROUBLE WITH POLICE                                                                        | 2.4   | 0.5    | 1.5  |  | 0.6  | 0.0    | 0.3  |  | 0.7  | 0.0    | 0.3  |  | 2.4  | 0.0    | 1.0  |  | 0.0        | 0.0    | 0.0  |  | 1.4  | 0.1    | 0.7  |
| CAN NOT GET ANY                                                                            | 0.0   | 1.4    | 0.7  |  | 0.6  | 1.6    | 1.1  |  | 0.5  | 0.6    | 0.5  |  | 0.0  | 0.6    | 0.3  |  | 0.0        | 0.0    | 0.0  |  | 0.3  | 0.9    | 0.6  |
| CAN NOT AFFORD IT                                                                          | 0.7   | 1.4    | 1.0  |  | 0.5  | 0.0    | 0.2  |  | 1.9  | 0.0    | 0.9  |  | 1.6  | 0.7    | 1.1  |  | 0.9        | 0.0    | 0.4  |  | 1.1  | 0.5    | 0.7  |
| NOT INTERESTED                                                                             | 38.9  | 49.0   | 43.7 |  | 31.7 | 53.0   | 42.7 |  | 42.1 | 54.9   | 49.0 |  | 41.4 | 59.9   | 51.4 |  | 50.0       | 55.9   | 53.7 |  | 39.5 | 54.0   | 47.1 |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 9.5   | 9.1    | 9.2  |  | 5.3  | 6.6    | 5.9  |  | 6.2  | 9.0    | 7.7  |  | 3.2  | 10.6   | 7.6  |  | 2.9        | 8.8    | 6.2  |  | 6.2  | 8.7    | 7.5  |
| OTHER THINGS I ENJOY DOING                                                                 | 6.4   | 7.6    | 7.1  |  | 13.8 | 11.8   | 12.7 |  | 11.5 | 12.1   | 11.8 |  | 13.5 | 10.4   | 11.7 |  | 12.7       | 13.6   | 13.1 |  | 10.9 | 10.8   | 10.9 |
| FRIENDS DON'T USE IT                                                                       | 1.2   | 1.7    | 1.4  |  | 2.0  | 3.5    | 2.8  |  | 2.0  | 1.1    | 1.5  |  | 1.7  | 1.2    | 1.4  |  | 2.1        | 0.8    | 1.3  |  | 1.7  | 1.8    | 1.7  |
| OTHER REASON                                                                               | 3.7   | 2.8    | 3.3  |  | 4.5  | 5.5    | 5.0  |  | 1.3  | 3.4    | 2.4  |  | 3.0  | 1.7    | 2.6  |  | 8.8        | 3.9    | 6.0  |  | 3.9  | 3.5    | 3.7  |

NOTE: Q33(MOD) IS A MODIFIED RESPONSE SET FOR Q33 AND INCLUDES ONLY THOSE WHO HAVE NOT TRIED CANNABIS THOSE WHO DON'T KNOW WHAT CANNABIS IS HAVE BEEN EXCLUDED.



NOTE: Q35(MOD) IS A MODIFIED RESPONSE SET FOR Q35 AND INCLUDES ONLY THOSE WHO STILL USE CANNABIS.





\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q37 = 2,924<br>Q37(MOD) = 2,507                 | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      | ALL GRADES |      |  |  |      |        |     |
|----------------------------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------------|------|--|--|------|--------|-----|
|                                                                                  | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |      |        |      | 12         |      |  |  | MALE | FEMALE | ALL |
|                                                                                  | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL        |      |  |  |      |        |     |
|                                                                                  | N     | %    | N      | %    | N    | %    | N    | %    | N      | %    | N    | %    | N    | %    | N      | %    | N          | %    |  |  |      |        |     |
| Q37: REASON FOR TRYING ALCOHOL                                                   |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |  |  |      |        |     |
| NEVER TRIED IT                                                                   | 27.3  | 28.2 | 27.6   | 20.1 | 16.5 | 18.1 | 9.9  | 17.8 | 13.6   | 3.4  | 6.7  | 5.3  | 5.5  | 8.9  | 7.2    | 13.9 | 15.6       | 14.7 |  |  |      |        |     |
| TO SEE WHAT IT WAS LIKE                                                          | 34.3  | 28.1 | 31.8   | 36.4 | 35.2 | 35.7 | 36.5 | 37.2 | 36.8   | 41.5 | 41.7 | 41.7 | 45.0 | 43.9 | 44.4   | 38.4 | 37.1       | 37.8 |  |  |      |        |     |
| FRIENDS WERE DRINKING                                                            | 4.4   | 6.1  | 5.2    | 4.7  | 5.9  | 5.3  | 7.0  | 7.8  | 7.3    | 6.8  | 8.5  | 7.6  | 9.2  | 8.6  | 8.8    | 6.3  | 7.4        | 6.8  |  |  |      |        |     |
| SEEMED LIKE FUN                                                                  | 4.5   | 8.4  | 6.3    | 9.2  | 11.1 | 10.1 | 10.8 | 11.8 | 11.2   | 14.2 | 13.0 | 13.5 | 16.6 | 11.8 | 14.3   | 10.6 | 11.2       | 10.9 |  |  |      |        |     |
| THOUGHT IT WOULD CALM ME DOWN                                                    | 0.0   | 0.7  | 0.3    | 0.0  | 0.3  | 0.2  | 0.0  | 0.7  | 0.4    | 0.7  | 1.0  | 0.8  | 0.6  | 0.7  | 0.7    | 0.2  | 0.7        | 0.5  |  |  |      |        |     |
| ESCAPE HOME/SCHOOL WORRIES                                                       | 1.9   | 1.5  | 1.7    | 2.3  | 1.5  | 2.0  | 3.4  | 4.0  | 3.7    | 2.0  | 3.9  | 3.0  | 1.6  | 1.3  | 1.4    | 2.3  | 2.4        | 2.4  |  |  |      |        |     |
| OLD ENOUGH TO USE SAFELY                                                         | 2.9   | 1.8  | 2.3    | 4.2  | 1.4  | 2.7  | 4.5  | 0.8  | 2.7    | 5.8  | 4.1  | 4.9  | 2.8  | 3.7  | 3.2    | 4.0  | 2.3        | 3.2  |  |  |      |        |     |
| HEARD COULD MAKE ME FEEL GOOD                                                    | 0.9   | 0.8  | 0.8    | 1.8  | 1.7  | 1.7  | 1.4  | 0.0  | 0.7    | 1.1  | 1.9  | 1.5  | 1.4  | 1.0  | 1.2    | 1.3  | 1.1        | 1.2  |  |  |      |        |     |
| BORED, NOTHING ELSE TO DO                                                        | 1.5   | 1.4  | 1.4    | 2.4  | 4.1  | 3.3  | 3.9  | 2.2  | 3.1    | 2.3  | 1.3  | 1.8  | 2.9  | 1.8  | 2.3    | 2.6  | 2.2        | 2.4  |  |  |      |        |     |
| OTHER REASON                                                                     | 22.3  | 23.1 | 22.6   | 18.9 | 22.4 | 20.9 | 22.6 | 17.8 | 20.6   | 22.2 | 18.1 | 20.0 | 14.6 | 16.1 | 16.5   | 20.4 | 20.0       | 20.2 |  |  |      |        |     |
| Q37(MOD): REASON FOR TRYING ALCOHOL (RESPONSES FOR THOSE WHO HAVE TRIED ALCOHOL) |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |  |  |      |        |     |
| TO SEE WHAT IT WAS LIKE                                                          | 47.2  | 39.1 | 43.8   | 45.6 | 42.1 | 43.6 | 40.6 | 45.3 | 42.6   | 42.9 | 44.6 | 44.0 | 47.7 | 46.2 | 47.9   | 44.5 | 44.0       | 44.3 |  |  |      |        |     |
| FRIENDS WERE DRINKING                                                            | 6.1   | 8.4  | 7.1    | 5.8  | 7.1  | 6.5  | 7.7  | 9.5  | 8.5    | 7.0  | 9.1  | 8.1  | 9.7  | 9.5  | 9.5    | 7.3  | 6.7        | 7.9  |  |  |      |        |     |
| SEEMED LIKE FUN                                                                  | 6.2   | 11.6 | 8.6    | 11.6 | 13.3 | 12.4 | 11.9 | 14.3 | 13.0   | 14.7 | 13.9 | 14.7 | 17.5 | 12.9 | 15.4   | 12.4 | 13.3       | 12.8 |  |  |      |        |     |
| THOUGHT IT WOULD CALM ME DOWN                                                    | 0.0   | 1.0  | 0.5    | 0.0  | 0.4  | 0.2  | 0.0  | 0.9  | 0.4    | 0.7  | 1.0  | 0.9  | 0.6  | 0.8  | 0.7    | 0.3  | 0.8        | 0.5  |  |  |      |        |     |
| ESCAPE HOME/SCHOOL WORRIES                                                       | 2.6   | 2.1  | 2.3    | 2.8  | 1.8  | 2.5  | 3.8  | 4.8  | 4.2    | 2.1  | 4.1  | 3.1  | 1.6  | 1.4  | 1.5    | 2.6  | 2.9        | 2.8  |  |  |      |        |     |
| OLD ENOUGH TO USE SAFELY                                                         | 3.9   | 2.5  | 3.2    | 5.2  | 1.6  | 3.3  | 5.0  | 0.9  | 3.1    | 6.0  | 4.4  | 5.1  | 2.9  | 4.1  | 3.5    | 4.7  | 2.8        | 3.7  |  |  |      |        |     |
| HEARD COULD MAKE ME FEEL GOOD                                                    | 1.2   | 1.1  | 1.2    | 2.2  | 2.1  | 2.1  | 1.5  | 0.0  | 0.8    | 1.1  | 2.0  | 1.6  | 1.4  | 1.1  | 1.3    | 1.5  | 1.3        | 1.4  |  |  |      |        |     |
| BORED, NOTHING ELSE TO DO                                                        | 2.0   | 2.0  | 2.0    | 3.0  | 4.9  | 4.0  | 4.4  | 2.7  | 3.6    | 2.4  | 1.4  | 1.9  | 3.0  | 2.0  | 2.5    | 3.0  | 2.6        | 2.8  |  |  |      |        |     |
| OTHER REASON                                                                     | 30.7  | 32.2 | 31.2   | 23.7 | 26.9 | 25.6 | 25.1 | 21.6 | 23.8   | 23.0 | 19.4 | 21.1 | 15.4 | 19.9 | 17.8   | 23.7 | 23.6       | 23.7 |  |  |      |        |     |

NOTE: Q37(MOD) IS A MODIFIED RESPONSE SET FOR Q37 AND INCLUDES ONLY THOSE WHO HAVE TRIED ALCOHOL



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q39 = 2,626<br>Q39(MOD) = 740                         | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |     |
|----------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|-----|
|                                                                                        | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |      |        |      |            |        |     |
|                                                                                        | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL |
| Q39: REASON FOR STOPPING ALCOHOL USE                                                   |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |     |
| HAVE NEVER DRUNK ALCOHOL                                                               | 35.4  | 35.7   | 35.3 | 27.0 | 18.4   | 22.2 | 13.5 | 21.3   | 17.3 | 4.7  | 6.2    | 6.7  | 5.2  | 9.9    | 7.5  | 17.9 | 18.8   | 18.3 |            |        |     |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 5.9   | 3.3    | 4.6  | 4.5  | 2.1    | 3.2  | 2.5  | 1.9    | 2.2  | 3.5  | 1.1    | 2.2  | 2.1  | 1.6    | 1.8  | 3.8  | 2.0    | 2.9  |            |        |     |
| MIGHT BE ADDICTIVE                                                                     | 2.1   | 1.7    | 1.9  | 1.7  | 0.3    | 1.0  | 0.4  | 1.2    | 0.8  | 1.2  | 0.4    | 0.8  | 0.9  | 0.7    | 0.8  | 1.3  | 0.9    | 1.0  |            |        |     |
| PARENTS MADE ME STOP                                                                   | 0.7   | 0.4    | 0.6  | 0.7  | 0.0    | 0.3  | 1.1  | 0.4    | 0.8  | 0.4  | 0.4    | 0.4  | 0.0  | 0.0    | 0.0  | 0.6  | 0.2    | 0.4  |            |        |     |
| ILLEGAL TO USE IT                                                                      | 1.2   | 1.3    | 1.2  | 0.4  | 0.0    | 0.2  | 0.4  | 0.7    | 0.5  | 0.0  | 0.7    | 0.4  | 0.0  | 0.0    | 0.0  | 0.4  | 0.6    | 0.5  |            |        |     |
| WAS JUST EXPERIMENTING                                                                 | 5.9   | 6.4    | 7.1  | 4.4  | 8.8    | 6.7  | 5.1  | 5.5    | 5.2  | 4.9  | 6.2    | 5.7  | 4.0  | 3.3    | 3.6  | 4.9  | 6.5    | 5.7  |            |        |     |
| NOT INTERESTED ANYMORE                                                                 | 4.7   | 4.7    | 4.9  | 4.3  | 4.1    | 4.2  | 4.9  | 3.7    | 4.3  | 4.0  | 6.9    | 5.5  | 2.9  | 4.2    | 3.7  | 4.3  | 4.7    | 4.5  |            |        |     |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 1.1   | 0.4    | 0.6  | 0.7  | 2.2    | 1.5  | 1.2  | 1.6    | 1.4  | 0.4  | 0.7    | 0.8  | 0.0  | 0.0    | 0.0  | 0.7  | 1.0    | 0.9  |            |        |     |
| FRIENDS STOPPED USING IT                                                               | 0.8   | 0.0    | 0.4  | 0.4  | 0.0    | 0.2  | 0.8  | 0.0    | 0.4  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  |            |        |     |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.8   | 0.0    | 0.4  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.3  | 0.0    | 0.1  |            |        |     |
| DIDN'T LIKE EFFECTS                                                                    | 0.7   | 0.4    | 0.6  | 1.2  | 1.8    | 1.5  | 1.0  | 2.3    | 1.6  | 1.6  | 1.5    | 1.5  | 2.5  | 2.8    | 2.8  | 1.3  | 1.7    | 1.6  |            |        |     |
| OTHER THINGS I ENJOY DOING                                                             | 4.3   | 5.6    | 4.9  | 5.1  | 4.3    | 4.7  | 5.9  | 5.9    | 5.9  | 5.3  | 6.2    | 5.7  | 4.5  | 6.0    | 5.2  | 5.1  | 5.6    | 5.3  |            |        |     |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.0   | 0.0    | 0.0  | 0.0  | 0.3    | 0.2  | 0.4  | 0.0    | 0.2  | 0.0  | 0.7    | 0.4  | 0.4  | 0.0    | 0.2  | 0.2  | 0.2    | 0.2  |            |        |     |
| OTHER REASON                                                                           | 5.7   | 4.6    | 5.1  | 4.5  | 8.7    | 6.9  | 4.0  | 7.1    | 5.5  | 5.3  | 3.9    | 4.5  | 2.4  | 4.7    | 3.6  | 4.5  | 5.8    | 5.2  |            |        |     |
| STILL USE IT                                                                           | 30.7  | 33.4   | 32.0 | 45.0 | 49.0   | 47.3 | 58.9 | 48.3   | 53.9 | 68.2 | 63.2   | 65.4 | 75.1 | 87.0   | 70.8 | 54.5 | 51.9   | 53.2 |            |        |     |
| Q39(MOD): REASON FOR STOPPING ALCOHOL USE (RESPONSES FOR THOSE WHO HAVE STOPPED USING) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |     |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 17.3  | 10.7   | 14.6 | 16.2 | 6.4    | 10.5 | 9.1  | 6.4    | 7.7  | 13.0 | 3.7    | 7.9  | 10.5 | 6.7    | 8.2  | 13.6 | 6.8    | 10.1 |            |        |     |
| MIGHT BE ADDICTIVE                                                                     | 6.2   | 5.4    | 5.8  | 6.0  | 1.0    | 3.1  | 1.4  | 4.0    | 2.7  | 4.5  | 1.4    | 2.8  | 4.5  | 3.1    | 3.6  | 4.6  | 2.9    | 3.7  |            |        |     |
| PARENTS MADE ME STOP                                                                   | 2.1   | 1.4    | 1.8  | 2.6  | 0.0    | 1.1  | 4.1  | 1.3    | 2.7  | 1.5  | 1.3    | 1.4  | 0.0  | 0.0    | 0.0  | 2.3  | 0.8    | 1.5  |            |        |     |
| ILLEGAL TO USE IT                                                                      | 3.5   | 4.3    | 3.8  | 1.3  | 0.0    | 0.6  | 1.4  | 2.4    | 1.9  | 0.0  | 2.4    | 1.3  | 0.0  | 0.0    | 0.0  | 1.5  | 1.9    | 1.7  |            |        |     |
| WAS JUST EXPERIMENTING                                                                 | 17.5  | 27.3   | 21.7 | 15.6 | 26.9   | 21.9 | 18.4 | 16.0   | 18.2 | 17.9 | 21.8   | 20.5 | 20.3 | 14.1   | 16.8 | 17.7 | 22.3   | 20.1 |            |        |     |
| NOT INTERESTED ANYMORE                                                                 | 13.9  | 15.2   | 15.0 | 15.5 | 12.6   | 13.8 | 17.7 | 12.2   | 14.9 | 14.8 | 24.0   | 19.6 | 14.9 | 18.0   | 17.2 | 15.4 | 16.1   | 15.9 |            |        |     |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 3.3   | 1.3    | 2.4  | 2.5  | 6.8    | 4.9  | 4.2  | 5.3    | 4.8  | 1.7  | 2.4    | 2.1  | 0.0  | 0.0    | 0.0  | 2.6  | 3.5    | 3.1  |            |        |     |
| FRIENDS STOPPED USING IT                                                               | 2.3   | 0.0    | 1.2  | 1.3  | 0.0    | 0.6  | 2.8  | 0.0    | 1.4  | 0.0  | 0.0    | 0.8  | 0.0  | 0.0    | 0.0  | 1.5  | 0.0    | 0.7  |            |        |     |
| GOT INTO TROUBLE WITH POLICE                                                           | 2.3   | 0.0    | 1.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 1.7  | 0.0    | 0.8  | 0.0  | 0.0    | 0.0  | 0.9  | 0.0    | 0.4  |            |        |     |
| DIDN'T LIKE EFFECTS                                                                    | 2.1   | 1.4    | 1.8  | 4.4  | 5.5    | 5.0  | 3.6  | 7.7    | 5.7  | 5.7  | 5.2    | 5.4  | 12.6 | 12.0   | 12.9 | 4.8  | 6.0    | 5.5  |            |        |     |
| OTHER THINGS I ENJOY DOING                                                             | 12.7  | 18.1   | 15.0 | 18.3 | 13.2   | 15.3 | 21.4 | 19.5   | 20.4 | 19.5 | 21.8   | 20.6 | 22.9 | 25.9   | 24.2 | 18.3 | 19.0   | 18.5 |            |        |     |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.0   | 0.0    | 0.0  | 0.0  | 1.1    | 0.6  | 1.4  | 0.6    | 0.7  | 0.0  | 2.4    | 1.3  | 2.1  | 0.0    | 0.9  | 0.5  | 0.7    | 0.6  |            |        |     |
| OTHER REASON                                                                           | 16.7  | 14.9   | 15.7 | 16.2 | 26.6   | 22.6 | 14.7 | 23.2   | 19.0 | 19.7 | 13.5   | 16.2 | 12.3 | 20.2   | 16.4 | 16.2 | 19.9   | 18.2 |            |        |     |

NOTE: Q39(MOD) IS A MODIFIED RESPONSE SET FOR Q39 AND INCLUDES ONLY THOSE WHO USED TO DRINK ALCOHOL BUT WHO DO NOT DRINK NOW

FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q40 = 2,688<br>Q40(M00) = 1,732                     | GRADE |      |      |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |      |
|--------------------------------------------------------------------------------------|-------|------|------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|------|
|                                                                                      | 8     |      |      | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        | MALE |      |        | FEMALE     |      |        | ALL  |
|                                                                                      | MALE  |      | ALL  | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |      | FEMALE |      |
|                                                                                      | %     | N    | %    | %    | N    | %      | %    | N    | %      | N    | %    | N      | %    | N    | %      | %    | N    | %      | %          | N    | %      | N    |
| Q40: REASON FOR STILL USING ALCOHOL                                                  |       |      |      |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| DON'T KNOW WHAT IT IS                                                                | 1.4   | 0.0  | 0.7  | 0.8  | 0.7  | 0.7    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0        | 0.0  | 0.2    | 0.3  |
| HAVE NEVER DRUNK ALCOHOL                                                             | 34.5  | 38.0 | 38.0 | 28.2 | 20.8 | 24.2   | 15.2 | 23.2 | 19.1   | 5.7  | 10.5 | 8.4    | 5.9  | 9.5  | 7.9    | 18.7 | 18.7 | 20.4   | 19.5       | 19.5 | 19.5   | 19.5 |
| STOPPED DRINKING ALCOHOL                                                             | 20.1  | 17.0 | 19.0 | 16.3 | 15.5 | 15.7   | 18.3 | 18.4 | 17.3   | 15.9 | 17.8 | 17.0   | 13.9 | 12.9 | 13.4   | 16.7 | 16.7 | 16.4   | 16.8       | 16.4 | 16.4   | 16.8 |
| IT IS FUN                                                                            | 6.9   | 10.9 | 8.7  | 20.0 | 20.8 | 20.5   | 22.8 | 17.1 | 20.0   | 24.1 | 25.1 | 24.7   | 27.3 | 24.6 | 25.9   | 19.7 | 19.7 | 19.7   | 19.7       | 19.7 | 19.7   | 19.7 |
| FRIENDS STILL DRINK                                                                  | 2.5   | 1.7  | 2.1  | 2.8  | 1.8  | 2.3    | 4.1  | 2.0  | 3.1    | 5.4  | 2.1  | 3.7    | 2.1  | 0.4  | 1.2    | 3.4  | 1.6  | 2.5    | 2.5        | 2.5  | 2.5    | 2.5  |
| CANNOT STOP DRINKING                                                                 | 1.4   | 0.4  | 1.0  | 0.4  | 0.3  | 0.4    | 0.4  | 1.2  | 0.8    | 1.1  | 0.7  | 0.9    | 0.7  | 0.8  | 0.7    | 0.8  | 0.7  | 0.7    | 0.7        | 0.7  | 0.7    | 0.7  |
| TO GET ALONG WITH FRIENDS                                                            | 0.7   | 1.3  | 1.0  | 0.9  | 0.8  | 0.9    | 0.8  | 1.2  | 1.0    | 1.6  | 0.7  | 1.1    | 1.2  | 0.7  | 0.9    | 1.0  | 0.9  | 1.0    | 1.0        | 0.9  | 1.0    | 1.0  |
| EASIER TO DO SCHOOL WORK                                                             | 0.0   | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2    | 0.1  | 0.0  | 0.1    | 0.1        | 0.0  | 0.1    | 0.1  |
| GOOD FOR MY HEALTH                                                                   | 0.6   | 0.4  | 0.5  | 0.0  | 0.4  | 0.2    | 0.4  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0    | 0.8  | 0.0  | 0.4    | 0.4  | 0.4  | 0.2    | 0.3        | 0.2  | 0.3    | 0.3  |
| CALMS ME DOWN                                                                        | 1.1   | 0.4  | 0.8  | 1.2  | 0.3  | 0.7    | 1.1  | 1.9  | 1.5    | 0.0  | 0.7  | 0.4    | 0.4  | 0.4  | 0.4    | 0.8  | 0.8  | 0.8    | 0.8        | 0.8  | 0.8    | 0.8  |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 2.0   | 2.8  | 2.3  | 3.0  | 3.1  | 3.2    | 4.0  | 5.0  | 4.5    | 3.1  | 3.9  | 3.5    | 2.8  | 4.5  | 3.7    | 3.0  | 3.9  | 3.4    | 3.4        | 3.4  | 3.4    | 3.4  |
| ADULTS SAY IT IS NOT GOOD                                                            | 0.4   | 0.0  | 0.2  | 0.4  | 0.3  | 0.4    | 0.0  | 0.8  | 0.6    | 0.4  | 1.0  | 0.7    | 0.0  | 0.4  | 0.2    | 0.2  | 0.5  | 0.4    | 0.4        | 0.4  | 0.4    | 0.4  |
| BORED, NOTHING ELSE TO DO                                                            | 1.0   | 2.5  | 1.7  | 1.9  | 2.1  | 2.0    | 2.3  | 2.6  | 2.4    | 1.6  | 0.3  | 0.8    | 1.4  | 0.5  | 1.0    | 1.6  | 1.6  | 1.6    | 1.6        | 1.6  | 1.6    | 1.6  |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 4.6   | 2.6  | 3.6  | 3.2  | 4.2  | 3.7    | 8.6  | 5.0  | 6.8    | 11.4 | 8.6  | 9.8    | 12.4 | 15.0 | 13.6   | 7.8  | 6.9  | 7.3    | 7.3        | 7.3  | 7.3    | 7.3  |
| MAKES ME FEEL GOOD                                                                   | 2.0   | 2.8  | 2.3  | 5.2  | 6.7  | 5.9    | 7.5  | 4.4  | 6.0    | 9.5  | 11.7 | 10.6   | 14.3 | 9.2  | 11.8   | 7.4  | 7.0  | 7.2    | 7.2        | 7.2  | 7.2    | 7.2  |
| OTHER REASON                                                                         | 20.8  | 19.3 | 20.1 | 15.7 | 22.0 | 19.3   | 16.1 | 17.4 | 16.8   | 20.2 | 16.8 | 18.3   | 16.4 | 20.6 | 18.4   | 17.9 | 19.2 | 18.6   | 18.6       | 18.6 | 18.6   | 18.6 |
| Q40(M00): REASON FOR STILL USING ALCOHOL (RESPONSES FOR THOSE WHO STILL USE ALCOHOL) |       |      |      |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| IT IS FUN                                                                            | 15.7  | 24.2 | 19.7 | 36.7 | 33.0 | 34.5   | 33.4 | 29.2 | 31.3   | 30.8 | 35.1 | 33.1   | 34.0 | 31.9 | 33.0   | 30.7 | 31.3 | 31.0   | 31.0       | 31.0 | 31.0   | 31.0 |
| FRIENDS STILL DRINK                                                                  | 5.7   | 3.7  | 4.8  | 5.1  | 2.9  | 3.8    | 5.0  | 3.4  | 4.8    | 6.9  | 3.0  | 4.9    | 2.6  | 0.5  | 1.5    | 5.3  | 2.6  | 3.9    | 3.9        | 3.9  | 3.9    | 3.9  |
| CANNOT STOP DRINKING                                                                 | 3.3   | 0.9  | 2.2  | 0.7  | 0.5  | 0.6    | 0.5  | 2.0  | 1.2    | 1.4  | 1.0  | 1.2    | 0.9  | 1.0  | 0.9    | 1.3  | 1.1  | 1.2    | 1.2        | 1.2  | 1.2    | 1.2  |
| TO GET ALONG WITH FRIENDS                                                            | 1.6   | 2.8  | 2.2  | 1.7  | 1.3  | 1.4    | 1.1  | 2.1  | 1.5    | 2.1  | 1.0  | 1.5    | 1.5  | 0.9  | 1.2    | 1.6  | 1.5  | 1.5    | 1.5        | 1.5  | 1.5    | 1.5  |
| EASIER TO DO SCHOOL WORK                                                             | 0.0   | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.5  | 0.0  | 0.3    | 0.0  | 0.0  | 0.0    | 0.5  | 0.0  | 0.2    | 0.2  | 0.0  | 0.1    | 0.1        | 0.1  | 0.1    | 0.1  |
| GOOD FOR MY HEALTH                                                                   | 1.4   | 0.8  | 1.1  | 0.0  | 0.7  | 0.4    | 0.5  | 0.0  | 0.3    | 0.0  | 0.0  | 0.0    | 1.0  | 0.0  | 0.5    | 0.5  | 0.2  | 0.4    | 0.4        | 0.4  | 0.4    | 0.4  |
| CALMS ME DOWN                                                                        | 2.4   | 1.0  | 1.7  | 2.2  | 0.5  | 1.2    | 1.6  | 3.3  | 2.3    | 0.0  | 1.0  | 0.5    | 0.5  | 0.5  | 1.2    | 1.2  | 1.2  | 1.2    | 1.2        | 1.2  | 1.2    | 1.2  |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 4.4   | 8.2  | 5.3  | 5.5  | 4.9  | 5.4    | 5.8  | 8.5  | 7.0    | 3.9  | 5.5  | 4.7    | 3.5  | 5.9  | 4.7    | 4.6  | 6.1  | 5.4    | 5.4        | 5.4  | 5.4    | 5.4  |
| ADULTS SAY IT IS NOT GOOD                                                            | 0.9   | 0.0  | 0.5  | 0.7  | 0.5  | 0.6    | 0.0  | 1.4  | 0.9    | 0.5  | 1.4  | 1.0    | 0.0  | 0.5  | 0.2    | 0.4  | 0.8  | 0.7    | 0.7        | 0.7  | 0.7    | 0.7  |
| BORED, NOTHING ELSE TO DO                                                            | 2.4   | 5.6  | 3.9  | 3.5  | 3.3  | 3.4    | 3.3  | 4.4  | 3.8    | 2.0  | 0.5  | 1.2    | 1.8  | 0.7  | 1.2    | 2.5  | 2.6  | 2.6    | 2.6        | 2.6  | 2.6    | 2.6  |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 10.5  | 5.7  | 8.2  | 5.8  | 6.7  | 6.2    | 12.6 | 8.6  | 10.7   | 14.5 | 12.0 | 13.2   | 15.4 | 19.5 | 17.4   | 12.2 | 11.0 | 11.5   | 11.5       | 11.5 | 11.5   | 11.5 |
| MAKES ME FEEL GOOD                                                                   | 4.4   | 6.1  | 5.2  | 9.5  | 10.7 | 10.0   | 11.0 | 7.5  | 9.4    | 12.1 | 16.3 | 14.2   | 17.9 | 12.0 | 15.0   | 11.5 | 11.1 | 11.3   | 11.3       | 11.3 | 11.3   | 11.3 |
| OTHER REASON                                                                         | 47.3  | 43.0 | 45.3 | 28.7 | 35.0 | 32.5   | 23.5 | 29.7 | 26.4   | 25.7 | 23.4 | 24.5   | 20.5 | 26.7 | 23.5   | 27.9 | 30.5 | 29.2   | 29.2       | 29.2 | 29.2   | 29.2 |

NOTE: Q40(M00) IS A MODIFIED RESPONSE SET FOR Q40 AND INCLUDES ONLY THOSE WHO STILL USE ALCOHOL

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

FRASER VALLEY

|                                                             | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |   |      |   |        |   |
|-------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|---|------|---|--------|---|
|                                                             | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      |            |      | 12     |   |      |   |        |   |
|                                                             | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE       |      | FEMALE |   | MALE |   | FEMALE |   |
|                                                             | %     | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %          | N    | %      | N | %    | N | %      | N |
| NUMBER OF VALID RESPONSES 10:<br>Q41 = 2,930<br>Q42 = 2,919 |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |      |   |        |   |
| Q41: FREQUENCY OF BEING TIGHT<br>IN LAST 4 WEEKS            |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |      |   |        |   |
| DO NOT DRINK ALCOHOL                                        | 35.2  | 37.7 | 36.2   | 28.7 | 21.1 | 24.5 | 15.4   | 23.9 | 19.3 | 9.6  | 16.3   | 13.4 | 10.9 | 13.8 | 12.5   | 20.6 | 22.6       | 21.6 |        |   |      |   |        |   |
| NO ALCOHOL IN LAST 4 WEEKS                                  | 32.4  | 26.0 | 30.5   | 26.0 | 31.9 | 29.1 | 24.0   | 28.8 | 26.2 | 20.3 | 20.3   | 20.3 | 17.3 | 21.9 | 19.7   | 24.5 | 26.3       | 25.4 |        |   |      |   |        |   |
| NOT BEEN TIGHT LAST 4 WEEKS                                 | 18.6  | 19.6 | 18.1   | 23.8 | 22.7 | 23.3 | 26.2   | 24.3 | 25.3 | 32.0 | 34.1   | 32.9 | 33.0 | 32.2 | 32.4   | 25.6 | 26.5       | 26.1 |        |   |      |   |        |   |
| ONCE IN LAST 4 WEEKS                                        | 6.1   | 8.4  | 7.1    | 9.4  | 12.5 | 11.0 | 16.5   | 12.2 | 14.5 | 15.6 | 14.6   | 15.0 | 16.5 | 14.8 | 15.5   | 12.9 | 12.5       | 12.5 |        |   |      |   |        |   |
| TWICE IN LAST 4 WEEKS                                       | 2.7   | 2.6  | 2.6    | 5.0  | 7.7  | 6.4  | 10.0   | 6.0  | 8.4  | 9.7  | 9.9    | 9.8  | 9.5  | 8.6  | 9.1    | 7.4  | 7.0        | 7.2  |        |   |      |   |        |   |
| 3 TIMES IN LAST 4 WEEKS                                     | 2.0   | 1.1  | 1.6    | 3.0  | 1.4  | 2.3  | 3.0    | 2.5  | 2.7  | 3.9  | 1.6    | 2.7  | 3.3  | 5.0  | 4.2    | 3.0  | 2.2        | 2.6  |        |   |      |   |        |   |
| 4 TIMES IN LAST 4 WEEKS                                     | 1.3   | 1.3  | 1.3    | 1.2  | 1.9  | 1.6  | 2.6    | 0.4  | 1.7  | 4.8  | 1.0    | 2.8  | 4.5  | 1.7  | 3.2    | 2.8  | 1.2        | 2.1  |        |   |      |   |        |   |
| 5 OR MORE TIMES LAST 4 WEEKS                                | 3.8   | 1.3  | 2.6    | 2.7  | 0.8  | 1.9  | 1.7    | 1.9  | 1.8  | 4.1  | 2.2    | 3.1  | 5.1  | 2.1  | 3.5    | 3.4  | 1.8        | 2.5  |        |   |      |   |        |   |
| Q42: FREQUENCY OF BEING DRUNK<br>IN LAST 4 WEEKS            |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |      |   |        |   |
| DO NOT DRINK ALCOHOL                                        | 35.1  | 37.8 | 36.2   | 30.3 | 21.7 | 25.5 | 15.4   | 25.1 | 19.9 | 9.0  | 16.7   | 13.4 | 10.9 | 14.5 | 12.9   | 20.8 | 23.2       | 22.0 |        |   |      |   |        |   |
| NO ALCOHOL IN LAST 4 WEEKS                                  | 29.6  | 28.3 | 29.1   | 24.5 | 30.5 | 27.7 | 21.8   | 26.9 | 24.1 | 20.1 | 20.7   | 20.5 | 18.6 | 20.2 | 19.6   | 23.2 | 25.4       | 24.4 |        |   |      |   |        |   |
| NOT BEEN DRUNK LAST 4 WEEKS                                 | 19.2  | 17.8 | 18.6   | 25.6 | 25.8 | 25.7 | 36.2   | 25.7 | 31.2 | 38.1 | 40.0   | 38.9 | 37.1 | 43.1 | 39.9   | 30.8 | 30.3       | 30.5 |        |   |      |   |        |   |
| ONCE IN LAST 4 WEEKS                                        | 7.4   | 8.1  | 7.7    | 8.9  | 14.3 | 11.9 | 14.4   | 14.5 | 14.5 | 16.4 | 14.4   | 15.3 | 20.9 | 11.5 | 15.8   | 13.2 | 12.6       | 12.9 |        |   |      |   |        |   |
| TWICE IN LAST 4 WEEKS                                       | 2.1   | 4.1  | 3.0    | 5.0  | 3.3  | 4.1  | 4.1    | 4.9  | 4.4  | 7.2  | 4.0    | 5.5  | 4.1  | 4.1  | 4.4    | 4.4  | 4.1        | 4.3  |        |   |      |   |        |   |
| 3 TIMES IN LAST 4 WEEKS                                     | 1.6   | 1.1  | 1.4    | 1.6  | 2.5  | 2.0  | 3.4    | 1.5  | 2.5  | 2.2  | 1.5    | 1.8  | 2.2  | 3.1  | 2.6    | 2.2  | 1.9        | 2.0  |        |   |      |   |        |   |
| 4 TIMES IN LAST 4 WEEKS                                     | 1.7   | 1.3  | 1.5    | 2.1  | 1.6  | 1.6  | 2.1    | 0.4  | 1.4  | 3.9  | 1.6    | 2.7  | 1.1  | 1.4  | 1.2    | 2.2  | 1.3        | 1.8  |        |   |      |   |        |   |
| 5 OR MORE TIMES LAST 4 WEEKS                                | 3.2   | 1.5  | 2.4    | 2.0  | 0.3  | 1.3  | 2.7    | 1.1  | 2.0  | 3.2  | 1.0    | 2.0  | 5.1  | 2.1  | 3.5    | 3.2  | 1.2        | 2.2  |        |   |      |   |        |   |





... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHED)

FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q45 = 2.937<br>Q46 = 2.933<br>Q47 = 2.931 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |   |        |
|----------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|---|--------|
|                                                                            | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        |            |   |        |
|                                                                            | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |   | FEMALE |
|                                                                            | Σ     | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ          | Σ | Σ      |
| Q45: FREQ. OF DRINKING PRIOR TO OR INSTEAD OF BREAKFAST                    |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |
| HAVE NEVER DRUNK ALCOHOL                                                   | 25.5  | 29.0 | 27.0   | 20.5 | 15.6 | 17.8   | 10.3 | 18.2 | 14.0   | 3.7  | 7.4  | 5.8    | 4.7  | 8.6  | 6.8    | 13.5 | 15.7 | 14.8   |            |   |        |
| NEVER DRANK PRIOR TO BREAKFAST                                             | 63.0  | 61.8 | 62.4   | 68.4 | 71.6 | 70.2   | 71.8 | 66.8 | 69.4   | 65.2 | 74.0 | 69.8   | 71.1 | 68.4 | 69.4   | 67.8 | 68.7 | 68.2   |            |   |        |
| ONCE IN MY LIFE                                                            | 5.0   | 4.6  | 5.0    | 5.6  | 7.4  | 6.7    | 7.8  | 7.1  | 7.4    | 10.8 | 8.0  | 9.3    | 8.5  | 9.1  | 8.9    | 7.5  | 7.2  | 7.4    |            |   |        |
| TWICE IN MY LIFE                                                           | 1.7   | 2.1  | 1.8    | 1.0  | 3.0  | 2.0    | 3.7  | 2.4  | 3.1    | 4.9  | 4.4  | 4.6    | 6.9  | 4.7  | 5.7    | 3.5  | 3.3  | 3.4    |            |   |        |
| 3 OR MORE TIMES IN MY LIFE                                                 | 4.8   | 2.6  | 3.8    | 4.5  | 2.5  | 3.4    | 6.4  | 5.5  | 6.2    | 15.3 | 6.3  | 10.5   | 8.7  | 9.3  | 9.1    | 7.8  | 5.1  | 6.5    |            |   |        |
| Q46: FREQ. OF AGGRESSIVE BEHAVIOUR DUE TO ALCOHOL                          |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |
| HAVE NEVER DRUNK ALCOHOL                                                   | 29.1  | 30.4 | 29.6   | 21.5 | 15.7 | 18.3   | 11.9 | 19.1 | 15.3   | 3.1  | 7.7  | 5.7    | 5.1  | 8.6  | 7.0    | 14.8 | 16.3 | 15.5   |            |   |        |
| NEVER AGGRESS. DUE TO ALCOHOL                                              | 60.4  | 57.5 | 59.2   | 58.0 | 69.6 | 64.0   | 64.0 | 65.6 | 64.6   | 68.7 | 74.6 | 71.8   | 65.3 | 72.3 | 68.7   | 63.2 | 68.0 | 65.5   |            |   |        |
| ONCE IN MY LIFE                                                            | 2.8   | 6.4  | 4.5    | 11.0 | 9.6  | 10.2   | 11.4 | 9.2  | 10.7   | 7.1  | 9.4  | 8.3    | 10.4 | 9.1  | 9.8    | 8.4  | 8.8  | 8.6    |            |   |        |
| TWICE IN MY LIFE                                                           | 1.3   | 3.2  | 2.2    | 3.3  | 3.3  | 3.3    | 2.6  | 3.5  | 3.0    | 5.0  | 3.2  | 4.1    | 4.5  | 4.1  | 4.3    | 3.2  | 3.4  | 3.3    |            |   |        |
| 3 OR MORE TIMES IN MY LIFE                                                 | 6.4   | 2.5  | 4.5    | 6.1  | 1.9  | 4.2    | 10.1 | 2.8  | 6.5    | 16.1 | 5.0  | 10.2   | 14.8 | 5.9  | 10.2   | 10.4 | 3.5  | 7.0    |            |   |        |
| Q47: FREQ. OF MEMORY LOSS W/O PASSING OUT AFTER DRINKING                   |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |
| HAVE NEVER DRUNK ALCOHOL                                                   | 28.0  | 30.1 | 28.8   | 20.7 | 16.0 | 18.1   | 10.6 | 18.8 | 14.5   | 3.1  | 7.7  | 5.7    | 4.7  | 8.6  | 6.8    | 14.0 | 16.2 | 15.1   |            |   |        |
| NEVER MEMORY LOSS AFTER DRINK                                              | 53.7  | 49.3 | 51.7   | 56.5 | 54.2 | 55.1   | 59.7 | 54.3 | 57.1   | 58.0 | 58.7 | 57.4   | 52.2 | 53.6 | 52.8   | 56.2 | 53.7 | 54.9   |            |   |        |
| ONCE IN MY LIFE                                                            | 8.3   | 10.4 | 9.4    | 13.1 | 14.4 | 13.9   | 12.8 | 13.3 | 13.2   | 16.8 | 16.3 | 16.5   | 17.0 | 17.1 | 16.9   | 13.3 | 14.3 | 13.8   |            |   |        |
| TWICE IN MY LIFE                                                           | 3.9   | 3.1  | 3.5    | 4.2  | 7.7  | 6.0    | 6.4  | 4.4  | 5.4    | 8.4  | 9.3  | 8.8    | 8.5  | 8.9  | 8.8    | 6.1  | 6.7  | 6.4    |            |   |        |
| 3 OR MORE TIMES IN MY LIFE                                                 | 6.1   | 7.1  | 6.5    | 5.5  | 7.6  | 6.9    | 10.5 | 9.1  | 9.8    | 13.7 | 10.0 | 11.7   | 17.6 | 11.8 | 14.6   | 10.3 | 9.1  | 9.7    |            |   |        |

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q48 = 2,912<br>Q49 = 2,950<br>Q50 = 2,961 |  | GRADE |      |        |      |        |        |      |        |        |      |        |        | ALL GRADES |      |      |        |        |      |
|----------------------------------------------------------------------------|--|-------|------|--------|------|--------|--------|------|--------|--------|------|--------|--------|------------|------|------|--------|--------|------|
|                                                                            |  | 8     |      |        | 9    |        |        | 10   |        |        | 11   |        |        |            |      | 12   |        |        |      |
|                                                                            |  | MALE  |      | FEMALE | MALE |        | FEMALE | MALE |        | FEMALE | MALE |        | FEMALE |            |      | MALE |        | FEMALE |      |
|                                                                            |  | ALL   | X    | ALL    | MALE | FEMALE | ALL    | MALE | FEMALE | ALL    | MALE | FEMALE | ALL    |            |      | MALE | FEMALE | ALL    |      |
| Q48: AVERAGE BOTTLES OF BEER CONSUMED AT ONE TIME                          |  |       |      |        |      |        |        |      |        |        |      |        |        |            |      |      |        |        |      |
| NONE, DO NOT DRINK BEER                                                    |  | 58.4  | 62.3 | 60.0   | 43.6 | 47.5   | 45.5   | 26.0 | 50.2   | 38.8   | 16.9 | 36.6   | 27.7   | 20.6       | 40.0 | 30.7 | 34.5   | 47.3   | 41.0 |
| 1 TO 3 BOTTLES                                                             |  | 26.8  | 25.3 | 26.3   | 26.3 | 33.9   | 31.0   | 29.9 | 30.7   | 30.3   | 22.1 | 35.8   | 29.2   | 19.2       | 29.8 | 24.5 | 25.6   | 31.3   | 28.4 |
| 4 TO 6 BOTTLES                                                             |  | 7.5   | 8.4  | 7.9    | 12.0 | 12.6   | 12.4   | 22.1 | 12.6   | 17.5   | 28.7 | 21.7   | 24.9   | 27.5       | 22.6 | 24.9 | 19.0   | 15.5   | 17.2 |
| 7 OR MORE BOTTLES                                                          |  | 7.3   | 4.0  | 5.7    | 16.1 | 6.0    | 11.0   | 20.0 | 6.5    | 13.4   | 32.4 | 5.9    | 18.2   | 32.7       | 7.6  | 19.9 | 20.9   | 6.0    | 13.4 |
| Q49: AVERAGE GLASSES OF WINE CONSUMED AT ONE TIME                          |  |       |      |        |      |        |        |      |        |        |      |        |        |            |      |      |        |        |      |
| NONE, DO NOT DRINK WINE                                                    |  | 58.1  | 54.9 | 56.7   | 53.5 | 46.0   | 49.6   | 46.9 | 39.4   | 43.1   | 48.0 | 34.6   | 41.1   | 56.4       | 35.4 | 45.6 | 52.5   | 42.2   | 47.3 |
| 1 TO 3 GLASSES                                                             |  | 35.6  | 36.5 | 36.0   | 37.4 | 43.5   | 40.3   | 36.7 | 47.5   | 43.0   | 37.1 | 47.9   | 42.8   | 28.8       | 51.1 | 40.3 | 35.8   | 45.2   | 40.4 |
| 4 TO 6 GLASSES                                                             |  | 2.5   | 7.1  | 4.6    | 5.0  | 6.2    | 5.8    | 10.1 | 6.3    | 9.3    | 7.5  | 12.5   | 10.1   | 6.7        | 10.0 | 6.3  | 6.3    | 8.8    | 7.6  |
| 7 OR MORE GLASSES                                                          |  | 3.7   | 1.5  | 2.7    | 4.1  | 4.3    | 4.3    | 4.4  | 4.8    | 4.6    | 7.4  | 5.0    | 6.1    | 6.1        | 3.5  | 5.8  | 5.4    | 3.8    | 4.6  |
| Q50: AVERAGE DRINKS OF HARD LIQUOR CONSUMED AT ONE TIME                    |  |       |      |        |      |        |        |      |        |        |      |        |        |            |      |      |        |        |      |
| NONE, DO NOT DRINK HARD LIQUOR                                             |  | 65.5  | 68.2 | 66.8   | 51.0 | 45.8   | 48.0   | 39.7 | 46.7   | 43.7   | 30.2 | 42.2   | 36.7   | 33.5       | 38.4 | 36.1 | 45.0   | 48.7   | 46.8 |
| 1 TO 3 DRINKS                                                              |  | 22.9  | 20.6 | 21.9   | 32.5 | 36.7   | 35.5   | 30.9 | 34.4   | 32.5   | 36.9 | 37.6   | 37.3   | 33.0       | 36.0 | 34.3 | 30.9   | 33.6   | 32.1 |
| 4 TO 6 DRINKS                                                              |  | 7.2   | 6.0  | 6.6    | 9.1  | 10.0   | 10.0   | 16.0 | 12.1   | 15.5   | 16.6 | 14.7   | 15.5   | 16.5       | 19.5 | 19.0 | 13.6   | 12.3   | 13.1 |
| 7 OR MORE DRINKS                                                           |  | 4.4   | 5.2  | 4.8    | 7.4  | 5.5    | 6.5    | 11.4 | 4.8    | 8.2    | 16.2 | 5.5    | 10.5   | 14.9       | 6.1  | 10.6 | 10.5   | 5.4    | 8.0  |



\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY, 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q51 = 2,952<br>Q52 = 2,939<br>Q53 = 2,957<br>Q54 = 2,923 | GRADE |      |        |   |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |      |   |        |  |
|-------------------------------------------------------------------------------------------|-------|------|--------|---|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|------|---|--------|--|
|                                                                                           | 8     |      |        |   | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      |            |      | 12   |   |        |  |
|                                                                                           | MALE  |      | FEMALE |   | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      |            |      | MALE |   | FEMALE |  |
|                                                                                           | Σ     | %    | Σ      | % | Σ    | %    | Σ      | %    | Σ    | %    | Σ      | %    | Σ    | %    | Σ      | %    | Σ          | %    | Σ    | % |        |  |
| Q51: EVER ARRESTED OR WARNED BY POLICE FOR DRUG USE                                       |       |      |        |   |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |  |
| DO NOT USE DRUGS                                                                          | 70.0  | 75.9 | 72.8   |   | 67.0 | 66.9 | 67.1   | 47.4 | 62.8 | 54.8 | 42.1   | 52.8 | 47.8 | 35.7 | 50.0   | 42.9 | 53.4       | 61.9 | 57.7 |   |        |  |
| YES                                                                                       | 5.7   | 3.5  | 4.6    |   | 3.8  | 1.6  | 2.6    | 7.2  | 3.3  | 5.3  | 10.0   | 5.6  | 7.7  | 9.4  | 4.5    | 6.9  | 7.1        | 3.7  | 5.4  |   |        |  |
| NO                                                                                        | 24.3  | 20.6 | 22.6   |   | 29.2 | 31.5 | 30.4   | 45.5 | 33.9 | 39.9 | 47.8   | 41.6 | 44.5 | 55.0 | 45.5   | 50.1 | 39.5       | 34.4 | 36.9 |   |        |  |
| Q52: WISH YOU COULD USE DRUGS LESS THAN YOU DO NOW                                        |       |      |        |   |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |  |
| DO NOT USE DRUGS                                                                          | 83.2  | 87.7 | 85.2   |   | 80.7 | 78.8 | 79.6   | 69.3 | 80.3 | 74.4 | 62.0   | 75.5 | 69.1 | 59.4 | 71.5   | 65.6 | 71.7       | 78.9 | 75.2 |   |        |  |
| YES                                                                                       | 5.0   | 2.3  | 3.9    |   | 3.9  | 5.2  | 4.6    | 7.2  | 6.3  | 6.9  | 11.5   | 5.0  | 8.0  | 4.9  | 5.0    | 4.9  | 6.5        | 4.7  | 5.7  |   |        |  |
| NO                                                                                        | 11.8  | 10.0 | 10.9   |   | 15.4 | 16.0 | 15.8   | 23.6 | 13.5 | 18.7 | 26.4   | 19.6 | 22.9 | 35.7 | 23.5   | 29.5 | 21.8       | 16.4 | 19.1 |   |        |  |
| Q53: EVER WARNED BY POLICE BECAUSE OF ALCOHOL USE                                         |       |      |        |   |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |  |
| DO NOT USE ALCOHOL                                                                        | 49.1  | 48.2 | 48.5   |   | 37.2 | 30.8 | 33.6   | 22.0 | 33.5 | 27.4 | 9.5    | 19.7 | 15.2 | 13.5 | 18.7   | 16.3 | 27.3       | 30.3 | 28.8 |   |        |  |
| YES                                                                                       | 5.9   | 3.8  | 5.2    |   | 6.9  | 6.5  | 7.0    | 15.2 | 9.1  | 12.2 | 22.7   | 16.1 | 19.1 | 28.2 | 12.1   | 20.0 | 15.0       | 9.5  | 12.4 |   |        |  |
| NO                                                                                        | 45.0  | 47.9 | 46.3   |   | 55.9 | 62.7 | 59.4   | 62.8 | 57.4 | 60.4 | 67.8   | 64.2 | 65.7 | 58.3 | 69.1   | 63.8 | 57.6       | 60.2 | 58.9 |   |        |  |
| Q54: WISH YOU COULD DRINK LESS THAN YOU DO NOW                                            |       |      |        |   |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |  |
| DO NOT USE ALCOHOL                                                                        | 52.6  | 51.9 | 52.2   |   | 40.9 | 35.8 | 38.0   | 25.2 | 37.9 | 31.1 | 15.5   | 25.1 | 20.8 | 17.6 | 22.0   | 19.9 | 31.4       | 34.7 | 33.0 |   |        |  |
| YES                                                                                       | 6.4   | 4.4  | 5.8    |   | 6.4  | 6.3  | 6.3    | 6.2  | 5.7  | 6.1  | 7.4    | 5.1  | 6.2  | 5.1  | 6.2    | 5.7  | 6.3        | 5.5  | 6.0  |   |        |  |
| NO                                                                                        | 41.0  | 43.6 | 42.0   |   | 52.7 | 57.9 | 55.8   | 68.5 | 56.4 | 62.6 | 77.1   | 69.8 | 73.1 | 77.3 | 71.8   | 74.5 | 62.2       | 59.8 | 61.0 |   |        |  |

\* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q55 = 2,951<br>Q56 = 2,538<br>Q57 = 2,933 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      | ALL GRADES |  |  |  |
|----------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|------|------------|--|--|--|
|                                                                            | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |      |            |  |  |  |
|                                                                            | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | ALL  |      | ALL  |            |  |  |  |
|                                                                            | %     | X    |        | %    | X    |        | %    | X    |        | %    | X    |        | %    | X    |        | %    | X    | %    | X          |  |  |  |
| Q55: PARENTS THINK YOU DRINK<br>100 MUCH ALCOHOL                           |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      |            |  |  |  |
| DO NOT USE ALCOHOL                                                         | 46.6  | 48.1 | 47.1   | 36.3 | 31.3 | 33.4   | 21.0 | 33.3 | 26.7   | 11.9 | 22.4 | 17.7   | 18.5 | 20.1 | 18.4   | 27.3 | 31.1 | 29.2 |            |  |  |  |
| YES                                                                        | 2.3   | 1.1  | 1.7    | 3.3  | 1.7  | 2.4    | 5.5  | 3.3  | 4.4    | 8.7  | 3.2  | 5.7    | 6.1  | 4.8  | 5.3    | 5.0  | 2.7  | 3.9  |            |  |  |  |
| NO                                                                         | 25.3  | 19.2 | 22.3   | 21.1 | 21.8 | 21.3   | 27.9 | 21.8 | 25.0   | 40.2 | 31.9 | 35.6   | 39.6 | 40.9 | 40.4   | 30.3 | 26.8 | 28.5 |            |  |  |  |
| DON'T KNOW                                                                 | 6.6   | 7.7  | 7.2    | 6.5  | 7.0  | 7.0    | 11.8 | 8.6  | 10.3   | 13.1 | 6.6  | 9.6    | 11.2 | 6.2  | 8.5    | 9.7  | 7.2  | 8.5  |            |  |  |  |
| THEY DON'T KNOW HOW MUCH I DRK                                             | 19.2  | 24.0 | 21.7   | 32.9 | 38.2 | 35.8   | 33.8 | 33.1 | 33.6   | 26.1 | 35.9 | 31.3   | 26.6 | 28.1 | 27.3   | 27.6 | 32.1 | 30.0 |            |  |  |  |
| Q56: ACCIDENT WHILE YOU WERE<br>DRIVING IN LAST 12 MONTHS                  |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      |            |  |  |  |
| NO                                                                         | 94.5  | 97.8 | 96.1   | 95.0 | 97.7 | 96.3   | 95.4 | 96.7 | 96.0   | 78.8 | 92.0 | 85.7   | 74.1 | 82.6 | 78.7   | 86.3 | 93.6 | 91.0 |            |  |  |  |
| ONCE                                                                       | 2.6   | 1.1  | 1.9    | 3.2  | 1.7  | 2.4    | 3.3  | 2.6  | 2.9    | 16.3 | 7.1  | 11.6   | 18.3 | 13.0 | 15.4   | 8.2  | 4.9  | 6.5  |            |  |  |  |
| TWICE                                                                      | 0.0   | 0.8  | 0.4    | 1.1  | 0.6  | 1.0    | 1.0  | 0.7  | 0.9    | 2.8  | 0.9  | 1.8    | 3.1  | 3.8  | 3.4    | 1.5  | 1.3  | 1.4  |            |  |  |  |
| 3 TIMES                                                                    | 0.4   | 0.3  | 0.3    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.7  | 0.0  | 0.3    | 3.0  | 0.7  | 1.8    | 0.7  | 0.2  | 0.4  |            |  |  |  |
| 4 TIMES                                                                    | 0.0   | 0.0  | 0.0    | 0.3  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2    | 0.1  | 0.0  | 0.1  |            |  |  |  |
| 5 OR MORE TIMES                                                            | 2.6   | 0.0  | 1.4    | 0.3  | 0.0  | 0.2    | 0.3  | 0.0  | 0.2    | 1.4  | 0.0  | 0.7    | 1.1  | 0.0  | 0.5    | 1.2  | 0.0  | 0.6  |            |  |  |  |
| Q57: ACCIDENT WHILE DRIVING<br>AFTER DRINKING LAST 12 MO                   |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      |            |  |  |  |
| NO                                                                         | 96.7  | 99.2 | 97.9   | 98.5 | 98.7 | 98.5   | 99.0 | 98.9 | 98.9   | 96.2 | 99.4 | 97.9   | 94.8 | 99.0 | 97.1   | 97.2 | 99.0 | 98.1 |            |  |  |  |
| ONCE                                                                       | 0.0   | 0.4  | 0.2    | 0.4  | 1.0  | 0.7    | 0.7  | 1.1  | 0.9    | 3.5  | 0.6  | 2.0    | 3.8  | 0.6  | 2.1    | 1.5  | 0.7  | 1.1  |            |  |  |  |
| TWICE                                                                      | 0.7   | 0.0  | 0.4    | 0.0  | 0.3  | 0.2    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 1.4  | 0.4  | 0.9    | 0.4  | 0.1  | 0.3  |            |  |  |  |
| 3 TIMES                                                                    | 0.6   | 0.4  | 0.5    | 0.8  | 0.0  | 0.4    | 0.3  | 0.0  | 0.2    | 0.4  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0    | 0.4  | 0.1  | 0.2  |            |  |  |  |
| 4 TIMES                                                                    | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  |            |  |  |  |
| 5 OR MORE TIMES                                                            | 2.0   | 0.0  | 1.0    | 0.3  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.5  | 0.0  | 0.2  |            |  |  |  |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q58 = 2,933<br>Q59 = 2,952<br>Q60 = 2,956 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|----------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q58: EVER CONVICTED OF A DRINKING-DRIVING OFFENSE                          |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NEVER                                                                      | 97.8  | 99.7   | 98.7 | 98.8 | 98.7   | 98.6 | 99.7 | 99.6   | 99.7 | 99.0 | 99.7   | 99.4 | 98.9 | 100.0  | 99.5 | 98.8       | 99.5   | 99.1 |
| ONCE                                                                       | 0.0   | 0.0    | 0.0  | 0.4  | 1.0    | 0.7  | 0.0  | 0.0    | 0.0  | 1.0  | 0.0    | 0.5  | 1.1  | 0.0    | 0.5  | 0.5        | 0.2    | 0.3  |
| TWICE                                                                      | 0.0   | 0.3    | 0.2  | 0.0  | 0.3    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.1    | 0.1  |
| 3 TIMES                                                                    | 0.3   | 0.0    | 0.2  | 0.4  | 0.0    | 0.2  | 0.0  | 0.4    | 0.2  | 0.0  | 0.3    | 0.2  | 0.0  | 0.0    | 0.0  | 0.1        | 0.1    | 0.1  |
| 4 TIMES                                                                    | 0.3   | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.3  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.0    | 0.1  |
| 5 OR MORE TIMES                                                            | 1.7   | 0.0    | 0.9  | 0.3  | 0.0    | 0.4  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.4        | 0.0    | 0.3  |
| Q59: HAD ALCOHOL/DRUG EDUCATION IN SCHOOL SINCE SEPTEMBER                  |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| YES                                                                        | 40.0  | 42.9   | 41.1 | 19.6 | 29.4   | 24.8 | 31.4 | 32.5   | 32.3 | 24.8 | 30.4   | 27.9 | 19.0 | 25.3   | 22.4 | 27.8       | 32.2   | 30.1 |
| NO                                                                         | 46.6  | 48.2   | 47.5 | 69.0 | 56.8   | 62.6 | 56.7 | 58.1   | 57.1 | 64.7 | 61.4   | 62.8 | 72.5 | 67.6   | 69.9 | 60.9       | 58.3   | 59.5 |
| DON'T KNOW                                                                 | 13.4  | 8.8    | 11.4 | 11.3 | 13.8   | 12.6 | 11.9 | 9.4    | 10.6 | 10.5 | 8.2    | 9.2  | 8.5  | 7.1    | 7.7  | 11.3       | 9.6    | 10.4 |
| Q60: TOTAL ALCOHOL OR DRUG CLASSES EVER HAD                                |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE                                                                       | 27.1  | 23.5   | 25.6 | 34.1 | 28.8   | 31.2 | 29.9 | 19.4   | 24.9 | 26.8 | 23.4   | 25.8 | 29.9 | 23.5   | 26.4 | 29.9       | 23.8   | 26.8 |
| 1 OR 2                                                                     | 37.9  | 40.0   | 38.9 | 40.9 | 46.9   | 44.1 | 49.6 | 47.4   | 48.5 | 45.0 | 45.7   | 45.5 | 44.4 | 48.1   | 45.4 | 43.5       | 45.2   | 44.4 |
| 3 TO 5                                                                     | 19.9  | 21.4   | 20.5 | 18.4 | 15.3   | 16.7 | 16.5 | 21.7   | 18.9 | 21.0 | 21.1   | 21.1 | 19.0 | 22.4   | 20.8 | 18.9       | 20.3   | 19.5 |
| 6 TO 10                                                                    | 7.6   | 9.8    | 8.6  | 2.6  | 5.8    | 4.3  | 2.3  | 6.0    | 4.2  | 3.8  | 7.8    | 5.9  | 3.8  | 5.6    | 4.7  | 4.1        | 7.0    | 5.6  |
| 11 TO 20                                                                   | 3.5   | 3.4    | 3.4  | 1.1  | 2.1    | 1.6  | 0.7  | 2.5    | 1.6  | 0.7  | 0.8    | 0.7  | 2.2  | 1.0    | 1.6  | 1.7        | 2.0    | 1.8  |
| MORE THAN 20                                                               | 4.0   | 1.9    | 3.0  | 3.0  | 1.1    | 2.1  | 1.0  | 2.9    | 1.9  | 0.7  | 1.2    | 1.0  | 0.6  | 1.3    | 1.1  | 1.9        | 1.7    | 1.9  |

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q61A = 2,540<br>Q61B = 2,559<br>Q61C = 2,518 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|-------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                                               | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      |            |        |      | 12   |        |      |
|                                                                               | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  | MALE | FEMALE | ALL  |
| Q61A: FREQUENCY OF DRINKING AT TEEN PARTIES WHEN ADULTS ARE NOT PRESENT       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                  | 51.7  | 52.9   | 51.9 | 35.6 | 30.1   | 32.5 | 25.8 | 27.1   | 26.4 | 12.2 | 16.4   | 14.3 | 13.0       | 19.8   | 16.4 | 27.7 | 28.6   | 28.0 |
| SOMETIMES                                                                     | 23.2  | 21.0   | 22.7 | 22.4 | 29.4   | 26.0 | 25.2 | 30.9   | 27.6 | 27.9 | 35.0   | 31.5 | 20.0       | 26.5   | 23.4 | 24.0 | 28.9   | 26.4 |
| FREQUENTLY                                                                    | 8.7   | 6.5    | 7.6  | 11.8 | 10.3   | 11.0 | 16.5 | 12.4   | 14.6 | 18.5 | 17.4   | 17.9 | 15.7       | 14.0   | 14.7 | 14.4 | 12.3   | 13.3 |
| MOST OF THE TIME                                                              | 16.4  | 19.5   | 17.7 | 30.1 | 30.1   | 30.6 | 32.6 | 29.7   | 31.5 | 41.4 | 31.3   | 36.3 | 51.3       | 39.7   | 45.5 | 34.0 | 30.2   | 32.2 |
| Q61B: FREQUENCY OF DRINKING AT HOME ON SPECIAL OCCASIONS                      |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                  | 22.8  | 21.2   | 22.1 | 21.8 | 17.6   | 19.6 | 17.8 | 18.4   | 17.5 | 16.0 | 20.4   | 18.2 | 16.9       | 17.5   | 17.0 | 19.0 | 19.0   | 19.0 |
| SOMETIMES                                                                     | 50.7  | 49.3   | 49.9 | 52.5 | 55.9   | 54.5 | 52.1 | 49.8   | 50.9 | 47.2 | 48.7   | 48.1 | 50.0       | 45.8   | 47.3 | 50.5 | 50.0   | 50.2 |
| FREQUENTLY                                                                    | 12.0  | 13.4   | 12.8 | 13.6 | 13.5   | 13.4 | 10.8 | 13.0   | 11.7 | 17.1 | 12.1   | 14.5 | 16.4       | 15.0   | 15.7 | 13.8 | 13.3   | 13.6 |
| MOST OF THE TIME                                                              | 14.6  | 16.1   | 15.2 | 12.1 | 13.0   | 12.5 | 19.4 | 18.9   | 19.4 | 19.7 | 18.9   | 19.2 | 16.8       | 21.9   | 19.9 | 16.7 | 17.7   | 17.3 |
| Q61C: FREQUENCY OF DRINKING IN A CAR AT NIGHT                                 |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                  | 87.4  | 82.6   | 85.2 | 83.5 | 75.8   | 79.1 | 77.9 | 73.8   | 76.2 | 66.5 | 66.3   | 66.5 | 60.1       | 64.5   | 62.3 | 75.3 | 72.4   | 73.8 |
| SOMETIMES                                                                     | 7.1   | 8.7    | 7.8  | 9.8  | 14.2   | 12.0 | 15.4 | 17.9   | 16.4 | 25.8 | 23.3   | 24.4 | 28.4       | 28.6   | 28.6 | 17.2 | 18.7   | 17.9 |
| FREQUENTLY                                                                    | 2.1   | 4.5    | 3.2  | 3.0  | 7.8    | 6.0  | 3.1  | 4.9    | 3.9  | 5.0  | 5.6    | 5.3  | 7.9        | 3.1    | 5.4  | 4.1  | 5.3    | 4.7  |
| MOST OF THE TIME                                                              | 3.4   | 4.3    | 3.8  | 3.7  | 2.2    | 2.9  | 3.6  | 3.4    | 3.5  | 2.7  | 4.8    | 3.8  | 3.6        | 3.8    | 3.7  | 3.4  | 3.7    | 3.5  |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS. IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION.

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
FRASER VALLEY

| NUMBER OF VALID RESPONSES TO:<br>Q61D = 2.530<br>Q61E = 2.536<br>Q31F = 2.539        | GRADE |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |
|--------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|
|                                                                                      | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12         |      |        |
|                                                                                      | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |      | FEMALE |
|                                                                                      | N     | %    | N      | N    | %    | N      | N    | %    | N      | N    | %    | N      | N          | %    | N      |
| Q61D: FREQUENCY OF DRINKING AT DINNER AT HOME WITH FAMILY                            |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| DO NOT DRINK IN THIS SETTING                                                         | 59.8  | 62.4 | 61.0   | 53.6 | 62.5 | 58.5   | 55.8 | 53.3 | 54.3   | 49.9 | 59.0 | 54.7   | 50.8       | 52.0 | 54.1   |
| SOMETIMES                                                                            | 34.3  | 30.5 | 32.5   | 40.9 | 32.5 | 35.9   | 38.6 | 39.6 | 39.5   | 44.8 | 33.9 | 39.1   | 43.5       | 38.6 | 41.0   |
| FREQUENTLY                                                                           | 2.9   | 5.3  | 4.0    | 2.9  | 2.9  | 2.8    | 2.6  | 4.3  | 3.4    | 4.6  | 2.5  | 3.5    | 3.9        | 5.0  | 4.5    |
| MOST OF THE TIME                                                                     | 2.9   | 1.8  | 2.4    | 3.6  | 2.2  | 2.8    | 3.0  | 2.6  | 2.8    | 0.7  | 4.5  | 2.7    | 1.7        | 3.2  | 2.5    |
| Q61E: FREQUENCY OF DRINKING AT TEEN HANGOUTS WHEN ADULTS ARE NOT PRESENT             |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| DO NOT DRINK IN THIS SETTING                                                         | 62.1  | 58.1 | 59.8   | 49.9 | 41.9 | 45.0   | 37.4 | 44.8 | 40.7   | 27.0 | 36.2 | 31.7   | 31.0       | 41.4 | 36.1   |
| SOMETIMES                                                                            | 16.7  | 17.9 | 17.8   | 24.4 | 32.0 | 28.2   | 32.4 | 27.1 | 30.1   | 43.6 | 35.9 | 39.6   | 32.9       | 30.8 | 31.9   |
| FREQUENTLY                                                                           | 11.3  | 9.1  | 10.1   | 11.7 | 13.3 | 12.6   | 13.3 | 10.7 | 12.2   | 15.6 | 14.2 | 15.0   | 16.9       | 13.7 | 15.1   |
| MOST OF THE TIME                                                                     | 10.0  | 15.0 | 12.3   | 14.0 | 13.7 | 14.2   | 16.9 | 17.4 | 17.0   | 13.9 | 13.7 | 13.7   | 19.3       | 14.1 | 16.9   |
| Q61F: FREQUENCY OF DRINKING DURING/AFTER SCHOOL ACTIVITY WHEN ADULTS ARE NOT PRESENT |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| DO NOT DRINK IN THIS SETTING                                                         | 72.3  | 68.7 | 70.6   | 60.7 | 54.5 | 57.3   | 49.0 | 62.0 | 54.7   | 41.2 | 55.4 | 48.7   | 36.4       | 47.0 | 41.8   |
| SOMETIMES                                                                            | 15.8  | 14.5 | 15.1   | 24.5 | 28.4 | 26.4   | 30.9 | 23.3 | 27.7   | 35.7 | 27.9 | 31.6   | 35.2       | 36.8 | 36.0   |
| FREQUENTLY                                                                           | 4.6   | 7.9  | 6.3    | 5.5  | 9.6  | 7.6    | 9.6  | 8.4  | 8.5    | 13.6 | 8.5  | 10.9   | 11.1       | 7.3  | 9.1    |
| MOST OF THE TIME                                                                     | 7.3   | 8.8  | 8.0    | 9.2  | 7.5  | 8.7    | 11.5 | 6.3  | 9.1    | 9.5  | 8.3  | 8.8    | 17.4       | 9.0  | 13.1   |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS. IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION.





APPENDIX D (continued)

Item Responses by Sex within Grade within Region

...

Central and Southeast Region

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY, 1987  
PERCENTAGES OF RESPONDENTS WHO HAVE USED ALCOHOL OR OTHER DRUGS  
IN THE LAST 12 MONTHS BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES<br>VARIES FROM 2,602 TO 2,634 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        | ALL GRADES |      |        |     |
|---------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------------|------|--------|-----|
|                                                         | 8     |      |        | 9    |      |      | 10     |      |      | 11   |        |      | 12   |      |        |            |      |        |     |
|                                                         | MALE  |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL        | MALE | FEMALE | ALL |
|                                                         | %     | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N          | %    | N      | %   |
| TOBACCO: Q8                                             | 10.8  | 10.1 | 10.3   | 15.8 | 26.2 | 21.4 | 19.7   | 23.3 | 24.0 | 27.9 | 25.3   | 24.0 | 29.1 | 26.4 | 23.9   | 21.4       |      |        |     |
| ALCOHOL: Q9                                             | 58.8  | 55.4 | 56.7   | 71.0 | 76.7 | 74.1 | 86.1   | 84.4 | 87.8 | 90.7 | 89.3   | 94.4 | 92.7 | 93.8 | 79.4   | 79.0       | 79.1 |        |     |
| CANNABIS: Q10                                           | 9.0   | 7.2  | 8.4    | 19.7 | 19.0 | 19.4 | 28.7   | 33.0 | 30.8 | 38.7 | 36.3   | 45.6 | 36.2 | 40.9 | 26.9   | 26.5       | 26.7 |        |     |
| GLUE: Q11                                               | 2.8   | 2.0  | 2.4    | 3.0  | 2.2  | 2.5  | 2.5    | 2.0  | 2.3  | 1.4  | 1.4    | 1.6  | 0.0  | 0.8  | 2.3    | 1.6        | 1.9  |        |     |
| SOLVENTS (PAINT THINNER, GAS): Q12                      | 5.6   | 3.0  | 4.2    | 3.7  | 3.6  | 3.6  | 2.9    | 2.8  | 2.9  | 2.8  | 1.8    | 2.3  | 0.4  | 1.9  | 3.6    | 2.4        | 3.0  |        |     |
| * INHALANTS (GLUE OR SOLVENTS)                          | 6.3   | 4.0  | 5.1    | 4.6  | 4.3  | 4.4  | 4.3    | 4.1  | 4.1  | 3.7  | 2.5    | 3.0  | 0.4  | 2.1  | 4.5    | 3.2        | 3.8  |        |     |
| LSD: Q26                                                | 2.3   | 2.3  | 2.3    | 7.9  | 5.8  | 6.8  | 6.1    | 5.1  | 5.8  | 4.9  | 5.1    | 5.1  | 3.0  | 6.3  | 6.0    | 4.3        | 5.2  |        |     |
| PCP: Q24                                                | 2.6   | 0.8  | 1.7    | 2.8  | 1.3  | 2.0  | 1.6    | 2.2  | 2.1  | 1.2  | 1.8    | 1.5  | 2.0  | 0.4  | 1.2    | 2.0        | 1.3  | 1.7    |     |
| HALLUCINOGENS (EXCL. LSD & PCP): Q25                    | 3.6   | 2.4  | 3.0    | 9.3  | 7.9  | 8.8  | 12.4   | 13.5 | 13.0 | 15.3 | 16.8   | 16.3 | 15.3 | 21.0 | 13.0   | 11.0       | 12.1 |        |     |
| * ANY HALLUCINOGEN                                      | 5.4   | 4.4  | 4.9    | 10.9 | 10.0 | 10.7 | 13.1   | 13.9 | 13.6 | 15.6 | 17.2   | 16.6 | 15.8 | 22.1 | 14.2   | 12.1       | 13.3 |        |     |
| COCAINE: Q17                                            | 1.2   | 1.2  | 1.2    | 4.5  | 0.6  | 2.3  | 3.0    | 4.4  | 3.9  | 0.9  | 5.9    | 3.5  | 3.2  | 5.9  | 3.5    | 3.1        | 3.3  |        |     |
| CRACK: Q18                                              | 0.8   | 1.2  | 1.0    | 2.9  | 1.1  | 1.9  | 0.3    | 1.8  | 1.2  | 0.9  | 1.5    | 1.2  | 1.6  | 0.8  | 1.2    | 1.2        | 1.3  | 1.3    |     |
| HEROIN: Q15                                             | 1.8   | 0.8  | 1.3    | 3.4  | 1.0  | 2.0  | 1.0    | 2.4  | 1.8  | 0.9  | 1.5    | 1.2  | 1.6  | 0.8  | 1.2    | 1.7        | 1.3  | 1.5    |     |
| SPEED: Q16                                              | 2.1   | 3.6  | 2.8    | 4.8  | 5.3  | 5.0  | 5.6    | 6.0  | 6.0  | 2.7  | 5.8    | 4.5  | 6.8  | 3.9  | 5.4    | 4.4        | 5.0  | 4.7    |     |
| STIMULANTS (W/O PRESCRIPTION): Q20                      | 1.3   | 4.2  | 2.8    | 6.0  | 12.8 | 9.8  | 5.5    | 12.0 | 8.6  | 2.9  | 11.3   | 7.4  | 10.8 | 10.1 | 10.6   | 5.2        | 10.1 | 7.8    |     |
| STIMULANTS (WITH PRESCRIPTION): Q21                     | 8.4   | 4.1  | 5.2    | 5.9  | 5.4  | 5.5  | 5.4    | 5.9  | 6.0  | 5.3  | 8.4    | 8.9  | 6.0  | 4.0  | 5.0    | 5.8        | 5.7  | 5.7    |     |
| BARBITURATES (W/O PRESCRIPTION): Q13                    | 1.3   | 2.0  | 1.6    | 5.5  | 6.1  | 5.7  | 3.1    | 5.8  | 4.3  | 3.5  | 5.0    | 4.3  | 4.8  | 3.0  | 3.9    | 3.5        | 4.5  | 4.0    |     |
| TRANQUILIZERS (W/O PRESCR.): Q22                        | 0.8   | 2.1  | 1.4    | 5.4  | 5.3  | 5.5  | 3.3    | 8.1  | 5.7  | 2.5  | 6.8    | 4.8  | 4.7  | 3.6  | 4.2    | 3.3        | 5.3  | 4.3    |     |
| * DEPRESSANTS (W/O PRESCRIPTION)                        | 1.6   | 3.4  | 2.5    | 8.5  | 9.4  | 9.0  | 5.6    | 10.1 | 7.8  | 4.7  | 9.2    | 7.0  | 8.1  | 6.3  | 7.1    | 5.6        | 7.8  | 6.7    |     |
| BARBITURATES (W. PRESCRIPTION): Q14                     | 8.4   | 11.9 | 10.0   | 12.2 | 13.4 | 12.8 | 11.0   | 11.1 | 10.9 | 11.6 | 13.1   | 12.3 | 13.8 | 10.9 | 12.4   | 11.3       | 12.1 | 11.6   |     |
| TRANQUILIZERS (W. PRESCRIPTION): Q23                    | 4.0   | 4.6  | 4.3    | 4.8  | 5.9  | 5.5  | 4.3    | 6.1  | 5.3  | 4.3  | 7.7    | 6.1  | 6.5  | 4.7  | 5.6    | 4.7        | 5.9  | 5.3    |     |
| * DEPRESSANTS (WITH PRESCRIPTION)                       | 10.3  | 13.1 | 11.6   | 14.8 | 17.9 | 16.5 | 13.8   | 15.2 | 14.5 | 14.8 | 18.4   | 16.5 | 18.3 | 14.0 | 16.2   | 14.2       | 15.8 | 15.0   |     |
| * PRESCRIPTION (STIM, BARB, TRANQ)                      | 13.8  | 15.3 | 14.3   | 17.5 | 19.3 | 18.4 | 16.5   | 18.8 | 17.8 | 17.9 | 23.1   | 20.4 | 21.3 | 16.4 | 19.0   | 17.3       | 18.7 | 17.9   |     |

NOTES: \* REPRESENTS A COMBINATION OF DRUGS. "INHALANTS" REFERS TO USE OF GLUE OR SOLVENTS. "ANY HALLUCINOGEN" REFERS TO USE OF LSD, PCP, OR OTHER HALLUCINOGENS. "DEPRESSANTS (W/O PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITHOUT A PRESCRIPTION. "DEPRESSANTS (WITH PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITH A PRESCRIPTION. "PRESCRIPTION (STIM, BARB, TRANQ)" REFERS TO USE OF STIMULANTS, BARBITURATES, OR TRANQUILIZERS WITH A PRESCRIPTION.

TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE. REFER TO APPROPRIATE QUESTIONNAIRE ITEMS TO DETERMINE WHAT INDIVIDUAL DRUGS ARE INCLUDED WITHIN EACH DRUG CATEGORY.

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q4 = 2,826<br>Q5 = 2,585<br>Q6 = 2,590 | GRADE |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |      |      |      |        |     |
|-------------------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|------|------|------|--------|-----|
|                                                                         | 8     |      |        | 9    |      |      | 10     |      |      | 11   |        |      |            |      |        | 12   |      |      |        |     |
|                                                                         | MALE  |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE       |      | FEMALE | ALL  | MALE |      | FEMALE | ALL |
|                                                                         | %     | %    | %      | %    | %    | %    | %      | %    | %    | %    | %      | %    | %          | %    | %      | %    | %    | %    | %      | %   |
| Q4: USUAL SCHOOL MARKS                                                  |       |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |      |      |        |     |
| A                                                                       | 9.6   | 12.5 | 10.9   | 5.4  | 5.9  | 5.6  | 6.2    | 14.9 | 10.1 | 6.6  | 8.1    | 7.3  | 2.5        | 6.0  | 4.3    | 6.2  | 9.5  | 7.8  |        |     |
| B                                                                       | 33.5  | 48.5 | 40.6   | 30.2 | 43.6 | 37.1 | 31.6   | 40.5 | 35.5 | 33.9 | 37.9   | 35.8 | 29.6       | 39.6 | 34.4   | 31.6 | 42.1 | 36.8 |        |     |
| C                                                                       | 43.2  | 33.5 | 38.6   | 47.7 | 42.0 | 45.1 | 48.2   | 36.7 | 43.0 | 49.9 | 48.0   | 49.4 | 59.6       | 49.8 | 54.8   | 49.4 | 41.8 | 45.8 |        |     |
| PASS                                                                    | 12.1  | 5.1  | 8.9    | 14.6 | 7.8  | 10.9 | 13.0   | 7.5  | 10.5 | 9.0  | 5.5    | 7.1  | 8.4        | 4.6  | 6.5    | 11.5 | 6.2  | 8.9  |        |     |
| FAIL                                                                    | 1.7   | 0.3  | 1.0    | 2.1  | 0.6  | 1.3  | 1.0    | 0.5  | 0.8  | 0.5  | 0.5    | 0.5  | 0.0        | 0.0  | 0.0    | 1.1  | 0.4  | 0.7  |        |     |
| Q5: FATHER'S EMPLOYMENT STATUS                                          |       |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |      |      |        |     |
| PERMANENTLY EMPLOYED FULLTIME                                           | 77.4  | 76.5 | 77.3   | 80.2 | 77.1 | 78.7 | 79.7   | 84.8 | 82.0 | 84.2 | 84.1   | 84.1 | 78.0       | 75.7 | 76.0   | 79.5 | 79.8 | 79.8 |        |     |
| UNEMPLOYED PERMANENTLY/RETIRED                                          | 1.6   | 2.0  | 1.8    | 2.3  | 1.5  | 1.8  | 3.3    | 2.0  | 2.7  | 2.8  | 2.9    | 3.0  | 5.8        | 5.0  | 5.3    | 3.1  | 2.6  | 2.8  |        |     |
| SEASONALLY EMPLOYED                                                     | 7.2   | 4.4  | 5.7    | 2.8  | 5.9  | 4.5  | 4.7    | 3.8  | 4.3  | 3.8  | 2.8    | 3.2  | 5.2        | 4.2  | 4.7    | 4.8  | 4.2  | 4.5  |        |     |
| INTERMITTENTLY EMPLOYED                                                 | 6.3   | 10.8 | 8.4    | 10.2 | 8.2  | 9.0  | 6.5    | 5.6  | 6.0  | 6.6  | 4.7    | 5.5  | 7.6        | 7.8  | 7.6    | 7.3  | 7.4  | 7.3  |        |     |
| DON'T KNOW OR NOT LIVING                                                | 7.5   | 6.3  | 6.8    | 4.5  | 7.2  | 5.9  | 5.8    | 3.8  | 5.1  | 2.7  | 5.5    | 4.1  | 5.7        | 7.3  | 6.4    | 5.3  | 6.0  | 5.6  |        |     |
| Q6: MOTHER'S EMPLOYMENT STATUS                                          |       |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |      |      |        |     |
| FULLTIME HOME MAKER                                                     | 32.4  | 29.2 | 31.1   | 28.5 | 35.5 | 33.1 | 23.4   | 25.7 | 24.2 | 30.7 | 21.9   | 26.1 | 28.4       | 33.4 | 30.8   | 28.5 | 29.1 | 28.9 |        |     |
| PERMANENTLY EMPLOYED                                                    | 45.5  | 49.9 | 47.4   | 45.6 | 43.8 | 44.2 | 47.6   | 53.3 | 50.3 | 44.4 | 51.8   | 48.5 | 46.3       | 48.9 | 47.7   | 45.9 | 49.5 | 47.7 |        |     |
| UNEMPLOYED PERMANENTLY/RETIRED                                          | 1.1   | 2.1  | 1.6    | 3.0  | 2.4  | 2.6  | 2.7    | 0.9  | 1.9  | 1.1  | 2.4    | 1.7  | 1.7        | 1.6  | 1.6    | 1.9  | 1.9  | 1.9  |        |     |
| SEASONALLY EMPLOYED                                                     | 4.5   | 5.3  | 5.2    | 7.2  | 5.6  | 6.3  | 5.4    | 3.5  | 4.7  | 6.2  | 5.0    | 5.5  | 4.8        | 3.0  | 3.9    | 5.6  | 4.6  | 5.1  |        |     |
| INTERMITTENTLY EMPLOYED                                                 | 13.2  | 10.1 | 11.5   | 12.7 | 10.7 | 11.5 | 17.8   | 13.8 | 15.8 | 16.4 | 17.2   | 16.6 | 17.1       | 9.6  | 13.4   | 15.5 | 12.4 | 13.8 |        |     |
| DON'T KNOW OR NOT LIVING                                                | 3.4   | 3.4  | 3.3    | 2.9  | 7.0  | 2.4  | 3.1    | 2.6  | 3.1  | 1.3  | 1.7    | 1.5  | 1.7        | 3.4  | 2.5    | 2.5  | 2.6  | 2.6  |        |     |

Q8: TOBACCO USE IN LAST 12 MO.



## CENTRAL AND SOUTH EAST

NO MORE TIMES

CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q8(MOD) = 578<br>Q9(MOD) = 2,101<br>Q10(MOD) = 712 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                     | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                                                     | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
|                                                                                     | Σ     | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ          | Σ      | Σ    |
| Q8(MOD): TOBACCO USE IN LAST 12 MONTHS                                              |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| LESS THAN 1 CIGARETTE DAILY                                                         | 17.0  | 34.6   | 25.6 | 42.1 | 31.6   | 34.7 | 34.1 | 30.7   | 31.5 | 41.9 | 34.8   | 37.6 | 30.0 | 15.7   | 22.3 | 34.3       | 29.2   | 31.2 |
| 1 TO 2 DAILY                                                                        | 19.7  | 21.1   | 20.4 | 12.7 | 16.3   | 15.0 | 16.6 | 15.8   | 16.3 | 8.5  | 15.2   | 12.7 | 6.7  | 13.2   | 10.6 | 12.6       | 15.7   | 14.8 |
| 3 TO 5 DAILY                                                                        | 20.6  | 23.6   | 22.1 | 13.0 | 27.9   | 22.6 | 13.9 | 19.7   | 17.3 | 22.9 | 15.2   | 18.1 | 21.0 | 18.3   | 19.5 | 16.4       | 20.6   | 19.6 |
| 6 TO 10 DAILY                                                                       | 12.4  | 8.2    | 10.4 | 18.2 | 15.0   | 15.9 | 15.6 | 19.8   | 17.5 | 16.0 | 18.4   | 17.7 | 11.5 | 15.9   | 13.8 | 14.8       | 16.5   | 15.7 |
| 11 TO 15 DAILY                                                                      | 10.7  | 0.0    | 5.5  | 5.3  | 4.9    | 4.9  | 6.7  | 11.0   | 8.8  | 4.7  | 8.9    | 7.0  | 17.7 | 16.6   | 17.0 | 9.0        | 9.2    | 9.0  |
| 16 TO 20 DAILY                                                                      | 3.1   | 8.9    | 5.9  | 3.5  | 4.4    | 4.1  | 7.8  | 1.4    | 4.2  | 2.2  | 4.6    | 3.5  | 11.0 | 11.8   | 11.4 | 5.9        | 5.7    | 5.7  |
| MORE THAN 20 DAILY                                                                  | 16.6  | 3.2    | 10.1 | 5.3  | 0.0    | 2.6  | 3.1  | 1.7    | 2.3  | 3.8  | 2.9    | 3.2  | 2.0  | 8.6    | 5.5  | 5.0        | 3.1    | 4.0  |
| Q9(MOD): ALCOHOL USE IN LAST 12 MONTHS                                              |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| SPECIAL EVENTS ONLY                                                                 | 44.3  | 51.8   | 47.6 | 33.9 | 32.7   | 33.7 | 17.4 | 25.4   | 20.7 | 16.4 | 15.1   | 15.5 | 8.7  | 23.4   | 15.6 | 22.2       | 27.8   | 25.0 |
| ONCE MONTHLY OR LESS                                                                | 22.9  | 24.9   | 23.7 | 22.2 | 32.3   | 27.5 | 28.9 | 28.3   | 28.3 | 33.8 | 34.5   | 34.3 | 23.6 | 26.7   | 25.2 | 26.8       | 29.8   | 28.2 |
| 2 TO 3 TIMES MONTHLY                                                                | 15.3  | 13.1   | 14.5 | 19.1 | 20.1   | 19.4 | 32.1 | 26.3   | 30.0 | 24.5 | 30.1   | 27.2 | 28.8 | 25.0   | 27.2 | 25.0       | 23.8   | 24.5 |
| ONCE PER WEEK                                                                       | 11.2  | 5.0    | 8.4  | 11.9 | 8.7    | 10.5 | 12.4 | 11.6   | 11.9 | 17.2 | 11.9   | 14.4 | 22.0 | 18.0   | 19.0 | 15.2       | 10.9   | 13.1 |
| 2 OR 3 TIMES WEEKLY                                                                 | 3.5   | 4.7    | 4.1  | 7.3  | 4.9    | 5.8  | 7.4  | 7.8    | 7.8  | 6.6  | 7.9    | 7.7  | 13.9 | 8.2    | 11.1 | 8.0        | 6.8    | 7.5  |
| 4 OR 5 TIMES WEEKLY                                                                 | 1.4   | 0.6    | 1.0  | 1.7  | 0.9    | 1.2  | 1.1  | 0.0    | 0.6  | 0.9  | 0.5    | 0.7  | 2.2  | 0.9    | 1.5  | 1.4        | 0.6    | 1.0  |
| 6 TO 7 TIMES WEEKLY                                                                 | 1.4   | 0.0    | 0.7  | 3.9  | 0.4    | 1.9  | 0.7  | 0.6    | 0.7  | 0.6  | 0.0    | 0.3  | 0.8  | 0.0    | 0.4  | 1.3        | 0.2    | 0.8  |
| Q10(MOD): CANNABIS USE IN LAST 12 MONTHS                                            |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| 1 OR 2 TIMES                                                                        | 63.8  | 59.7   | 61.5 | 26.1 | 51.4   | 40.1 | 33.6 | 53.1   | 43.4 | 48.8 | 39.2   | 42.7 | 28.8 | 40.4   | 33.6 | 36.9       | 46.0   | 41.3 |
| 3 TO 5 TIMES                                                                        | 10.9  | 24.3   | 18.0 | 23.1 | 7.1    | 14.2 | 24.3 | 18.1   | 21.0 | 8.3  | 19.2   | 14.3 | 17.1 | 18.2   | 17.5 | 17.2       | 17.1   | 17.0 |
| 6 TO 9 TIMES                                                                        | 0.0   | 11.3   | 4.6  | 17.5 | 18.1   | 17.4 | 10.2 | 7.2    | 8.6  | 11.9 | 15.4   | 14.6 | 15.1 | 10.2   | 13.0 | 12.4       | 12.4   | 12.5 |
| 10 TO 19 TIMES                                                                      | 11.1  | 4.6    | 8.0  | 2.0  | 1.7    | 2.8  | 11.9 | 8.2    | 9.9  | 8.1  | 10.7   | 9.4  | 7.4  | 15.5   | 10.8 | 8.2        | 9.4    | 8.9  |
| 20 TO 39 TIMES                                                                      | 7.1   | 0.0    | 3.6  | 10.6 | 9.7    | 9.9  | 8.0  | 7.7    | 8.3  | 5.8  | 5.1    | 5.3  | 6.8  | 6.6    | 7.1  | 7.4        | 6.5    | 7.1  |
| 40 OR MORE TIMES                                                                    | 7.2   | 0.0    | 3.9  | 20.7 | 12.1   | 15.7 | 12.0 | 5.6    | 8.7  | 17.2 | 10.4   | 13.6 | 24.8 | 9.1    | 18.0 | 17.9       | 8.6    | 13.2 |

NOTE: Q8(MOD), Q9(MOD), AND Q10(MOD) ARE MODIFIED RESPONSE SETS FOR Q8, Q9, AND Q10. RESPECTIVELY, AND INCLUDE ONLY THOSE WHO USED THESE DRUGS DURING THE LAST 12 MONTHS. TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q11 = 2,617<br>Q12 = 2,618 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q11: GLUE USE IN LAST 12 MO                                 |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE                                                        | 97.2  | 98.0   | 97.6 | 97.0 | 97.8   | 97.5 | 97.5 | 98.0   | 97.7 | 98.6 | 98.6   | 98.4 | 100.0      | 99.2   | 98.4 |
| 1 OR 2 TIMES                                                | 1.8   | 1.7    | 1.7  | 1.5  | 0.8    | 1.1  | 1.4  | 1.2    | 1.3  | 0.5  | 1.0    | 0.8  | 0.0        | 0.6    | 1.3  |
| 3 TO 5 TIMES                                                | 0.0   | 0.3    | 0.2  | 0.4  | 0.4    | 0.4  | 0.3  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.2  |
| 6 TO 9 TIMES                                                | 0.6   | 0.0    | 0.3  | 0.4  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.1  |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.6    | 0.3  | 0.4  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.1  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.4    | 0.2  | 0.0  | 0.8    | 0.4  | 0.4  | 0.5    | 0.4  | 0.0        | 0.0    | 0.3  |
| 40 OR MORE TIMES                                            | 0.3   | 0.0    | 0.2  | 0.8  | 0.0    | 0.3  | 0.4  | 0.0    | 0.2  | 0.5  | 0.0    | 0.2  | 0.4        | 0.2    | 0.2  |
| Q12: SOLVENT USE IN LAST 12 MO                              |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE                                                        | 94.4  | 97.0   | 95.8 | 96.3 | 96.4   | 96.4 | 97.1 | 97.2   | 97.1 | 97.2 | 98.2   | 97.7 | 99.6       | 98.1   | 97.6 |
| 1 OR 2 TIMES                                                | 3.8   | 2.6    | 3.2  | 2.9  | 2.2    | 2.5  | 2.2  | 1.6    | 1.9  | 1.2  | 1.3    | 1.2  | 0.4        | 1.8    | 2.5  |
| 3 TO 5 TIMES                                                | 0.3   | 0.3    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.4    | 0.2  | 0.7  | 0.0    | 0.3  | 0.0        | 0.0    | 0.1  |
| 6 TO 9 TIMES                                                | 0.6   | 0.0    | 0.3  | 0.0  | 0.6    | 0.3  | 0.3  | 0.0    | 0.2  | 0.0  | 0.5    | 0.2  | 0.0        | 0.0    | 0.2  |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.5    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.1  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.3    | 0.2  | 0.0  | 0.3    | 0.2  | 0.4  | 0.0    | 0.2  | 0.4        | 0.0    | 0.1  |
| 40 OR MORE TIMES                                            | 0.8   | 0.0    | 0.4  | 0.8  | 0.4    | 0.5  | 0.4  | 0.0    | 0.2  | 0.5  | 0.0    | 0.2  | 0.0        | 0.0    | 0.3  |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY 1987 \*\*\*  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q13 = 2,817<br>Q14 = 2,613 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |        |
|-------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|--------|
|                                                             | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        | MALE       | FEMALE |
|                                                             | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE |            |        |
|                                                             | %     | N    | %      | %    | N    | %      | %    | N    | %      | %    | N    | %      | %    | N    | %      | %    | N    | %      |            |        |
| Q13: BARBITURATE USE WITHOUT PRESC. IN LAST 12 MONTHS       |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |        |
| DON'T KNOW WHAT IT IS                                       | 47.3  | 49.4 | 48.4   | 39.5 | 38.0 | 38.7   | 30.9 | 44.7 | 37.1   | 30.7 | 31.9 | 31.4   | 22.5 | 28.0 | 25.2   | 34.4 | 38.7 | 38.6   |            |        |
| NONE                                                        | 51.4  | 48.6 | 50.0   | 55.0 | 55.9 | 55.6   | 66.0 | 49.4 | 58.6   | 65.7 | 63.1 | 64.3   | 72.7 | 69.0 | 70.9   | 62.1 | 56.8 | 59.5   |            |        |
| 1 TO 2 TIMES                                                | 0.8   | 1.6  | 1.2    | 3.0  | 3.5  | 3.2    | 2.1  | 3.8  | 2.9    | 2.5  | 2.8  | 2.6    | 3.0  | 2.6  | 2.8    | 2.2  | 2.9  | 2.5    |            |        |
| 3 TO 5 TIMES                                                | 0.0   | 0.3  | 0.2    | 0.9  | 0.8  | 0.8    | 0.6  | 0.8  | 0.7    | 0.5  | 1.4  | 1.0    | 0.4  | 0.4  | 0.4    | 0.5  | 0.8  | 0.6    |            |        |
| 6 TO 9 TIMES                                                | 0.0   | 0.0  | 0.0    | 0.0  | 0.7  | 0.4    | 0.0  | 0.4  | 0.2    | 0.0  | 0.3  | 0.2    | 0.9  | 0.0  | 0.5    | 0.2  | 0.3  | 0.2    |            |        |
| 10 TO 19 TIMES                                              | 0.0   | 0.0  | 0.0    | 1.2  | 0.8  | 0.9    | 0.3  | 0.4  | 0.4    | 0.0  | 0.0  | 0.0    | 0.5  | 0.0  | 0.2    | 0.4  | 0.2  | 0.3    |            |        |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.4  | 0.0  | 0.2    | 0.0  | 0.5  | 0.2    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.1  | 0.1  | 0.1    |            |        |
| 40 OR MORE TIMES                                            | 0.5   | 0.0  | 0.7    | 0.0  | 0.3  | 0.2    | 0.0  | 0.0  | 0.0    | 0.5  | 0.5  | 0.5    | 0.0  | 0.0  | 0.0    | 0.2  | 0.2  | 0.2    |            |        |
| Q14: BARBITURATE USE WITH PRESC. IN LAST 12 MONTHS          |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |        |
| DON'T KNOW WHAT IT IS                                       | 46.4  | 46.8 | 47.7   | 38.7 | 36.0 | 36.5   | 31.4 | 44.9 | 37.6   | 29.8 | 31.8 | 31.0   | 20.6 | 24.8 | 22.7   | 33.7 | 38.1 | 38.0   |            |        |
| NONE                                                        | 45.2  | 39.3 | 42.3   | 49.1 | 48.7 | 48.6   | 57.6 | 44.0 | 51.5   | 58.6 | 55.1 | 56.7   | 65.6 | 64.4 | 64.9   | 55.1 | 49.7 | 52.3   |            |        |
| 1 TO 2 TIMES                                                | 5.7   | 8.7  | 7.1    | 5.7  | 7.6  | 6.8    | 7.4  | 6.5  | 6.9    | 6.9  | 8.8  | 7.8    | 10.3 | 7.0  | 8.8    | 7.2  | 7.8  | 7.5    |            |        |
| 3 TO 5 TIMES                                                | 0.7   | 1.6  | 1.1    | 2.3  | 3.9  | 3.1    | 2.0  | 1.7  | 1.8    | 3.0  | 2.4  | 2.6    | 0.8  | 1.2  | 1.0    | 1.7  | 2.2  | 2.0    |            |        |
| 6 TO 9 TIMES                                                | 0.8   | 0.8  | 0.8    | 1.5  | 0.4  | 0.9    | 0.7  | 0.8  | 0.7    | 0.8  | 0.7  | 0.7    | 1.4  | 1.2  | 1.3    | 1.0  | 0.8  | 0.9    |            |        |
| 10 TO 19 TIMES                                              | 0.2   | 0.7  | 0.4    | 0.4  | 1.0  | 0.7    | 0.3  | 1.7  | 1.0    | 0.4  | 0.5  | 0.4    | 0.4  | 0.5  | 0.4    | 0.3  | 0.9  | 0.6    |            |        |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 1.2  | 0.4  | 0.8    | 0.0  | 0.0  | 0.0    | 0.0  | 0.5  | 0.2    | 0.0  | 0.9  | 0.4    | 0.2  | 0.3  | 0.3    |            |        |
| 40 OR MORE TIMES                                            | 1.0   | 0.0  | 0.5    | 1.2  | 0.0  | 0.5    | 0.6  | 0.5  | 0.5    | 0.5  | 0.3  | 0.4    | 0.9  | 0.0  | 0.4    | 0.8  | 0.2  | 0.5    |            |        |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q15 = 2,613<br>Q16 = 2,616 | GRADE |        |      |  |      |        |      |  |      |        |      |  |      |        |      |  | ALL GRADES |        |      |      |
|-------------------------------------------------------------|-------|--------|------|--|------|--------|------|--|------|--------|------|--|------|--------|------|--|------------|--------|------|------|
|                                                             | 8     |        |      |  | 9    |        |      |  | 10   |        |      |  | 11   |        |      |  | 12         |        |      |      |
|                                                             | MALE  | FEMALE | ALL  |  | MALE | FEMALE | ALL  |  | MALE | FEMALE | ALL  |  | MALE | FEMALE | ALL  |  | MALE       | FEMALE | ALL  |      |
| Q15: HEROIN USE IN LAST 12 MO.                              |       |        |      |  |      |        |      |  |      |        |      |  |      |        |      |  |            |        |      |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |  |      |        |      |  |      |        |      |  |      |        |      |  |            |        |      |      |
| NONE                                                        | 10.2  | 8.7    | 9.4  |  | 6.7  | 6.6    | 6.5  |  | 4.1  | 3.8    | 3.9  |  | 4.5  | 1.0    | 2.6  |  | 3.8        | 4.8    | 4.2  | 5.4  |
| 1 TO 2 TIMES                                                | 88.0  | 90.4   | 89.3 |  | 90.0 | 92.4   | 91.4 |  | 95.0 | 93.8   | 94.3 |  | 94.6 | 97.5   | 96.2 |  | 94.6       | 94.4   | 94.5 | 93.1 |
| 3 TO 5 TIMES                                                | 0.6   | 0.8    | 0.7  |  | 1.2  | 0.3    | 0.7  |  | 0.7  | 1.5    | 1.0  |  | 0.4  | 0.7    | 0.5  |  | 0.8        | 0.8    | 0.7  | 0.8  |
| 6 TO 9 TIMES                                                | 0.3   | 0.0    | 0.2  |  | 0.0  | 0.3    | 0.2  |  | 0.0  | 0.5    | 0.4  |  | 0.0  | 0.0    | 0.0  |  | 0.4        | 0.0    | 0.2  | 0.2  |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  |  | 0.0  | 0.0    | 0.0  |  | 0.3  | 0.0    | 0.2  |  | 0.0  | 0.3    | 0.2  |  | 0.5        | 0.0    | 0.2  | 0.1  |
| 20 TO 39 TIMES                                              | 0.3   | 0.0    | 0.2  |  | 0.5  | 0.0    | 0.2  |  | 0.0  | 0.0    | 0.0  |  | 0.0  | 0.0    | 0.0  |  | 0.0        | 0.0    | 0.0  | 0.1  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  |  | 0.4  | 0.0    | 0.2  |  | 0.0  | 0.0    | 0.0  |  | 0.0  | 0.0    | 0.0  |  | 0.0        | 0.0    | 0.0  | 0.0  |
|                                                             | 0.5   | 0.0    | 0.2  |  | 1.2  | 0.4    | 0.7  |  | 0.0  | 0.5    | 0.2  |  | 0.5  | 0.5    | 0.5  |  | 0.0        | 0.0    | 0.0  | 0.3  |
| Q16: SPEED USE IN LAST 12 MO.                               |       |        |      |  |      |        |      |  |      |        |      |  |      |        |      |  |            |        |      |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |  |      |        |      |  |      |        |      |  |      |        |      |  |            |        |      |      |
| NONE                                                        | 20.4  | 21.5   | 20.7 |  | 12.5 | 13.9   | 13.3 |  | 8.2  | 10.0   | 8.9  |  | 7.1  | 2.8    | 4.8  |  | 4.4        | 8.2    | 6.2  | 10.9 |
| 1 TO 2 TIMES                                                | 77.4  | 74.9   | 76.5 |  | 82.7 | 80.9   | 81.8 |  | 86.2 | 84.0   | 85.1 |  | 90.2 | 91.4   | 90.8 |  | 88.8       | 87.9   | 88.5 | 84.3 |
| 3 TO 5 TIMES                                                | 0.8   | 3.1    | 1.9  |  | 0.8  | 2.4    | 1.6  |  | 4.0  | 2.6    | 3.4  |  | 2.2  | 3.7    | 3.1  |  | 4.8        | 2.0    | 3.4  | 2.7  |
| 6 TO 9 TIMES                                                | 0.3   | 0.5    | 0.4  |  | 2.1  | 1.6    | 1.8  |  | 0.9  | 1.1    | 1.0  |  | 0.0  | 0.3    | 0.2  |  | 0.8        | 1.2    | 1.0  | 0.9  |
| 10 TO 19 TIMES                                              | 0.3   | 0.0    | 0.2  |  | 0.4  | 0.3    | 0.3  |  | 0.0  | 0.9    | 0.6  |  | 0.0  | 0.6    | 0.3  |  | 0.7        | 0.3    | 0.5  | 0.4  |
| 20 TO 39 TIMES                                              | 0.3   | 0.0    | 0.2  |  | 0.0  | 0.3    | 0.2  |  | 0.3  | 0.9    | 0.6  |  | 0.0  | 0.7    | 0.4  |  | 0.5        | 0.4    | 0.4  | 0.3  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  |  | 0.8  | 0.3    | 0.5  |  | 0.3  | 0.4    | 0.4  |  | 0.0  | 0.0    | 0.0  |  | 0.0        | 0.0    | 0.0  | 0.2  |



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q17 = 2,608<br>Q18 = 2,615 | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |     |   |      |        |     |   |
|-------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|-----|---|------|--------|-----|---|
|                                                             | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      |            |        | 12  |   |      |        |     |   |
|                                                             | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL | % | MALE | FEMALE | ALL | % |
| Q17: COCAINE USE IN LAST 12 MO.                             |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |      |        |     |   |
| DON'T KNOW WHAT IT IS                                       | 5.6   | 4.4    | 5.0  | 6.6  | 3.2  | 4.7    |      | 2.2  | 2.1  | 2.1    | 1.8  | 0.7  | 1.2  | 2.0    | 2.0  | 2.0  | 3.6        | 2.5    | 3.0 |   |      |        |     |   |
| NONE                                                        | 93.2  | 94.4   | 93.9 | 88.9 | 96.2 | 93.0   | 94.8 | 93.5 | 94.0 | 97.3   | 93.4 | 95.3 | 89.6 | 94.8   | 92.1 | 92.9 | 94.5       | 93.7   |     |   |      |        |     |   |
| 1 TO 2 TIMES                                                | 0.8   | 1.2    | 1.0  | 2.0  | 0.3  | 1.0    | 1.8  | 3.6  | 2.8  | 0.4    | 4.1  | 2.4  | 6.8  | 2.0    | 4.5  | 2.2  | 2.3        | 2.3    |     |   |      |        |     |   |
| 3 TO 5 TIMES                                                | 0.3   | 0.0    | 0.2  | 0.8  | 0.0  | 0.3    | 0.6  | 0.4  | 0.5  | 0.0    | 0.3  | 0.2  | 0.0  | 1.1    | 0.5  | 0.4  | 0.3        | 0.3    |     |   |      |        |     |   |
| 6 TO 9 TIMES                                                | 0.0   | 0.0    | 0.0  | 0.0  | 0.3  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.3  | 0.2  | 0.4  | 0.0    | 0.2  | 0.1  | 0.1        | 0.1    |     |   |      |        |     |   |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.7  | 0.3  | 0.8  | 0.0    | 0.4  | 0.1  | 0.1        | 0.1    |     |   |      |        |     |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.5  | 0.2    | 0.0  | 0.5  | 0.2  | 0.5    | 0.0  | 0.2  | 0.1        | 0.2    |     |   |      |        |     |   |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 1.7  | 0.0  | 0.8    | 0.6  | 0.0  | 0.0  | 0.3    | 0.5  | 0.0  | 0.2  | 0.0    | 0.0  | 0.6  | 0.0        | 0.3    |     |   |      |        |     |   |
| Q18: CRACK USE IN LAST 12 MO.                               |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |      |        |     |   |
| DON'T KNOW WHAT IT IS                                       | 13.1  | 16.1   | 14.7 | 10.2 | 13.3 | 11.7   | 11.7 | 6.5  | 14.1 | 9.9    | 3.9  | 7.2  | 12.9 | 10.1   | 8.2  | 13.3 | 10.7       |        |     |   |      |        |     |   |
| NONE                                                        | 86.0  | 82.7   | 84.3 | 86.9 | 85.6 | 88.4   | 93.2 | 84.1 | 88.9 | 95.3   | 88.3 | 91.6 | 91.2 | 86.3   | 88.7 | 90.6 | 85.4       | 88.0   |     |   |      |        |     |   |
| 1 TO 2 TIMES                                                | 0.3   | 0.8    | 0.6  | 0.8  | 1.1  | 1.0    | 0.0  | 1.3  | 0.6  | 0.0    | 0.7  | 0.4  | 0.6  | 0.4    | 0.6  | 0.3  | 0.9        | 0.6    |     |   |      |        |     |   |
| 3 TO 5 TIMES                                                | 0.0   | 0.3    | 0.2  | 0.4  | 0.0  | 0.2    | 0.0  | 0.5  | 0.4  | 0.0    | 0.5  | 0.2  | 0.4  | 0.4    | 0.4  | 0.1  | 0.3        | 0.3    |     |   |      |        |     |   |
| 6 TO 9 TIMES                                                | 0.0   | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.3  | 0.0  | 0.0  | 0.2    | 0.0  | 0.3  | 0.2  | 0.0    | 0.0  | 0.1  | 0.1        | 0.1    |     |   |      |        |     |   |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.5  | 0.0    | 0.2  | 0.1  | 0.0        | 0.0    |     |   |      |        |     |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0    |     |   |      |        |     |   |
| 40 OR MORE TIMES                                            | 0.5   | 0.0    | 0.2  | 1.7  | 0.0  | 0.8    | 0.0  | 0.0  | 0.0  | 0.0    | 0.9  | 0.4  | 0.0  | 0.0    | 0.0  | 0.6  | 0.0        | 0.3    |     |   |      |        |     |   |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q19 = 2,622<br>Q20 = 2,622 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q19: BINDRO USE IN LAST 12 MO.                              |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                       | 51.2  | 48.4   | 49.9 | 39.2 | 42.1   | 40.4 | 39.9 | 52.8   | 45.5 | 42.3 | 45.4   | 43.9 | 54.4       | 53.5   | 48.1 |
| NONE                                                        | 48.4  | 51.6   | 49.9 | 58.3 | 57.9   | 58.5 | 58.8 | 46.5   | 53.5 | 56.8 | 54.3   | 55.6 | 45.2       | 46.1   | 51.6 |
| 1 TO 2 TIMES                                                | 0.3   | 0.0    | 0.2  | 0.4  | 0.0    | 0.2  | 0.3  | 0.4    | 0.3  | 0.4  | 0.3    | 0.3  | 0.5        | 0.4    | 0.2  |
| 3 TO 5 TIMES                                                | 0.0   | 0.0    | 0.0  | 0.5  | 0.0    | 0.2  | 0.3  | 0.4    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.1  |
| 6 TO 9 TIMES                                                | 0.0   | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.3  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.1  |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  |
| 20 TO 40 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 1.2  | 0.0    | 0.5  | 0.3  | 0.0    | 0.2  | 0.5  | 0.0    | 0.2  | 0.0        | 0.0    | 0.2  |
| Q20: STIMULANT USE WITHOUT PRESC. IN LAST 12 MONTHS         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                       | 18.1  | 16.6   | 17.2 | 11.6 | 7.5    | 9.2  | 4.3  | 11.1   | 7.3  | 5.5  | 1.5    | 3.3  | 4.4        | 6.0    | 8.5  |
| NONE                                                        | 80.6  | 79.2   | 80.0 | 82.3 | 79.7   | 81.0 | 90.2 | 75.9   | 84.1 | 91.7 | 87.2   | 89.3 | 84.9       | 83.9   | 81.3 |
| 1 TO 2 TIMES                                                | 1.0   | 3.5    | 2.3  | 3.7  | 8.3    | 6.2  | 3.3  | 6.6    | 4.8  | 1.1  | 7.7    | 4.7  | 7.4        | 4.7    | 6.3  |
| 3 TO 5 TIMES                                                | 0.3   | 0.3    | 0.3  | 0.0  | 1.1    | 0.8  | 1.0  | 1.2    | 1.1  | 0.5  | 1.4    | 1.0  | 2.0        | 3.0    | 0.8  |
| 6 TO 9 TIMES                                                | 0.0   | 0.0    | 0.0  | 0.4  | 1.5    | 1.0  | 1.3  | 1.7    | 1.4  | 0.4  | 0.7    | 0.5  | 0.9        | 1.2    | 1.1  |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.4  | 0.8    | 0.6  | 0.0  | 0.0    | 0.2  | 0.4  | 0.5    | 0.4  | 0.0        | 0.4    | 0.1  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.4  | 0.4    | 0.4  | 0.0  | 2.1    | 1.0  | 0.0  | 0.3    | 0.2  | 0.5        | 0.0    | 0.2  |
| 40 OR MORE TIMES                                            | 0.0   | 0.3    | 0.2  | 1.2  | 0.8    | 0.9  | 0.0  | 0.4    | 0.2  | 0.5  | 0.7    | 0.6  | 0.0        | 0.8    | 0.6  |

NOTE: "BINDRO" IS A FICTITIOUS DRUG. IT WAS INCLUDED AS A QUESTIONNAIRE ITEM FOR PURPOSES OF EXAMINING RESPONSE VALIDITY.



THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q23 = 2,615<br>Q24 = 2,621 | GRADE |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   | ALL GRADES |        |      |   |
|-------------------------------------------------------------|-------|--------|------|---|------|--------|------|---|------|--------|------|---|------|--------|------|---|------|--------|------|---|------------|--------|------|---|
|                                                             | 8     |        |      |   | 9    |        |      |   | 10   |        |      |   | 11   |        |      |   | 12   |        |      |   |            |        |      |   |
|                                                             | MALE  | FEMALE | ALL  | % | MALE | FEMALE | ALL  | % | MALE | FEMALE | ALL  | % | MALE | FEMALE | ALL  | % | MALE | FEMALE | ALL  | % | MALE       | FEMALE | ALL  | % |
| Q23: TRANQUILIZER USE WITH PRESC. IN LAST 12 MONTHS         |       |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   |            |        |      |   |
| DON'T KNOW WHAT IT IS                                       | 10.3  | 8.8    | 9.4  |   | 8.8  | 2.9    | 5.5  |   | 3.2  | 2.4    | 2.9  |   | 3.5  | 1.1    | 2.2  |   | 3.7  | 3.2    | 3.4  |   | 5.9        | 3.7    | 4.7  |   |
| NONE                                                        | 85.7  | 86.6   | 86.3 |   | 86.4 | 91.2   | 89.0 |   | 92.4 | 91.5   | 91.8 |   | 92.1 | 91.2   | 91.7 |   | 89.8 | 92.1   | 90.9 |   | 89.4       | 90.4   | 89.9 |   |
| 1 TO 2 TIMES                                                | 2.3   | 3.9    | 3.1  |   | 2.3  | 3.4    | 3.1  |   | 4.0  | 2.2    | 3.2  |   | 3.0  | 5.6    | 4.4  |   | 6.0  | 3.0    | 4.5  |   | 3.5        | 3.7    | 3.6  |   |
| 3 TO 5 TIMES                                                | 0.5   | 0.7    | 0.6  |   | 0.8  | 1.3    | 1.1  |   | 0.0  | 2.9    | 1.3  |   | 0.4  | 1.4    | 0.9  |   | 0.0  | 0.9    | 0.4  |   | 0.3        | 1.4    | 0.9  |   |
| 6 TO 9 TIMES                                                | 0.3   | 0.0    | 0.2  |   | 0.4  | 0.4    | 0.4  |   | 0.3  | 0.5    | 0.6  |   | 0.0  | 0.3    | 0.2  |   | 0.0  | 0.0    | 0.0  |   | 0.2        | 0.2    | 0.3  |   |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  |   | 0.9  | 0.3    | 0.6  |   | 0.0  | 0.5    | 0.2  |   | 0.0  | 0.0    | 0.0  |   | 0.5  | 0.4    | 0.4  |   | 0.3        | 0.2    | 0.2  |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  |   | 0.0  | 0.0    | 0.0  |   | 0.0  | 0.0    | 0.0  |   | 0.0  | 0.0    | 0.0  |   | 0.0  | 0.4    | 0.2  |   | 0.0        | 0.1    | 0.0  |   |
| 40 OR MORE TIMES                                            | 1.0   | 0.0    | 0.5  |   | 0.4  | 0.4    | 0.4  |   | 0.0  | 0.0    | 0.0  |   | 0.9  | 0.3    | 0.6  |   | 0.0  | 0.0    | 0.0  |   | 0.4        | 0.2    | 0.3  |   |
| Q24: PCP USE IN LAST 12 MONTHS                              |       |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   |            |        |      |   |
| DON'T KNOW WHAT IT IS                                       | 13.9  | 15.3   | 14.4 |   | 10.6 | 9.2    | 9.9  |   | 3.6  | 11.5   | 7.2  |   | 4.0  | 2.2    | 3.0  |   | 3.6  | 9.0    | 6.1  |   | 7.1        | 9.4    | 8.2  |   |
| NONE                                                        | 83.5  | 83.9   | 83.9 |   | 86.6 | 89.4   | 88.1 |   | 94.8 | 86.3   | 90.8 |   | 94.8 | 96.1   | 95.5 |   | 94.4 | 90.6   | 92.6 |   | 90.8       | 89.3   | 90.1 |   |
| 1 TO 2 TIMES                                                | 1.7   | 0.8    | 1.3  |   | 0.4  | 1.0    | 0.7  |   | 1.0  | 1.7    | 1.5  |   | 0.7  | 1.1    | 0.9  |   | 1.1  | 0.4    | 0.8  |   | 1.0        | 1.0    | 1.1  |   |
| 3 TO 5 TIMES                                                | 0.0   | 0.0    | 0.0  |   | 0.0  | 0.3    | 0.2  |   | 0.0  | 0.0    | 0.0  |   | 0.0  | 0.3    | 0.2  |   | 0.4  | 0.0    | 0.2  |   | 0.1        | 0.1    | 0.1  |   |
| 6 TO 9 TIMES                                                | 0.3   | 0.0    | 0.2  |   | 0.4  | 0.0    | 0.2  |   | 0.0  | 0.0    | 0.0  |   | 0.0  | 0.3    | 0.2  |   | 0.5  | 0.0    | 0.2  |   | 0.2        | 0.1    | 0.1  |   |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  |   | 0.8  | 0.0    | 0.3  |   | 0.3  | 0.5    | 0.4  |   | 0.0  | 0.0    | 0.0  |   | 0.0  | 0.0    | 0.0  |   | 0.2        | 0.1    | 0.2  |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  |   | 0.0  | 0.0    | 0.0  |   | 0.0  | 0.0    | 0.0  |   | 0.0  | 0.0    | 0.0  |   | 0.0  | 0.0    | 0.0  |   | 0.0        | 0.0    | 0.0  |   |
| 40 OR MORE TIMES                                            | 0.5   | 0.0    | 0.2  |   | 1.3  | 0.0    | 0.6  |   | 0.3  | 0.0    | 0.2  |   | 0.5  | 0.0    | 0.2  |   | 0.0  | 0.0    | 0.0  |   | 0.5        | 0.0    | 0.3  |   |

## CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q25 = 2,611<br>Q26 = 2,619 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q25: HALLUCINOGEN USE IN LAST 12 MO. (EXCLUDING LSD & PCP)  |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                       | 23.6  | 24.6   | 23.3 | 17.7 | 18.0   | 17.6 | 12.2 | 18.0   | 14.7 | 7.8  | 4.9    | 6.1  | 4.2  | 7.9    | 6.0  | 13.3       | 14.9   | 13.9 |
| NONE                                                        | 72.8  | 73.0   | 73.2 | 73.0 | 74.2   | 73.6 | 75.4 | 68.5   | 72.3 | 77.0 | 78.3   | 77.6 | 69.5 | 76.8   | 73.0 | 73.6       | 74.1   | 73.9 |
| 1 TO 2 TIMES                                                | 2.1   | 1.9    | 2.0  | 4.5  | 5.6    | 5.2  | 7.9  | 7.5    | 7.9  | 8.5  | 10.5   | 9.6  | 13.6 | 7.6    | 10.9 | 7.2        | 6.6    | 7.0  |
| 3 TO 5 TIMES                                                | 0.7   | 0.5    | 0.6  | 1.3  | 1.0    | 1.3  | 2.6  | 2.3    | 2.4  | 3.6  | 3.7    | 3.6  | 5.8  | 3.5    | 4.7  | 2.7        | 2.2    | 2.5  |
| 6 TO 9 TIMES                                                | 0.3   | 0.0    | 0.2  | 0.8  | 1.0    | 0.9  | 0.3  | 0.7    | 0.5  | 1.4  | 0.7    | 1.2  | 3.0  | 1.8    | 2.4  | 1.1        | 0.8    | 1.0  |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.8  | 0.3    | 0.5  | 0.7  | 1.7    | 1.2  | 0.5  | 1.6    | 1.1  | 3.3  | 0.0    | 1.7  | 1.0        | 0.7    | 0.9  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.8  | 0.0    | 0.3  | 0.2  | 0.4    | 0.3  | 0.4  | 0.0    | 0.2  | 0.0  | 1.9    | 0.9  | 0.3        | 0.4    | 0.3  |
| 40 OR MORE TIMES                                            | 0.5   | 0.0    | 0.2  | 1.2  | 0.0    | 0.5  | 0.6  | 0.8    | 0.7  | 0.9  | 0.3    | 0.6  | 0.5  | 0.4    | 0.4  | 0.7        | 0.3    | 0.5  |
| Q26: LSD USE IN LAST 12 MO.                                 |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                       | 20.3  | 21.6   | 20.9 | 12.6 | 12.7   | 12.7 | 6.0  | 11.5   | 8.5  | 5.0  | 1.8    | 3.3  | 4.0  | 7.7    | 5.7  | 9.7        | 11.1   | 10.4 |
| NONE                                                        | 77.4  | 76.1   | 76.8 | 79.4 | 81.5   | 80.4 | 87.9 | 83.4   | 85.7 | 90.0 | 93.1   | 91.6 | 86.6 | 89.3   | 88.0 | 84.3       | 84.5   | 84.4 |
| 1 TO 2 TIMES                                                | 1.3   | 2.0    | 1.6  | 3.1  | 5.5    | 4.5  | 3.0  | 3.1    | 3.1  | 3.2  | 2.8    | 3.1  | 4.0  | 1.8    | 2.9  | 2.9        | 3.1    | 3.0  |
| 3 TO 5 TIMES                                                | 0.7   | 0.3    | 0.5  | 2.1  | 0.0    | 0.9  | 1.9  | 1.1    | 1.7  | 0.4  | 1.0    | 0.7  | 2.6  | 1.2    | 1.9  | 1.5        | 0.7    | 1.1  |
| 6 TO 9 TIMES                                                | 0.0   | 0.0    | 0.0  | 0.8  | 0.3    | 0.5  | 0.2  | 0.5    | 0.3  | 0.3  | 1.3    | 0.8  | 1.7  | 0.0    | 0.9  | 0.5        | 0.4    | 0.5  |
| 10 TO 19 TIMES                                              | 0.3   | 0.0    | 0.2  | 0.4  | 0.0    | 0.2  | 0.3  | 0.4    | 0.4  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.3        | 0.1    | 0.2  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.6  | 0.0    | 0.3  | 0.4  | 0.0    | 0.2  | 0.3        | 0.0    | 0.1  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 1.2  | 0.0    | 0.5  | 0.6  | 0.0    | 0.3  | 0.5  | 0.0    | 0.2  | 0.4  | 0.0    | 0.2  | 0.5        | 0.0    | 0.3  |



## CENTRAL AND SOUTH EAST

**MORE THAN ONCE DAILY**

CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q29 = 2,626<br>Q30A = 2,565<br>Q30B = 2,561 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |      |   |        |   |      |   |        |
|------------------------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|------|---|--------|---|------|---|--------|
|                                                                              | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      |            |      | 12   |   |        |   |      |   |        |
|                                                                              | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      |            |      | MALE |   | FEMALE |   | MALE |   | FEMALE |
|                                                                              | X     | %    | X      | %    | X    | %    | X      | %    | X    | %    | X      | %    | X    | %    | X      | %    | X          | %    | X    | % | X      | % | X    | % |        |
| Q29: ALCOHOL USE IN LAST 4 WEEKS                                             |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |   |      |   |        |
| NONE                                                                         | 51.6  | 55.0 | 53.6   | 43.0 | 40.8 | 42.1 | 25.8   | 32.1 | 28.4 | 26.2 | 26.4   | 26.2 | 16.8 | 25.2 | 20.9   | 32.8 | 36.2       | 34.6 |      |   |        |   |      |   |        |
| 1 OR 2 TIMES                                                                 | 35.4  | 38.0 | 36.4   | 36.6 | 44.2 | 40.5 | 50.6   | 49.4 | 50.1 | 47.8 | 50.4   | 49.0 | 42.4 | 46.8 | 44.5   | 42.9 | 45.7       | 44.2 |      |   |        |   |      |   |        |
| 1 OR 2 TIMES WEEKLY                                                          | 7.4   | 3.8  | 5.7    | 12.5 | 11.0 | 11.7 | 17.3   | 13.9 | 15.8 | 21.1 | 16.6   | 18.9 | 26.8 | 22.1 | 25.6   | 17.2 | 13.1       | 15.2 |      |   |        |   |      |   |        |
| 3 OR 4 TIMES WEEKLY                                                          | 3.6   | 2.3  | 2.9    | 3.1  | 3.0  | 3.0  | 4.4    | 3.8  | 4.1  | 2.7  | 5.2    | 4.2  | 8.6  | 5.0  | 6.8    | 4.4  | 3.8        | 4.1  |      |   |        |   |      |   |        |
| 5 OR 6 TIMES WEEKLY                                                          | 1.0   | 1.0  | 1.0    | 1.6  | 0.6  | 1.0  | 1.9    | 0.4  | 1.4  | 1.3  | 1.5    | 1.4  | 2.7  | 0.9  | 1.8    | 1.7  | 0.9        | 1.3  |      |   |        |   |      |   |        |
| ONCE DAILY                                                                   | 0.0   | 0.0  | 0.0    | 1.3  | 0.0  | 0.6  | 0.0    | 0.0  | 0.0  | 0.4  | 0.0    | 0.2  | 0.8  | 0.0  | 0.4    | 0.4  | 0.0        | 0.2  |      |   |        |   |      |   |        |
| MORE THAN ONCE DAILY                                                         | 1.0   | 0.0  | 0.5    | 1.8  | 0.4  | 1.0  | 0.0    | 0.4  | 0.2  | 0.5  | 0.0    | 0.2  | 0.0  | 0.0  | 0.0    | 0.6  | 0.2        | 0.4  |      |   |        |   |      |   |        |
| Q30A: DIFFICULTY GETTING ALCOHOL                                             |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |   |      |   |        |
| IMPOSSIBLE                                                                   | 3.7   | 1.8  | 3.0    | 2.7  | 1.6  | 2.1  | 0.3    | 0.9  | 0.6  | 0.0  | 0.5    | 0.2  | 0.0  | 0.4  | 0.2    | 1.3  | 1.1        | 1.2  |      |   |        |   |      |   |        |
| DIFFICULT                                                                    | 12.7  | 5.9  | 9.5    | 7.4  | 2.3  | 4.5  | 2.7    | 1.9  | 2.3  | 2.4  | 1.4    | 1.8  | 0.8  | 1.2  | 1.0    | 5.2  | 2.6        | 3.9  |      |   |        |   |      |   |        |
| FAIRLY EASY                                                                  | 31.8  | 41.7 | 36.4   | 24.5 | 44.3 | 35.4 | 39.4   | 30.7 | 35.5 | 30.8 | 28.9   | 29.6 | 20.9 | 22.0 | 21.5   | 30.1 | 34.1       | 32.0 |      |   |        |   |      |   |        |
| VERY EASY                                                                    | 40.0  | 40.8 | 40.3   | 56.7 | 46.9 | 52.1 | 56.3   | 63.4 | 59.6 | 65.9 | 68.6   | 67.5 | 76.9 | 74.8 | 75.9   | 58.9 | 58.2       | 58.6 |      |   |        |   |      |   |        |
| DON'T KNOW                                                                   | 11.9  | 10.0 | 10.8   | 6.6  | 4.8  | 5.8  | 1.3    | 3.1  | 2.1  | 0.9  | 0.7    | 0.8  | 1.4  | 1.6  | 1.5    | 4.4  | 4.1        | 4.3  |      |   |        |   |      |   |        |
| Q30B: DIFFICULTY GETTING TOBACCO                                             |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |   |      |   |        |
| IMPOSSIBLE                                                                   | 7.1   | 9.7  | 8.7    | 3.8  | 2.4  | 3.0  | 0.3    | 0.8  | 0.6  | 0.0  | 1.3    | 0.7  | 0.0  | 0.5  | 0.2    | 2.2  | 3.0        | 2.7  |      |   |        |   |      |   |        |
| DIFFICULT                                                                    | 8.3   | 7.4  | 7.9    | 3.7  | 1.9  | 2.6  | 1.5    | 3.5  | 2.4  | 1.3  | 0.5    | 0.9  | 0.4  | 1.6  | 1.0    | 3.0  | 3.0        | 3.0  |      |   |        |   |      |   |        |
| FAIRLY EASY                                                                  | 19.9  | 21.1 | 20.5   | 10.0 | 14.9 | 12.7 | 10.2   | 10.9 | 10.4 | 4.6  | 8.4    | 6.5  | 3.5  | 3.8  | 3.6    | 9.9  | 12.1       | 11.0 |      |   |        |   |      |   |        |
| VERY EASY                                                                    | 49.3  | 46.2 | 47.6   | 64.5 | 70.3 | 67.7 | 82.2   | 76.2 | 79.4 | 90.8 | 84.5   | 87.6 | 93.0 | 87.5 | 90.4   | 75.8 | 72.6       | 74.1 |      |   |        |   |      |   |        |
| DON'T KNOW                                                                   | 15.3  | 15.6 | 15.3   | 18.0 | 10.5 | 14.0 | 5.8    | 8.6  | 7.3  | 3.3  | 5.3    | 4.3  | 3.1  | 6.2  | 4.7    | 9.0  | 9.3        | 9.2  |      |   |        |   |      |   |        |



CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q30F = 2,551<br>Q30G = 2,556<br>Q30H = 2,553<br>Q30I = 2,545 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |   |
|-----------------------------------------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|---|
|                                                                                               | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      | 12         |      |        |   |
|                                                                                               | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE       |      | FEMALE |   |
|                                                                                               | Σ     | %    | Σ      | %    | Σ    | %    | Σ      | %    | Σ    | %    | Σ      | %    | Σ    | %    | Σ      | %    | Σ          | %    | Σ      | % |
| Q30F: DIFFICULTY GETTING HEROIN                                                               |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |
| IMPOSSIBLE                                                                                    | 32.4  | 26.3 | 29.5   | 25.6 | 16.2 | 20.7 | 25.6   | 15.2 | 20.6 | 16.7 | 12.9   | 14.9 | 20.1 | 7.3  | 13.8   | 24.3 | 15.9       | 20.1 |        |   |
| DIFFICULT                                                                                     | 17.8  | 15.8 | 17.3   | 21.0 | 19.4 | 19.8 | 22.1   | 19.9 | 21.1 | 26.1 | 22.4   | 24.0 | 21.1 | 19.9 | 20.4   | 21.8 | 19.5       | 20.5 |        |   |
| FAIRLY EASY                                                                                   | 3.7   | 4.9  | 4.3    | 5.1  | 5.3  | 5.1  | 4.8    | 5.7  | 5.1  | 4.8  | 5.2    | 4.9  | 4.1  | 4.2  | 4.1    | 4.5  | 5.1        | 4.7  |        |   |
| VERY EASY                                                                                     | 2.2   | 1.8  | 2.0    | 2.1  | 0.7  | 1.3  | 2.7    | 0.9  | 2.1  | 0.4  | 1.7    | 1.1  | 2.1  | 1.8  | 1.9    | 1.9  | 1.3        | 1.7  |        |   |
| DON'T KNOW                                                                                    | 43.8  | 51.2 | 48.9   | 46.2 | 58.4 | 53.0 | 44.8   | 58.4 | 51.1 | 52.1 | 57.9   | 55.1 | 52.6 | 66.8 | 59.8   | 47.7 | 58.2       | 52.9 |        |   |
| Q30G: DIFFICULTY GETTING COCAINE                                                              |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |
| IMPOSSIBLE                                                                                    | 34.5  | 27.2 | 31.4   | 25.5 | 14.3 | 19.6 | 21.5   | 13.9 | 17.8 | 14.4 | 10.7   | 12.5 | 11.9 | 4.2  | 8.1    | 21.8 | 14.4       | 18.2 |        |   |
| DIFFICULT                                                                                     | 17.2  | 16.1 | 16.8   | 20.3 | 19.2 | 19.7 | 24.2   | 21.2 | 22.8 | 26.3 | 19.9   | 23.0 | 28.4 | 16.9 | 22.7   | 23.2 | 18.7       | 21.0 |        |   |
| FAIRLY EASY                                                                                   | 3.7   | 7.3  | 5.5    | 5.5  | 11.1 | 8.5  | 10.2   | 9.8  | 10.1 | 10.9 | 16.0   | 13.4 | 8.8  | 12.9 | 10.9   | 7.9  | 11.4       | 9.6  |        |   |
| VERY EASY                                                                                     | 4.1   | 3.2  | 3.6    | 5.7  | 1.0  | 3.1  | 2.5    | 1.7  | 2.4  | 1.2  | 3.0    | 2.1  | 6.5  | 3.3  | 4.9    | 3.9  | 2.4        | 3.2  |        |   |
| DON'T KNOW                                                                                    | 40.5  | 46.2 | 42.8   | 43.0 | 54.3 | 49.2 | 41.5   | 53.4 | 48.9 | 47.3 | 50.5   | 49.0 | 44.3 | 62.7 | 53.4   | 43.2 | 53.0       | 48.1 |        |   |
| Q30H: DIFFICULTY GETTING CRACK                                                                |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |
| IMPOSSIBLE                                                                                    | 36.9  | 25.8 | 31.6   | 31.8 | 16.0 | 23.3 | 30.1   | 16.0 | 23.8 | 19.3 | 15.5   | 17.5 | 23.0 | 9.0  | 16.1   | 28.4 | 16.8       | 22.7 |        |   |
| DIFFICULT                                                                                     | 13.0  | 12.4 | 12.9   | 14.6 | 14.3 | 14.3 | 16.2   | 17.0 | 16.4 | 21.7 | 15.0   | 18.1 | 16.7 | 14.8 | 15.0   | 16.4 | 14.7       | 15.5 |        |   |
| FAIRLY EASY                                                                                   | 5.0   | 4.4  | 4.6    | 3.3  | 11.6 | 7.8  | 4.7    | 6.4  | 5.4  | 5.3  | 6.8    | 6.0  | 4.8  | 6.0  | 5.3    | 4.8  | 7.2        | 5.8  |        |   |
| VERY EASY                                                                                     | 2.0   | 2.5  | 2.2    | 5.2  | 1.6  | 3.1  | 2.0    | 1.1  | 1.8  | 1.4  | 2.0    | 1.7  | 3.0  | 1.2  | 2.1    | 2.7  | 1.7        | 2.2  |        |   |
| DON'T KNOW                                                                                    | 43.1  | 54.8 | 48.6   | 45.2 | 56.4 | 51.6 | 47.0   | 59.5 | 52.6 | 52.3 | 60.7   | 56.6 | 52.5 | 88.9 | 60.8   | 47.9 | 59.7       | 53.8 |        |   |
| Q30I: DIFFICULTY GETTING BINGO                                                                |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |
| IMPOSSIBLE                                                                                    | 29.2  | 21.7 | 25.7   | 20.8 | 12.0 | 16.3 | 19.5   | 11.1 | 15.7 | 12.4 | 9.0    | 10.5 | 14.0 | 5.9  | 10.0   | 19.4 | 12.2       | 15.8 |        |   |
| DIFFICULT                                                                                     | 10.2  | 10.1 | 10.2   | 10.6 | 12.4 | 11.4 | 15.4   | 11.1 | 13.3 | 15.6 | 11.7   | 13.6 | 7.5  | 7.4  | 7.4    | 12.1 | 10.7       | 11.3 |        |   |
| FAIRLY EASY                                                                                   | 2.2   | 4.6  | 3.4    | 4.5  | 3.0  | 3.7  | 3.3    | 3.5  | 3.4  | 3.4  | 2.0    | 2.6  | 2.1  | 2.6  | 2.3    | 3.1  | 3.2        | 3.1  |        |   |
| VERY EASY                                                                                     | 2.1   | 0.5  | 1.3    | 4.2  | 0.3  | 2.0  | 2.0    | 1.8  | 1.9  | 0.4  | 0.7    | 0.5  | 0.4  | 1.6  | 1.0    | 1.8  | 0.9        | 1.4  |        |   |
| DON'T KNOW                                                                                    | 56.3  | 63.1 | 59.4   | 59.9 | 72.2 | 66.6 | 59.7   | 72.5 | 65.8 | 68.1 | 76.7   | 72.8 | 76.0 | 82.4 | 79.3   | 63.6 | 73.1       | 68.4 |        |   |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q30J = 2,550<br>Q30K = 2,539<br>Q30L = 2,562 | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |     |   |      |        |     |   |
|-------------------------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|-----|---|------|--------|-----|---|
|                                                                               | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      |            |        |     |   | 12   |        |     |   |
|                                                                               | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL | % | MALE | FEMALE | ALL | % |
| Q30J: DIFFICULTY GETTING TRANQUILIZERS                                        |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |      |        |     |   |
| IMPOSSIBLE                                                                    | 25.5  | 13.6   | 19.8 | 11.8 | 8.9  | 9.5    | 11.2 | 4.2  | 7.9  | 4.2    | 5.9  | 7.3  | 2.8  | 5.1    | 12.9 | 6.5  | 9.8        |        |     |   |      |        |     |   |
| DIFFICULT                                                                     | 14.3  | 19.0   | 16.6 | 16.3 | 17.6 | 17.1   | 23.6 | 14.0 | 19.2 | 15.1   | 13.7 | 14.4 | 15.9 | 11.5   | 13.9 | 17.3 | 15.3       | 16.3   |     |   |      |        |     |   |
| FAIRLY EASY                                                                   | 11.8  | 15.8   | 13.8 | 16.3 | 24.3 | 20.4   | 15.6 | 22.8 | 18.6 | 19.6   | 29.1 | 24.4 | 26.7 | 26.0   | 26.1 | 17.7 | 23.5       | 20.4   |     |   |      |        |     |   |
| VERY EASY                                                                     | 6.3   | 7.6    | 6.9  | 10.4 | 9.5  | 9.6    | 9.7  | 10.3 | 10.3 | 8.1    | 9.6  | 8.8  | 8.6  | 12.9   | 10.7 | 8.6  | 9.9        | 9.2    |     |   |      |        |     |   |
| DON'T KNOW                                                                    | 42.1  | 44.0   | 42.9 | 45.3 | 41.7 | 43.3   | 39.9 | 48.9 | 44.0 | 49.3   | 43.3 | 46.6 | 41.6 | 46.9   | 44.2 | 43.5 | 44.8       | 44.2   |     |   |      |        |     |   |
| Q30K: DIFFICULTY GETTING BARBITURATES                                         |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |      |        |     |   |
| IMPOSSIBLE                                                                    | 24.3  | 17.9   | 21.4 | 13.5 | 8.7  | 11.2   | 13.2 | 6.8  | 10.2 | 9.1    | 3.8  | 6.2  | 7.0  | 3.2    | 5.2  | 13.6 | 8.3        | 11.0   |     |   |      |        |     |   |
| DIFFICULT                                                                     | 11.6  | 12.1   | 11.7 | 17.0 | 12.4 | 14.5   | 18.8 | 13.8 | 16.6 | 17.4   | 12.9 | 15.0 | 16.7 | 7.0    | 11.9 | 16.4 | 11.8       | 14.1   |     |   |      |        |     |   |
| FAIRLY EASY                                                                   | 8.1   | 8.0    | 8.1  | 7.5  | 10.2 | 8.8    | 8.6  | 6.9  | 7.8  | 12.3   | 12.7 | 12.1 | 14.1 | 16.4   | 15.1 | 10.0 | 10.5       | 10.2   |     |   |      |        |     |   |
| VERY EASY                                                                     | 3.3   | 1.5    | 2.4  | 6.7  | 3.3  | 5.0    | 6.0  | 3.2  | 4.9  | 3.8    | 7.2  | 5.5  | 6.3  | 5.7    | 5.9  | 5.2  | 4.1        | 4.7    |     |   |      |        |     |   |
| DON'T KNOW                                                                    | 52.6  | 60.5   | 56.4 | 55.3 | 65.4 | 60.4   | 53.4 | 69.3 | 60.6 | 57.4   | 63.9 | 61.1 | 56.0 | 67.7   | 61.9 | 54.8 | 65.2       | 60.0   |     |   |      |        |     |   |
| Q30L: DIFFICULTY GETTING SOLVENTS                                             |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |      |        |     |   |
| IMPOSSIBLE                                                                    | 4.3   | 4.2    | 4.8  | 3.8  | 2.7  | 3.2    | 0.7  | 0.8  | 0.8  | 1.3    | 1.3  | 1.3  | 0.9  | 0.4    | 0.6  | 2.2  | 2.0        | 2.2    |     |   |      |        |     |   |
| DIFFICULT                                                                     | 4.1   | 1.3    | 2.7  | 1.2  | 1.6  | 1.6    | 1.1  | 1.1  | 1.1  | 2.1    | 0.4  | 1.3  | 0.8  | 0.9    | 0.8  | 1.9  | 1.1        | 1.5    |     |   |      |        |     |   |
| FAIRLY EASY                                                                   | 8.9   | 6.8    | 7.8  | 5.1  | 10.2 | 8.0    | 5.1  | 9.6  | 7.3  | 5.0    | 7.4  | 6.2  | 4.3  | 9.5    | 6.8  | 5.7  | 8.7        | 7.2    |     |   |      |        |     |   |
| VERY EASY                                                                     | 68.1  | 70.4   | 69.1 | 76.9 | 72.9 | 74.4   | 82.8 | 73.8 | 78.7 | 79.0   | 79.9 | 79.6 | 84.8 | 71.5   | 78.2 | 78.3 | 73.8       | 75.9   |     |   |      |        |     |   |
| DON'T KNOW                                                                    | 14.5  | 17.2   | 15.7 | 12.9 | 12.6 | 12.6   | 10.3 | 14.7 | 12.2 | 12.6   | 11.1 | 11.8 | 9.3  | 17.6   | 13.5 | 11.9 | 14.5       | 13.1   |     |   |      |        |     |   |



| NUMBER OF VALID RESPONSES TO:<br>Q31 = 2,368<br>Q31(MOD) = 867                     | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      | ALL GRADES |     |  |
|------------------------------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|------------|-----|--|
|                                                                                    | 8     |      |        | 9    |      |      | 10     |      |      | 11   |        |      | 12   |      |        |      |      |      |            |     |  |
|                                                                                    | MALE  |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE     | ALL |  |
|                                                                                    | %     | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %          | N   |  |
| Q31: REASON FOR TRYING CANNABIS                                                    |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| DON'T KNOW WHAT IT IS                                                              | 5.2   | 67   | 5.8    | 53   | 3.6  | 47   | 1.5    | 44   | 2.9  | 11   | 1.8    | 15   | 1.4  | 39   | 2.6    | 29   | 4.1  | 35   |            |     |  |
| NEVER TRIED IT                                                                     | 80.5  | 826  | 81.4   | 872  | 68.0 | 674  | 81.5   | 56.0 | 58.7 | 52.3 | 50.2   | 51.1 | 34.5 | 48.4 | 41.5   | 60.0 | 61.5 | 60.7 |            |     |  |
| TO SEE WHAT IT WAS LIKE                                                            | 6.5   | 58   | 6.4    | 105  | 15.1 | 132  | 21.4   | 29.5 | 25.3 | 29.0 | 33.9   | 31.6 | 41.7 | 33.8 | 37.7   | 21.3 | 23.2 | 22.3 |            |     |  |
| FRIENDS WERE USING IT                                                              | 2.2   | 08   | 1.5    | 39   | 3.5  | 36   | 2.0    | 33   | 2.6  | 28   | 3.0    | 29   | 6.7  | 33   | 5.0    | 34   | 2.7  | 3.0  |            |     |  |
| SEEMED LIKE FUN                                                                    | 0.3   | 00   | 0.2    | 22   | 1.4  | 18   | 3.5    | 21   | 2.8  | 78   | 3.1    | 53   | 6.3  | 48   | 5.6    | 40   | 2.2  | 3.0  |            |     |  |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.3   | 00   | 0.2    | 00   | 0.4  | 02   | 0.0    | 00   | 0.0  | 00   | 0.4    | 02   | 0.0  | 00   | 0.0    | 01   | 0.2  | 0.1  |            |     |  |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 0.9   | 07   | 0.8    | 17   | 2.5  | 21   | 0.7    | 22   | 1.4  | 08   | 3.0    | 19   | 2.2  | 09   | 1.6    | 12   | 1.9  | 1.5  |            |     |  |
| OLD ENOUGH TO USE SAFELY                                                           | 0.0   | 00   | 0.0    | 00   | 0.0  | 00   | 0.4    | 00   | 0.2  | 04   | 0.0    | 02   | 0.9  | 00   | 0.5    | 03   | 0.0  | 0.2  |            |     |  |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 1.1   | 04   | 0.7    | 21   | 2.4  | 22   | 0.9    | 00   | 0.5  | 04   | 0.4    | 07   | 0.4  | 11   | 0.8    | 10   | 0.9  | 1.0  |            |     |  |
| BORED, NOTHING ELSE TO DO                                                          | 0.9   | 00   | 0.4    | 05   | 1.2  | 09   | 2.3    | 08   | 1.6  | 34   | 1.6    | 25   | 0.9  | 15   | 1.2    | 17   | 1.0  | 1.3  |            |     |  |
| OTHER REASON                                                                       | 2.3   | 31   | 2.6    | 65   | 1.8  | 39   | 5.7    | 17   | 4.0  | 19   | 2.7    | 23   | 4.9  | 24   | 3.6    | 42   | 2.3  | 3.3  |            |     |  |
| Q31(MOD): REASON FOR TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| TO SEE WHAT IT WAS LIKE                                                            | 45.2  | 53.9 | 50.2   | 38.2 | 53.5 | 47.3 | 57.8   | 74.5 | 65.9 | 62.3 | 70.7   | 68.6 | 65.1 | 70.7 | 67.5   | 57.5 | 67.4 | 62.5 |            |     |  |
| FRIENDS WERE USING IT                                                              | 15.0  | 7.0  | 11.4   | 14.3 | 12.3 | 13.0 | 5.4    | 8.2  | 6.7  | 8.1  | 6.2    | 6.1  | 10.4 | 6.8  | 8.9    | 9.1  | 8.0  | 8.4  |            |     |  |
| SEEMED LIKE FUN                                                                    | 2.4   | 0.0  | 1.3    | 8.0  | 5.1  | 6.3  | 9.6    | 5.4  | 7.4  | 16.8 | 5.4    | 11.2 | 9.9  | 10.2 | 10.0   | 10.7 | 6.4  | 6.5  |            |     |  |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 2.4   | 0.0  | 1.3    | 0.0  | 1.4  | 0.8  | 0.0    | 0.0  | 0.0  | 0.0  | 0.7    | 0.4  | 0.0  | 0.0  | 0.0    | 0.2  | 0.5  | 0.3  |            |     |  |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 5.9   | 6.8  | 6.1    | 6.3  | 8.7  | 7.6  | 2.0    | 5.5  | 3.7  | 1.7  | 6.2    | 4.0  | 3.4  | 1.9  | 2.6    | 3.3  | 5.5  | 4.3  |            |     |  |
| OLD ENOUGH TO USE SAFELY                                                           | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 1.0    | 0.0  | 0.5  | 0.9  | 0.0    | 0.4  | 1.5  | 0.0  | 0.9    | 0.9  | 0.0  | 0.5  |            |     |  |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 7.4   | 3.3  | 5.6    | 7.7  | 8.4  | 8.0  | 2.5    | 0.0  | 1.2  | 0.9  | 0.8    | 1.4  | 0.6  | 2.4  | 1.3    | 2.6  | 2.5  | 2.7  |            |     |  |
| BORED, NOTHING ELSE TO DO                                                          | 5.9   | 0.0  | 3.4    | 1.8  | 4.2  | 3.1  | 6.3    | 2.0  | 4.1  | 7.4  | 3.4    | 5.2  | 1.5  | 3.1  | 2.1    | 4.5  | 2.9  | 3.7  |            |     |  |
| OTHER REASON                                                                       | 15.7  | 29.0 | 20.7   | 23.8 | 6.4  | 13.9 | 15.4   | 4.3  | 10.5 | 4.1  | 5.5    | 4.6  | 7.6  | 4.9  | 6.5    | 11.3 | 6.8  | 9.1  |            |     |  |

NOTE: Q31(WO) IS A MODIFIED RESPONSE SET FOR Q31 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS

CENTRAL AND SOUTH EAST

|                                                                                   | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      | ALL GRADES |     |  |
|-----------------------------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|------------|-----|--|
|                                                                                   | 8     |      |        | 9    |      |      | 10     |      |      | 11   |        |      | 12   |      |        |      |      |      |            |     |  |
|                                                                                   | MALE  |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE     | ALL |  |
|                                                                                   | %     | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %          | N   |  |
| NUMBER OF VALID RESPONSES TO:<br>Q32 = 2,554<br>Q32(MOD) = 1,000                  |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| Q32: WHEN FIRST TRIED CANNABIS                                                    |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| DON'T KNOW WHAT IT IS                                                             | 5.5   | 6.6  | 6.0    | 7.2  | 3.3  | 5.0  | 0.7    | 2.4  | 1.5  | 1.6  | 0.7    | 1.1  | 0.5  | 2.1  | 1.3    | 3.0  | 3.0  | 3.0  | 3.0        |     |  |
| NEVER TRIED IT                                                                    | 78.2  | 82.2 | 80.1   | 64.8 | 68.0 | 66.6 | 59.1   | 56.0 | 57.5 | 48.8 | 46.3   | 47.3 | 32.7 | 44.8 | 38.9   | 57.4 | 60.0 | 58.7 | 58.7       |     |  |
| GRADE 4 OR BEFORE                                                                 | 2.6   | 0.3  | 1.5    | 4.7  | 1.7  | 3.0  | 1.5    | 1.2  | 1.4  | 0.9  | 0.5    | 0.7  | 3.5  | 0.4  | 2.0    | 2.6  | 0.9  | 1.7  | 1.7        |     |  |
| GRADE 5                                                                           | 2.1   | 1.7  | 1.9    | 1.2  | 1.0  | 1.1  | 2.1    | 1.0  | 1.6  | 1.7  | 0.8    | 1.2  | 1.6  | 0.0  | 0.8    | 1.8  | 0.9  | 1.3  | 1.3        |     |  |
| GRADE 6                                                                           | 3.6   | 1.8  | 2.9    | 2.1  | 2.8  | 2.6  | 2.8    | 2.7  | 2.9  | 3.4  | 1.8    | 2.5  | 3.4  | 1.6  | 2.5    | 3.1  | 2.2  | 2.7  | 2.7        |     |  |
| GRADE 7                                                                           | 5.0   | 3.0  | 4.3    | 5.9  | 4.6  | 5.1  | 7.5    | 2.6  | 5.2  | 3.7  | 5.7    | 4.9  | 9.3  | 7.4  | 8.3    | 6.4  | 4.6  | 5.5  | 5.5        |     |  |
| GRADE 8                                                                           | 1.8   | 4.0  | 3.0    | 8.6  | 14.0 | 11.4 | 9.1    | 9.6  | 9.4  | 9.3  | 11.6   | 11.0 | 11.3 | 7.7  | 9.5    | 7.9  | 9.6  | 8.8  | 8.8        |     |  |
| GRADE 9                                                                           | 0.0   | 0.4  | 0.2    | 5.5  | 4.7  | 5.2  | 10.9   | 15.7 | 13.0 | 12.0 | 13.5   | 12.6 | 10.8 | 14.3 | 12.4   | 7.8  | 9.5  | 8.6  | 8.6        |     |  |
| GRADE 10                                                                          | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 6.2    | 8.8  | 7.5  | 12.9 | 13.8   | 13.2 | 14.8 | 10.8 | 12.8   | 6.6  | 6.5  | 6.5  | 6.5        |     |  |
| GRADE 11                                                                          | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 5.9  | 5.2    | 5.4  | 9.2  | 5.9  | 7.7    | 2.8  | 2.1  | 2.4  | 2.4        |     |  |
| GRADE 12                                                                          | 0.5   | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 2.8  | 4.9  | 3.8    | 0.6  | 0.8  | 0.7  | 0.7        |     |  |
| Q32(MOD): WHEN FIRST TRIED CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| GRADE 4 OR BEFORE                                                                 | 16.0  | 3.1  | 10.7   | 16.9 | 5.9  | 10.6 | 3.8    | 2.9  | 3.3  | 1.8  | 0.9    | 1.3  | 5.3  | 0.8  | 3.4    | 6.5  | 2.3  | 4.4  | 4.4        |     |  |
| GRADE 5                                                                           | 13.1  | 15.4 | 13.7   | 4.3  | 3.4  | 3.7  | 5.3    | 2.3  | 3.8  | 3.3  | 1.6    | 2.4  | 2.4  | 0.0  | 1.4    | 4.5  | 2.5  | 3.5  | 3.5        |     |  |
| GRADE 6                                                                           | 22.2  | 16.1 | 20.5   | 7.4  | 9.6  | 9.2  | 6.9    | 6.4  | 7.1  | 6.8  | 3.4    | 4.9  | 5.1  | 3.0  | 4.2    | 7.7  | 5.8  | 7.0  | 7.0        |     |  |
| GRADE 7                                                                           | 34.4  | 26.4 | 30.5   | 21.2 | 16.0 | 18.0 | 18.8   | 6.3  | 12.7 | 7.4  | 10.8   | 9.4  | 13.9 | 14.0 | 13.9   | 16.2 | 12.4 | 14.3 | 14.3       |     |  |
| GRADE 8                                                                           | 11.3  | 35.7 | 21.6   | 30.6 | 48.9 | 40.2 | 22.6   | 23.2 | 22.9 | 16.7 | 21.9   | 21.3 | 16.9 | 14.6 | 15.9   | 20.0 | 25.9 | 23.1 | 23.1       |     |  |
| GRADE 9                                                                           | 0.0   | 3.2  | 1.3    | 19.6 | 16.2 | 18.3 | 27.2   | 37.7 | 31.8 | 24.1 | 25.6   | 24.5 | 16.1 | 27.0 | 20.7   | 19.7 | 25.7 | 22.5 | 22.5       |     |  |
| GRADE 10                                                                          | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 15.5   | 21.2 | 18.4 | 25.9 | 26.1   | 25.6 | 22.2 | 20.3 | 21.4   | 16.7 | 17.6 | 17.0 | 17.0       |     |  |
| GRADE 11                                                                          | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 11.9 | 9.8    | 10.6 | 13.8 | 11.1 | 12.8   | 7.1  | 5.6  | 6.4  | 6.4        |     |  |
| GRADE 12                                                                          | 3.0   | 0.0  | 1.6    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 4.3  | 9.2  | 6.3    | 1.6  | 2.2  | 1.9  | 1.9        |     |  |

NOTE: Q32(MOD) IS A MODIFIED RESPONSE SET FOR Q32 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS.

| NUMBER OF VALID RESPONSES TO:<br>Q33 = 2,279<br>Q33(MOD) = 1,576                           | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |
|--------------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|
|                                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |      |        |      | MALE       | FEMALE |
|                                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |        |
| Q33: REASON FOR NOT TRYING CANNABIS                                                        |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |
| DON'T KNOW WHAT IT IS                                                                      | 3.0   | 5.4    | 4.1  | 5.8  | 4.3    |      | 5.2  | 2.3    | 2.7  | 2.5  | 1.1    | 1.2  | 1.1  | 1.0    | 1.7  | 1.3  | 2.7    | 3.1  | 2.9        |        |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 26.1  | 15.6   | 21.1 | 19.7 | 8.7    | 13.6 | 20.9 | 7.1    | 14.7 | 19.1 | 7.0    | 12.6 | 11.1 | 11.1   | 11.0 | 19.9 | 9.9    | 14.9 |            |        |
| MIGHT BE ADDICTIVE                                                                         | 5.1   | 1.3    | 3.2  | 3.5  | 6.2    | 4.9  | 3.1  | 2.8    | 2.9  | 0.9  | 3.2    | 2.3  | 2.5  | 2.0    | 2.6  | 3.1  | 3.2    | 3.2  |            |        |
| ILLEGAL TO USE IT                                                                          | 1.9   | 0.7    | 1.3  | 1.7  | 0.0    | 0.7  | 2.3  | 0.0    | 1.2  | 0.4  | 0.7    | 0.8  | 1.1  | 3.3    | 2.2  | 1.5  | 0.8    | 1.2  |            |        |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 5.0   | 1.7    | 3.3  | 4.0  | 1.7    | 2.7  | 2.8  | 0.5    | 1.8  | 0.3  | 0.9    | 0.8  | 1.5  | 0.0    | 0.8  | 2.8  | 1.0    | 1.9  |            |        |
| TROUBLE WITH POLICE                                                                        | 0.5   | 0.5    | 0.5  | 0.4  | 0.0    | 0.2  | 0.7  | 0.0    | 0.4  | 1.1  | 0.0    | 0.5  | 0.0  | 0.5    | 0.2  | 0.6  | 0.2    | 0.4  |            |        |
| CAN NOT GET ANY                                                                            | 1.0   | 0.7    | 0.9  | 0.9  | 1.0    | 1.0  | 0.0  | 0.9    | 0.4  | 0.0  | 1.1    | 0.6  | 0.0  | 0.0    | 0.0  | 0.4  | 0.8    | 0.8  |            |        |
| CAN NOT AFFORD IT                                                                          | 0.3   | 0.4    | 0.3  | 1.1  | 0.4    | 0.7  | 1.1  | 0.9    | 1.0  | 1.1  | 0.0    | 0.5  | 0.5  | 0.4    | 0.4  | 0.8  | 0.4    | 0.6  |            |        |
| NOT INTERESTED                                                                             | 27.8  | 40.6   | 33.9 | 24.7 | 36.5   | 30.7 | 23.9 | 37.1   | 30.1 | 24.0 | 31.2   | 27.6 | 24.8 | 34.2   | 29.4 | 25.1 | 36.0   | 30.4 |            |        |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 5.5   | 8.1    | 6.7  | 8.0  | 9.0    | 8.0  | 3.0  | 7.2    | 4.9  | 2.8  | 7.1    | 5.0  | 0.9  | 2.0    | 1.5  | 4.1  | 7.0    | 5.6  |            |        |
| OTHER THINGS I ENJOY DOING                                                                 | 9.2   | 12.4   | 11.0 | 8.0  | 6.2    | 6.9  | 7.5  | 8.0    | 7.7  | 8.6  | 5.1    | 6.7  | 3.5  | 4.2    | 4.0  | 7.5  | 7.3    | 7.4  |            |        |
| FRIENDS DON'T USE IT                                                                       | 0.5   | 0.4    | 0.4  | 1.2  | 0.6    | 0.9  | 1.3  | 1.0    | 1.2  | 0.6  | 0.0    | 0.3  | 0.5  | 0.0    | 0.2  | 0.9  | 0.4    | 0.6  |            |        |
| OTHER REASON                                                                               | 4.4   | 4.8    | 4.5  | 1.6  | 3.6    | 2.6  | 2.9  | 2.8    | 3.1  | 1.9  | 2.0    | 2.2  | 1.0  | 3.0    | 2.0  | 2.5  | 3.2    | 2.9  |            |        |
| HAVE TRIED IT                                                                              | 9.7   | 7.4    | 8.6  | 19.3 | 21.9   | 20.9 | 26.2 | 26.9   | 28.3 | 38.1 | 40.6   | 39.5 | 51.5 | 37.7   | 44.5 | 28.2 | 26.7   | 27.4 |            |        |
| Q33(MOD): REASON FOR NOT TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE NOT TRIED CANNABIS) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 29.9  | 17.9   | 24.2 | 26.3 | 11.8   | 18.5 | 30.1 | 10.4   | 21.2 | 31.5 | 12.0   | 21.2 | 23.5 | 18.3   | 20.3 | 28.8 | 14.0   | 21.3 |            |        |
| MIGHT BE ADDICTIVE                                                                         | 5.8   | 1.4    | 3.6  | 4.7  | 8.4    | 6.6  | 4.4  | 4.2    | 4.2  | 1.4  | 5.5    | 3.9  | 5.3  | 3.3    | 4.7  | 4.5  | 4.5    | 4.6  |            |        |
| ILLEGAL TO USE IT                                                                          | 2.2   | 0.8    | 1.5  | 2.2  | 0.0    | 1.0  | 3.3  | 0.0    | 1.8  | 0.7  | 1.3    | 1.0  | 2.2  | 5.5    | 4.0  | 2.2  | 1.2    | 1.7  |            |        |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 5.7   | 1.9    | 3.8  | 5.3  | 2.3    | 3.6  | 4.0  | 0.8    | 2.5  | 0.5  | 1.6    | 1.1  | 3.2  | 0.0    | 1.4  | 4.1  | 1.5    | 2.7  |            |        |
| TROUBLE WITH POLICE                                                                        | 0.6   | 0.6    | 0.6  | 0.6  | 0.0    | 0.3  | 1.1  | 0.0    | 0.6  | 1.7  | 0.0    | 0.8  | 0.0  | 0.8    | 0.4  | 0.8  | 0.3    | 0.5  |            |        |
| CAN NOT GET ANY                                                                            | 1.2   | 0.8    | 1.0  | 1.3  | 1.4    | 1.3  | 0.0  | 1.3    | 0.6  | 0.0  | 1.8    | 0.9  | 0.0  | 0.0    | 0.0  | 0.6  | 1.1    | 0.8  |            |        |
| CAN NOT AFFORD IT                                                                          | 0.4   | 0.4    | 0.4  | 1.5  | 0.5    | 0.9  | 1.5  | 1.3    | 1.4  | 1.7  | 0.0    | 0.8  | 1.0  | 0.6    | 0.7  | 1.2  | 0.6    | 0.9  |            |        |
| NOT INTERESTED                                                                             | 31.8  | 46.5   | 38.8 | 33.0 | 49.4   | 41.6 | 34.4 | 54.2   | 43.4 | 39.5 | 53.6   | 46.5 | 52.3 | 56.4   | 54.2 | 36.3 | 51.3   | 43.7 |            |        |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 6.3   | 9.3    | 7.7  | 10.6 | 12.2   | 12.1 | 4.4  | 10.6   | 7.1  | 4.6  | 12.2   | 8.5  | 2.0  | 3.4    | 2.7  | 5.9  | 9.9    | 8.0  |            |        |
| OTHER THINGS I ENJOY DOING                                                                 | 10.5  | 14.3   | 12.6 | 10.7 | 8.4    | 9.4  | 10.8 | 11.7   | 11.1 | 14.1 | 8.7    | 11.2 | 7.4  | 6.9    | 7.4  | 10.9 | 10.4   | 10.7 |            |        |
| FRIENDS DON'T USE IT                                                                       | 0.6   | 0.4    | 0.5  | 1.7  | 0.8    | 1.2  | 1.9  | 1.5    | 1.7  | 1.0  | 0.0    | 0.5  | 1.0  | 0.0    | 0.4  | 1.2  | 0.6    | 0.9  |            |        |
| OTHER REASON                                                                               | 5.0   | 5.5    | 5.2  | 2.1  | 4.8    | 3.6  | 4.7  | 4.1    | 4.5  | 3.2  | 3.4    | 3.7  | 2.2  | 4.9    | 3.6  | 3.6  | 4.6    | 4.2  |            |        |

NOTE: Q33(MOD) IS A MODIFIED RESPONSE SET FOR Q33 AND INCLUDES ONLY THOSE WHO HAVE NOT TRIED CANNABIS. THOSE WHO DON'T KNOW WHAT CANNABIS IS HAVE BEEN EXCLUDED.





CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q35 = 2,384<br>Q35(MOD) = 355                         | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |     |  |
|----------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|-----|--|
|                                                                                        | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |      |        |      |            |        |     |  |
|                                                                                        | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL |  |
| Q35: REASON FOR STILL USING CANNABIS                                                   |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |     |  |
| DON'T KNOW WHAT IT IS                                                                  | 4.7   | 7.4    | 6.0  | 5.1  | 2.7    | 4.0  | 0.3  | 2.9    | 1.5  | 1.1  | 0.8    | 0.9  | 0.0  | 2.0    | 0.9  | 2.1  | 3.2    | 2.7  |            |        |     |  |
| NEVER USED IT                                                                          | 80.8  | 85.1   | 83.0 | 70.1 | 70.7   | 70.0 | 53.3 | 58.3   | 61.0 | 51.2 | 49.1   | 49.9 | 35.7 | 47.5   | 41.8 | 60.7 | 62.9   | 61.8 |            |        |     |  |
| STOPPED USING IT                                                                       | 10.1  | 4.1    | 7.2  | 14.0 | 14.4   | 14.4 | 20.4 | 22.6   | 21.5 | 28.7 | 29.5   | 29.0 | 38.0 | 32.7   | 35.1 | 22.0 | 20.1   | 21.0 |            |        |     |  |
| IT IS FUN                                                                              | 0.7   | 0.5    | 0.6  | 1.0  | 2.4    | 1.8  | 3.4  | 4.4    | 3.8  | 7.4  | 7.8    | 8.1  | 9.0  | 7.0    | 8.1  | 4.2  | 4.3    | 4.4  |            |        |     |  |
| FRIENDS STILL USE IT                                                                   | 0.0   | 0.4    | 0.2  | 0.5  | 0.0    | 0.2  | 0.0  | 0.8    | 0.4  | 0.0  | 1.3    | 0.6  | 2.7  | 1.3    | 2.0  | 0.6  | 0.7    | 0.6  |            |        |     |  |
| CANNOT STOP USING IT                                                                   | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  |            |        |     |  |
| TO GET ALONG WITH FRIENDS                                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  |            |        |     |  |
| EASIER TO DO SCHOOL WORK                                                               | 0.4   | 0.3    | 0.4  | 0.0  | 0.5    | 0.3  | 0.4  | 0.0    | 0.2  | 0.4  | 0.5    | 0.5  | 0.5  | 0.0    | 0.3  | 0.4  | 0.3    | 0.3  |            |        |     |  |
| GOOD FOR MY HEALTH                                                                     | 0.4   | 0.0    | 0.2  | 0.5  | 0.0    | 0.2  | 0.4  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.3    | 0.0  |            |        |     |  |
| CALMS ME DOWN                                                                          | 1.0   | 0.4    | 0.7  | 0.0  | 0.0    | 0.0  | 0.0  | 0.4    | 0.2  | 1.0  | 0.8    | 0.8  | 0.9  | 1.4    | 1.2  | 0.6  | 0.6    | 0.6  |            |        |     |  |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 0.0   | 0.0    | 0.0  | 0.0  | 2.5    | 1.4  | 1.0  | 2.7    | 1.8  | 0.7  | 2.6    | 1.6  | 1.6  | 1.6    | 1.6  | 0.7  | 1.9    | 1.3  |            |        |     |  |
| ADULTS SAY IT IS NOT GOOD                                                              | 0.0   | 0.4    | 0.2  | 0.0  | 1.2    | 0.7  | 0.0  | 0.0    | 0.0  | 0.0  | 0.5    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.4    | 0.2  |            |        |     |  |
| BORED, NOTHING ELSE TO DO                                                              | 0.0   | 0.3    | 0.1  | 2.0  | 1.8    | 1.8  | 1.8  | 1.0    | 1.4  | 2.0  | 1.8    | 1.9  | 1.2  | 0.8    | 1.0  | 1.4  | 1.1    | 1.3  |            |        |     |  |
| OLD ENOUGH TO USE CAREFULLY                                                            | 0.0   | 0.0    | 0.0  | 0.0  | 0.4    | 0.2  | 0.7  | 0.8    | 0.7  | 0.4  | 2.6    | 1.5  | 0.8  | 0.4    | 0.6  | 0.4  | 0.8    | 0.6  |            |        |     |  |
| TO FEEL GOOD                                                                           | 0.4   | 0.3    | 0.3  | 3.1  | 2.3    | 2.6  | 3.8  | 3.9    | 3.8  | 3.6  | 1.8    | 2.6  | 3.9  | 1.9    | 2.9  | 2.9  | 2.0    | 2.5  |            |        |     |  |
| OTHER REASON                                                                           | 1.6   | 0.9    | 1.2  | 3.3  | 1.0    | 2.2  | 4.2  | 1.7    | 3.0  | 3.0  | 0.9    | 1.9  | 5.2  | 3.5    | 4.3  | 3.4  | 1.5    | 2.5  |            |        |     |  |
| Q35(MOD): REASON FOR STILL USING CANNABIS (RESPONSES FOR THOSE WHO STILL USE CANNABIS) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |     |  |
| IT IS FUN                                                                              | 16.5  | 15.2   | 16.0 | 9.0  | 19.8   | 15.1 | 21.0 | 27.5   | 24.0 | 39.0 | 38.0   | 40.3 | 34.3 | 39.1   | 36.6 | 27.9 | 31.1   | 30.1 |            |        |     |  |
| FRIENDS STILL USE IT                                                                   | 0.0   | 10.8   | 4.8  | 4.2  | 0.0    | 1.7  | 0.0  | 5.0    | 2.3  | 0.0  | 6.1    | 3.2  | 10.2 | 7.3    | 9.0  | 3.7  | 5.2    | 4.3  |            |        |     |  |
| CANNOT STOP USING IT                                                                   | 0.0   | 0.0    | 0.0  | 5.9  | 0.0    | 2.3  | 0.0  | 2.6    | 1.2  | 2.9  | 0.0    | 1.3  | 1.6  | 0.0    | 1.0  | 1.9  | 0.6    | 1.3  |            |        |     |  |
| TO GET ALONG WITH FRIENDS                                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 2.0  | 0.0    | 1.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.5  | 0.0    | 0.3  |            |        |     |  |
| EASIER TO DO SCHOOL WORK                                                               | 8.6   | 10.0   | 9.2  | 0.0  | 4.0    | 2.3  | 2.7  | 0.0    | 1.4  | 2.1  | 2.6    | 2.3  | 2.0  | 0.0    | 1.2  | 2.4  | 2.1    | 2.2  |            |        |     |  |
| GOOD FOR MY HEALTH                                                                     | 8.2   | 0.0    | 4.6  | 4.2  | 0.0    | 1.7  | 2.7  | 0.0    | 1.4  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 1.7  | 0.0    | 0.9  |            |        |     |  |
| CALMS ME DOWN                                                                          | 22.0  | 10.8   | 17.0 | 0.0  | 0.0    | 0.0  | 0.0  | 2.6    | 1.2  | 5.0  | 3.7    | 4.2  | 3.5  | 7.9    | 5.2  | 3.7  | 4.0    | 3.8  |            |        |     |  |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 0.0   | 0.0    | 0.0  | 0.0  | 20.9   | 12.2 | 6.4  | 16.5   | 11.1 | 3.5  | 12.6   | 8.1  | 5.9  | 9.2    | 7.1  | 4.4  | 13.7   | 8.8  |            |        |     |  |
| ADULTS SAY IT IS NOT GOOD                                                              | 0.0   | 10.3   | 4.6  | 0.0  | 10.1   | 5.9  | 0.0  | 0.0    | 0.0  | 0.0  | 2.6    | 1.3  | 0.0  | 0.0    | 0.0  | 0.0  | 3.2    | 1.5  |            |        |     |  |
| BORED, NOTHING ELSE TO DO                                                              | 0.0   | 7.3    | 3.2  | 18.0 | 14.7   | 15.7 | 11.1 | 6.2    | 8.8  | 10.7 | 8.9    | 9.5  | 4.7  | 4.2    | 4.5  | 9.2  | 8.3    | 8.6  |            |        |     |  |
| OLD ENOUGH TO USE CAREFULLY                                                            | 0.0   | 0.0    | 0.0  | 0.0  | 3.2    | 1.9  | 4.3  | 4.7    | 4.5  | 2.0  | 12.5   | 7.3  | 3.1  | 2.5    | 2.8  | 2.6  | 6.1    | 4.2  |            |        |     |  |
| TO FEEL GOOD                                                                           | 8.0   | 10.0   | 8.9  | 28.7 | 18.7   | 22.3 | 23.6 | 24.2   | 23.9 | 19.0 | 8.6    | 13.1 | 15.0 | 10.5   | 13.1 | 19.4 | 14.7   | 16.9 |            |        |     |  |
| OTHER REASON                                                                           | 36.6  | 25.5   | 31.7 | 30.1 | 8.6    | 18.8 | 26.2 | 10.8   | 19.1 | 15.7 | 4.5    | 9.5  | 19.7 | 19.4   | 19.4 | 22.6 | 11.0   | 17.1 |            |        |     |  |

NOTE: Q35(MOD) IS A MODIFIED RESPONSE SET FOR Q35 AND INCLUDES ONLY THOSE WHO STILL USE CANNABIS.



THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

NOTE: Q37(WOO) IS A MODIFIED RESPONSE SET FOR Q37 AND INCLUDES ONLY THOSE WHO HAVE TRIED ALCOHOL

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q39 = 2,310<br>Q39(MOD) = 629                         | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|----------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                                                        | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | MALE | FEMALE | ALL  |
|                                                                                        | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |        |      |
| Q39: REASON FOR STOPPING ALCOHOL USE                                                   |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| HAVE NEVER DRUNK ALCOHOL                                                               | 26.9  | 31.9   | 29.7 | 17.4 | 14.6   | 15.7 | 6.9  | 10.8   | 8.6  | 9.4  | 3.9    | 6.7  | 4.6        | 3.9    | 4.2  | 13.1 | 13.1   | 13.2 |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 8.5   | 3.2    | 5.9  | 5.9  | 3.2    | 4.5  | 4.2  | 0.4    | 2.6  | 3.7  | 1.4    | 2.5  | 2.0        | 2.8    | 2.4  | 4.9  | 2.2    | 3.6  |
| MIGHT BE ADDICTIVE                                                                     | 2.4   | 1.2    | 1.8  | 4.4  | 0.7    | 2.3  | 1.7  | 0.8    | 1.3  | 1.0  | 0.4    | 0.6  | 0.0        | 0.0    | 0.0  | 1.9  | 0.6    | 1.2  |
| PARENTS MADE ME STOP                                                                   | 0.4   | 0.4    | 0.4  | 0.9  | 0.4    | 0.6  | 0.7  | 0.0    | 0.4  | 0.0  | 0.5    | 0.3  | 0.0        | 0.0    | 0.0  | 0.4  | 0.3    | 0.3  |
| ILLEGAL TO USE IT                                                                      | 1.5   | 1.2    | 1.3  | 0.9  | 0.4    | 0.6  | 0.7  | 0.4    | 0.6  | 0.4  | 0.0    | 0.2  | 0.4        | 0.0    | 0.2  | 0.8  | 0.4    | 0.6  |
| WAS JUST EXPERIMENTING                                                                 | 8.3   | 10.5   | 9.2  | 9.3  | 6.2    | 7.8  | 5.6  | 7.7    | 6.5  | 3.8  | 4.3    | 4.0  | 1.7        | 4.8    | 3.2  | 5.8  | 6.7    | 6.2  |
| NOT INTERESTED ANYMORE                                                                 | 2.0   | 5.4    | 3.6  | 3.8  | 3.6    | 3.7  | 2.1  | 5.4    | 3.6  | 5.9  | 3.4    | 4.5  | 2.3        | 3.8    | 3.2  | 3.2  | 4.3    | 3.7  |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 0.8   | 0.8    | 0.8  | 0.9  | 1.2    | 1.0  | 0.3  | 0.0    | 0.2  | 0.6  | 0.8    | 0.7  | 1.0        | 0.0    | 0.5  | 0.7  | 0.6    | 0.6  |
| FRIENDS STOPPED USING IT                                                               | 0.0   | 0.0    | 0.0  | 0.9  | 0.0    | 0.4  | 0.0  | 0.5    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0        | 0.5    | 0.2  | 0.2  | 0.2    | 0.2  |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.0    | 0.2  | 1.0  | 0.0    | 0.5  | 0.0        | 0.0    | 0.0  | 0.3  | 0.0    | 0.1  |
| DIDN'T LIKE EFFECTS                                                                    | 0.8   | 1.0    | 0.9  | 1.7  | 3.2    | 2.5  | 2.2  | 2.4    | 2.3  | 1.7  | 2.6    | 2.1  | 1.0        | 3.3    | 2.1  | 1.5  | 2.5    | 2.0  |
| OTHER THINGS I ENJOY DOING                                                             | 6.6   | 3.5    | 5.2  | 4.3  | 4.6    | 4.5  | 3.5  | 3.7    | 3.6  | 4.7  | 5.0    | 4.8  | 3.9        | 2.8    | 3.4  | 4.6  | 4.0    | 4.3  |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.0   | 0.0    | 0.0  | 0.0  | 0.2    | 0.1  | 0.4  | 0.4    | 0.4  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.1  | 0.1    | 0.1  |
| OTHER REASON                                                                           | 7.2   | 6.3    | 6.6  | 5.8  | 3.2    | 4.3  | 3.1  | 5.2    | 4.1  | 3.1  | 2.9    | 2.9  | 3.5        | 1.8    | 2.7  | 4.5  | 3.9    | 4.2  |
| STILL USE IT                                                                           | 34.7  | 34.5   | 34.5 | 43.9 | 58.2   | 51.9 | 68.2 | 62.2   | 65.5 | 64.7 | 74.7   | 70.1 | 79.6       | 76.3   | 78.0 | 58.0 | 61.0   | 59.6 |
| Q39(MOD): REASON FOR STOPPING ALCOHOL USE (RESPONSES FOR THOSE WHO HAVE STOPPED USING) |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 22.1  | 9.6    | 16.5 | 15.2 | 11.8   | 14.0 | 16.8 | 1.6    | 10.0 | 14.4 | 6.8    | 10.8 | 12.8       | 14.4   | 13.5 | 17.1 | 8.5    | 13.2 |
| MIGHT BE ADDICTIVE                                                                     | 6.3   | 3.6    | 5.1  | 11.3 | 2.6    | 7.2  | 6.8  | 3.0    | 4.9  | 3.8  | 1.7    | 2.8  | 0.0        | 0.0    | 0.0  | 6.6  | 2.4    | 4.6  |
| PARENTS MADE ME STOP                                                                   | 1.0   | 1.3    | 1.1  | 2.4  | 1.5    | 1.9  | 3.0  | 0.0    | 1.5  | 0.0  | 2.5    | 1.2  | 0.0        | 0.0    | 0.0  | 1.5  | 1.1    | 1.3  |
| ILLEGAL TO USE IT                                                                      | 3.9   | 3.7    | 3.7  | 2.2  | 1.5    | 1.9  | 2.9  | 1.6    | 2.2  | 1.6  | 0.0    | 0.9  | 2.7        | 0.0    | 1.2  | 2.8  | 1.5    | 2.2  |
| WAS JUST EXPERIMENTING                                                                 | 21.6  | 31.3   | 25.8 | 24.0 | 22.9   | 24.0 | 22.3 | 28.5   | 25.2 | 14.9 | 20.3   | 17.4 | 10.7       | 24.0   | 17.7 | 20.1 | 25.9   | 22.8 |
| NOT INTERESTED ANYMORE                                                                 | 5.3   | 16.1   | 10.1 | 9.9  | 13.3   | 11.3 | 8.3  | 20.0   | 13.9 | 22.8 | 16.1   | 19.6 | 14.2       | 19.4   | 18.1 | 11.0 | 16.7   | 13.7 |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 2.0   | 2.5    | 2.2  | 2.2  | 4.4    | 3.2  | 1.4  | 0.0    | 0.7  | 2.2  | 3.7    | 2.9  | 6.1        | 0.0    | 2.8  | 2.4  | 2.3    | 2.3  |
| FRIENDS STOPPED USING IT                                                               | 0.0   | 0.0    | 0.0  | 2.2  | 0.0    | 1.2  | 0.0  | 1.9    | 0.9  | 0.0  | 0.0    | 0.0  | 0.0        | 2.3    | 1.2  | 0.6  | 0.7    | 0.6  |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 1.4  | 0.0    | 0.7  | 3.9  | 0.0    | 2.0  | 0.0        | 0.0    | 0.0  | 1.0  | 0.0    | 0.5  |
| DIDN'T LIKE EFFECTS                                                                    | 2.0   | 3.0    | 2.4  | 4.4  | 11.9   | 7.8  | 9.0  | 8.9    | 8.8  | 6.5  | 12.1   | 9.1  | 6.1        | 16.5   | 11.6 | 5.2  | 9.7    | 7.2  |
| OTHER THINGS I ENJOY DOING                                                             | 17.2  | 10.3   | 14.6 | 11.0 | 17.7   | 13.9 | 14.2 | 13.6   | 13.8 | 18.0 | 23.5   | 20.6 | 25.0       | 14.2   | 18.9 | 16.0 | 15.6   | 15.8 |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.0   | 0.0    | 0.0  | 0.0  | 0.8    | 0.4  | 1.6  | 1.6    | 1.6  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.3  | 0.5    | 0.4  |
| OTHER REASON                                                                           | 16.7  | 18.7   | 18.6 | 15.0 | 11.6   | 13.2 | 12.5 | 19.3   | 15.7 | 12.0 | 13.4   | 12.7 | 22.4       | 9.1    | 15.0 | 15.7 | 15.0   | 15.3 |

NOTE: Q39(MOD) IS A MODIFIED RESPONSE SET FOR Q39 AND INCLUDES ONLY THOSE WHO USED TO DRINK ALCOHOL BUT WHO DO NOT DRINK NOW

| NUMBER OF VALID RESPONSES TO:<br>Q40 = 2,372<br>Q40(WOD) = 1,649                     | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|--------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                      | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      | MALE       | FEMALE | ALL  |
|                                                                                      | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |        |      |
|                                                                                      |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| Q40: REASON FOR STILL USING ALCOHOL                                                  |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                                                | 0.7   | 0.0    | 0.4  | 1.0  | 0.9    | 0.9  | 0.0  | 0.0    | 0.0  | 0.6  | 0.0    | 0.3  | 0.0  | 0.0    | 0.0  | 0.4        | 0.2    | 0.3  |
| HAVE NEVER DRUNK ALCOHOL                                                             | 29.5  | 32.7   | 31.3 | 22.8 | 16.5   | 19.2 | 7.4  | 11.9   | 9.4  | 9.4  | 4.2    | 6.8  | 3.7  | 4.4    | 4.0  | 14.4       | 14.1   | 14.3 |
| STOPPED DRINKING ALCOHOL                                                             | 26.7  | 18.3   | 22.6 | 16.8 | 15.4   | 15.8 | 17.8 | 16.8   | 17.3 | 13.2 | 14.4   | 13.7 | 9.7  | 12.6   | 11.2 | 17.0       | 15.6   | 16.2 |
| IT IS FUN                                                                            | 10.5  | 10.9   | 10.7 | 17.6 | 25.6   | 22.3 | 30.7 | 27.3   | 29.0 | 31.8 | 33.9   | 32.9 | 30.1 | 24.3   | 27.6 | 24.3       | 24.6   | 24.5 |
| FRIENDS STILL DRINK                                                                  | 2.0   | 4.4    | 3.1  | 4.9  | 1.3    | 2.9  | 6.0  | 0.8    | 3.5  | 2.2  | 3.4    | 2.8  | 3.3  | 3.4    | 3.3  | 3.7        | 2.6    | 3.1  |
| CANNOT STOP DRINKING                                                                 | 0.0   | 0.4    | 0.2  | 0.0  | 1.4    | 0.8  | 0.4  | 0.5    | 0.4  | 0.6  | 1.4    | 1.0  | 1.2  | 0.0    | 0.6  | 0.4        | 0.8    | 0.6  |
| TO GET ALONG WITH FRIENDS                                                            | 1.9   | 0.0    | 1.0  | 1.7  | 0.0    | 0.7  | 2.3  | 1.3    | 1.8  | 1.8  | 1.6    | 1.7  | 3.7  | 0.8    | 2.3  | 2.3        | 0.7    | 1.5  |
| EASIER TO DO SCHOOL WORK                                                             | 0.5   | 0.0    | 0.3  | 0.5  | 0.0    | 0.2  | 0.0  | 0.4    | 0.2  | 0.0  | 0.0    | 0.0  | 0.5  | 0.0    | 0.3  | 0.3        | 0.1    | 0.2  |
| GOOD FOR MY HEALTH                                                                   | 0.0   | 1.1    | 0.5  | 0.0  | 0.0    | 0.0  | 1.4  | 0.5    | 1.0  | 0.8  | 0.0    | 0.3  | 1.6  | 0.0    | 0.8  | 0.7        | 0.3    | 0.5  |
| CALMS ME DOWN                                                                        | 0.7   | 0.0    | 0.4  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 1.9  | 0.4    | 1.1  | 1.3  | 0.4    | 0.9  | 0.8        | 0.2    | 0.5  |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 2.0   | 2.9    | 2.4  | 1.7  | 3.4    | 2.9  | 1.3  | 4.7    | 3.1  | 2.4  | 4.2    | 3.3  | 3.5  | 3.4    | 3.4  | 2.1        | 3.7    | 3.0  |
| ADULTS SAY IT IS NOT GOOD                                                            | 0.4   | 0.0    | 0.2  | 0.0  | 0.4    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.1    | 0.1  |
| BORED, NOTHING ELSE TO DO                                                            | 1.0   | 1.7    | 1.4  | 1.9  | 2.3    | 2.1  | 4.3  | 3.0    | 3.8  | 4.0  | 4.2    | 4.0  | 3.5  | 2.2    | 2.9  | 3.0        | 2.7    | 2.9  |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 3.5   | 3.9    | 3.6  | 7.6  | 6.1    | 6.7  | 6.8  | 5.3    | 6.0  | 10.6 | 12.1   | 11.2 | 14.1 | 19.4   | 16.6 | 8.4        | 9.0    | 8.6  |
| MAKES ME FEEL GOOD                                                                   | 6.0   | 2.3    | 4.2  | 6.3  | 7.6    | 7.0  | 9.3  | 12.4   | 10.9 | 8.4  | 7.4    | 8.3  | 9.0  | 7.9    | 8.4  | 7.9        | 7.6    | 7.8  |
| OTHER REASON                                                                         | 14.4  | 21.4   | 17.7 | 17.3 | 19.2   | 18.4 | 12.4 | 15.1   | 13.5 | 12.5 | 12.8   | 12.8 | 15.0 | 21.2   | 17.7 | 14.2       | 17.7   | 15.9 |
| Q40(WOD): REASON FOR STILL USING ALCOHOL (RESPONSES FOR THOSE WHO STILL USE ALCOHOL) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| IT IS FUN                                                                            | 24.5  | 22.2   | 23.5 | 29.6 | 38.0   | 34.8 | 41.1 | 38.3   | 39.6 | 41.5 | 41.7   | 41.5 | 34.7 | 29.3   | 32.5 | 35.7       | 35.1   | 35.5 |
| FRIENDS STILL DRINK                                                                  | 4.6   | 9.0    | 6.8  | 8.3  | 2.0    | 4.5  | 8.0  | 1.1    | 4.8  | 2.8  | 4.1    | 3.5  | 3.8  | 4.1    | 3.9  | 5.4        | 3.7    | 4.5  |
| CANNOT STOP DRINKING                                                                 | 0.0   | 0.8    | 0.4  | 0.0  | 2.0    | 1.2  | 0.5  | 0.7    | 0.6  | 0.7  | 1.7    | 1.2  | 1.4  | 0.0    | 0.7  | 0.6        | 1.1    | 0.9  |
| TO GET ALONG WITH FRIENDS                                                            | 4.5   | 0.0    | 2.2  | 2.8  | 0.0    | 1.1  | 3.1  | 1.9    | 2.5  | 2.3  | 2.0    | 2.1  | 4.2  | 0.9    | 2.7  | 3.3        | 1.1    | 2.2  |
| EASIER TO DO SCHOOL WORK                                                             | 1.2   | 0.0    | 0.6  | 0.8  | 0.0    | 0.3  | 0.0  | 0.6    | 0.3  | 0.0  | 0.0    | 0.0  | 0.6  | 0.0    | 0.3  | 0.4        | 0.1    | 0.3  |
| GOOD FOR MY HEALTH                                                                   | 0.0   | 2.3    | 1.2  | 0.0  | 0.0    | 0.0  | 1.8  | 0.7    | 1.3  | 0.7  | 0.0    | 0.3  | 1.8  | 0.0    | 1.0  | 1.1        | 0.5    | 0.7  |
| CALMS ME DOWN                                                                        | 1.7   | 0.0    | 0.8  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 2.5    | 0.5  | 1.4  | 1.5    | 0.5  | 1.1        | 0.2    | 0.7  |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 4.7   | 5.8    | 5.3  | 2.8  | 5.0    | 4.5  | 1.7  | 6.6    | 4.2  | 3.2  | 5.2    | 4.2  | 4.0  | 4.1    | 4.0  | 3.1        | 5.3    | 4.4  |
| ADULTS SAY IT IS NOT GOOD                                                            | 0.9   | 0.0    | 0.4  | 0.0  | 0.6    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.1    | 0.1  |
| BORED, NOTHING ELSE TO DO                                                            | 2.4   | 3.6    | 3.0  | 3.2  | 3.5    | 3.3  | 5.7  | 4.3    | 5.2  | 5.2  | 5.1    | 5.1  | 4.0  | 2.7    | 3.4  | 4.4        | 3.9    | 4.1  |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 8.0   | 7.9    | 7.9  | 12.8 | 9.0    | 10.4 | 9.1  | 7.4    | 8.2  | 13.9 | 14.9   | 14.2 | 16.3 | 23.3   | 19.6 | 12.3       | 12.8   | 12.5 |
| MAKES ME FEEL GOOD                                                                   | 13.9  | 4.8    | 9.1  | 10.5 | 11.4   | 10.8 | 12.4 | 17.4   | 14.8 | 11.0 | 9.1    | 10.4 | 10.4 | 9.5    | 9.9  | 11.5       | 10.8   | 11.2 |
| OTHER REASON                                                                         | 33.4  | 43.6   | 38.8 | 29.1 | 28.5   | 28.7 | 16.6 | 21.1   | 18.5 | 16.3 | 15.8   | 16.1 | 17.3 | 25.5   | 20.9 | 20.8       | 25.3   | 23.0 |

NOTE: Q40(W00) IS A MODIFIED RESPONSE SET FOR Q40 AND INCLUDES ONLY THOSE WHO STILL USE ALCOHOL



\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO:<br>Q41 = 2,607<br>Q42 = 2,611 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | ALL  |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |
| Q41: FREQUENCY OF BEING TIGHT<br>IN LAST 4 WEEKS            |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DO NOT DRINK ALCOHOL                                        | 27.3  | 32.6   | 30.5 | 25.7 | 16.8   | 20.6 | 9.6  | 13.9   | 11.5 | 11.5 | 7.6    | 9.5  | 4.6        | 6.1    | 5.3  | 15.8 |
| NO ALCOHOL IN LAST 4 WEEKS                                  | 32.4  | 26.0   | 28.8 | 25.3 | 30.3   | 28.2 | 20.6 | 23.0   | 21.5 | 17.5 | 17.0   | 17.0 | 13.4       | 19.7   | 16.5 | 22.6 |
| NOT BEEN TIGHT LAST 4 WEEKS                                 | 20.9  | 30.7   | 25.6 | 19.8 | 25.5   | 23.1 | 32.9 | 29.3   | 31.2 | 30.9 | 35.3   | 32.8 | 39.2       | 41.6   | 40.2 | 30.3 |
| ONCE IN LAST 4 WEEKS                                        | 9.1   | 6.5    | 7.7  | 15.3 | 13.2   | 14.1 | 15.2 | 16.6   | 16.4 | 19.3 | 22.6   | 21.3 | 16.8       | 18.1   | 17.4 | 15.3 |
| TWICE IN LAST 4 WEEKS                                       | 4.7   | 1.7    | 3.3  | 4.7  | 6.7    | 5.8  | 10.6 | 6.1    | 8.5  | 9.5  | 7.7    | 8.4  | 10.5       | 6.6    | 8.8  | 6.9  |
| 3 TIMES IN LAST 4 WEEKS                                     | 2.3   | 1.1    | 1.7  | 2.1  | 4.3    | 3.3  | 3.3  | 5.2    | 4.1  | 3.4  | 6.4    | 4.9  | 5.2        | 3.9    | 4.5  | 3.7  |
| 4 TIMES IN LAST 4 WEEKS                                     | 1.1   | 0.3    | 0.7  | 2.8  | 1.2    | 1.9  | 4.0  | 4.7    | 4.3  | 2.8  | 1.5    | 2.4  | 5.5        | 1.6    | 3.6  | 2.6  |
| 5 OR MORE TIMES LAST 4 WEEKS                                | 2.1   | 1.0    | 1.5  | 4.2  | 2.1    | 3.0  | 3.7  | 1.2    | 2.5  | 5.1  | 2.0    | 3.6  | 4.8        | 2.4    | 3.6  | 2.8  |
| Q42: FREQUENCY OF BEING DRUNK<br>IN LAST 4 WEEKS            |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DO NOT DRINK ALCOHOL                                        | 26.7  | 33.2   | 30.5 | 25.3 | 16.9   | 20.5 | 9.3  | 13.6   | 11.2 | 11.5 | 8.0    | 9.7  | 4.8        | 6.0    | 5.4  | 15.8 |
| NO ALCOHOL IN LAST 4 WEEKS                                  | 30.7  | 25.6   | 27.8 | 23.6 | 25.8   | 25.0 | 18.7 | 21.1   | 19.6 | 18.1 | 16.3   | 16.9 | 11.2       | 20.3   | 15.7 | 21.2 |
| NOT BEEN DRUNK LAST 4 WEEKS                                 | 24.1  | 29.6   | 26.6 | 24.3 | 32.9   | 28.9 | 39.6 | 35.6   | 38.0 | 40.4 | 45.6   | 43.1 | 49.8       | 50.1   | 49.7 | 36.8 |
| ONCE IN LAST 4 WEEKS                                        | 9.4   | 6.5    | 7.9  | 14.8 | 15.2   | 15.3 | 15.1 | 19.8   | 17.2 | 13.3 | 18.5   | 16.5 | 21.1       | 14.5   | 18.1 | 14.9 |
| TWICE IN LAST 4 WEEKS                                       | 4.5   | 3.4    | 3.9  | 4.2  | 3.6    | 3.8  | 9.8  | 5.2    | 7.6  | 8.2  | 6.5    | 7.2  | 5.3        | 4.5    | 4.9  | 4.6  |
| 3 TIMES IN LAST 4 WEEKS                                     | 1.3   | 0.5    | 1.0  | 2.2  | 2.3    | 2.3  | 1.6  | 2.7    | 2.3  | 3.1  | 1.7    | 2.3  | 2.0        | 2.0    | 2.0  | 1.9  |
| 4 TIMES IN LAST 4 WEEKS                                     | 0.6   | 0.3    | 0.5  | 1.6  | 2.0    | 1.8  | 2.9  | 1.6    | 2.3  | 1.1  | 2.3    | 1.7  | 3.4        | 0.8    | 2.1  | 1.7  |
| 5 OR MORE TIMES LAST 4 WEEKS                                | 2.6   | 1.0    | 1.6  | 4.0  | 1.4    | 2.5  | 3.0  | 0.4    | 1.8  | 4.4  | 1.1    | 2.6  | 2.3        | 1.9    | 2.1  | 2.2  |



## CENTRAL AND SOUTH EAST

| NUMBER OF VALID RESPONSES TO.<br>Q43 = 2,617<br>Q44 = 2,614                          | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|--------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                      | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                                                      | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q43: FREQ. OF HAVING 5 OR MORE ALCOHOLIC DRINKS ON THE SAME OCCASION IN LAST 4 WEEKS |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DO NOT DRINK ALCOHOL                                                                 | 28.0  | 33.9   | 31.8 | 27.6 | 16.7   | 21.4 | 9.8  | 14.0   | 11.6 | 10.9 | 8.1    | 9.5  | 4.4  | 6.4    | 5.3  | 16.2       | 16.2   | 16.3 |
| NO ALCOHOL LAST 4 WEEKS                                                              | 32.6  | 24.7   | 28.3 | 23.2 | 29.6   | 26.7 | 20.2 | 21.7   | 20.7 | 18.6 | 16.5   | 18.3 | 13.5 | 20.8   | 17.1 | 21.8       | 23.2   | 22.4 |
| NOT ON SAME OCCASION LAST 4 WK                                                       | 20.9  | 31.8   | 26.2 | 23.4 | 24.9   | 24.4 | 25.6 | 26.6   | 26.0 | 21.5 | 28.0   | 24.6 | 17.6 | 30.0   | 23.8 | 22.0       | 28.1   | 25.1 |
| ONCE IN LAST 4 WEEKS                                                                 | 7.0   | 4.9    | 5.9  | 7.6  | 14.4   | 11.6 | 15.7 | 16.4   | 16.0 | 17.1 | 21.2   | 19.5 | 22.7 | 19.1   | 20.8 | 14.0       | 15.0   | 14.6 |
| TWICE IN LAST 4 WEEKS                                                                | 5.3   | 2.0    | 3.6  | 5.0  | 6.7    | 5.9  | 13.3 | 8.5    | 11.4 | 12.2 | 11.8   | 11.8 | 14.8 | 8.7    | 11.9 | 10.2       | 7.5    | 8.8  |
| 3 TIMES IN LAST 4 WEEKS                                                              | 2.5   | 1.1    | 1.9  | 6.5  | 3.4    | 4.7  | 5.0  | 5.6    | 5.4  | 6.0  | 5.4    | 5.6  | 8.0  | 3.8    | 5.9  | 5.5        | 3.9    | 4.7  |
| 4 TIMES IN LAST 4 WEEKS                                                              | 1.6   | 1.3    | 1.4  | 3.3  | 2.3    | 2.7  | 4.1  | 3.7    | 3.9  | 6.5  | 2.5    | 4.7  | 8.2  | 3.3    | 5.8  | 4.6        | 2.6    | 3.6  |
| 5 OR MORE TIMES LAST 4 WEEKS                                                         | 1.5   | 0.3    | 0.9  | 3.5  | 2.1    | 2.7  | 6.3  | 3.5    | 5.0  | 7.1  | 4.6    | 5.9  | 10.8 | 7.6    | 9.3  | 5.8        | 3.5    | 4.6  |
| Q44: FREQUENCY OF GOING ON WEEKEND DRINKING SPREES                                   |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| HAVE NEVER DRUNK ALCOHOL                                                             | 16.5  | 23.6   | 20.4 | 15.4 | 11.5   | 13.2 | 5.5  | 7.6    | 6.4  | 6.5  | 3.1    | 4.6  | 4.0  | 3.6    | 3.8  | 9.5        | 10.1   | 9.9  |
| NEVER GONE ON WEEKEND SPREE                                                          | 52.9  | 51.7   | 52.0 | 45.2 | 52.4   | 48.8 | 46.2 | 51.3   | 48.2 | 48.5 | 48.2   | 47.9 | 28.6 | 45.9   | 37.2 | 44.7       | 50.1   | 47.2 |
| ONCE IN MY LIFE                                                                      | 9.3   | 13.2   | 11.3 | 13.8 | 9.6    | 11.4 | 17.3 | 16.8   | 16.9 | 12.4 | 15.2   | 14.0 | 12.8 | 12.8   | 13.0 | 13.3       | 13.5   | 13.4 |
| TWICE IN MY LIFE                                                                     | 6.3   | 4.6    | 5.4  | 7.3  | 9.2    | 8.5  | 5.7  | 5.6    | 5.6  | 8.2  | 9.2    | 8.6  | 13.2 | 9.5    | 11.3 | 7.9        | 7.6    | 7.7  |
| 3 OR MORE TIMES IN MY LIFE                                                           | 15.0  | 6.8    | 10.9 | 18.4 | 17.2   | 18.2 | 25.4 | 18.8   | 22.9 | 24.4 | 24.3   | 24.8 | 41.4 | 26.2   | 34.7 | 24.6       | 18.7   | 21.9 |

| NUMBER OF VALID RESPONSES 10:<br>Q45 = 2,610<br>Q46 = 2,613<br>Q47 = 2,614 | GRADE  |      |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |     |
|----------------------------------------------------------------------------|--------|------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|-----|
|                                                                            | 8      |      |      | 9    |      |        | 10   |      |      | 11     |      |      | 12   |        |      |            |      |        |     |
|                                                                            | FEMALE |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE       |      | FEMALE | ALL |
|                                                                            | Σ      | Σ    | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ          | Σ    | Σ      | Σ   |
| Q45: FREQ. OF DRINKING PRIOR TO OR INSTEAD OF BREAKFAST                    |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |     |
| HAVE NEVER DRUNK ALCOHOL                                                   | 16.4   | 23.2 | 20.2 | 17.5 | 12.4 | 14.7   | 5.2  | 8.5  | 6.6  | 6.9    | 2.9  | 4.7  | 3.9  | 4.0    | 3.9  | 9.8        | 10.4 | 10.2   |     |
| NEVER DRANK PRIOR TO BREAKFAST                                             | 72.0   | 70.2 | 70.9 | 70.7 | 75.0 | 72.6   | 73.6 | 70.2 | 71.9 | 74.8   | 72.6 | 73.4 | 58.7 | 71.9   | 65.1 | 70.3       | 72.0 | 71.0   |     |
| ONCE IN MY LIFE                                                            | 6.5    | 3.4  | 4.9  | 5.9  | 8.1  | 7.5    | 8.1  | 13.1 | 10.5 | 8.1    | 12.4 | 10.2 | 14.1 | 11.8   | 13.1 | 8.4        | 9.6  | 9.1    |     |
| TWICE IN MY LIFE                                                           | 2.3    | 1.2  | 1.7  | 0.8  | 1.5  | 1.1    | 5.4  | 3.4  | 4.5  | 5.4    | 3.9  | 4.8  | 8.4  | 4.3    | 6.4  | 4.5        | 2.8  | 3.6    |     |
| 3 OR MORE TIMES IN MY LIFE                                                 | 2.7    | 2.0  | 2.4  | 5.1  | 3.1  | 4.2    | 7.7  | 4.8  | 6.5  | 4.8    | 8.2  | 6.9  | 14.9 | 8.0    | 11.5 | 6.9        | 5.1  | 6.1    |     |
| Q46: FREQ. OF AGGRESSIVE BEHAVIOUR DUE TO ALCOHOL                          |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |     |
| HAVE NEVER DRUNK ALCOHOL                                                   | 18.8   | 25.3 | 22.6 | 16.5 | 13.4 | 14.7   | 6.0  | 8.4  | 7.1  | 7.7    | 3.1  | 5.2  | 3.1  | 3.6    | 3.3  | 10.4       | 11.0 | 10.8   |     |
| NEVER AGGRESS. DUE TO ALCOHOL                                              | 56.2   | 67.2 | 68.0 | 62.8 | 73.4 | 68.7   | 64.1 | 72.0 | 67.5 | 65.5   | 79.7 | 73.4 | 57.4 | 77.0   | 66.9 | 63.4       | 73.8 | 68.5   |     |
| ONCE IN MY LIFE                                                            | 5.6    | 5.2  | 5.6  | 10.1 | 6.8  | 8.2    | 10.9 | 15.1 | 12.7 | 10.8   | 8.8  | 9.6  | 13.5 | 9.6    | 11.5 | 10.1       | 9.0  | 9.5    |     |
| TWICE IN MY LIFE                                                           | 3.6    | 0.0  | 1.8  | 2.2  | 3.5  | 2.9    | 3.5  | 1.1  | 3.0  | 5.0    | 3.4  | 4.1  | 9.1  | 4.0    | 6.6  | 4.6        | 2.4  | 3.5    |     |
| 3 OR MORE TIMES IN MY LIFE                                                 | 5.8    | 2.3  | 4.0  | 8.4  | 2.9  | 5.5    | 15.4 | 3.5  | 9.8  | 11.1   | 4.9  | 7.7  | 16.9 | 5.8    | 11.7 | 11.6       | 3.8  | 7.7    |     |
| Q47: FREQ. OF MEMORY LOSS W/O PASSING OUT AFTER DRINKING                   |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |     |
| HAVE NEVER DRUNK ALCOHOL                                                   | 18.7   | 24.9 | 22.3 | 17.9 | 13.3 | 15.4   | 5.6  | 8.6  | 6.9  | 7.3    | 3.1  | 5.0  | 3.6  | 3.6    | 3.6  | 10.6       | 11.0 | 10.9   |     |
| NEVER MEMORY LOSS AFTER DRINK.                                             | 62.5   | 60.7 | 61.0 | 58.1 | 58.6 | 58.1   | 53.6 | 56.9 | 54.8 | 62.6   | 49.0 | 55.3 | 46.7 | 49.6   | 48.4 | 58.8       | 55.2 | 55.7   |     |
| ONCE IN MY LIFE                                                            | 8.7    | 6.7  | 7.8  | 12.0 | 15.4 | 14.0   | 18.7 | 16.7 | 17.6 | 12.1   | 22.6 | 17.7 | 21.4 | 23.1   | 22.2 | 14.6       | 16.7 | 15.6   |     |
| TWICE IN MY LIFE                                                           | 2.4    | 3.2  | 2.8  | 4.3  | 5.1  | 4.7    | 7.0  | 6.9  | 7.2  | 7.1    | 10.8 | 8.9  | 11.5 | 11.5   | 11.4 | 6.4        | 7.3  | 6.9    |     |
| 3 OR MORE TIMES IN MY LIFE                                                 | 7.6    | 4.5  | 6.1  | 7.6  | 7.6  | 7.9    | 15.0 | 10.9 | 13.4 | 10.8   | 14.5 | 13.0 | 16.9 | 12.1   | 14.4 | 11.7       | 9.8  | 10.9   |     |

| NUMBER OF VALID RESPONSES TO:<br>Q48 = 2,578<br>Q49 = 2,617<br>Q50 = 2,627 | GRADE |      |        |   |      |      |      |      |        |      |      |      |      |      |        |      |     |   |      |      |        |      |     |   | ALL GRADES |   |        |   |     |   |
|----------------------------------------------------------------------------|-------|------|--------|---|------|------|------|------|--------|------|------|------|------|------|--------|------|-----|---|------|------|--------|------|-----|---|------------|---|--------|---|-----|---|
|                                                                            | 6     |      |        |   |      |      | 9    |      |        | 10   |      |      | 11   |      |        | 12   |     |   |      |      |        |      |     |   |            |   |        |   |     |   |
|                                                                            | MALE  |      | FEMALE |   | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL |   | MALE |      | FEMALE |      | ALL |   | MALE       |   | FEMALE |   | ALL |   |
|                                                                            | Σ     | %    | Σ      | % | Σ    | %    | Σ    | %    | Σ      | %    | Σ    | %    | Σ    | %    | Σ      | %    | Σ   | % | Σ    | %    | Σ      | %    | Σ   | % | Σ          | % | Σ      | % | Σ   | % |
| Q48: AVERAGE BOTTLES OF BEER CONSUMED AT ONE TIME                          |       |      |        |   |      |      |      |      |        |      |      |      |      |      |        |      |     |   |      |      |        |      |     |   |            |   |        |   |     |   |
| NONE, DO NOT DRINK BEER                                                    | 47.3  | 57.8 | 52.8   |   | 36.5 | 36.8 | 36.4 | 18.9 | 37.4   | 27.2 | 23.3 | 31.6 | 27.8 | 11.8 | 27.9   | 19.5 |     |   |      | 27.5 | 38.5   | 33.0 |     |   |            |   |        |   |     |   |
| 1 TO 3 BOTTLES                                                             | 35.4  | 32.2 | 33.4   |   | 32.4 | 36.6 | 35.2 | 29.2 | 30.1   | 29.5 | 23.5 | 27.5 | 25.5 | 17.1 | 36.9   | 26.8 |     |   |      | 27.7 | 32.5   | 30.1 |     |   |            |   |        |   |     |   |
| 4 TO 6 BOTTLES                                                             | 9.0   | 7.6  | 8.4    |   | 16.8 | 18.9 | 17.7 | 26.8 | 24.6   | 25.9 | 26.8 | 31.2 | 29.2 | 34.5 | 25.2   | 30.3 |     |   |      | 22.7 | 21.5   | 22.1 |     |   |            |   |        |   |     |   |
| 7 OR MORE BOTTLES                                                          | 8.3   | 2.3  | 5.4    |   | 14.2 | 7.7  | 10.8 | 25.2 | 7.9    | 17.4 | 26.4 | 9.7  | 17.5 | 36.6 | 10.0   | 23.6 |     |   |      | 22.0 | 7.5    | 14.7 |     |   |            |   |        |   |     |   |
| Q49: AVERAGE GLASSES OF WINE CONSUMED AT ONE TIME                          |       |      |        |   |      |      |      |      |        |      |      |      |      |      |        |      |     |   |      |      |        |      |     |   |            |   |        |   |     |   |
| NONE, DO NOT DRINK WINE                                                    | 51.1  | 52.4 | 51.9   |   | 48.7 | 40.0 | 43.9 | 47.6 | 33.7   | 41.0 | 51.1 | 34.6 | 42.8 | 49.7 | 35.0   | 42.8 |     |   |      | 49.6 | 39.3   | 44.5 |     |   |            |   |        |   |     |   |
| 1 TO 3 GLASSES                                                             | 39.9  | 44.5 | 41.9   |   | 36.6 | 50.0 | 44.1 | 36.5 | 46.0   | 40.9 | 31.8 | 49.8 | 41.1 | 35.0 | 49.4   | 41.8 |     |   |      | 36.0 | 47.9   | 41.9 |     |   |            |   |        |   |     |   |
| 4 TO 6 GLASSES                                                             | 4.9   | 2.9  | 3.9    |   | 9.3  | 7.7  | 8.3  | 7.1  | 12.5   | 9.6  | 8.1  | 11.3 | 9.7  | 9.3  | 10.7   | 10.1 |     |   |      | 7.6  | 8.9    | 8.3  |     |   |            |   |        |   |     |   |
| 7 OR MORE GLASSES                                                          | 4.2   | 0.2  | 2.3    |   | 5.5  | 2.3  | 3.7  | 8.9  | 7.8    | 8.5  | 9.0  | 4.3  | 6.4  | 6.0  | 4.9    | 5.4  |     |   |      | 6.8  | 3.6    | 5.3  |     |   |            |   |        |   |     |   |
| Q50: AVERAGE DRINKS OF HARD LIQUOR CONSUMED AT ONE TIME                    |       |      |        |   |      |      |      |      |        |      |      |      |      |      |        |      |     |   |      |      |        |      |     |   |            |   |        |   |     |   |
| NONE, DO NOT DRINK HARD LIQUOR                                             | 59.1  | 65.8 | 62.8   |   | 52.6 | 43.0 | 47.3 | 30.1 | 38.9   | 33.8 | 34.3 | 28.1 | 31.0 | 24.2 | 27.6   | 25.8 |     |   |      | 40.0 | 41.2   | 40.6 |     |   |            |   |        |   |     |   |
| 1 TO 3 DRINKS                                                              | 29.0  | 28.6 | 27.6   |   | 27.5 | 37.3 | 33.1 | 34.5 | 35.3   | 34.7 | 28.9 | 42.1 | 35.7 | 27.9 | 40.8   | 34.1 |     |   |      | 29.8 | 36.3   | 33.0 |     |   |            |   |        |   |     |   |
| 4 TO 6 DRINKS                                                              | 6.5   | 5.1  | 5.7    |   | 9.2  | 13.2 | 11.2 | 18.8 | 20.5   | 20.2 | 19.5 | 23.7 | 21.9 | 26.1 | 20.4   | 23.6 |     |   |      | 15.9 | 16.4   | 16.3 |     |   |            |   |        |   |     |   |
| 7 OR MORE DRINKS                                                           | 5.5   | 2.5  | 3.9    |   | 10.7 | 6.6  | 8.3  | 16.6 | 5.2    | 11.3 | 17.3 | 6.1  | 11.5 | 21.7 | 11.2   | 16.5 |     |   |      | 14.3 | 6.1    | 10.1 |     |   |            |   |        |   |     |   |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

CENTRAL AND SOUTH EAST

|                                                                                           | GRADE |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   | ALL GRADES |   |   |     |   |      |   |        |  |     |
|-------------------------------------------------------------------------------------------|-------|---|--------|---|-----|---|------|---|--------|---|-----|---|------|---|--------|---|------------|---|---|-----|---|------|---|--------|--|-----|
|                                                                                           | 8     |   |        |   | 9   |   |      |   | 10     |   |     |   | 11   |   |        |   |            |   |   | 12  |   |      |   |        |  |     |
|                                                                                           | MALE  |   | FEMALE |   | ALL |   | MALE |   | FEMALE |   | ALL |   | MALE |   | FEMALE |   |            |   |   | ALL |   | MALE |   | FEMALE |  | ALL |
|                                                                                           | N     | % | N      | % | N   | % | N    | % | N      | % | N   | % | N    | % | N      | % | N          | % | N | %   | N | %    | N | %      |  |     |
| NUMBER OF VALID RESPONSES TO:<br>Q51 = 2,615<br>Q52 = 2,612<br>Q53 = 2,623<br>Q54 = 2,586 |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| Q51: EVER ARRESTED OR WARNED BY POLICE FOR DRUG USE                                       |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| DO NOT USE DRUGS                                                                          |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| YES                                                                                       |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| NO                                                                                        |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| Q52: WISH YOU COULD USE DRUGS LESS THAN YOU DO NOW                                        |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| DO NOT USE DRUGS                                                                          |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| YES                                                                                       |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| NO                                                                                        |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| Q53: EVER WARNED BY POLICE BECAUSE OF ALCOHOL USE                                         |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| DO NOT USE ALCOHOL                                                                        |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| YES                                                                                       |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| NO                                                                                        |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| Q54: WISH YOU COULD DRINK LESS THAN YOU DO NOW                                            |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| DO NOT USE ALCOHOL                                                                        |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| YES                                                                                       |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |
| NO                                                                                        |       |   |        |   |     |   |      |   |        |   |     |   |      |   |        |   |            |   |   |     |   |      |   |        |  |     |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

CENTRAL AND SOUTH EAST

|                                                                            | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |     |   |
|----------------------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|-----|---|
|                                                                            | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      | 12         |        |     |   |
|                                                                            | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL | % |
| NUMBER OF VALID RESPONSES TO:<br>Q55 = 2,616<br>Q56 = 2,615<br>Q57 = 2,609 |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| Q55: PARENTS THINK YOU DRINK TOO MUCH ALCOHOL                              |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| DO NOT USE ALCOHOL                                                         | 42.6  | 42.5   | 43.0 | 33.3 | 25.3 | 28.7   | 15.4 | 23.2 | 18.8 | 15.7   | 12.2 | 13.9 | 8.6  | 8.8    | 8.6  | 23.2 | 22.9       | 23.1   |     |   |
| YES                                                                        | 1.8   | 0.0    | 0.9  | 4.3  | 1.1  | 2.5    | 7.5  | 1.9  | 4.9  | 3.2    | 6.3  | 5.0  | 8.5  | 3.5    | 6.0  | 5.1  | 2.5        | 3.8    |     |   |
| NO                                                                         | 18.4  | 22.0   | 19.9 | 28.6 | 28.1 | 27.3   | 32.8 | 23.9 | 28.5 | 31.6   | 37.1 | 34.4 | 47.7 | 53.0   | 50.1 | 31.4 | 31.6       | 31.3   |     |   |
| DON'T KNOW                                                                 | 14.2  | 4.7    | 9.4  | 8.0  | 10.3 | 9.5    | 10.0 | 10.9 | 10.5 | 10.7   | 7.1  | 8.9  | 11.8 | 13.5   | 12.5 | 10.9 | 9.3        | 10.1   |     |   |
| THEY DON'T KNOW HOW MUCH I DRK                                             | 23.0  | 30.8   | 26.9 | 25.9 | 36.6 | 32.1   | 34.3 | 40.1 | 37.4 | 38.7   | 37.3 | 38.0 | 23.6 | 21.2   | 22.7 | 29.4 | 33.7       | 31.7   |     |   |
| Q56: ACCIDENT WHILE YOU WERE DRIVING IN LAST 12 MONTHS                     |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| NO                                                                         | 95.3  | 97.3   | 96.4 | 94.6 | 97.7 | 96.3   | 93.3 | 94.7 | 94.0 | 84.7   | 86.2 | 85.2 | 76.3 | 87.6   | 81.5 | 89.3 | 92.9       | 91.0   |     |   |
| ONCE                                                                       | 2.3   | 1.9    | 2.0  | 2.3  | 2.3  | 2.3    | 3.9  | 3.8  | 3.8  | 12.2   | 13.0 | 12.9 | 15.4 | 9.8    | 12.7 | 8.9  | 6.0        | 6.5    |     |   |
| TWICE                                                                      | 0.5   | 0.5    | 0.5  | 0.6  | 0.0  | 0.2    | 1.4  | 1.5  | 1.4  | 1.7    | 0.5  | 1.0  | 5.1  | 1.8    | 3.7  | 1.8  | 0.8        | 1.3    |     |   |
| 3 TIMES                                                                    | 0.5   | 0.0    | 0.2  | 0.9  | 0.0  | 0.4    | 0.7  | 0.0  | 0.4  | 0.9    | 0.0  | 0.4  | 2.0  | 0.4    | 1.2  | 1.0  | 0.1        | 0.5    |     |   |
| 4 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.4  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.3  | 0.2  | 1.2  | 0.4    | 0.8  | 0.3  | 0.1        | 0.2    |     |   |
| 5 OR MORE TIMES                                                            | 1.4   | 0.3    | 0.9  | 1.2  | 0.0  | 0.5    | 0.8  | 0.0  | 0.4  | 0.5    | 0.0  | 0.2  | 0.0  | 0.0    | 0.0  | 0.8  | 0.1        | 0.4    |     |   |
| Q57: ACCIDENT WHILE DRIVING AFTER DRINKING LAST 12 MO.                     |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| NO                                                                         | 97.1  | 99.5   | 98.3 | 97.3 | 99.6 | 98.6   | 97.2 | 98.4 | 97.8 | 96.0   | 97.1 | 97.5 | 93.7 | 98.4   | 96.0 | 96.7 | 98.6       | 97.7   |     |   |
| ONCE                                                                       | 0.5   | 0.5    | 0.5  | 0.6  | 0.4  | 0.4    | 1.6  | 1.2  | 1.4  | 1.5    | 2.9  | 2.2  | 4.6  | 1.2    | 3.0  | 1.7  | 1.2        | 1.5    |     |   |
| TWICE                                                                      | 0.0   | 0.0    | 0.0  | 0.9  | 0.0  | 0.4    | 0.3  | 0.4  | 0.4  | 0.0    | 0.0  | 0.0  | 1.8  | 0.0    | 0.8  | 0.5  | 0.1        | 0.3    |     |   |
| 3 TIMES                                                                    | 0.5   | 0.0    | 0.2  | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.0  | 0.4    | 0.2  | 0.2  | 0.1        | 0.1    |     |   |
| 4 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0    |     |   |
| 5 OR MORE TIMES                                                            | 1.9   | 0.0    | 1.0  | 1.2  | 0.0  | 0.5    | 0.4  | 0.0  | 0.2  | 0.5    | 0.0  | 0.2  | 0.0  | 0.0    | 0.0  | 0.8  | 0.0        | 0.4    |     |   |







NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS. IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION.



APPENDIX D (continued)

Item Responses by Sex within Grade within Region

...

North Region



## NORTH

| NUMBER OF VALID RESPONSES<br>VARIES FROM 2,561 TO 2,596 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      | ALL GRADES |     |
|---------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|------------|-----|
|                                                         | 8     |      |        | 9    |      |      | 10     |      |      | 11   |        |      | 12   |      |        |      |      |      |            |     |
|                                                         | MALE  |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE     | ALL |
|                                                         | Σ     | %    | Σ      | Σ    | %    | Σ    | Σ      | %    | Σ    | Σ    | %      | Σ    | Σ    | %    | Σ      | Σ    | %    | Σ    | Σ          | %   |
| TOBACCO: Q8                                             | 23.2  | 23.9 | 23.8   | 22.8 | 34.5 | 29.0 | 33.3   | 41.7 | 37.6 | 30.3 | 37.2   | 33.9 | 30.9 | 41.2 | 36.0   | 27.8 | 35.1 | 31.6 |            |     |
| ALCOHOL: Q9                                             | 63.1  | 60.8 | 62.1   | 72.0 | 78.2 | 75.0 | 86.6   | 85.2 | 86.0 | 90.9 | 87.7   | 89.3 | 92.0 | 87.5 | 89.8   | 79.5 | 78.8 | 79.2 |            |     |
| CANNABIS: Q10                                           | 21.7  | 15.4 | 18.9   | 23.1 | 34.1 | 29.1 | 48.3   | 40.4 | 44.8 | 50.0 | 49.4   | 49.6 | 51.9 | 48.2 | 50.2   | 37.6 | 36.1 | 37.1 |            |     |
| GLUE: Q11                                               | 4.2   | 1.5  | 3.1    | 3.1  | 3.4  | 3.2  | 2.6    | 0.7  | 1.6  | 1.1  | 0.7    | 0.9  | 0.3  | 0.0  | 0.2    | 2.5  | 1.3  | 1.9  |            |     |
| SOLVENTS (PAINT THINNER, GAS): Q12                      | 6.3   | 4.3  | 5.5    | 5.0  | 4.6  | 4.8  | 5.1    | 4.2  | 4.6  | 2.5  | 2.1    | 2.3  | 2.0  | 0.0  | 1.0    | 4.4  | 3.2  | 3.9  |            |     |
| * INHALANTS (GLUE OR SOLVENTS)                          | 8.1   | 4.8  | 6.7    | 5.9  | 6.3  | 6.0  | 6.0    | 4.2  | 5.1  | 3.0  | 2.5    | 2.7  | 2.0  | 0.0  | 1.0    | 5.3  | 3.8  | 4.6  |            |     |
| LSD: Q26                                                | 8.4   | 3.3  | 6.2    | 7.0  | 6.7  | 6.9  | 10.0   | 8.3  | 9.1  | 13.4 | 11.3   | 12.3 | 15.5 | 7.4  | 11.4   | 10.4 | 7.2  | 8.9  |            |     |
| PCP: Q24                                                | 3.8   | 3.2  | 3.7    | 2.3  | 1.1  | 1.7  | 2.1    | 2.0  | 2.1  | 4.1  | 1.2    | 2.6  | 0.3  | 0.4  | 0.4    | 2.6  | 1.7  | 2.2  |            |     |
| HALLUCINOGENS (EXCL. LSD & PCP): Q25                    | 8.6   | 4.6  | 6.8    | 9.7  | 12.5 | 11.2 | 20.2   | 15.7 | 17.9 | 20.6 | 20.8   | 20.6 | 26.9 | 22.5 | 24.6   | 16.3 | 14.5 | 15.4 |            |     |
| * ANY HALLUCINOGEN                                      | 13.5  | 6.0  | 10.1   | 11.3 | 16.5 | 14.1 | 22.5   | 18.2 | 20.2 | 22.6 | 23.2   | 22.8 | 28.8 | 22.9 | 25.8   | 19.0 | 16.7 | 17.9 |            |     |
| COCAINE: Q17                                            | 4.2   | 2.3  | 3.5    | 4.1  | 2.6  | 3.5  | 8.4    | 6.9  | 7.6  | 9.3  | 8.3    | 8.7  | 14.1 | 9.5  | 11.8   | 7.6  | 5.6  | 6.6  |            |     |
| CRACK: Q18                                              | 3.6   | 1.9  | 3.0    | 2.6  | 1.2  | 1.9  | 3.8    | 1.9  | 2.8  | 2.8  | 1.7    | 2.2  | 0.3  | 0.5  | 0.4    | 2.7  | 1.5  | 2.2  |            |     |
| HEROIN: Q15                                             | 2.4   | 2.1  | 2.4    | 3.6  | 2.1  | 2.9  | 2.6    | 1.9  | 2.3  | 2.2  | 1.9    | 2.0  | 2.1  | 0.5  | 1.3    | 2.6  | 1.8  | 2.2  |            |     |
| SPEED: Q16                                              | 7.4   | 6.2  | 7.0    | 5.5  | 6.8  | 6.1  | 10.6   | 5.7  | 8.2  | 11.6 | 9.6    | 10.5 | 11.4 | 8.9  | 10.1   | 9.1  | 7.3  | 8.2  |            |     |
| STIMULANTS (W/O PRESCRIPTION): Q20                      | 6.2   | 9.2  | 7.9    | 5.3  | 15.3 | 10.3 | 10.4   | 12.4 | 11.3 | 10.6 | 15.4   | 13.0 | 7.8  | 11.4 | 9.6    | 7.9  | 12.6 | 10.3 |            |     |
| STIMULANTS (WITH PRESCRIPTION): Q21                     | 10.5  | 7.0  | 8.7    | 7.1  | 10.4 | 8.7  | 6.7    | 5.3  | 6.0  | 7.5  | 10.3   | 9.2  | 5.7  | 6.0  | 5.8    | 7.6  | 7.8  | 7.7  |            |     |
| BARBITURATES (W/O PRESCRIPTION): Q13                    | 3.8   | 4.6  | 4.4    | 1.6  | 7.7  | 4.7  | 6.7    | 9.4  | 8.0  | 6.8  | 8.3    | 7.6  | 6.5  | 3.2  | 4.9    | 4.9  | 6.7  | 5.9  |            |     |
| TRANQUILIZERS (W/O PRESCR.): Q22                        | 3.3   | 3.4  | 3.5    | 2.2  | 6.4  | 4.4  | 6.1    | 5.8  | 6.1  | 7.7  | 5.7    | 6.6  | 4.6  | 3.0  | 3.8    | 4.6  | 4.9  | 4.9  |            |     |
| * DEPRESSANTS (W/O PRESCRIPTION)                        | 5.4   | 6.8  | 6.5    | 3.4  | 11.9 | 7.9  | 10.9   | 13.1 | 12.1 | 11.4 | 11.0   | 11.1 | 8.7  | 4.9  | 6.8    | 7.8  | 9.7  | 8.9  |            |     |
| BARBITURATES (W. PRESCRIPTION): Q14                     | 15.8  | 14.1 | 14.9   | 9.4  | 17.6 | 13.8 | 15.7   | 15.7 | 15.6 | 17.9 | 19.4   | 18.6 | 13.8 | 11.9 | 12.8   | 14.5 | 15.8 | 15.1 |            |     |
| TRANQUILIZERS (W. PRESCRIPTION): Q23                    | 5.6   | 3.7  | 4.8    | 3.8  | 5.9  | 4.8  | 7.6    | 4.5  | 6.0  | 5.1  | 6.3    | 5.7  | 5.1  | 7.8  | 6.6    | 5.5  | 5.4  | 5.5  |            |     |
| * DEPRESSANTS (WITH PRESCRIPTION)                       | 18.1  | 16.8 | 17.6   | 12.5 | 21.2 | 17.1 | 21.0   | 18.7 | 19.7 | 19.7 | 22.6   | 21.1 | 15.9 | 17.2 | 16.7   | 17.5 | 19.3 | 18.4 |            |     |
| PRESCRIPTION (STIM. BARB. TRANQ)                        | 23.5  | 19.6 | 21.7   | 16.5 | 27.2 | 22.0 | 24.5   | 19.7 | 22.0 | 22.8 | 26.2   | 24.7 | 19.3 | 20.5 | 20.0   | 21.5 | 22.5 | 22.1 |            |     |

\* REPRESENTS A COMBINATION OF DRUGS. "INHALANTS" REFERS TO USE OF GLUE OR SOLVENTS. "ANY HALLUCINOGEN" REFERS TO USE OF LSD, PCP, OR OTHER HALLUCINOGENS. NOTES: "DEPRESSANTS (W/O PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITHOUT A PRESCRIPTION. "DEPRESSANTS (WITH PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITH A PRESCRIPTION. "PRESCRIPTION (STIM, BARB, TRANQ)" REFERS TO USE OF STIMULANTS, BARBITURATES, OR TRANQUILIZERS WITH A PRESCRIPTION.

TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE. REFER TO APPROPRIATE QUESTIONNAIRE ITEMS TO DETERMINE WHAT INDIVIDUAL DRUGS ARE INCLUDED WITHIN EACH DRUG CATEGORY.

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)



NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q9 = 2,596<br>Q10 = 2,574 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |   |
|------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|---|
|                                                            | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      | 12         |      |        |   |
|                                                            | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE       |      | FEMALE |   |
|                                                            | Σ     | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ          | Σ    | Σ      | Σ |
| Q9: ALCOHOL USE IN LAST 12 MO.                             |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |
| NONE                                                       | 24.2  | 25.8 | 24.9   | 22.4 | 15.3 | 18.9 | 10.6   | 11.3 | 10.9 | 6.7  | 7.9    | 6.3  | 10.0 | 8.1  | 15.0   | 14.8 | 14.8       |      |        |   |
| ONE SIP                                                    | 12.7  | 13.4 | 13.0   | 5.6  | 6.5  | 6.2  | 2.8    | 3.5  | 3.1  | 2.3  | 4.4    | 3.4  | 1.7  | 2.5  | 2.1    | 5.5  | 6.5        | 6.0  |        |   |
| SPECIAL EVENTS ONLY                                        | 23.6  | 26.6 | 25.0   | 23.2 | 23.1 | 22.9 | 14.4   | 26.2 | 20.0 | 7.7  | 16.1   | 12.4 | 8.7  | 10.8 | 9.9    | 18.4 | 21.3       | 18.9 |        |   |
| ONCE MONTHLY OR LESS                                       | 15.4  | 18.1 | 16.7   | 24.2 | 21.0 | 22.9 | 28.6   | 21.6 | 25.0 | 23.6 | 21.4   | 22.3 | 16.3 | 21.3 | 18.7   | 21.7 | 20.6       | 21.1 |        |   |
| 2 TO 3 TIMES MONTHLY                                       | 13.2  | 8.5  | 11.0   | 13.7 | 19.3 | 16.3 | 18.6   | 20.9 | 20.1 | 22.8 | 23.3   | 23.2 | 25.3 | 24.3 | 24.7   | 18.1 | 18.6       | 18.4 |        |   |
| ONCE PER WEEK                                              | 5.0   | 5.4  | 5.1    | 5.1  | 9.0  | 7.2  | 14.3   | 9.0  | 11.9 | 16.5 | 14.3   | 15.3 | 15.2 | 16.5 | 15.8   | 10.6 | 10.3       | 10.5 |        |   |
| 2 OR 3 TIMES WEEKLY                                        | 4.1   | 1.4  | 2.8    | 2.7  | 5.0  | 3.8  | 8.6    | 5.3  | 6.9  | 14.7 | 11.8   | 13.1 | 23.5 | 13.9 | 18.7   | 9.7  | 6.9        | 8.3  |        |   |
| 4 OR 5 TIMES WEEKLY                                        | 0.7   | 0.0  | 0.4    | 1.4  | 0.8  | 1.1  | 0.8    | 1.2  | 1.0  | 2.8  | 0.8    | 1.8  | 2.4  | 0.7  | 1.6    | 1.5  | 0.7        | 1.1  |        |   |
| 6 TO 7 TIMES WEEKLY                                        | 1.1   | 0.9  | 1.2    | 1.7  | 0.0  | 0.8  | 1.2    | 0.9  | 1.1  | 2.6  | 0.0    | 1.2  | 0.7  | 0.0  | 0.4    | 1.5  | 0.4        | 1.0  |        |   |
| Q10: CANNABIS USE IN LAST 12 MONTHS                        |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |
| DON'T KNOW WHAT IT IS                                      | 12.5  | 13.7 | 13.0   | 10.6 | 6.5  | 8.5  | 8.3    | 4.2  | 6.3  | 4.4  | 4.6    | 4.5  | 1.6  | 2.7  | 2.2    | 8.0  | 6.8        | 7.4  |        |   |
| NONE                                                       | 65.8  | 70.9 | 68.1   | 66.2 | 59.4 | 62.5 | 43.4   | 55.4 | 49.0 | 45.6 | 46.0   | 45.9 | 48.4 | 49.1 | 47.6   | 54.4 | 57.1       | 55.6 |        |   |
| 1 OR 2 TIMES                                               | 6.9   | 7.9  | 7.4    | 9.7  | 12.0 | 11.0 | 14.3   | 15.0 | 15.0 | 13.6 | 16.4   | 15.2 | 14.9 | 16.1 | 16.4   | 11.6 | 13.6       | 12.6 |        |   |
| 3 TO 5 TIMES                                               | 5.1   | 1.5  | 3.3    | 3.7  | 7.1  | 5.3  | 6.4    | 7.2  | 7.0  | 8.3  | 9.0    | 8.6  | 5.8  | 9.2  | 7.5    | 5.8  | 6.5        | 6.1  |        |   |
| 6 TO 9 TIMES                                               | 2.1   | 1.0  | 1.7    | 1.9  | 3.5  | 2.9  | 5.0    | 4.0  | 4.5  | 3.4  | 5.3    | 4.4  | 5.4  | 6.3  | 5.8    | 3.5  | 3.8        | 3.7  |        |   |
| 10 TO 19 TIMES                                             | 1.9   | 3.2  | 2.6    | 1.2  | 4.9  | 3.2  | 6.9    | 7.2  | 7.0  | 5.9  | 7.6    | 6.7  | 4.1  | 4.8  | 4.7    | 3.9  | 5.5        | 4.7  |        |   |
| 20 TO 39 TIMES                                             | 0.9   | 0.9  | 0.9    | 1.9  | 2.4  | 2.2  | 3.4    | 2.6  | 3.0  | 3.8  | 4.1    | 3.9  | 3.9  | 2.5  | 3.2    | 2.6  | 2.4        | 2.5  |        |   |
| 40 OR MORE TIMES                                           | 4.8   | 0.9  | 3.0    | 4.6  | 3.5  | 4.4  | 12.2   | 4.4  | 8.3  | 15.2 | 6.9    | 10.8 | 17.8 | 7.4  | 12.6   | 10.3 | 4.3        | 7.4  |        |   |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY, 1987 ...  
 FREQUENCY OF USE BY SEX WHOSE HAVE USED TOBACCO, ALCOHOL, OR CANNABIS  
 IN THE LAST 12 MONTHS BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q8(MOD) = 611<br>Q9(MOD) = 2,069<br>Q10(MOD) = 960 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      | ALL GRADES |        |     |
|-------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|------|------------|--------|-----|
|                                                                                     | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |      |            |        |     |
|                                                                                     | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | ALL  |      | MALE |            | FEMALE | ALL |
|                                                                                     | Σ     | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ          | Σ      | Σ   |
| Q8(MOD): TOBACCO USE IN LAST 12 MONTHS                                              |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      |            |        |     |
| LESS THAN 1 CIGARETTE DAILY                                                         | 46.8  | 28.0 | 36.8   | 27.4 | 19.4 | 22.1   | 19.3 | 35.4 | 28.4   | 19.0 | 21.9 | 21.1   | 22.0 | 10.0 | 15.2   | 26.6 | 23.5 | 24.9 |            |        |     |
| 1 TO 2 DAILY                                                                        | 9.6   | 21.4 | 15.3   | 15.4 | 15.3 | 15.7   | 11.7 | 12.4 | 12.0   | 10.4 | 11.0 | 10.7   | 2.5  | 7.1  | 5.1    | 10.0 | 13.2 | 11.8 |            |        |     |
| 3 TO 5 DAILY                                                                        | 23.0  | 20.0 | 21.9   | 20.6 | 29.9 | 26.5   | 26.9 | 22.0 | 24.5   | 11.2 | 10.0 | 10.4   | 10.3 | 14.1 | 12.5   | 19.2 | 19.5 | 19.6 |            |        |     |
| 6 TO 10 DAILY                                                                       | 11.0  | 16.4 | 13.5   | 19.9 | 21.0 | 20.6   | 22.4 | 13.4 | 17.3   | 22.0 | 26.6 | 24.5   | 20.5 | 29.6 | 25.7   | 19.3 | 21.0 | 20.1 |            |        |     |
| 11 TO 15 DAILY                                                                      | 3.3   | 2.8  | 3.0    | 7.8  | 10.6 | 9.3    | 3.8  | 8.3  | 6.2    | 15.7 | 12.3 | 13.7   | 25.9 | 21.9 | 23.6   | 10.6 | 11.2 | 10.6 |            |        |     |
| 16 TO 20 DAILY                                                                      | 3.2   | 6.2  | 5.6    | 3.7  | 2.7  | 3.0    | 8.7  | 4.9  | 6.5    | 13.3 | 12.0 | 12.5   | 14.8 | 14.1 | 14.4   | 8.7  | 8.1  | 8.3  |            |        |     |
| MORE THAN 20 DAILY                                                                  | 3.0   | 3.2  | 3.9    | 5.3  | 1.1  | 2.7    | 7.2  | 3.6  | 5.2    | 8.4  | 6.2  | 7.1    | 3.9  | 3.2  | 3.5    | 5.7  | 3.5  | 4.5  |            |        |     |
| Q9(MOD): ALCOHOL USE IN LAST 12 MONTHS                                              |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      |            |        |     |
| SPECIAL EVENTS ONLY                                                                 | 37.4  | 43.7 | 40.2   | 32.2 | 29.5 | 30.5   | 16.6 | 30.8 | 23.3   | 8.5  | 18.4 | 13.9   | 9.4  | 12.4 | 11.1   | 20.7 | 27.1 | 23.8 |            |        |     |
| ONCE MONTHLY OR LESS                                                                | 24.4  | 29.8 | 26.8   | 33.6 | 26.8 | 30.5   | 33.0 | 25.4 | 29.1   | 26.0 | 24.4 | 25.0   | 17.7 | 24.4 | 20.9   | 27.2 | 26.1 | 26.7 |            |        |     |
| 2 TO 3 TIMES MONTHLY                                                                | 20.9  | 14.0 | 17.7   | 19.1 | 24.6 | 21.7   | 21.5 | 24.6 | 23.3   | 25.1 | 28.6 | 25.9   | 27.4 | 27.8 | 27.5   | 22.7 | 23.6 | 23.2 |            |        |     |
| ONCE PER WEEK                                                                       | 7.9   | 8.8  | 8.3    | 7.1  | 11.5 | 9.5    | 16.5 | 10.6 | 13.8   | 18.2 | 18.3 | 17.1   | 16.5 | 18.8 | 17.6   | 13.4 | 13.1 | 13.3 |            |        |     |
| 2 OR 3 TIMES WEEKLY                                                                 | 6.5   | 2.3  | 4.4    | 3.8  | 6.4  | 5.1    | 9.9  | 6.2  | 8.1    | 16.2 | 13.4 | 14.7   | 25.5 | 15.8 | 20.8   | 12.2 | 8.7  | 10.4 |            |        |     |
| 4 OR 5 TIMES WEEKLY                                                                 | 1.1   | 0.0  | 0.6    | 1.9  | 1.1  | 1.5    | 1.0  | 1.4  | 1.2    | 3.1  | 0.9  | 2.0    | 2.6  | 0.8  | 1.7    | 1.9  | 0.9  | 1.4  |            |        |     |
| 6 TO 7 TIMES WEEKLY                                                                 | 1.6   | 1.4  | 1.9    | 2.3  | 0.0  | 1.1    | 1.4  | 1.0  | 1.2    | 2.9  | 0.0  | 1.4    | 0.8  | 0.0  | 0.4    | 1.8  | 0.5  | 1.2  |            |        |     |
| Q10(MOD): CANNABIS USE IN LAST 12 MONTHS                                            |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |      |            |        |     |
| 1 OR 2 TIMES                                                                        | 31.8  | 51.4 | 39.1   | 42.1 | 37.0 | 38.0   | 29.6 | 37.0 | 33.4   | 27.2 | 33.3 | 30.6   | 28.7 | 37.5 | 32.8   | 30.8 | 37.7 | 34.1 |            |        |     |
| 3 TO 5 TIMES                                                                        | 23.7  | 9.8  | 17.6   | 16.1 | 20.9 | 18.4   | 13.3 | 17.8 | 15.6   | 16.6 | 18.3 | 17.4   | 11.2 | 19.1 | 14.9   | 15.4 | 18.0 | 16.6 |            |        |     |
| 6 TO 9 TIMES                                                                        | 9.7   | 6.7  | 9.2    | 8.4  | 10.3 | 9.9    | 10.5 | 9.9  | 10.0   | 6.9  | 10.7 | 8.8    | 10.4 | 13.0 | 11.6   | 9.3  | 10.5 | 10.0 |            |        |     |
| 10 TO 19 TIMES                                                                      | 8.8   | 20.9 | 13.5   | 5.1  | 14.5 | 11.2   | 14.2 | 17.9 | 15.6   | 11.8 | 15.3 | 13.6   | 7.9  | 9.9  | 9.3    | 10.4 | 15.2 | 12.8 |            |        |     |
| 20 TO 39 TIMES                                                                      | 4.0   | 5.6  | 4.6    | 8.4  | 7.2  | 7.4    | 7.1  | 6.5  | 6.8    | 7.2  | 8.4  | 7.8    | 7.5  | 5.2  | 6.3    | 7.0  | 6.7  | 6.7  |            |        |     |
| 40 OR MORE TIMES                                                                    | 22.0  | 5.6  | 16.0   | 20.0 | 10.1 | 15.0   | 25.2 | 11.0 | 18.6   | 30.4 | 14.0 | 21.6   | 34.2 | 15.3 | 25.1   | 27.3 | 12.0 | 19.9 |            |        |     |

NOTE: Q8(MOD), Q9(MOD), AND Q10(MOD) ARE MODIFIED RESPONSE SETS FOR Q8, Q9, AND Q10, RESPECTIVELY, AND INCLUDE ONLY THOSE WHO USED THESE DRUGS DURING THE LAST 12 MONTHS. TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE. ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE.



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...

NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q11 = 2,566<br>Q12 = 2,567 | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |       |        |      | ALL GRADES |      |     |   |      |   |        |   |
|-------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|-------|--------|------|------------|------|-----|---|------|---|--------|---|
|                                                             | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |       |        |      |            |      | 12  |   |      |   |        |   |
|                                                             | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |       | FEMALE |      |            |      | ALL |   | MALE |   | FEMALE |   |
|                                                             | %     | N    | %      | N    | %    | N    | %    | N    | %      | N    | %    | N    | %    | N     | %      | N    | %          | N    | %   | N | %    | N | %      | N |
| Q11: GLUE USE IN LAST 12 MO.                                |       |      |        |      |      |      |      |      |        |      |      |      |      |       |        |      |            |      |     |   |      |   |        |   |
| NONE                                                        | 95.8  | 98.5 | 96.9   | 96.9 | 96.8 | 96.8 | 97.4 | 99.3 | 98.4   | 98.9 | 99.3 | 99.1 | 99.7 | 100.0 | 99.8   | 97.5 | 98.7       | 98.1 |     |   |      |   |        |   |
| 1 OR 2 TIMES                                                | 1.0   | 1.1  | 1.0    | 1.4  | 1.6  | 1.5  | 0.4  | 0.7  | 0.6    | 1.1  | 0.7  | 0.9  | 0.0  | 0.0   | 0.0    | 0.8  | 0.9        | 0.8  |     |   |      |   |        |   |
| 3 TO 5 TIMES                                                | 0.3   | 0.0  | 0.1    | 0.0  | 1.4  | 0.7  | 1.3  | 0.0  | 0.6    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0   | 0.0    | 0.3  | 0.3        | 0.3  |     |   |      |   |        |   |
| 6 TO 9 TIMES                                                | 1.0   | 0.0  | 0.5    | 0.3  | 0.0  | 0.1  | 0.4  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.3  | 0.0   | 0.2    | 0.5  | 0.0        | 0.2  |     |   |      |   |        |   |
| 10 TO 19 TIMES                                              | 0.6   | 0.0  | 0.3    | 0.5  | 0.0  | 0.2  | 0.4  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0   | 0.0    | 0.3  | 0.0        | 0.2  |     |   |      |   |        |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.5  | 0.4  | 0.4  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0   | 0.0    | 0.1  | 0.1        | 0.1  |     |   |      |   |        |   |
| 40 OR MORE TIMES                                            | 1.3   | 0.4  | 1.1    | 0.5  | 0.0  | 0.2  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0   | 0.0    | 0.4  | 0.1        | 0.3  |     |   |      |   |        |   |
| Q12: SOLVENT USE IN LAST 12 MO.                             |       |      |        |      |      |      |      |      |        |      |      |      |      |       |        |      |            |      |     |   |      |   |        |   |
| NONE                                                        | 93.7  | 95.7 | 94.5   | 95.0 | 95.4 | 95.2 | 94.9 | 95.8 | 95.4   | 97.5 | 97.9 | 97.7 | 98.0 | 100.0 | 99.0   | 95.6 | 96.8       | 96.1 |     |   |      |   |        |   |
| 1 OR 2 TIMES                                                | 3.5   | 3.8  | 3.6    | 2.6  | 3.7  | 3.1  | 3.2  | 3.4  | 3.3    | 1.5  | 0.9  | 1.2  | 1.2  | 0.0   | 0.6    | 2.5  | 2.6        | 2.5  |     |   |      |   |        |   |
| 3 TO 5 TIMES                                                | 1.0   | 0.0  | 0.5    | 0.7  | 0.0  | 0.4  | 0.0  | 0.7  | 0.4    | 0.4  | 0.9  | 0.7  | 0.3  | 0.0   | 0.2    | 0.5  | 0.3        | 0.4  |     |   |      |   |        |   |
| 6 TO 9 TIMES                                                | 0.6   | 0.0  | 0.3    | 0.4  | 0.9  | 0.6  | 0.7  | 0.0  | 0.4    | 0.0  | 0.3  | 0.2  | 0.5  | 0.0   | 0.2    | 0.5  | 0.3        | 0.4  |     |   |      |   |        |   |
| 10 TO 19 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.8  | 0.0  | 0.4  | 0.7  | 0.0  | 0.4    | 0.5  | 0.0  | 0.3  | 0.0  | 0.0   | 0.0    | 0.4  | 0.0        | 0.2  |     |   |      |   |        |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0   | 0.0    | 0.0  | 0.0        | 0.0  |     |   |      |   |        |   |
| 40 OR MORE TIMES                                            | 1.3   | 0.4  | 1.1    | 0.5  | 0.0  | 0.2  | 0.4  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0   | 0.0    | 0.5  | 0.1        | 0.3  |     |   |      |   |        |   |



NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q15 = 2-511<br>Q16 = 2-514 | GRADE  |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        | ALL GRADES |      |      |        |     |
|-------------------------------------------------------------|--------|------|------|------|------|--------|------|------|------|------|--------|------|------|------|------|--------|------------|------|------|--------|-----|
|                                                             | 8      |      |      | 9    |      |        | 10   |      |      | 11   |        |      | 12   |      |      |        |            |      |      |        |     |
|                                                             | FEMALE |      | ALL  | MALE |      | FEMALE |      | ALL  | MALE |      | FEMALE |      | ALL  | MALE |      | FEMALE |            | ALL  | MALE | FEMALE | ALL |
|                                                             | %      | N    |      | %    | N    | %      | N    |      | %    | N    | %      | N    |      | %    | N    | %      | N          |      |      |        |     |
| Q15: HEROIN USE IN LAST 12 MO.                              |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |            |      |      |        |     |
| DON'T KNOW WHAT IT IS                                       | 14.0   | 11.9 | 13.0 | 5.7  | 6.9  | 6.2    | 6.8  | 4.5  | 5.6  | 5.4  | 4.6    | 4.9  | 4.5  | 2.8  | 3.6  | 7.7    | 6.5        | 7.1  |      |        |     |
| NONE                                                        | 83.6   | 86.0 | 84.6 | 90.7 | 90.9 | 90.9   | 90.6 | 93.5 | 92.1 | 92.4 | 93.5   | 93.0 | 93.4 | 96.7 | 95.1 | 89.7   | 91.8       | 90.7 |      |        |     |
| 1 TO 2 TIMES                                                | 0.3    | 1.6  | 1.0  | 1.6  | 1.2  | 1.4    | 1.2  | 0.9  | 1.0  | 0.0  | 1.9    | 1.0  | 1.8  | 0.5  | 1.1  | 0.9    | 1.2        | 1.1  |      |        |     |
| 3 TO 5 TIMES                                                | 0.8    | 0.0  | 0.4  | 0.3  | 0.5  | 0.4    | 0.3  | 0.8  | 0.5  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.3    | 0.3        | 0.3  |      |        |     |
| 6 TO 9 TIMES                                                | 0.0    | 0.0  | 0.0  | 0.0  | 0.5  | 0.2    | 0.4  | 0.0  | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.1    | 0.1        | 0.1  |      |        |     |
| 10 TO 19 TIMES                                              | 0.0    | 0.0  | 0.0  | 0.8  | 0.0  | 0.4    | 0.0  | 0.3  | 0.2  | 1.1  | 0.0    | 0.5  | 0.0  | 0.0  | 0.0  | 0.4    | 0.1        | 0.2  |      |        |     |
| 20 TO 39 TIMES                                              | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2  | 0.0  | 0.0    | 0.0  | 0.3  | 0.0  | 0.2  | 0.1    | 0.0        | 0.1  |      |        |     |
| 40 OR MORE TIMES                                            | 1.2    | 0.4  | 1.1  | 0.9  | 0.0  | 0.5    | 0.3  | 0.0  | 0.2  | 1.1  | 0.0    | 0.5  | 0.0  | 0.0  | 0.0  | 0.7    | 0.1        | 0.5  |      |        |     |
| Q16: SPEED USE IN LAST 12 MO.                               |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |            |      |      |        |     |
| DON'T KNOW WHAT IT IS                                       | 19.9   | 25.5 | 22.6 | 15.3 | 11.1 | 11.6   | 8.6  | 8.2  | 8.4  | 8.2  | 8.3    | 6.2  | 5.7  | 6.5  | 6.1  | 11.8   | 11.6       | 11.7 |      |        |     |
| NONE                                                        | 72.7   | 68.4 | 70.5 | 79.2 | 85.1 | 82.3   | 80.8 | 86.0 | 83.5 | 82.3 | 84.1   | 83.3 | 82.9 | 84.6 | 83.8 | 79.1   | 81.1       | 80.2 |      |        |     |
| 1 TO 2 TIMES                                                | 3.9    | 4.1  | 4.0  | 2.7  | 3.6  | 3.1    | 6.0  | 2.9  | 4.5  | 6.0  | 6.5    | 6.2  | 7.6  | 6.1  | 6.8  | 5.1    | 4.5        | 4.8  |      |        |     |
| 3 TO 5 TIMES                                                | 1.5    | 1.3  | 1.4  | 1.2  | 2.3  | 1.7    | 2.6  | 0.3  | 1.4  | 1.0  | 1.9    | 1.5  | 2.6  | 1.1  | 1.9  | 1.8    | 1.4        | 1.6  |      |        |     |
| 6 TO 9 TIMES                                                | 0.4    | 0.0  | 0.2  | 0.3  | 0.4  | 0.3    | 0.4  | 0.0  | 0.2  | 0.9  | 0.8    | 0.8  | 0.9  | 0.8  | 0.8  | 0.6    | 0.3        | 0.4  |      |        |     |
| 10 TO 19 TIMES                                              | 0.4    | 0.0  | 0.2  | 0.9  | 0.5  | 0.7    | 0.4  | 1.3  | 0.8  | 0.4  | 0.4    | 0.4  | 0.0  | 0.9  | 0.4  | 0.5    | 0.6        | 0.5  |      |        |     |
| 20 TO 39 TIMES                                              | 0.0    | 0.3  | 0.2  | 0.4  | 0.0  | 0.2    | 0.0  | 0.4  | 0.2  | 1.5  | 0.0    | 0.7  | 0.3  | 0.0  | 0.2  | 0.4    | 0.2        | 0.3  |      |        |     |
| 40 OR MORE TIMES                                            | 1.2    | 0.4  | 1.0  | 0.0  | 0.0  | 0.0    | 1.2  | 0.8  | 1.0  | 1.6  | 0.0    | 0.8  | 0.0  | 0.0  | 0.0  | 0.8    | 0.3        | 0.6  |      |        |     |

NORTH

| NUMBER OF VALID RESPONSES 10:<br>Q17 = 2,505<br>Q18 = 2,573 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |      |  |        |  |
|-------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|------|--|--------|--|
|                                                             | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      |            |      | 12   |  |        |  |
|                                                             | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      |            |      | MALE |  | FEMALE |  |
|                                                             | X     |      | X      |      | X    |      | X      |      | X    |      | X      |      | X    |      | X      |      | X          |      | X    |  |        |  |
| Q17: COCAINE USE IN LAST 12 MO                              |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |  |        |  |
| DON'T KNOW WHAT IT IS                                       |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |  |        |  |
| NONE                                                        | 8.5   | 8.1  | 8.3    | 4.6  | 4.1  | 4.3  | 5.0    | 3.6  | 4.3  | 4.1  | 2.2    | 3.1  | 2.9  | 2.6  | 2.7    | 5.3  | 4.3        | 4.8  |      |  |        |  |
| 1 TO 2 TIMES                                                | 87.3  | 89.6 | 88.3   | 91.3 | 93.3 | 92.2 | 86.6   | 89.6 | 88.1 | 86.6 | 89.5   | 88.2 | 83.0 | 88.0 | 85.5   | 87.2 | 90.1       | 88.6 |      |  |        |  |
| 3 TO 5 TIMES                                                | 1.4   | 1.5  | 1.5    | 1.9  | 2.3  | 2.1  | 5.1    | 3.6  | 4.3  | 4.8  | 6.9    | 5.9  | 9.1  | 4.3  | 6.7    | 4.2  | 3.5        | 3.8  |      |  |        |  |
| 6 TO 9 TIMES                                                | 1.3   | 0.0  | 0.6    | 0.0  | 0.0  | 0.1  | 2.1    | 2.1  | 2.1  | 0.4  | 0.9    | 0.7  | 2.6  | 3.8  | 3.2    | 1.3  | 1.2        | 1.3  |      |  |        |  |
| 10 TO 19 TIMES                                              | 0.3   | 0.3  | 0.3    | 0.5  | 0.3  | 0.4  | 0.0    | 0.8  | 0.4  | 0.2  | 0.0    | 0.1  | 0.8  | 0.0  | 0.4    | 0.3  | 0.3        | 0.3  |      |  |        |  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.9  | 0.0  | 0.5  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.5    | 0.2  | 0.1        | 0.1  |      |  |        |  |
| 40 OR MORE TIMES                                            | 1.2   | 0.4  | 1.0    | 0.3  | 0.0  | 0.2  | 0.3    | 0.0  | 0.2  | 1.7  | 0.0    | 0.8  | 0.0  | 0.5  | 0.2    | 0.7  | 0.2        | 0.5  |      |  |        |  |
| Q18: CRACK USE IN LAST 12 MO.                               |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |  |        |  |
| DON'T KNOW WHAT IT IS                                       |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |  |        |  |
| NONE                                                        | 17.3  | 25.6 | 21.3   | 13.6 | 21.1 | 17.2 | 12.5   | 12.4 | 12.4 | 9.1  | 13.9   | 11.8 | 5.8  | 12.4 | 9.1    | 12.2 | 17.6       | 14.8 |      |  |        |  |
| 1 TO 2 TIMES                                                | 79.1  | 72.5 | 75.8   | 83.8 | 77.8 | 81.0 | 83.8   | 85.7 | 84.8 | 88.1 | 84.4   | 86.0 | 93.9 | 87.1 | 90.6   | 85.0 | 81.0       | 83.0 |      |  |        |  |
| 3 TO 5 TIMES                                                | 1.5   | 0.8  | 1.1    | 0.8  | 1.2  | 1.0  | 2.6    | 1.9  | 2.3  | 1.2  | 1.7    | 1.4  | 0.0  | 0.0  | 0.0    | 1.3  | 1.1        | 1.2  |      |  |        |  |
| 6 TO 9 TIMES                                                | 0.0   | 0.7  | 0.3    | 0.5  | 0.0  | 0.2  | 0.4    | 0.0  | 0.2  | 0.5  | 0.0    | 0.3  | 0.3  | 0.0  | 0.2    | 0.3  | 0.2        | 0.2  |      |  |        |  |
| 10 TO 19 TIMES                                              | 0.8   | 0.0  | 0.6    | 0.5  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.5  | 0.0    | 0.3  | 0.0  | 0.5  | 0.2    | 0.4  | 0.1        | 0.3  |      |  |        |  |
| 20 TO 39 TIMES                                              | 0.4   | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.4    | 0.0  | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.2  | 0.0        | 0.1  |      |  |        |  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0  |      |  |        |  |
|                                                             | 0.8   | 0.4  | 0.6    | 0.8  | 0.0  | 0.4  | 0.3    | 0.0  | 0.2  | 0.5  | 0.0    | 0.3  | 0.0  | 0.0  | 0.0    | 0.5  | 0.1        | 0.3  |      |  |        |  |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q19 = 2,580<br>Q20 = 2,573 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | ALL  |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |
| Q19: BINDRO USE IN LAST 12 MO                               |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DON'T KNOW WHAT IT IS                                       | 41.3  | 45.5   | 43.2 | 49.2 | 42.0   | 45.6 | 46.6 | 42.0   | 44.4 | 37.8 | 49.9   | 44.1 | 50.9       | 52.5   | 51.8 | 45.1 |
| NONE                                                        | 57.5  | 52.0   | 54.8 | 49.6 | 57.3   | 53.5 | 52.2 | 56.7   | 54.3 | 61.1 | 50.1   | 55.3 | 48.7       | 47.5   | 48.0 | 53.8 |
| 1 TO 2 TIMES                                                | 0.4   | 2.0    | 1.4  | 0.3  | 0.5    | 0.4  | 0.4  | 1.3    | 0.9  | 0.5  | 0.0    | 0.3  | 0.3        | 0.0    | 0.2  | 0.4  |
| 3 TO 5 TIMES                                                | 0.4   | 0.0    | 0.2  | 0.5  | 0.3    | 0.4  | 0.4  | 0.0    | 0.2  | 0.5  | 0.0    | 0.3  | 0.0        | 0.0    | 0.0  | 0.4  |
| 6 TO 9 TIMES                                                | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.1  |
| 10 TO 19 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.0  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.0  |
| 40 OR MORE TIMES                                            | 0.4   | 0.4    | 0.4  | 0.5  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.1  |
| Q20: STIMULANT USE WITHOUT PRESC. IN LAST 12 MONTHS         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DON'T KNOW WHAT IT IS                                       | 15.8  | 14.6   | 15.1 | 11.0 | 7.1    | 8.9  | 10.5 | 6.7    | 8.6  | 9.8  | 8.0    | 8.8  | 8.9        | 4.0    | 6.5  | 11.5 |
| NONE                                                        | 78.0  | 76.2   | 77.0 | 83.7 | 77.6   | 80.8 | 79.1 | 80.9   | 80.1 | 79.6 | 76.6   | 78.2 | 83.3       | 84.5   | 84.0 | 80.6 |
| 1 TO 2 TIMES                                                | 3.5   | 5.9    | 4.9  | 3.7  | 8.7    | 6.1  | 5.9  | 7.1    | 6.5  | 4.1  | 10.0   | 7.2  | 6.3        | 6.1    | 6.1  | 4.6  |
| 3 TO 5 TIMES                                                | 0.7   | 2.0    | 1.3  | 0.3  | 3.8    | 2.0  | 2.4  | 2.7    | 2.5  | 2.5  | 2.8    | 2.6  | 1.2        | 2.7    | 1.9  | 1.4  |
| 6 TO 9 TIMES                                                | 0.4   | 0.9    | 0.7  | 0.5  | 1.3    | 0.9  | 1.3  | 0.7    | 1.0  | 1.0  | 1.3    | 1.1  | 0.3        | 0.9    | 0.6  | 0.7  |
| 10 TO 19 TIMES                                              | 0.7   | 0.0    | 0.3  | 0.4  | 1.1    | 0.9  | 0.4  | 0.8    | 0.6  | 1.4  | 0.9    | 1.1  | 0.0        | 0.5    | 0.2  | 0.6  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.0  | 0.4    | 0.2  | 0.0  | 0.7    | 0.4  | 1.1  | 0.4    | 0.7  | 0.0        | 0.0    | 0.0  | 0.2  |
| 40 OR MORE TIMES                                            | 0.8   | 0.4    | 0.6  | 0.5  | 0.0    | 0.2  | 0.3  | 0.3    | 0.3  | 0.6  | 0.0    | 0.3  | 0.0        | 1.3    | 0.7  | 0.5  |

NOTE: "BINDRO" IS A FICTITIOUS DRUG. IT WAS INCLUDED AS A QUESTIONNAIRE ITEM FOR PURPOSES OF EXAMINING RESPONSE VALIDITY



\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q21 = 2,566<br>Q22 = 2,571 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      |            |        |      | 12   |        |      |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  | MALE | FEMALE | ALL  |
| Q21: STIMULANT USE WITH<br>PRESC. IN LAST 12 MONTHS         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 2 TIMES                                                | 18.7  | 16.7   | 17.6 | 12.0 | 8.4    | 10.1 | 10.6 | 8.0    | 9.3  | 9.6  | 8.6    | 9.0  | 9.4        | 5.2    | 7.3  | 12.5 | 9.8    | 11.0 |
| 3 TO 5 TIMES                                                | 70.9  | 76.3   | 73.7 | 80.9 | 81.2   | 81.2 | 82.7 | 86.7   | 84.8 | 82.9 | 81.1   | 81.8 | 84.9       | 88.8   | 86.9 | 79.9 | 82.5   | 81.2 |
| 6 TO 9 TIMES                                                | 6.6   | 5.4    | 6.0  | 5.1  | 7.2    | 6.1  | 3.1  | 3.5    | 3.3  | 5.7  | 7.7    | 7.0  | 4.4        | 3.1    | 3.7  | 5.0  | 5.4    | 5.2  |
| 10 TO 19 TIMES                                              | 1.4   | 1.2    | 1.3  | 0.0  | 2.4    | 1.2  | 1.3  | 0.8    | 1.0  | 0.4  | 1.3    | 0.9  | 0.9        | 1.8    | 1.3  | 0.8  | 1.5    | 1.2  |
| 20 TO 39 TIMES                                              | 1.3   | 0.0    | 0.6  | 0.4  | 0.5    | 0.4  | 1.5  | 0.0    | 0.8  | 1.3  | 0.0    | 0.6  | 0.0        | 0.0    | 0.0  | 0.9  | 0.1    | 0.5  |
| 40 OR MORE TIMES                                            | 0.0   | 0.4    | 0.2  | 0.9  | 0.0    | 0.4  | 0.7  | 0.4    | 0.6  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.3  | 0.2    | 0.3  |
| Q22: TRANQUILIZER USE WITHOUT<br>PRESC. IN LAST 12 MONTHS   |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 2 TIMES                                                | 11.5  | 9.4    | 10.4 | 8.0  | 5.7    | 6.8  | 6.2  | 5.7    | 5.9  | 5.3  | 4.5    | 4.8  | 4.4        | 2.9    | 3.6  | 7.4  | 5.9    | 6.6  |
| 3 TO 5 TIMES                                                | 85.1  | 87.2   | 86.0 | 89.8 | 87.9   | 88.8 | 87.7 | 88.5   | 88.0 | 87.0 | 89.8   | 88.5 | 91.1       | 94.1   | 92.6 | 88.0 | 89.2   | 88.5 |
| 6 TO 9 TIMES                                                | 1.8   | 2.3    | 2.0  | 0.8  | 4.3    | 2.7  | 3.4  | 4.1    | 3.9  | 2.1  | 3.5    | 2.8  | 3.0        | 2.1    | 2.6  | 2.2  | 3.3    | 2.8  |
| 10 TO 19 TIMES                                              | 0.6   | 0.4    | 0.5  | 0.8  | 1.7    | 1.3  | 1.3  | 1.3    | 1.3  | 3.3  | 0.4    | 1.8  | 0.3        | 0.9    | 0.6  | 1.2  | 1.0    | 1.1  |
| 20 TO 39 TIMES                                              | 0.4   | 0.3    | 0.4  | 0.0  | 0.4    | 0.2  | 0.8  | 0.0    | 0.4  | 1.1  | 1.0    | 1.0  | 1.2        | 0.0    | 0.6  | 0.7  | 0.3    | 0.5  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.7  | 0.3    | 0.5  | 0.4  | 0.8    | 0.6  | 0.0        | 0.0    | 0.0  | 0.2  | 0.2    | 0.2  |
| Q21: STIMULANT USE WITH<br>PRESC. IN LAST 12 MONTHS         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 2 TIMES                                                | 18.7  | 16.7   | 17.6 | 12.0 | 8.4    | 10.1 | 10.6 | 8.0    | 9.3  | 9.6  | 8.6    | 9.0  | 9.4        | 5.2    | 7.3  | 12.5 | 9.8    | 11.0 |
| 3 TO 5 TIMES                                                | 70.9  | 76.3   | 73.7 | 80.9 | 81.2   | 81.2 | 82.7 | 86.7   | 84.8 | 82.9 | 81.1   | 81.8 | 84.9       | 88.8   | 86.9 | 79.9 | 82.5   | 81.2 |
| 6 TO 9 TIMES                                                | 6.6   | 5.4    | 6.0  | 5.1  | 7.2    | 6.1  | 3.1  | 3.5    | 3.3  | 5.7  | 7.7    | 7.0  | 4.4        | 3.1    | 3.7  | 5.0  | 5.4    | 5.2  |
| 10 TO 19 TIMES                                              | 1.4   | 1.2    | 1.3  | 0.0  | 2.4    | 1.2  | 1.3  | 0.8    | 1.0  | 0.4  | 1.3    | 0.9  | 0.9        | 1.8    | 1.3  | 0.8  | 1.5    | 1.2  |
| 20 TO 39 TIMES                                              | 1.3   | 0.0    | 0.6  | 0.4  | 0.5    | 0.4  | 1.5  | 0.0    | 0.8  | 1.3  | 0.0    | 0.6  | 0.0        | 0.0    | 0.0  | 0.9  | 0.1    | 0.5  |
| 40 OR MORE TIMES                                            | 0.0   | 0.4    | 0.2  | 0.9  | 0.0    | 0.4  | 0.7  | 0.4    | 0.6  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.3  | 0.2    | 0.3  |
| Q22: TRANQUILIZER USE WITHOUT<br>PRESC. IN LAST 12 MONTHS   |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 2 TIMES                                                | 11.5  | 9.4    | 10.4 | 8.0  | 5.7    | 6.8  | 6.2  | 5.7    | 5.9  | 5.3  | 4.5    | 4.8  | 4.4        | 2.9    | 3.6  | 7.4  | 5.9    | 6.6  |
| 3 TO 5 TIMES                                                | 85.1  | 87.2   | 86.0 | 89.8 | 87.9   | 88.8 | 87.7 | 88.5   | 88.0 | 87.0 | 89.8   | 88.5 | 91.1       | 94.1   | 92.6 | 88.0 | 89.2   | 88.5 |
| 6 TO 9 TIMES                                                | 1.8   | 2.3    | 2.0  | 0.8  | 4.3    | 2.7  | 3.4  | 4.1    | 3.9  | 2.1  | 3.5    | 2.8  | 3.0        | 2.1    | 2.6  | 2.2  | 3.3    | 2.8  |
| 10 TO 19 TIMES                                              | 0.6   | 0.4    | 0.5  | 0.8  | 1.7    | 1.3  | 1.3  | 1.3    | 1.3  | 3.3  | 0.4    | 1.8  | 0.3        | 0.9    | 0.6  | 1.2  | 1.0    | 1.1  |
| 20 TO 39 TIMES                                              | 0.4   | 0.3    | 0.4  | 0.0  | 0.4    | 0.2  | 0.8  | 0.0    | 0.4  | 1.1  | 1.0    | 1.0  | 1.2        | 0.0    | 0.6  | 0.7  | 0.3    | 0.5  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.7  | 0.3    | 0.5  | 0.4  | 0.8    | 0.6  | 0.0        | 0.0    | 0.0  | 0.2  | 0.2    | 0.2  |
| Q21: STIMULANT USE WITH<br>PRESC. IN LAST 12 MONTHS         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 2 TIMES                                                | 18.7  | 16.7   | 17.6 | 12.0 | 8.4    | 10.1 | 10.6 | 8.0    | 9.3  | 9.6  | 8.6    | 9.0  | 9.4        | 5.2    | 7.3  | 12.5 | 9.8    | 11.0 |
| 3 TO 5 TIMES                                                | 70.9  | 76.3   | 73.7 | 80.9 | 81.2   | 81.2 | 82.7 | 86.7   | 84.8 | 82.9 | 81.1   | 81.8 | 84.9       | 88.8   | 86.9 | 79.9 | 82.5   | 81.2 |
| 6 TO 9 TIMES                                                | 6.6   | 5.4    | 6.0  | 5.1  | 7.2    | 6.1  | 3.1  | 3.5    | 3.3  | 5.7  | 7.7    | 7.0  | 4.4        | 3.1    | 3.7  | 5.0  | 5.4    | 5.2  |
| 10 TO 19 TIMES                                              | 1.4   | 1.2    | 1.3  | 0.0  | 2.4    | 1.2  | 1.3  | 0.8    | 1.0  | 0.4  | 1.3    | 0.9  | 0.9        | 1.8    | 1.3  | 0.8  | 1.5    | 1.2  |
| 20 TO 39 TIMES                                              | 1.3   | 0.0    | 0.6  | 0.4  | 0.5    | 0.4  | 1.5  | 0.0    | 0.8  | 1.3  | 0.0    | 0.6  | 0.0        | 0.0    | 0.0  | 0.9  | 0.1    | 0.5  |
| 40 OR MORE TIMES                                            | 0.0   | 0.4    | 0.2  | 0.9  | 0.0    | 0.4  | 0.7  | 0.4    | 0.6  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.3  | 0.2    | 0.3  |
| Q22: TRANQUILIZER USE WITHOUT<br>PRESC. IN LAST 12 MONTHS   |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 2 TIMES                                                | 11.5  | 9.4    | 10.4 | 8.0  | 5.7    | 6.8  | 6.2  | 5.7    | 5.9  | 5.3  | 4.5    | 4.8  | 4.4        | 2.9    | 3.6  | 7.4  | 5.9    | 6.6  |
| 3 TO 5 TIMES                                                | 85.1  | 87.2   | 86.0 | 89.8 | 87.9   | 88.8 | 87.7 | 88.5   | 88.0 | 87.0 | 89.8   | 88.5 | 91.1       | 94.1   | 92.6 | 88.0 | 89.2   | 88.5 |
| 6 TO 9 TIMES                                                | 1.8   | 2.3    | 2.0  | 0.8  | 4.3    | 2.7  | 3.4  | 4.1    | 3.9  | 2.1  | 3.5    | 2.8  | 3.0        | 2.1    | 2.6  | 2.2  | 3.3    | 2.8  |
| 10 TO 19 TIMES                                              | 0.6   | 0.4    | 0.5  | 0.8  | 1.7    | 1.3  | 1.3  | 1.3    | 1.3  | 3.3  | 0.4    | 1.8  | 0.3        | 0.9    | 0.6  | 1.2  | 1.0    | 1.1  |
| 20 TO 39 TIMES                                              | 0.4   | 0.3    | 0.4  | 0.0  | 0.4    | 0.2  | 0.8  | 0.0    | 0.4  | 1.1  | 1.0    | 1.0  | 1.2        | 0.0    | 0.6  | 0.7  | 0.3    | 0.5  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.7  | 0.3    | 0.5  | 0.4  | 0.8    | 0.6  | 0.0        | 0.0    | 0.0  | 0.2  | 0.2    | 0.2  |
| Q21: STIMULANT USE WITH<br>PRESC. IN LAST 12 MONTHS         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 2 TIMES                                                | 18.7  | 16.7   | 17.6 | 12.0 | 8.4    | 10.1 | 10.6 | 8.0    | 9.3  | 9.6  | 8.6    | 9.0  | 9.4        | 5.2    | 7.3  | 12.5 | 9.8    | 11.0 |
| 3 TO 5 TIMES                                                | 70.9  | 76.3   | 73.7 | 80.9 | 81.2   | 81.2 | 82.7 | 86.7   | 84.8 | 82.9 | 81.1   | 81.8 | 84.9       | 88.8   | 86.9 | 79.9 | 82.5   | 81.2 |
| 6 TO 9 TIMES                                                | 6.6   | 5.4    | 6.0  | 5.1  | 7.2    | 6.1  | 3.1  | 3.5    | 3.3  | 5.7  | 7.7    | 7.0  | 4.4        | 3.1    | 3.7  | 5.0  | 5.4    | 5.2  |
| 10 TO 19 TIMES                                              | 1.4   | 1.2    | 1.3  | 0.0  | 2.4    | 1.2  | 1.3  | 0.8    | 1.0  | 0.4  | 1.3    | 0.9  | 0.9        | 1.8    | 1.3  | 0.8  | 1.5    | 1.2  |
| 20 TO 39 TIMES                                              | 1.3   | 0.0    | 0.6  | 0.4  | 0.5    | 0.4  | 1.5  | 0.0    | 0.8  | 1.3  | 0.0    | 0.6  | 0.0        | 0.0    | 0.0  | 0.9  | 0.1    | 0.5  |
| 40 OR MORE TIMES                                            | 0.0   | 0.4    | 0.2  | 0.9  | 0.0    | 0.4  | 0.7  | 0.4    | 0.6  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.3  | 0.2    | 0.3  |
| Q22: TRANQUILIZER USE WITHOUT<br>PRESC. IN LAST 12 MONTHS   |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 2 TIMES                                                | 11.5  | 9.4    | 10.4 | 8.0  | 5.7    | 6.8  | 6.2  | 5.7    | 5.9  | 5.3  | 4.5    | 4.8  | 4.4        | 2.9    | 3.6  | 7.4  | 5.9    | 6.6  |
| 3 TO 5 TIMES                                                | 85.1  | 87.2   | 86.0 | 89.8 | 87.9   | 88.8 | 87.7 | 88.5   | 88.0 | 87.0 | 89.8   | 88.5 | 91.1       | 94.1   | 92.6 | 88.0 | 89.2   | 88.5 |
| 6 TO 9 TIMES                                                | 1.8   | 2.3    | 2.0  | 0.8  | 4.3    | 2.7  | 3.4  | 4.1    | 3.9  | 2.1  | 3.5    | 2.8  | 3.0        | 2.1    | 2.6  | 2.2  | 3.3    | 2.8  |
| 10 TO 19 TIMES                                              | 0.6   | 0.4    | 0.5  | 0.8  | 1.7    | 1.3  | 1.3  | 1.3    | 1.3  | 3.3  | 0.4    | 1.8  | 0.3        | 0.9    | 0.6  | 1.2  | 1.0    | 1.1  |
| 20 TO 39 TIMES                                              | 0.4   | 0.3    | 0.4  | 0.0  | 0.4    | 0.2  | 0.8  | 0.0    | 0.4  | 1.1  | 1.0    | 1.0  | 1.2        | 0.0    | 0.6  | 0.7  | 0.3    | 0.5  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.7  | 0.3    | 0.5  | 0.4  | 0.8    | 0.6  | 0.0        | 0.0    | 0.0  | 0.2  | 0.2    | 0.2  |
| Q21: STIMULANT USE WITH<br>PRESC. IN LAST 12 MONTHS         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| 1 TO 2 TIMES                                                | 18.7  | 16.7   | 17.6 | 12.0 | 8.4    | 10.1 | 10.6 | 8.0    | 9.3  | 9.6  | 8.6    | 9.0  | 9.4        | 5.2    | 7.3  | 12.5 | 9.8    | 11.0 |
| 3 TO 5 TIMES                                                | 70.9  | 76.3   | 73.7 | 80.9 | 81.2   | 81.2 | 82.7 | 86.7   | 84.8 | 82.9 | 81.1   | 81.8 | 84.9       | 88.8   | 86.9 | 79.9 | 82.5   | 81.2 |
| 6 TO 9 TIMES                                                | 6.6   | 5.4    | 6.0  | 5.1  | 7.2    | 6.1  | 3.1  | 3.5    | 3.3  | 5.7  | 7.7    | 7.0  | 4.4        | 3.1    | 3.7  | 5.0  | 5.4    | 5.2  |
| 10 TO 19 TIMES                                              | 1.4   | 1.2    | 1.3  | 0.0  | 2.4    | 1.2  | 1.3  | 0.8    | 1.0  | 0.4  | 1.3    | 0.9  | 0.9        | 1.8    | 1.3  | 0.8  | 1.5    | 1.2  |
| 20 TO 39 TIMES                                              | 1.3   | 0.0    | 0.6  | 0.4  | 0.5    | 0.4  | 1.5  | 0.0    | 0.8  | 1.3  | 0.0    | 0.6  | 0.0        | 0.0    | 0.0  | 0.9  | 0.1    | 0.5  |
| 40 OR MORE TIMES                                            |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |

MAY 1997

| NUMBER OF VAL ID RESPONSES TO:<br>Q23 = 2,566<br>Q24 = 2,572 | GRADE  |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        | ALL GRADES |      |        |     |
|--------------------------------------------------------------|--------|------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------------|------|--------|-----|
|                                                              | 8      |      |      |      |      |        | 9    |      |      |        | 10   |      |      |        | 11   |      |      |        |            |      | 12     |     |
|                                                              | FEMALE |      | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL        | MALE | FEMALE | ALL |
|                                                              | Σ      | %    | Σ    | %    | Σ    | %      | Σ    | %    | Σ    | %      | Σ    | %    | Σ    | %      | Σ    | %    | Σ    | %      | Σ          | %    | Σ      | %   |
| Q23: TRANQUILIZER USE WITH<br>PRESC. IN LAST 12 MONTHS       |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |      |        |     |
| DON'T KNOW WHAT IT IS                                        | 11.6   | 8.5  | 10.1 | 7.9  | 5.7  | 8.7    | 7.8  | 5.3  | 6.5  | 5.6    | 4.3  | 4.9  |      |        |      |      |      |        |            |      |        |     |
| NONE                                                         | 82.8   | 87.8 | 85.1 | 88.3 | 88.5 | 88.5   | 84.6 | 90.2 | 87.4 | 89.3   | 89.4 | 89.4 | 91.4 | 89.6   | 90.3 | 86.8 | 89.0 | 87.9   |            |      |        |     |
| 1 TO 2 TIMES                                                 | 3.7    | 3.0  | 3.4  | 2.9  | 5.1  | 4.0    | 6.0  | 3.4  | 4.7  | 3.6    | 4.8  | 4.2  | 2.3  | 5.6    | 4.2  | 3.8  | 4.3  | 4.1    |            |      |        |     |
| 3 TO 5 TIMES                                                 | 1.1    | 0.3  | 0.7  | 0.0  | 0.0  | 0.0    | 1.7  | 0.0  | 0.8  | 0.5    | 0.9  | 0.7  | 1.2  | 1.1    | 1.2  | 0.9  | 0.4  | 0.7    |            |      |        |     |
| 6 TO 9 TIMES                                                 | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.2  | 0.5    | 0.0  | 0.3  | 0.2  | 0.7    | 0.4  | 0.1  | 0.2  | 0.2    |            |      |        |     |
| 10 TO 19 TIMES                                               | 0.0    | 0.0  | 0.0  | 0.5  | 0.7  | 0.8    | 0.0  | 0.7  | 0.3  | 0.0    | 0.7  | 0.3  | 0.9  | 0.0    | 0.5  | 0.2  | 0.4  | 0.3    |            |      |        |     |
| 20 TO 39 TIMES                                               | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.3    | 0.2  | 0.0  | 0.1  | 0.0    |            |      |        |     |
| 40 OR MORE TIMES                                             | 0.8    | 0.3  | 0.8  | 0.5  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.4    | 0.0  | 0.2  | 0.5  | 0.0    | 0.2  | 0.4  | 0.1  | 0.3    |            |      |        |     |
| Q24: PCP USE IN LAST 12 MO                                   |        |      |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |      |        |     |
| DON'T KNOW WHAT IT IS                                        | 11.7   | 17.6 | 14.6 | 10.1 | 10.1 | 10.0   | 10.7 | 7.6  | 9.1  | 8.3    | 6.1  | 7.4  | 4.1  | 5.2    | 4.6  | 9.3  | 9.8  | 9.6    |            |      |        |     |
| NONE                                                         | 84.4   | 79.3 | 81.7 | 87.6 | 88.8 | 88.3   | 87.2 | 90.4 | 88.8 | 87.6   | 92.7 | 90.1 | 95.6 | 94.4   | 95.0 | 88.0 | 88.5 | 88.3   |            |      |        |     |
| 1 TO 2 TIMES                                                 | 2.6    | 2.4  | 2.5  | 1.5  | 1.1  | 1.3    | 1.3  | 1.3  | 1.3  | 1.9    | 1.2  | 1.5  | 0.3  | 0.0    | 0.2  | 1.6  | 1.3  | 1.4    |            |      |        |     |
| 3 TO 5 TIMES                                                 | 0.4    | 0.3  | 0.4  | 0.5  | 0.0  | 0.2    | 0.0  | 0.3  | 0.2  | 0.0    | 0.0  | 0.0  | 0.0  | 0.1    | 0.2  | 0.2  | 0.2  | 0.2    |            |      |        |     |
| 6 TO 9 TIMES                                                 | 0.0    | 0.0  | 0.0  | 0.4  | 0.0  | 0.2    | 0.0  | 0.4  | 0.2  | 1.1    | 0.0  | 0.5  | 0.0  | 0.0    | 0.0  | 0.3  | 0.1  | 0.2    |            |      |        |     |
| 10 TO 19 TIMES                                               | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2  | 0.8    | 0.0  | 0.3  | 0.0  | 0.0    | 0.0  | 0.2  | 0.0  | 0.1    |            |      |        |     |
| 20 TO 39 TIMES                                               | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.1  | 0.0  | 0.0    |            |      |        |     |
| 40 OR MORE TIMES                                             | 0.8    | 0.4  | 0.8  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.6    | 0.0  | 0.3  | 0.0  | 0.0    | 0.0  | 0.3  | 0.1  | 0.2    |            |      |        |     |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q25 = 2,574<br>Q26 = 2,575 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |
|-------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|
|                                                             | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | ALL  |
|                                                             | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |
| Q25: HALLUCINOGEN USE IN LAST 12 MO. (EXCLUDING LSD & PCP)  |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| NONE                                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| 1 TO 2 TIMES                                                | 18.7  | 20.9   | 19.7 | 16.1 | 14.6   | 15.2 | 11.2 | 12.4   | 11.7 | 9.4  | 8.3    | 8.8  | 3.8        | 5.8    | 4.8  | 12.7 |
| 3 TO 5 TIMES                                                | 72.7  | 74.4   | 73.4 | 74.2 | 72.9   | 73.6 | 68.7 | 71.9   | 70.4 | 70.0 | 70.6   | 70.6 | 69.3       | 71.7   | 70.6 | 71.9 |
| 6 TO 9 TIMES                                                | 4.6   | 3.3    | 3.9  | 4.0  | 10.8   | 7.3  | 11.3 | 10.6   | 10.9 | 7.1  | 12.2   | 9.7  | 11.3       | 13.4   | 12.3 | 9.5  |
| 10 TO 19 TIMES                                              | 1.6   | 1.0    | 1.3  | 3.5  | 0.5    | 2.0  | 3.6  | 1.7    | 2.7  | 3.5  | 4.2    | 3.9  | 7.4        | 3.9    | 5.6  | 2.9  |
| 20 TO 39 TIMES                                              | 0.7   | 0.0    | 0.4  | 0.5  | 0.6    | 0.6  | 1.4  | 1.8    | 1.6  | 2.8  | 3.1    | 2.9  | 4.4        | 2.6    | 3.5  | 1.8  |
| 40 OR MORE TIMES                                            | 0.4   | 0.0    | 0.2  | 0.4  | 0.4    | 0.6  | 3.0  | 1.2    | 2.1  | 3.5  | 0.4    | 1.9  | 3.0        | 1.7    | 2.4  | 1.3  |
|                                                             | 0.0   | 0.0    | 0.0  | 0.5  | 0.0    | 0.2  | 0.8  | 0.0    | 0.4  | 2.8  | 0.5    | 1.6  | 0.3        | 0.5    | 0.4  | 0.5  |
|                                                             | 1.2   | 0.4    | 1.1  | 0.8  | 0.0    | 0.4  | 0.0  | 0.4    | 0.2  | 1.0  | 0.4    | 0.7  | 0.4        | 0.4    | 0.4  | 0.6  |
| Q26: LSD USE IN LAST 12 MO.                                 |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| NONE                                                        | 15.4  | 20.7   | 17.9 | 14.4 | 11.7   | 12.9 | 9.6  | 10.1   | 9.8  | 9.2  | 6.9    | 8.0  | 3.3        | 4.0    | 3.6  | 11.1 |
| 1 TO 2 TIMES                                                | 76.3  | 76.1   | 75.9 | 78.6 | 81.6   | 80.2 | 80.5 | 81.6   | 81.1 | 77.4 | 81.7   | 79.8 | 81.2       | 88.6   | 84.9 | 80.1 |
| 3 TO 5 TIMES                                                | 4.7   | 1.6    | 3.3  | 3.1  | 5.2    | 4.2  | 5.0  | 4.9    | 4.9  | 6.1  | 7.4    | 6.7  | 9.1        | 5.6    | 7.3  | 5.1  |
| 6 TO 9 TIMES                                                | 1.2   | 1.2    | 1.2  | 1.4  | 0.8    | 1.1  | 2.1  | 1.7    | 1.9  | 3.3  | 2.2    | 2.7  | 2.4        | 0.9    | 1.7  | 1.7  |
| 10 TO 19 TIMES                                              | 0.8   | 0.0    | 0.4  | 0.8  | 0.4    | 0.6  | 0.9  | 0.4    | 0.6  | 2.0  | 1.3    | 1.6  | 3.0        | 0.0    | 1.5  | 0.9  |
| 20 TO 39 TIMES                                              | 0.6   | 0.0    | 0.3  | 0.5  | 0.3    | 0.4  | 0.8  | 1.2    | 1.0  | 1.0  | 0.0    | 0.5  | 0.9        | 0.9    | 0.7  | 0.6  |
| 40 OR MORE TIMES                                            | 0.3   | 0.0    | 0.2  | 0.4  | 0.0    | 0.2  | 0.4  | 0.0    | 0.2  | 0.5  | 0.0    | 0.3  | 0.0        | 0.0    | 0.0  | 0.2  |
|                                                             | 0.7   | 0.4    | 0.8  | 0.9  | 0.0    | 0.5  | 0.9  | 0.0    | 0.4  | 0.5  | 0.4    | 0.5  | 0.0        | 0.0    | 0.0  | 0.5  |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 NORTH

| NUMBER OF VALID RESPONSES 10:<br>Q27 = 2,572<br>Q28 = 2,569 | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      | ALL GRADES |      |      |   |        |   |     |   |
|-------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------------|------|------|---|--------|---|-----|---|
|                                                             | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |      |        |      |            |      | 12   |   |        |   |     |   |
|                                                             | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL        |      | MALE |   | FEMALE |   | ALL |   |
|                                                             | %     | Σ    | %      | Σ    | %    | Σ    | %    | Σ    | %      | Σ    | %    | Σ    | %    | Σ    | %      | Σ    | %          | Σ    | %    | Σ | %      | Σ | %   | Σ |
| Q27: CIGARETTE USE IN LAST 4 WEEKS                          |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |      |   |        |   |     |   |
| NONE                                                        | 75.7  | 71.3 | 73.2   | 77.6 | 61.7 | 69.4 | 65.4 | 63.1 | 64.1   | 68.2 | 64.0 | 66.2 | 73.3 | 56.8 | 65.2   | 72.2 | 63.9       | 67.9 |      |   |        |   |     |   |
| 1 OR 2 TIMES                                                | 9.6   | 12.8 | 11.2   | 6.7  | 9.4  | 8.0  | 7.6  | 11.8 | 9.8    | 7.4  | 8.7  | 8.1  | 2.0  | 6.7  | 4.3    | 7.0  | 10.2       | 8.6  |      |   |        |   |     |   |
| 1 OR 2 TIMES WEEKLY                                         | 2.4   | 1.9  | 2.2    | 1.5  | 3.7  | 2.5  | 1.1  | 2.4  | 1.7    | 1.6  | 3.1  | 2.4  | 1.7  | 2.6  | 2.2    | 1.7  | 2.7        | 2.2  |      |   |        |   |     |   |
| 3 OR 4 TIMES WEEKLY                                         | 1.0   | 0.6  | 0.8    | 0.6  | 1.6  | 1.1  | 1.7  | 1.4  | 1.6    | 0.8  | 1.8  | 1.3  | 0.9  | 2.1  | 1.5    | 1.0  | 1.5        | 1.2  |      |   |        |   |     |   |
| 5 OR 6 TIMES WEEKLY                                         | 1.8   | 1.7  | 1.8    | 2.6  | 1.7  | 2.1  | 2.2  | 1.3  | 1.8    | 1.1  | 0.8  | 1.0  | 0.0  | 0.5  | 0.2    | 1.6  | 1.3        | 1.5  |      |   |        |   |     |   |
| ONCE DAILY                                                  | 0.4   | 2.6  | 1.7    | 1.7  | 2.6  | 2.2  | 2.5  | 1.3  | 2.1    | 1.0  | 0.7  | 0.8  | 1.1  | 0.8  | 0.9    | 1.4  | 1.7        | 1.6  |      |   |        |   |     |   |
| MORE THAN ONCE DAILY                                        | 9.0   | 9.0  | 9.2    | 9.3  | 19.3 | 14.7 | 19.4 | 18.7 | 19.0   | 19.9 | 20.8 | 20.2 | 21.0 | 30.5 | 25.7   | 15.2 | 18.8       | 17.1 |      |   |        |   |     |   |
| Q28: CANNABIS USE IN LAST 4 WEEKS                           |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |      |   |        |   |     |   |
| DON'T KNOW WHAT IT IS                                       | 10.1  | 10.2 | 10.1   | 8.5  | 5.1  | 6.7  | 6.2  | 2.2  | 4.2    | 3.3  | 4.1  | 3.7  | 1.3  | 2.4  | 1.8    | 6.3  | 5.1        | 5.7  |      |   |        |   |     |   |
| NONE                                                        | 74.6  | 79.7 | 76.8   | 78.0 | 69.5 | 73.5 | 61.4 | 74.5 | 67.6   | 62.5 | 61.5 | 62.2 | 58.8 | 70.3 | 64.6   | 67.8 | 71.7       | 69.6 |      |   |        |   |     |   |
| 1 OR 2 TIMES                                                | 8.2   | 6.5  | 7.3    | 6.9  | 16.8 | 11.9 | 15.4 | 15.3 | 15.7   | 14.2 | 18.9 | 16.6 | 18.4 | 16.6 | 17.5   | 12.2 | 14.4       | 13.3 |      |   |        |   |     |   |
| 1 OR 2 TIMES WEEKLY                                         | 2.5   | 0.3  | 1.4    | 1.9  | 3.3  | 2.7  | 5.8  | 4.2  | 5.0    | 7.0  | 6.9  | 6.9  | 3.9  | 5.4  | 4.7    | 4.1  | 3.8        | 3.9  |      |   |        |   |     |   |
| 3 OR 4 TIMES WEEKLY                                         | 2.7   | 1.7  | 2.4    | 1.4  | 3.6  | 2.5  | 2.8  | 3.0  | 2.9    | 4.5  | 3.8  | 4.1  | 7.3  | 2.8  | 5.1    | 3.5  | 2.9        | 3.2  |      |   |        |   |     |   |
| 5 OR 6 TIMES WEEKLY                                         | 0.7   | 0.9  | 0.8    | 2.0  | 0.7  | 1.6  | 3.3  | 0.4  | 1.9    | 3.6  | 3.2  | 3.4  | 2.0  | 2.0  | 2.0    | 2.3  | 1.3        | 1.8  |      |   |        |   |     |   |
| ONCE DAILY                                                  | 0.0   | 0.3  | 0.2    | 0.5  | 0.0  | 0.2  | 1.3  | 0.0  | 0.7    | 0.4  | 0.0  | 0.2  | 1.3  | 0.0  | 0.7    | 0.7  | 0.1        | 0.4  |      |   |        |   |     |   |
| MORE THAN ONCE DAILY                                        | 1.2   | 0.4  | 1.0    | 0.8  | 0.9  | 0.8  | 3.8  | 0.4  | 2.1    | 4.5  | 1.4  | 2.9  | 6.8  | 0.4  | 3.6    | 3.2  | 0.7        | 2.0  |      |   |        |   |     |   |

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
84



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q30C = 2,429<br>Q30D = 2,502<br>Q30E = 2,507 | GRADE |      |        |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |        |      |
|-------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|--------|------|
|                                                                               | 8     |      |        | 9    |      |        | 10   |      |      | 11     |      |      | 12   |        |      | MALE       | FEMALE | ALL  |
|                                                                               | MALE  |      | FEMALE | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  |            |        |      |
|                                                                               | Σ     | %    | Σ      | Σ    | %    | Σ      | Σ    | %    | Σ    | Σ      | %    | Σ    | Σ    | %      | Σ    |            |        |      |
| Q30C: DIFFICULTY GETTING CANNABIS                                             |       |      |        |      |      |        |      |      |      |        |      |      |      |        |      |            |        |      |
| IMPOSSIBLE                                                                    | 14.1  | 11.5 | 12.9   | 6.1  | 4.5  | 5.5    | 3.6  | 5.1  | 4.3  | 1.0    | 2.3  | 1.7  | 1.0  | 1.0    | 1.0  | 5.8        | 5.2    | 5.5  |
| DIFFICULT                                                                     | 16.2  | 18.3 | 17.3   | 12.6 | 8.4  | 10.6   | 8.3  | 6.2  | 7.2  | 5.1    | 4.7  | 5.3  | 4.0  | 3.8    | 3.9  | 9.9        | 8.7    | 9.4  |
| FAIRLY EASY                                                                   | 24.2  | 19.5 | 21.9   | 31.5 | 30.7 | 30.7   | 33.6 | 44.8 | 39.5 | 30.0   | 38.0 | 34.1 | 40.2 | 45.0   | 42.5 | 31.4       | 34.9   | 33.1 |
| VERY EASY                                                                     | 15.2  | 7.3  | 11.7   | 21.8 | 17.7 | 20.1   | 36.4 | 21.6 | 29.0 | 42.5   | 33.6 | 37.6 | 43.9 | 31.0   | 37.7 | 30.5       | 21.4   | 26.1 |
| DON'T KNOW                                                                    | 30.4  | 43.4 | 36.3   | 28.0 | 38.7 | 33.1   | 18.1 | 22.3 | 20.0 | 21.4   | 21.3 | 21.2 | 10.9 | 19.3   | 15.0 | 22.4       | 29.8   | 25.9 |
| Q30D: DIFFICULTY GETTING HALLUCINOGENS                                        |       |      |        |      |      |        |      |      |      |        |      |      |      |        |      |            |        |      |
| IMPOSSIBLE                                                                    | 22.1  | 17.2 | 19.6   | 15.2 | 8.2  | 11.8   | 15.1 | 10.2 | 12.6 | 6.7    | 4.7  | 5.6  | 6.2  | 3.8    | 5.0  | 14.0       | 9.3    | 11.6 |
| DIFFICULT                                                                     | 22.5  | 22.8 | 22.6   | 23.6 | 19.4 | 21.6   | 24.9 | 21.4 | 23.3 | 29.7   | 22.1 | 25.8 | 28.6 | 24.2   | 28.4 | 25.5       | 21.9   | 23.7 |
| FAIRLY EASY                                                                   | 8.4   | 5.0  | 6.7    | 7.2  | 9.8  | 8.7    | 11.7 | 16.6 | 14.0 | 15.7   | 15.0 | 15.2 | 17.7 | 20.4   | 19.0 | 11.6       | 12.8   | 12.2 |
| VERY EASY                                                                     | 3.5   | 0.8  | 2.4    | 4.7  | 1.0  | 3.1    | 4.4  | 2.1  | 3.3  | 4.0    | 2.5  | 3.5  | 6.1  | 0.9    | 3.5  | 4.6        | 1.6    | 3.1  |
| DON'T KNOW                                                                    | 43.5  | 54.2 | 48.6   | 49.2 | 61.0 | 54.8   | 43.9 | 49.6 | 46.8 | 43.3   | 55.8 | 49.9 | 41.4 | 50.7   | 46.1 | 44.3       | 54.4   | 49.3 |
| Q30E: DIFFICULTY GETTING AMPHETAMINES                                         |       |      |        |      |      |        |      |      |      |        |      |      |      |        |      |            |        |      |
| IMPOSSIBLE                                                                    | 21.0  | 16.9 | 18.9   | 16.3 | 8.7  | 12.3   | 11.9 | 8.9  | 10.4 | 7.3    | 2.9  | 5.0  | 4.5  | 4.0    | 4.3  | 13.0       | 8.7    | 10.9 |
| DIFFICULT                                                                     | 20.1  | 16.5 | 18.3   | 20.7 | 18.2 | 19.6   | 21.5 | 24.4 | 23.0 | 18.7   | 17.2 | 18.3 | 28.9 | 14.0   | 21.5 | 21.8       | 18.3   | 20.1 |
| FAIRLY EASY                                                                   | 9.5   | 12.0 | 10.7   | 7.4  | 12.8 | 10.0   | 15.2 | 15.9 | 15.4 | 19.0   | 21.0 | 19.9 | 20.2 | 23.3   | 21.7 | 13.7       | 16.5   | 15.0 |
| VERY EASY                                                                     | 4.2   | 2.3  | 3.5    | 4.8  | 4.4  | 4.8    | 4.6  | 3.6  | 4.1  | 9.8    | 4.9  | 7.2  | 4.8  | 6.8    | 5.8  | 5.4        | 4.2    | 4.9  |
| DON'T KNOW                                                                    | 45.1  | 52.2 | 48.5   | 50.8 | 56.4 | 53.3   | 46.8 | 47.2 | 47.1 | 45.2   | 54.0 | 49.6 | 41.5 | 51.9   | 46.8 | 46.1       | 52.3   | 49.1 |

|                                                                                               | GRADE                            |        |     |      |        |     |      |        |     |      |        |     |      |        |     | ALL GRADES |  |  |
|-----------------------------------------------------------------------------------------------|----------------------------------|--------|-----|------|--------|-----|------|--------|-----|------|--------|-----|------|--------|-----|------------|--|--|
|                                                                                               | 8                                |        |     | 9    |        |     | 10   |        |     | 11   |        |     | 12   |        |     |            |  |  |
|                                                                                               | MALE                             | FEMALE | ALL | MALE | FEMALE | ALL | MALE | FEMALE | ALL | MALE | FEMALE | ALL | MALE | FEMALE | ALL |            |  |  |
| NUMBER OF VALID RESPONSES TO:<br>Q30F = 2,502<br>Q30G = 2,509<br>Q30H = 2,508<br>Q30I = 2,481 |                                  |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | Q30F: DIFFICULTY GETTING HEROIN  |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | IMPOSSIBLE                       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | DIFFICULT                        |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | FAIRLY EASY                      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | VERY EASY                        |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
| DON'T KNOW                                                                                    |                                  |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | Q30G: DIFFICULTY GETTING COCAINE |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | IMPOSSIBLE                       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | DIFFICULT                        |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | FAIRLY EASY                      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | VERY EASY                        |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | DON'T KNOW                       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | Q30H: DIFFICULTY GETTING CRACK   |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | IMPOSSIBLE                       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | DIFFICULT                        |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | FAIRLY EASY                      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | VERY EASY                        |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | DON'T KNOW                       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | Q30I: DIFFICULTY GETTING BMDRO   |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | IMPOSSIBLE                       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | DIFFICULT                        |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | FAIRLY EASY                      |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | VERY EASY                        |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |
|                                                                                               | DON'T KNOW                       |        |     |      |        |     |      |        |     |      |        |     |      |        |     |            |  |  |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q30J = 2,502<br>Q30K = 2,483<br>Q30L = 2,513 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |        |
|-------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|--------|
|                                                                               | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        | MALE       | FEMALE |
|                                                                               | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE |            |        |
|                                                                               | Σ     | %    | Σ      | Σ    | %    | Σ      | Σ    | %    | Σ      | Σ    | %    | Σ      | Σ    | %    | Σ      | Σ    | %    | Σ      |            |        |
| Q30J: DIFFICULTY GETTING TRANQUILIZERS                                        |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |        |
| IMPOSSIBLE                                                                    | 20.4  | 11.5 | 16.0   | 12.8 | 6.2  | 9.3    | 11.2 | 8.0  | 9.6    | 6.7  | 4.0  | 5.3    | 4.1  | 1.1  | 2.6    | 11.8 | 6.6  | 9.1    |            |        |
| DIFFICULT                                                                     | 15.5  | 14.8 | 15.1   | 16.3 | 16.9 | 17.1   | 20.3 | 16.6 | 18.6   | 21.5 | 9.4  | 15.6   | 16.9 | 14.4 | 15.6   | 18.0 | 14.6 | 16.4   |            |        |
| FAIRLY EASY                                                                   | 11.6  | 18.7 | 15.0   | 13.9 | 20.9 | 17.4   | 17.0 | 24.8 | 20.7   | 18.1 | 26.5 | 21.5   | 21.0 | 25.7 | 23.3   | 15.6 | 23.0 | 19.2   |            |        |
| VERY EASY                                                                     | 8.0   | 6.3  | 7.4    | 5.9  | 8.7  | 7.6    | 8.0  | 9.3  | 8.6    | 7.3  | 10.6 | 8.9    | 9.0  | 9.9  | 9.4    | 7.6  | 8.8  | 8.3    |            |        |
| DON'T KNOW                                                                    | 44.5  | 48.8 | 46.5   | 51.2 | 47.4 | 48.6   | 43.5 | 41.3 | 42.6   | 48.4 | 49.5 | 48.7   | 49.1 | 48.8 | 49.1   | 47.0 | 47.0 | 48.9   |            |        |
| Q30K: DIFFICULTY GETTING BARBITURATES                                         |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |        |
| IMPOSSIBLE                                                                    | 19.5  | 15.0 | 17.2   | 10.8 | 7.3  | 9.1    | 11.7 | 8.3  | 9.9    | 7.8  | 3.7  | 5.7    | 4.2  | 3.8  | 4.0    | 11.5 | 8.0  | 9.8    |            |        |
| DIFFICULT                                                                     | 15.1  | 12.8 | 13.9   | 15.1 | 11.1 | 13.2   | 16.9 | 13.0 | 15.2   | 17.4 | 7.9  | 12.9   | 14.1 | 13.1 | 13.6   | 15.7 | 11.8 | 13.8   |            |        |
| FAIRLY EASY                                                                   | 9.2   | 7.5  | 8.3    | 7.1  | 14.1 | 10.6   | 14.5 | 14.7 | 14.5   | 10.9 | 16.9 | 13.9   | 12.8 | 14.9 | 13.8   | 10.8 | 13.3 | 12.0   |            |        |
| VERY EASY                                                                     | 5.1   | 1.8  | 3.7    | 4.9  | 4.6  | 5.1    | 4.3  | 2.5  | 3.4    | 6.0  | 7.2  | 6.6    | 6.9  | 3.4  | 5.2    | 5.3  | 3.8  | 4.7    |            |        |
| DON'T KNOW                                                                    | 51.1  | 62.9 | 56.8   | 62.2 | 62.8 | 62.1   | 52.7 | 60.9 | 57.0   | 57.8 | 64.3 | 60.9   | 61.0 | 64.8 | 63.4   | 56.6 | 63.0 | 59.7   |            |        |
| Q30L: DIFFICULTY GETTING SOLVENTS                                             |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |        |
| IMPOSSIBLE                                                                    | 5.7   | 1.2  | 3.5    | 2.4  | 2.4  | 2.4    | 2.7  | 2.3  | 2.5    | 1.2  | 0.9  | 1.1    | 0.7  | 0.9  | 0.8    | 2.8  | 1.6  | 2.2    |            |        |
| DIFFICULT                                                                     | 1.4   | 4.5  | 2.9    | 1.5  | 0.0  | 0.7    | 0.7  | 1.1  | 0.9    | 1.0  | 0.7  | 0.8    | 0.0  | 0.3  | 0.2    | 1.0  | 1.4  | 1.2    |            |        |
| FAIRLY EASY                                                                   | 9.0   | 13.9 | 11.3   | 6.3  | 11.8 | 9.0    | 8.9  | 10.5 | 9.6    | 6.0  | 5.0  | 5.5    | 4.1  | 8.7  | 6.3    | 7.1  | 10.3 | 8.6    |            |        |
| VERY EASY                                                                     | 67.0  | 57.7 | 62.5   | 74.0 | 65.4 | 69.8   | 71.0 | 71.8 | 71.3   | 72.5 | 77.6 | 75.3   | 79.5 | 77.0 | 78.1   | 72.3 | 69.1 | 70.7   |            |        |
| DON'T KNOW                                                                    | 16.9  | 22.7 | 19.8   | 15.8 | 20.4 | 18.1   | 16.7 | 14.3 | 15.6   | 19.2 | 15.8 | 17.3   | 15.8 | 13.1 | 14.7   | 16.8 | 17.6 | 17.3   |            |        |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

NORTH

| NUMBER OF VALID RESPONSES 10:<br>Q31(MOD) = 1,035                                  | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |
|------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|
|                                                                                    | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |      |        |      | MALE       | FEMALE |
|                                                                                    | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |        |
| Q31: REASON FOR TRYING CANNABIS                                                    |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |
| DON'T KNOW WHAT IT IS                                                              | 6.2   | 6.8    | 6.5  | 3.3  | 4.5    | 4.1  | 1.7  | 2.6    | 2.1  | 1.9  | 1.8    | 1.8  | 0.8  | 0.0    | 0.4  | 3.0  | 3.4    | 3.3  |            |        |
| NEVER TRIED IT                                                                     | 70.1  | 76.0   | 72.7 | 67.2 | 58.7   | 62.4 | 41.2 | 50.6   | 45.8 | 35.2 | 40.8   | 38.4 | 35.6 | 36.1   | 35.8 | 51.8 | 54.2   | 52.9 |            |        |
| TO SEE WHAT IT WAS LIKE                                                            | 11.6  | 7.5    | 9.7  | 15.8 | 21.1   | 18.5 | 33.4 | 29.4   | 31.7 | 31.8 | 34.2   | 33.0 | 33.8 | 50.0   | 42.1 | 24.2 | 26.6   | 25.5 |            |        |
| FRIENDS WERE USING IT                                                              | 3.4   | 0.6    | 2.0  | 3.1  | 4.8    | 3.9  | 4.2  | 3.3    | 3.7  | 6.2  | 5.3    | 5.7  | 9.8  | 2.3    | 6.0  | 5.0  | 3.2    | 4.1  |            |        |
| SEEMED LIKE FUN                                                                    | 1.5   | 1.8    | 1.6  | 1.2  | 2.8    | 2.0  | 7.0  | 5.2    | 6.0  | 8.9  | 3.5    | 5.1  | 5.3  | 3.0    | 4.1  | 4.1  | 3.3    | 3.7  |            |        |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.2   | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.8    | 0.4  | 0.0  | 0.0    | 0.0  | 0.0  | 0.1    | 0.1  |            |        |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 1.9   | 1.3    | 1.6  | 2.8  | 2.3    | 2.5  | 1.8  | 2.5    | 2.2  | 2.3  | 4.3    | 3.3  | 2.5  | 2.4    | 2.4  | 2.2  | 2.4    | 2.4  |            |        |
| OLD ENOUGH TO USE SAFELY                                                           | 0.9   | 0.0    | 0.5  | 0.0  | 0.0    | 0.0  | 0.0  | 0.5    | 0.2  | 0.8  | 0.0    | 0.3  | 0.5  | 0.0    | 0.3  | 0.4  | 0.1    | 0.3  |            |        |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 1.7   | 2.8    | 2.2  | 0.0  | 2.3    | 1.3  | 1.8  | 1.0    | 1.4  | 2.7  | 0.8    | 1.7  | 3.6  | 1.5    | 2.5  | 1.9  | 1.7    | 1.8  |            |        |
| BORED, NOTHING ELSE TO DO                                                          | 0.5   | 1.4    | 0.9  | 2.3  | 0.8    | 1.5  | 4.2  | 3.3    | 3.7  | 3.3  | 4.6    | 4.0  | 1.7  | 1.0    | 1.4  | 2.3  | 2.2    | 2.3  |            |        |
| OTHER REASON                                                                       | 1.9   | 1.8    | 1.9  | 4.4  | 2.7    | 3.8  | 4.7  | 1.7    | 3.1  | 9.1  | 3.9    | 6.3  | 6.4  | 3.7    | 5.0  | 4.9  | 2.7    | 3.8  |            |        |
| Q31(MOD): REASON FOR TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |
| TO SEE WHAT IT WAS LIKE                                                            | 49.0  | 43.8   | 46.3 | 53.4 | 57.4   | 55.3 | 58.5 | 62.8   | 60.9 | 50.6 | 59.6   | 55.2 | 53.1 | 78.2   | 85.9 | 53.5 | 62.9   | 58.2 |            |        |
| FRIENDS WERE USING IT                                                              | 14.4  | 3.8    | 9.7  | 10.4 | 13.0   | 11.7 | 7.4  | 7.1    | 7.2  | 9.9  | 9.2    | 9.5  | 15.4 | 3.7    | 9.5  | 11.1 | 7.5    | 9.3  |            |        |
| SEEMED LIKE FUN                                                                    | 6.4   | 10.3   | 7.9  | 4.0  | 7.7    | 6.0  | 12.2 | 11.1   | 11.6 | 10.9 | 6.2    | 8.5  | 8.3  | 4.7    | 6.5  | 9.1  | 7.7    | 8.4  |            |        |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.8   | 0.0    | 0.5  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 1.4    | 0.7  | 0.0  | 0.0    | 0.0  | 0.1  | 0.3    | 0.2  |            |        |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 8.1   | 7.4    | 8.5  | 9.5  | 6.1    | 7.5  | 3.2  | 5.3    | 4.1  | 3.7  | 7.5    | 5.6  | 4.0  | 3.7    | 3.8  | 5.0  | 5.8    | 5.4  |            |        |
| OLD ENOUGH TO USE SAFELY                                                           | 3.9   | 0.0    | 2.2  | 0.0  | 0.0    | 0.0  | 0.0  | 1.0    | 0.5  | 1.0  | 0.0    | 0.5  | 0.8  | 0.0    | 0.4  | 0.9  | 0.2    | 0.6  |            |        |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 7.3   | 16.1   | 10.8 | 0.0  | 6.2    | 3.9  | 3.2  | 2.1    | 2.7  | 4.3  | 1.3    | 2.8  | 5.6  | 2.3    | 4.0  | 4.1  | 4.0    | 4.1  |            |        |
| BORED, NOTHING ELSE TO DO                                                          | 1.9   | 8.1    | 4.4  | 7.8  | 2.3    | 4.6  | 7.3  | 7.1    | 7.1  | 5.3  | 8.0    | 6.7  | 2.7  | 1.6    | 2.1  | 5.1  | 5.2    | 5.1  |            |        |
| OTHER REASON                                                                       | 8.2   | 10.7   | 9.0  | 14.8 | 7.4    | 11.2 | 8.2  | 3.7    | 6.0  | 14.4 | 6.8    | 10.5 | 10.0 | 5.8    | 7.8  | 10.9 | 8.3    | 8.7  |            |        |

NOTE: Q31(MOD) IS A MODIFIED RESPONSE SET FOR Q31 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS.

MILBOM

NOTE: Q32(MOD) IS A MODIFIED RESPONSE SET FOR Q32 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS.



| NUMBER OF VALID RESPONSES TO:<br>Q33 = 2,140<br>Q33(MOD) = 1,341                           | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|--------------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q33: REASON FOR NOT TRYING CANNABIS                                                        | %     | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %          | %      | %    |
| DON'T KNOW WHAT IT IS                                                                      | 5.9   | 6.6    | 6.2  | 4.9  | 3.6    | 4.5  | 2.8  | 3.8    | 3.3  | 1.3  | 1.9    | 1.6  | 0.4  | 1.0    | 0.7  | 3.5        | 3.7    | 3.6  |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 21.8  | 13.6   | 17.6 | 15.1 | 8.5    | 11.8 | 12.4 | 4.6    | 8.6  | 12.2 | 7.3    | 9.9  | 12.5 | 4.6    | 8.9  | 15.4       | 8.2    | 11.8 |
| MIGHT BE ADDICTIVE                                                                         | 4.1   | 3.3    | 3.7  | 4.1  | 1.2    | 2.7  | 2.3  | 2.3    | 2.3  | 1.4  | 1.4    | 1.4  | 0.6  | 2.1    | 1.3  | 2.8        | 2.1    | 2.4  |
| ILLEGAL TO USE IT                                                                          | 1.4   | 2.4    | 1.9  | 2.5  | 1.7    | 2.1  | 1.5  | 1.0    | 1.2  | 1.5  | 1.0    | 1.2  | 0.0  | 1.6    | 0.8  | 1.5        | 1.6    | 1.5  |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 1.6   | 1.2    | 1.4  | 0.4  | 4.7    | 2.5  | 1.4  | 0.4    | 0.9  | 1.3  | 1.4    | 1.4  | 0.4  | 1.2    | 0.8  | 1.1        | 1.8    | 1.4  |
| TROUBLE WITH POLICE                                                                        | 0.5   | 0.7    | 0.6  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.2        | 0.2    | 0.2  |
| CAN NOT GET ANY                                                                            | 0.5   | 0.2    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.1    | 0.1  |
| CAN NOT AFFORD IT                                                                          | 1.4   | 0.8    | 1.1  | 0.3  | 0.5    | 0.4  | 0.9  | 0.0    | 0.4  | 0.5  | 1.1    | 0.8  | 0.6  | 0.0    | 0.3  | 0.8        | 0.5    | 0.7  |
| NOT INTERESTED                                                                             | 31.7  | 33.8   | 32.6 | 27.9 | 38.8   | 33.2 | 20.0 | 32.7   | 26.3 | 21.3 | 26.1   | 23.8 | 27.3 | 28.7   | 27.9 | 28.0       | 32.5   | 29.2 |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 4.4   | 7.6    | 6.0  | 4.8  | 3.7    | 4.3  | 2.4  | 6.2    | 4.3  | 2.5  | 4.1    | 3.4  | 0.4  | 2.7    | 1.5  | 3.2        | 5.2    | 4.2  |
| OTHER THINGS I ENJOY DOING                                                                 | 9.1   | 12.2   | 10.6 | 11.4 | 7.4    | 9.4  | 6.4  | 6.4    | 6.4  | 6.3  | 6.7    | 6.5  | 4.7  | 4.9    | 4.8  | 7.9        | 7.9    | 7.9  |
| FRIENDS DON'T USE IT                                                                       | 0.0   | 2.9    | 1.5  | 0.9  | 0.0    | 0.5  | 0.0  | 1.0    | 0.5  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.2        | 1.0    | 0.6  |
| OTHER REASON                                                                               | 3.7   | 3.0    | 3.6  | 4.4  | 3.6    | 4.0  | 5.0  | 4.7    | 4.8  | 1.9  | 2.2    | 2.2  | 1.2  | 2.6    | 1.9  | 3.5        | 3.3    | 3.5  |
| HAVE TRIED IT                                                                              | 13.8  | 11.8   | 12.9 | 23.2 | 26.2   | 24.7 | 44.5 | 36.9   | 40.7 | 49.7 | 46.7   | 47.9 | 51.8 | 50.7   | 51.1 | 33.8       | 32.1   | 32.9 |
| Q33(MOD): REASON FOR NOT TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE NOT TRIED CANNABIS) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 27.1  | 16.6   | 21.7 | 21.0 | 12.1   | 16.7 | 23.5 | 7.7    | 15.4 | 25.0 | 14.3   | 19.6 | 26.3 | 9.4    | 18.4 | 24.5       | 12.7   | 18.6 |
| MIGHT BE ADDICTIVE                                                                         | 5.2   | 4.0    | 4.6  | 5.7  | 1.7    | 3.8  | 4.4  | 3.9    | 4.1  | 2.8  | 2.8    | 2.8  | 1.2  | 4.3    | 2.7  | 4.4        | 3.3    | 3.8  |
| ILLEGAL TO USE IT                                                                          | 1.8   | 2.9    | 2.4  | 3.4  | 2.5    | 3.0  | 2.8  | 1.7    | 2.2  | 3.1  | 1.9    | 2.4  | 0.0  | 3.3    | 1.6  | 2.4        | 2.5    | 2.4  |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 2.0   | 1.4    | 1.7  | 0.5  | 6.7    | 3.5  | 2.7  | 0.6    | 1.6  | 2.8  | 2.8    | 2.7  | 0.9  | 2.4    | 1.7  | 1.7        | 2.8    | 2.2  |
| TROUBLE WITH POLICE                                                                        | 0.6   | 0.8    | 0.7  | 0.0  | 0.0    | 0.0  | 0.7  | 0.0    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.3        | 0.3    | 0.3  |
| CAN NOT GET ANY                                                                            | 0.6   | 0.2    | 0.4  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.2        | 0.1    | 0.1  |
| CAN NOT AFFORD IT                                                                          | 1.8   | 1.0    | 1.4  | 0.5  | 0.8    | 0.6  | 1.7  | 0.0    | 0.8  | 1.1  | 2.1    | 1.6  | 1.2  | 0.0    | 0.8  | 1.3        | 0.8    | 1.0  |
| NOT INTERESTED                                                                             | 39.5  | 41.5   | 40.4 | 38.9 | 55.2   | 48.9 | 37.9 | 55.1   | 47.0 | 43.4 | 50.8   | 47.1 | 57.1 | 59.6   | 57.9 | 41.5       | 50.6   | 46.1 |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 5.5   | 9.3    | 7.4  | 6.7  | 5.3    | 6.0  | 4.5  | 10.5   | 7.7  | 5.1  | 8.1    | 6.7  | 0.9  | 5.6    | 3.2  | 5.1        | 8.0    | 6.6  |
| OTHER THINGS I ENJOY DOING                                                                 | 11.4  | 15.0   | 13.1 | 15.8 | 10.6   | 13.3 | 12.1 | 10.9   | 11.4 | 12.8 | 13.1   | 12.8 | 9.9  | 10.1   | 9.9  | 12.7       | 12.3   | 12.4 |
| FRIENDS DON'T USE IT                                                                       | 0.0   | 3.5    | 1.8  | 1.3  | 0.0    | 0.7  | 0.0  | 1.7    | 0.9  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.3        | 1.5    | 0.9  |
| OTHER REASON                                                                               | 4.7   | 3.7    | 4.4  | 6.2  | 5.1    | 5.7  | 9.5  | 8.0    | 8.6  | 4.0  | 4.2    | 4.3  | 2.5  | 5.3    | 3.8  | 5.6        | 5.1    | 5.4  |

NOTE: Q33(MOD) IS A MODIFIED RESPONSE SET FOR Q33 AND INCLUDES ONLY THOSE WHO HAVE NOT TRIED CANNABIS. THOSE WHO DON'T KNOW WHAT CANNABIS IS HAVE BEEN EXCLUDED.

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q34 = 2,377<br>Q34(MOD) = 693                          | GRADE |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |      |      |        |      |     |
|-----------------------------------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|------|------|--------|------|-----|
|                                                                                         | 8     |        |      | 9    |      |        | 10   |      |      | 11     |      |      | 12         |        |      | MALE | FEMALE | ALL  |     |
|                                                                                         | MALE  | FEMALE |      | ALL  | MALE | FEMALE |      | ALL  | MALE | FEMALE |      | ALL  | MALE       | FEMALE |      |      |        |      | ALL |
|                                                                                         |       | %      | #    |      |      | %      | #    |      |      | %      | #    |      |            | %      | #    |      |        |      |     |
| Q34: REASON FOR STOPPING CANNABIS USE                                                   |       |        |      |      |      |        |      |      |      |        |      |      |            |        |      |      |        |      |     |
| DON'T KNOW WHAT IT IS                                                                   | 4.7   | 5.2    | 4.9  | 3.2  | 3.7  | 3.4    | 1.3  | 1.4  | 1.3  | 0.5    | 1.7  | 1.1  | 0.7        | 0.0    | 0.4  | 2.3  | 2.6    | 2.4  |     |
| NEVER USED IT                                                                           | 70.0  | 77.6   | 73.5 | 63.8 | 55.5 | 59.3   | 38.0 | 48.9 | 43.3 | 36.0   | 38.4 | 37.5 | 34.7       | 34.5   | 34.5 | 50.3 | 52.7   | 51.3 |     |
| MIGHT BE HARMFUL TO MY HEALTH                                                           | 4.8   | 1.6    | 3.2  | 3.6  | 2.5  | 3.0    | 7.3  | 2.3  | 5.0  | 10.2   | 4.2  | 7.0  | 4.4        | 2.9    | 3.6  | 5.9  | 2.6    | 4.3  |     |
| MIGHT BE ADDICTIVE                                                                      | 2.1   | 0.7    | 1.4  | 1.3  | 1.3  | 1.3    | 1.6  | 0.5  | 1.0  | 0.0    | 1.0  | 0.5  | 1.3        | 0.5    | 0.9  | 1.3  | 0.8    | 1.1  |     |
| PARENTS MADE ME STOP                                                                    | 0.0   | 0.5    | 0.2  | 0.4  | 0.0  | 0.2    | 0.0  | 0.3  | 0.2  | 0.0    | 0.4  | 0.2  | 0.0        | 0.0    | 0.0  | 0.1  | 0.3    | 0.2  |     |
| ILLEGAL TO USE IT                                                                       | 0.7   | 0.0    | 0.3  | 1.5  | 0.0  | 0.7    | 0.3  | 0.4  | 0.4  | 0.9    | 0.7  | 0.8  | 0.0        | 0.0    | 0.0  | 0.7  | 0.2    | 0.5  |     |
| WAS JUST EXPERIMENTING                                                                  | 2.6   | 3.7    | 3.1  | 4.0  | 4.0  | 4.0    | 7.3  | 6.0  | 6.6  | 3.7    | 4.9  | 4.3  | 10.0       | 8.5    | 9.2  | 5.3  | 5.2    | 5.3  |     |
| NOT INTERESTED ANYMORE                                                                  | 0.8   | 0.7    | 0.8  | 3.9  | 3.7  | 3.8    | 5.3  | 8.1  | 6.7  | 9.2    | 9.2  | 9.3  | 9.6        | 15.9   | 12.7 | 5.3  | 6.9    | 6.1  |     |
| TROUBLE WITH PARENTS/TEACHERS                                                           | 0.0   | 0.0    | 0.0  | 0.5  | 0.7  | 0.6    | 1.4  | 0.0  | 0.7  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0    | 0.0  | 0.4  | 0.1    | 0.3  |     |
| FRIENDS STOPPED USING IT                                                                | 0.0   | 0.0    | 0.0  | 1.0  | 0.4  | 0.7    | 0.5  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0    | 0.0  | 0.3  | 0.1    | 0.2  |     |
| GOT INTO TROUBLE WITH POLICE                                                            | 0.8   | 0.0    | 0.4  | 0.4  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0    | 0.0  | 0.3  | 0.0    | 0.1  |     |
| DIDN'T LIKE EFFECTS                                                                     | 1.3   | 0.0    | 0.6  | 0.0  | 4.0  | 2.1    | 4.4  | 5.4  | 4.9  | 4.0    | 6.4  | 5.2  | 2.4        | 7.4    | 5.2  | 2.3  | 4.4    | 3.4  |     |
| OTHER THINGS I ENJOY DOING                                                              | 2.1   | 0.7    | 1.4  | 3.1  | 4.8  | 3.9    | 7.5  | 4.4  | 5.9  | 6.3    | 2.9  | 4.5  | 6.8        | 5.5    | 6.1  | 4.9  | 3.5    | 4.2  |     |
| RESULT OF EDUCATIONAL EFFORTS                                                           | 0.5   | 0.0    | 0.2  | 0.0  | 1.4  | 0.7    | 0.8  | 0.3  | 0.6  | 0.2    | 0.4  | 0.3  | 0.5        | 0.0    | 0.2  | 0.4  | 0.5    | 0.4  |     |
| OTHER REASON                                                                            | 0.6   | 1.1    | 1.0  | 3.0  | 2.1  | 2.5    | 2.2  | 2.5  | 2.3  | 3.5    | 3.2  | 3.3  | 2.9        | 3.9    | 3.4  | 2.4  | 2.5    | 2.4  |     |
| STILL USE IT                                                                            | 6.9   | 6.3    | 8.9  | 10.2 | 15.9 | 13.6   | 22.0 | 19.5 | 20.9 | 25.5   | 26.6 | 25.9 | 26.8       | 20.9   | 23.7 | 17.7 | 17.7   | 17.9 |     |
| Q34(MOD): REASON FOR STOPPING CANNABIS USE (RESPONSES FOR THOSE WHO HAVE STOPPED USING) |       |        |      |      |      |        |      |      |      |        |      |      |            |        |      |      |        |      |     |
| MIGHT BE HARMFUL TO MY HEALTH                                                           | 29.4  | 17.6   | 25.4 | 15.6 | 10.2 | 12.6   | 18.9 | 7.5  | 14.4 | 26.8   | 12.7 | 19.6 | 11.6       | 6.6    | 8.8  | 20.0 | 9.7    | 15.1 |     |
| MIGHT BE ADDICTIVE                                                                      | 12.0  | 7.4    | 10.8 | 5.7  | 5.2  | 5.4    | 4.3  | 1.5  | 3.0  | 0.0    | 2.9  | 1.4  | 3.5        | 1.1    | 2.1  | 4.5  | 2.9    | 3.7  |     |
| PARENTS MADE ME STOP                                                                    | 0.0   | 5.2    | 1.8  | 1.7  | 0.0  | 0.8    | 0.0  | 1.1  | 0.5  | 0.0    | 1.2  | 0.6  | 0.0        | 0.0    | 0.0  | 0.3  | 0.9    | 0.6  |     |
| ILLEGAL TO USE IT                                                                       | 4.0   | 0.0    | 2.6  | 6.4  | 0.0  | 3.0    | 0.9  | 1.4  | 1.1  | 2.5    | 2.2  | 2.3  | 0.0        | 0.0    | 0.0  | 2.3  | 0.8    | 1.6  |     |
| WAS JUST EXPERIMENTING                                                                  | 16.0  | 41.5   | 24.9 | 17.8 | 16.0 | 16.8   | 18.9 | 19.9 | 19.2 | 9.8    | 14.7 | 12.2 | 26.4       | 19.0   | 22.2 | 16.0 | 19.4   | 18.0 |     |
| NOT INTERESTED ANYMORE                                                                  | 4.9   | 8.0    | 6.0  | 17.2 | 14.7 | 15.9   | 13.8 | 26.6 | 19.4 | 24.1   | 27.6 | 26.3 | 25.3       | 35.6   | 30.8 | 17.8 | 25.5   | 21.6 |     |
| TROUBLE WITH PARENTS/TEACHERS                                                           | 0.0   | 0.0    | 0.0  | 2.3  | 2.7  | 2.5    | 3.6  | 0.0  | 2.0  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0    | 0.0  | 1.4  | 0.5    | 1.0  |     |
| FRIENDS STOPPED USING IT                                                                | 0.0   | 0.0    | 0.0  | 4.5  | 1.5  | 2.9    | 1.2  | 0.0  | 0.7  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0    | 0.0  | 1.1  | 0.3    | 0.7  |     |
| GOT INTO TROUBLE WITH POLICE                                                            | 4.9   | 0.0    | 3.2  | 1.9  | 0.0  | 0.9    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0    | 0.0  | 1.0  | 0.0    | 0.5  |     |
| DIDN'T LIKE EFFECTS                                                                     | 7.7   | 0.0    | 5.0  | 0.0  | 16.1 | 8.7    | 11.3 | 17.9 | 14.2 | 10.5   | 19.1 | 14.7 | 6.3        | 16.7   | 12.5 | 7.8  | 16.2   | 12.0 |     |
| OTHER THINGS I ENJOY DOING                                                              | 12.6  | 7.4    | 10.8 | 13.5 | 19.3 | 16.6   | 15.4 | 14.6 | 17.1 | 16.5   | 8.9  | 12.6 | 17.9       | 12.3   | 14.7 | 16.6 | 13.0   | 14.8 |     |
| RESULT OF EDUCATIONAL EFFORTS                                                           | 2.6   | 0.0    | 1.8  | 0.0  | 5.8  | 3.1    | 2.1  | 1.1  | 1.6  | 0.6    | 1.3  | 0.9  | 1.3        | 0.0    | 0.6  | 1.4  | 1.7    | 1.5  |     |
| OTHER REASON                                                                            | 4.9   | 12.7   | 7.6  | 13.2 | 8.4  | 10.6   | 5.6  | 8.4  | 6.8  | 9.2    | 9.5  | 9.3  | 7.7        | 8.8    | 8.2  | 7.9  | 9.1    | 8.4  |     |

NOTE: Q34/MOD) IS A MODIFIED RESPONSE SET FOR Q34 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS BUT WHO DO NOT USE IT NOW

| NUMBER OF VALID RESPONSES TO:<br>Q35 = 2,339<br>Q35(MOD) = 554                         | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |   |      |   |        |   | ALL GRADES |   |      |   |        |   |     |  |
|----------------------------------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|---|------|---|--------|---|------------|---|------|---|--------|---|-----|--|
|                                                                                        | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      | 12   |      |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
|                                                                                        | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |   | MALE |   | FEMALE |   | ALL        |   | MALE |   | FEMALE |   | ALL |  |
|                                                                                        | X     | Z    | X      | Z    | X    | Z    | X      | Z    | X    | Z    | X      | Z    | X    | Z    | X      | Z    | X    | Z    | X      | Z | X    | Z | X      | Z | X          | Z | X    | Z | X      | Z |     |  |
| Q35: REASON FOR STILL USING CANNABIS                                                   |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| DON'T KNOW WHAT IT IS                                                                  | 4.2   | 5.8  | 4.9    | 3.0  | 4.0  | 3.7  | 1.1    | 2.6  | 1.8  | 0.2  | 2.0    | 1.1  | 0.7  | 0.5  | 0.8    | 2.1  | 3.2  | 2.7  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| NEVER USED IT                                                                          | 68.5  | 77.6 | 72.8   | 65.9 | 58.8 | 62.0 | 40.1   | 50.4 | 45.0 | 38.0 | 38.1   | 38.2 | 35.7 | 36.4 | 35.9   | 51.5 | 54.1 | 52.7 |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| STOPPED USING IT                                                                       | 12.6  | 6.5  | 9.6    | 17.8 | 15.8 | 16.6 | 27.6   | 23.4 | 25.5 | 26.9 | 24.5   | 25.7 | 29.8 | 34.7 | 32.3   | 22.0 | 19.8 | 20.9 |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| IT IS FUN                                                                              | 3.0   | 0.8  | 1.9    | 5.5  | 4.1  | 5.0  | 6.9    | 9.5  | 8.2  | 10.2 | 8.4    | 9.2  | 11.5 | 7.2  | 9.4    | 6.9  | 5.8  | 6.4  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| FRIENDS STILL USE IT                                                                   | 0.8   | 0.8  | 0.8    | 0.7  | 1.8  | 1.5  | 2.0    | 1.1  | 1.5  | 0.0  | 1.0    | 0.5  | 1.2  | 0.5  | 0.8    | 1.0  | 1.1  | 1.1  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| CANNOT STOP USING IT                                                                   | 0.0   | 0.0  | 0.0    | 0.9  | 1.2  | 1.0  | 1.0    | 0.5  | 0.7  | 1.0  | 1.0    | 1.0  | 0.0  | 0.5  | 0.2    | 0.6  | 0.6  | 0.6  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| TO GET ALONG WITH FRIENDS                                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.4  | 0.2  | 0.9    | 0.0  | 0.5  | 0.5  | 0.0    | 0.2  | 0.0  | 1.3  | 0.6    | 0.3  | 0.3  | 0.3  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| EASIER TO DO SCHOOL WORK                                                               | 0.0   | 0.5  | 0.2    | 0.3  | 0.0  | 0.2  | 1.6    | 0.0  | 0.8  | 0.6  | 0.0    | 0.3  | 0.4  | 0.0  | 0.2    | 0.6  | 0.1  | 0.3  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| GOOD FOR MY HEALTH                                                                     | 0.8   | 0.0  | 0.4    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 1.0  | 0.0  | 0.5    | 0.4  | 0.0  | 0.2  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| CALMS ME DOWN                                                                          | 1.9   | 0.5  | 1.4    | 0.0  | 0.4  | 0.2  | 1.2    | 0.5  | 0.9  | 1.8  | 1.8    | 1.8  | 0.5  | 1.0  | 0.7    | 1.1  | 0.8  | 1.0  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 1.8   | 1.5  | 1.6    | 1.5  | 4.9  | 3.1  | 2.6    | 1.9  | 2.2  | 3.0  | 1.9    | 2.4  | 1.5  | 2.0  | 1.7    | 2.0  | 2.4  | 2.2  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| ADULTS SAY IT IS NOT GOOD                                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.5  | 0.0    | 0.2  | 0.0  | 0.0  | 0.0    | 0.1  | 0.0  | 0.0  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| BORED, NOTHING ELSE TO DO                                                              | 0.4   | 1.0  | 0.7    | 1.4  | 1.0  | 1.2  | 1.1    | 1.7  | 1.4  | 2.0  | 2.6    | 2.3  | 2.3  | 2.4  | 2.4    | 1.4  | 1.7  | 1.5  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| OLD ENOUGH TO USE CAREFULLY                                                            | 0.9   | 0.0  | 0.5    | 0.0  | 0.0  | 0.0  | 1.3    | 0.9  | 1.1  | 1.9  | 2.7    | 2.3  | 1.3  | 1.3  | 1.3    | 1.0  | 0.9  | 1.0  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| TO FEEL GOOD                                                                           | 3.6   | 3.6  | 3.6    | 2.8  | 6.0  | 4.4  | 9.2    | 2.5  | 5.9  | 4.7  | 7.6    | 6.2  | 6.0  | 4.9  | 5.5    | 5.2  | 4.8  | 5.0  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| OTHER REASON                                                                           | 1.6   | 1.4  | 1.5    | 0.3  | 1.8  | 1.0  | 3.3    | 5.0  | 4.4  | 6.7  | 8.4    | 8.5  | 8.4  | 7.2  | 7.8    | 4.0  | 4.5  | 4.2  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| Q35(MOD): REASON FOR STILL USING CANNABIS (RESPONSES FOR THOSE WHO STILL USE CANNABIS) |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| IT IS FUN                                                                              | 20.3  | 8.2  | 15.3   | 41.3 | 19.0 | 27.9 | 22.2   | 40.3 | 29.6 | 29.2 | 23.7   | 26.2 | 33.8 | 25.5 | 30.1   | 28.3 | 25.2 | 26.7 |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| FRIENDS STILL USE IT                                                                   | 5.3   | 8.1  | 6.3    | 5.0  | 8.4  | 8.3  | 6.3    | 4.5  | 5.5  | 0.0  | 2.8    | 1.5  | 3.5  | 1.8  | 2.7    | 3.9  | 4.6  | 4.4  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| CANNOT STOP USING IT                                                                   | 0.0   | 0.0  | 0.0    | 6.6  | 5.5  | 5.7  | 3.2    | 2.1  | 2.7  | 3.0  | 2.8    | 2.9  | 0.0  | 1.7  | 0.8    | 2.3  | 2.6  | 2.5  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| TO GET ALONG WITH FRIENDS                                                              | 0.0   | 0.0  | 0.0    | 0.0  | 2.0  | 1.2  | 3.0    | 0.0  | 1.7  | 1.3  | 0.0    | 0.6  | 0.0  | 4.5  | 2.0    | 1.2  | 1.3  | 1.2  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| EASIER TO DO SCHOOL WORK                                                               | 0.0   | 4.6  | 1.8    | 2.5  | 0.0  | 0.9  | 5.2    | 0.0  | 2.9  | 1.8  | 0.0    | 0.8  | 1.1  | 0.0  | 0.6    | 2.4  | 0.5  | 1.5  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| GOOD FOR MY HEALTH                                                                     | 5.3   | 0.0  | 3.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 2.9  | 0.0  | 1.6    | 1.4  | 0.0  | 0.7  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| CALMS ME DOWN                                                                          | 12.6  | 4.6  | 10.7   | 0.0  | 2.0  | 1.2  | 4.0    | 2.1  | 3.1  | 5.1  | 5.1    | 5.1  | 1.5  | 3.5  | 2.4    | 4.5  | 3.5  | 4.2  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 12.2  | 14.7 | 13.0   | 10.9 | 22.7 | 17.5 | 8.2    | 8.2  | 8.1  | 8.5  | 5.3    | 6.8  | 4.4  | 7.2  | 5.6    | 8.3  | 10.6 | 9.3  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| ADULTS SAY IT IS NOT GOOD                                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 1.4  | 0.0    | 0.7  | 0.0  | 0.0  | 0.0    | 0.3  | 0.0  | 0.2  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| BORED, NOTHING ELSE TO DO                                                              | 3.0   | 10.1 | 5.7    | 10.7 | 4.4  | 6.6  | 3.7    | 7.2  | 5.1  | 5.9  | 7.3    | 6.6  | 6.8  | 8.5  | 7.6    | 5.6  | 7.3  | 6.3  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| OLD ENOUGH TO USE CAREFULLY                                                            | * 6.0 | 0.0  | 3.6    | 0.0  | 0.0  | 0.0  | 4.3    | 3.9  | 4.1  | 5.3  | 7.7    | 6.6  | 3.9  | 4.4  | 4.1    | 4.2  | 3.9  | 4.0  |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| TO FEEL GOOD                                                                           | 24.6  | 35.8 | 28.6   | 20.7 | 27.8 | 24.9 | 29.4   | 10.5 | 21.2 | 13.5 | 21.6   | 17.8 | 17.6 | 17.4 | 17.5   | 21.3 | 21.0 | 21.1 |        |   |      |   |        |   |            |   |      |   |        |   |     |  |
| OTHER REASON                                                                           | 10.6  | 13.8 | 11.7   | 7.5  | 8.3  | 5.8  | 10.7   | 21.7 | 15.9 | 25.0 | 23.8   | 24.4 | 24.7 | 25.5 | 25.0   | 19.5 | 17.9 | 17.9 |        |   |      |   |        |   |            |   |      |   |        |   |     |  |

NOTE: Q35(MOD) IS A MODIFIED RESPONSE SET FOR Q35 AND INCLUDES ONLY THOSE WHO STILL USE CANNABIS





| NUMBER OF VALID RESPONSES TO:<br>Q37 = 2,569<br>Q37(MOD) = 2,310                 | GRADE |      |        |  |      |      |      |  |        |      |      |  |      |      |        |  | ALL GRADES |      |      |      |        |      |     |  |
|----------------------------------------------------------------------------------|-------|------|--------|--|------|------|------|--|--------|------|------|--|------|------|--------|--|------------|------|------|------|--------|------|-----|--|
|                                                                                  | 8     |      |        |  | 9    |      |      |  | 10     |      |      |  | 11   |      |        |  |            |      | 12   |      |        |      |     |  |
|                                                                                  | MALE  |      | FEMALE |  | ALL  |      | MALE |  | FEMALE |      | ALL  |  | MALE |      | FEMALE |  | ALL        |      | MALE |      | FEMALE |      | ALL |  |
|                                                                                  | %     |      | %      |  | %    |      | %    |  | %      |      | %    |  | %    |      | %      |  | %          |      | %    |      | %      |      | %   |  |
| Q37: REASON FOR TRYING ALCOHOL                                                   |       |      |        |  |      |      |      |  |        |      |      |  |      |      |        |  |            |      |      |      |        |      |     |  |
| NEVER TRIED IT                                                                   | 17.6  | 20.1 | 18.8   |  | 13.6 | 15.2 | 14.3 |  | 6.3    | 5.2  | 5.7  |  | 5.0  | 6.0  | 5.5    |  | 2.8        | 6.4  | 4.6  | 9.8  | 11.1   | 10.4 |     |  |
| TO SEE WHAT IT WAS LIKE                                                          | 34.4  | 34.5 | 34.5   |  | 36.0 | 33.3 | 34.5 |  | 37.9   | 38.9 | 38.2 |  | 40.7 | 39.3 | 39.9   |  | 39.7       | 48.8 | 44.4 | 37.4 | 38.4   | 37.6 |     |  |
| FRIENDS WERE DRINKING                                                            | 5.7   | 3.4  | 4.6    |  | 10.8 | 9.7  | 10.2 |  | 9.3    | 7.8  | 8.7  |  | 9.6  | 9.5  | 9.7    |  | 10.7       | 9.3  | 10.0 | 9.0  | 7.7    | 8.4  |     |  |
| SEEMED LIKE FUN                                                                  | 8.0   | 10.3 | 9.3    |  | 10.7 | 12.5 | 11.9 |  | 15.9   | 13.0 | 14.8 |  | 12.7 | 13.7 | 13.2   |  | 15.9       | 11.2 | 13.6 | 12.4 | 12.1   | 12.4 |     |  |
| THOUGHT IT WOULD CALM ME DOWN                                                    | 0.5   | 0.3  | 0.4    |  | 0.0  | 0.4  | 0.2  |  | 0.3    | 0.0  | 0.2  |  | 1.0  | 0.0  | 0.5    |  | 0.5        | 0.3  | 0.4  | 0.4  | 0.2    | 0.3  |     |  |
| ESCAPE HOME/SCHOOL WORRIES                                                       | 0.6   | 2.8  | 1.7    |  | 1.0  | 1.4  | 1.2  |  | 1.3    | 1.4  | 1.3  |  | 1.6  | 2.6  | 2.1    |  | 1.8        | 1.8  | 1.8  | 1.2  | 2.0    | 1.6  |     |  |
| OLD ENOUGH TO USE SAFELY                                                         | 3.8   | 2.3  | 3.0    |  | 3.8  | 2.9  | 3.3  |  | 4.4    | 3.2  | 3.8  |  | 8.6  | 4.3  | 6.4    |  | 5.4        | 2.4  | 3.9  | 5.0  | 3.0    | 4.0  |     |  |
| HEARD COULD MAKE ME FEEL GOOD                                                    | 1.7   | 2.0  | 1.9    |  | 0.5  | 1.2  | 0.8  |  | 2.3    | 1.3  | 1.8  |  | 3.8  | 0.9  | 2.3    |  | 2.0        | 0.9  | 1.5  | 2.0  | 1.3    | 1.6  |     |  |
| BORED, NOTHING ELSE TO DO                                                        | 4.5   | 4.0  | 4.2    |  | 4.6  | 3.7  | 4.1  |  | 4.8    | 3.1  | 4.0  |  | 1.9  | 4.4  | 3.2    |  | 3.1        | 2.8  | 3.0  | 4.0  | 3.6    | 3.6  |     |  |
| OTHER REASON                                                                     | 23.1  | 20.3 | 21.7   |  | 18.9 | 19.7 | 19.5 |  | 17.5   | 26.1 | 21.5 |  | 15.1 | 19.3 | 17.2   |  | 18.1       | 15.9 | 17.0 | 18.9 | 20.5   | 19.6 |     |  |
| Q37(MOD): REASON FOR TRYING ALCOHOL (RESPONSES FOR THOSE WHO HAVE TRIED ALCOHOL) |       |      |        |  |      |      |      |  |        |      |      |  |      |      |        |  |            |      |      |      |        |      |     |  |
| TO SEE WHAT IT WAS LIKE                                                          | 41.8  | 43.2 | 42.5   |  | 41.7 | 39.2 | 40.2 |  | 40.5   | 41.1 | 40.5 |  | 42.9 | 41.8 | 42.3   |  | 40.9       | 52.2 | 48.5 | 41.5 | 43.2   | 42.2 |     |  |
| FRIENDS WERE DRINKING                                                            | 6.9   | 4.3  | 5.6    |  | 12.6 | 11.4 | 11.9 |  | 10.0   | 8.2  | 9.3  |  | 10.1 | 10.1 | 10.3   |  | 11.0       | 10.0 | 10.5 | 10.0 | 8.7    | 9.4  |     |  |
| SEEMED LIKE FUN                                                                  | 9.7   | 12.8 | 11.4   |  | 12.4 | 14.8 | 13.9 |  | 16.9   | 13.7 | 15.7 |  | 13.4 | 14.6 | 13.9   |  | 16.4       | 12.0 | 14.2 | 13.7 | 13.6   | 13.8 |     |  |
| THOUGHT IT WOULD CALM ME DOWN                                                    | 0.6   | 0.4  | 0.5    |  | 0.0  | 0.5  | 0.2  |  | 0.3    | 0.0  | 0.2  |  | 1.0  | 0.0  | 0.5    |  | 0.5        | 0.4  | 0.4  | 0.5  | 0.2    | 0.4  |     |  |
| ESCAPE HOME/SCHOOL WORRIES                                                       | 0.7   | 3.5  | 2.1    |  | 1.2  | 1.7  | 1.4  |  | 1.4    | 1.5  | 1.4  |  | 1.7  | 2.8  | 2.3    |  | 1.8        | 1.9  | 1.9  | 1.3  | 2.3    | 1.8  |     |  |
| OLD ENOUGH TO USE SAFELY                                                         | 4.6   | 2.9  | 3.8    |  | 4.4  | 3.4  | 3.8  |  | 4.7    | 3.4  | 4.1  |  | 9.0  | 4.6  | 6.8    |  | 5.5        | 2.6  | 4.1  | 5.5  | 3.4    | 4.4  |     |  |
| HEARD COULD MAKE ME FEEL GOOD                                                    | 2.1   | 2.5  | 2.3    |  | 0.5  | 1.4  | 1.0  |  | 2.5    | 1.4  | 1.9  |  | 4.0  | 0.9  | 2.4    |  | 2.1        | 1.0  | 1.5  | 2.2  | 1.5    | 1.8  |     |  |
| BORED, NOTHING ELSE TO DO                                                        | 5.5   | 5.0  | 5.2    |  | 5.4  | 4.4  | 4.8  |  | 5.1    | 3.3  | 4.2  |  | 2.0  | 4.7  | 3.4    |  | 3.2        | 3.0  | 3.1  | 4.4  | 4.1    | 4.2  |     |  |
| OTHER REASON                                                                     | 28.0  | 25.4 | 26.7   |  | 21.9 | 23.3 | 22.7 |  | 18.7   | 27.5 | 22.8 |  | 15.9 | 20.5 | 18.2   |  | 18.6       | 17.0 | 17.8 | 20.9 | 23.1   | 21.9 |     |  |

NOTE: Q37(MOD) IS A MODIFIED RESPONSE SET FOR Q37 AND INCLUDES ONLY THOSE WHO HAVE TRIED ALCOHOL



NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q39 = 2,263<br>Q39(MOD) = 600                   | GRADE  |      |      |        |      |      |        |      |      |        |      |      | ALL GRADES |      |      |      |      |
|----------------------------------------------------------------------------------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|------------|------|------|------|------|
|                                                                                  | 8      |      |      | 9      |      |      | 10     |      |      | 11     |      |      | 12         |      |      | ALL  |      |
|                                                                                  | MALE   |      | %    | MALE   |      | %    | MALE   |      | %    | MALE   |      | %    | MALE       |      | %    |      |      |
|                                                                                  | FEMALE | ALL  |      | FEMALE | ALL  |      | FEMALE | ALL  |      | FEMALE | ALL  |      | FEMALE     | ALL  |      |      |      |
| Q39: REASON FOR STOPPING ALCOHOL USE                                             |        |      |      |        |      |      |        |      |      |        |      |      |            |      |      |      |      |
| HAVE NEVER DRUNK ALCOHOL                                                         | 23.2   | 28.8 | 25.9 | 15.3   | 16.3 | 15.6 | 7.8    | 7.1  | 7.4  | 5.5    | 6.3  | 5.9  | 4.2        | 8.3  | 6.2  | 12.0 | 14.1 |
| MIGHT BE HARMFUL TO MY HEALTH                                                    | 6.9    | 5.3  | 6.1  | 5.3    | 1.0  | 3.4  | 3.4    | 2.0  | 2.7  | 3.8    | 0.5  | 2.1  | 2.2        | 1.8  | 2.0  | 4.5  | 2.3  |
| MIGHT BE ADDICTIVE                                                               | 1.2    | 0.8  | 1.0  | 1.9    | 0.5  | 1.2  | 2.1    | 1.8  | 2.0  | 0.4    | 0.0  | 0.2  | 0.0        | 0.0  | 0.0  | 1.2  | 0.7  |
| PARENTS MADE ME STOP                                                             | 0.5    | 0.3  | 0.4  | 1.9    | 0.4  | 1.2  | 0.8    | 0.0  | 0.4  | 0.0    | 0.4  | 0.2  | 0.0        | 0.0  | 0.0  | 0.7  | 0.2  |
| ILLEGAL TO USE IT                                                                | 1.2    | 0.0  | 0.6  | 0.9    | 0.0  | 0.5  | 0.8    | 0.5  | 0.7  | 0.6    | 0.4  | 0.5  | 0.0        | 0.0  | 0.0  | 0.8  | 0.2  |
| WAS JUST EXPERIMENTING                                                           | 7.3    | 10.1 | 8.6  | 4.6    | 9.6  | 7.0  | 4.1    | 3.5  | 3.8  | 1.7    | 3.7  | 2.7  | 4.1        | 4.7  | 4.4  | 4.5  | 6.5  |
| NOT INTERESTED ANYMORE                                                           | 4.6    | 3.5  | 4.1  | 5.2    | 3.1  | 4.1  | 3.2    | 4.3  | 3.7  | 3.7    | 7.9  | 5.8  | 2.6        | 2.8  | 2.7  | 3.9  | 4.3  |
| TROUBLE WITH PARENTS/TEACHERS                                                    | 0.9    | 0.0  | 0.4  | 0.0    | 0.9  | 0.5  | 0.0    | 0.8  | 0.4  | 0.0    | 0.2  | 0.1  | 0.0        | 0.0  | 0.0  | 0.2  | 0.4  |
| FRIENDS STOPPED USING IT                                                         | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  |
| GOT INTO TROUBLE WITH POLICE                                                     | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.4  | 0.2  | 0.8        | 0.0  | 0.4  | 0.1  | 0.1  |
| DIDN'T LIKE EFFECTS                                                              | 0.0    | 0.4  | 0.2  | 0.7    | 0.6  | 0.7  | 1.0    | 2.7  | 1.8  | 0.0    | 3.0  | 1.8  | 1.0        | 1.9  | 1.4  | 0.6  | 1.7  |
| OTHER THINGS I ENJOY DOING                                                       | 4.7    | 6.2  | 5.4  | 5.8    | 3.6  | 4.6  | 4.7    | 4.3  | 4.5  | 3.7    | 3.9  | 3.8  | 2.0        | 4.5  | 3.2  | 4.3  | 4.6  |
| RESULT OF EDUCATIONAL EFFORTS                                                    | 0.0    | 0.3  | 0.2  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.6  | 0.3  | 0.0        | 0.0  | 0.0  | 0.2  | 0.1  |
| OTHER REASON                                                                     | 8.7    | 8.3  | 8.5  | 8.9    | 4.2  | 8.5  | 6.1    | 6.4  | 6.2  | 4.5    | 3.0  | 3.7  | 4.7        | 2.4  | 3.8  | 6.8  | 5.1  |
| STILL USE IT                                                                     | 40.9   | 36.0 | 38.7 | 49.5   | 59.7 | 54.8 | 66.0   | 66.7 | 66.5 | 75.7   | 69.7 | 72.8 | 78.5       | 73.7 | 75.9 | 60.4 | 59.8 |
| Q39(MOD): REASON FOR STOPPING ALCOHOL USE (RESPONSES FOR THOSE WHO HAVE STOPPED) |        |      |      |        |      |      |        |      |      |        |      |      |            |      |      |      |      |
| MIGHT BE HARMFUL TO MY HEALTH                                                    | 19.2   | 15.0 | 17.2 | 15.0   | 4.4  | 11.5 | 12.8   | 7.7  | 10.3 | 20.0   | 1.9  | 9.7  | 13.0       | 9.9  | 11.3 | 16.2 | 8.6  |
| MIGHT BE ADDICTIVE                                                               | 3.3    | 2.2  | 2.8  | 5.3    | 2.2  | 4.0  | 8.1    | 6.9  | 7.5  | 2.1    | 0.0  | 0.9  | 0.0        | 0.0  | 0.0  | 4.4  | 2.6  |
| PARENTS MADE ME STOP                                                             | 1.4    | 0.9  | 1.1  | 5.5    | 1.6  | 3.9  | 3.1    | 0.0  | 1.6  | 0.0    | 1.6  | 0.9  | 0.0        | 0.0  | 0.0  | 2.5  | 0.9  |
| ILLEGAL TO USE IT                                                                | 3.3    | 0.0  | 1.7  | 2.7    | 0.0  | 1.6  | 3.1    | 1.9  | 2.5  | 3.2    | 1.6  | 2.3  | 0.0        | 0.0  | 0.0  | 2.8  | 0.7  |
| WAS JUST EXPERIMENTING                                                           | 20.2   | 26.6 | 24.3 | 13.2   | 39.8 | 23.7 | 15.5   | 13.4 | 14.5 | 8.8    | 15.5 | 12.6 | 23.5       | 25.9 | 24.4 | 16.3 | 25.0 |
| NOT INTERESTED ANYMORE                                                           | 12.9   | 10.0 | 11.5 | 14.8   | 13.0 | 14.0 | 12.3   | 16.3 | 14.3 | 19.4   | 33.0 | 27.1 | 15.1       | 15.3 | 15.0 | 14.3 | 16.3 |
| TROUBLE WITH PARENTS/TEACHERS                                                    | 2.4    | 0.0  | 1.2  | 0.0    | 3.6  | 1.5  | 0.0    | 3.1  | 1.5  | 0.0    | 0.9  | 0.5  | 0.0        | 0.0  | 0.0  | 0.7  | 1.6  |
| FRIENDS STOPPED USING IT                                                         | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0        | 0.0  | 0.0  | 0.0  | 0.0  |
| GOT INTO TROUBLE WITH POLICE                                                     | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 1.6  | 0.9  | 4.3        | 0.0  | 2.1  | 0.4  | 0.3  |
| DIDN'T LIKE EFFECTS                                                              | 0.0    | 1.1  | 0.5  | 2.1    | 2.7  | 2.3  | 3.7    | 10.1 | 6.8  | 3.2    | 12.7 | 8.6  | 5.6        | 10.5 | 8.0  | 2.3  | 6.3  |
| OTHER THINGS I ENJOY DOING                                                       | 13.0   | 17.6 | 15.3 | 16.4   | 15.0 | 15.7 | 18.0   | 16.4 | 17.2 | 19.4   | 16.4 | 17.7 | 11.5       | 25.1 | 18.1 | 15.5 | 17.5 |
| RESULT OF EDUCATIONAL EFFORTS                                                    | 0.0    | 0.9  | 0.4  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 2.4  | 1.4  | 0.0        | 0.0  | 0.0  | 0.0  | 0.7  |
| OTHER REASON                                                                     | 24.2   | 23.6 | 23.9 | 25.2   | 17.4 | 21.9 | 23.4   | 24.7 | 23.8 | 23.9   | 12.3 | 17.3 | 27.0       | 13.3 | 21.2 | 24.5 | 19.5 |
|                                                                                  |        |      |      |        |      |      |        |      |      |        |      |      |            |      |      |      | 22.2 |

NOTE: Q39(MOD) IS A MODIFIED RESPONSE SET FOR Q39 AND INCLUDES ONLY THOSE WHO USED TO DRINK ALCOHOL BUT WHO DO NOT DRINK NOW

NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q40 = 2,336<br>Q40(MOD) = 1,653                     | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |     |        |     |
|--------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|-----|--------|-----|
|                                                                                      | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        | MALE       |     | FEMALE |     |
|                                                                                      | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |     | FEMALE |     |
|                                                                                      | %     | X    | %      | %    | X    | %      | %    | X    | %      | %    | X    | %      | %    | X    | %      | %    | X    | %      | %          | X   | %      | X   |
| Q40: REASON FOR STILL USING ALCOHOL                                                  |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |     |        |     |
| DON'T KNOW WHAT IT IS                                                                | 0.5   | 0.0  | 0.2    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.1        | 0.0 | 0.1    | 0.1 |
| HAVE NEVER DRUNK ALCOHOL                                                             | 26.4  | 29.2 | 27.7   | 17.2 | 17.3 | 17.1   | 7.8  | 8.7  | 8.2    | 5.4  | 7.2  | 6.3    | 4.3  | 8.4  | 6.3    | 13.1 | 14.8 | 13.9   |            |     |        |     |
| STOPPED DRINKING ALCOHOL                                                             | 21.8  | 25.2 | 23.4   | 23.6 | 13.9 | 18.7   | 16.2 | 12.6 | 14.3   | 10.0 | 11.5 | 10.8   | 11.0 | 9.4  | 10.2   | 17.1 | 15.0 | 16.0   |            |     |        |     |
| IT IS FUN                                                                            | 15.8  | 9.3  | 12.9   | 14.8 | 27.9 | 22.1   | 27.6 | 30.9 | 29.4   | 28.4 | 24.5 | 26.6   | 33.8 | 34.8 | 34.3   | 23.4 | 24.8 | 24.4   |            |     |        |     |
| FRIENDS STILL DRINK                                                                  | 5.4   | 2.4  | 3.9    | 5.7  | 5.2  | 5.3    | 3.0  | 3.1  | 3.0    | 2.4  | 2.8  | 2.6    | 2.7  | 1.9  | 2.3    | 3.9  | 3.1  | 3.5    |            |     |        |     |
| CANNOT STOP DRINKING                                                                 | 0.0   | 0.9  | 0.4    | 1.3  | 0.4  | 0.9    | 0.8  | 1.4  | 1.1    | 1.0  | 0.2  | 0.6    | 0.2  | 0.5  | 0.3    | 0.7  | 0.7  | 0.7    |            |     |        |     |
| TO GET ALONG WITH FRIENDS                                                            | 0.7   | 1.3  | 1.0    | 2.0  | 2.6  | 2.3    | 1.1  | 0.7  | 0.9    | 2.6  | 1.1  | 1.8    | 1.9  | 2.6  | 2.3    | 1.6  | 1.6  | 1.6    |            |     |        |     |
| EASIER TO DO SCHOOL WORK                                                             | 0.8   | 0.0  | 0.4    | 0.0  | 0.0  | 0.0    | 0.9  | 0.5  | 0.7    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.4  | 0.1  | 0.3    |            |     |        |     |
| GOOD FOR MY HEALTH                                                                   | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 1.4  | 0.0  | 0.7    | 0.5  | 0.0  | 0.2    | 0.3  | 0.0  | 0.2    | 0.5  | 0.0  | 0.2    |            |     |        |     |
| CALMS ME DOWN                                                                        | 1.5   | 0.0  | 0.8    | 2.1  | 0.0  | 1.0    | 1.9  | 1.0  | 1.5    | 1.7  | 1.4  | 1.5    | 0.3  | 0.5  | 0.4    | 1.5  | 0.6  | 1.0    |            |     |        |     |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 2.1   | 3.5  | 2.7    | 1.8  | 4.0  | 2.9    | 3.5  | 3.0  | 3.2    | 1.0  | 5.4  | 3.3    | 2.2  | 0.0  | 1.1    | 2.2  | 3.2  | 2.7    |            |     |        |     |
| ADULTS SAY IT IS NOT GOOD                                                            | 0.9   | 0.0  | 0.5    | 0.4  | 0.0  | 0.2    | 0.4  | 0.5  | 0.4    | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.2    | 0.4  | 0.2  | 0.3    |            |     |        |     |
| BORED, NOTHING ELSE TO DO                                                            | 1.4   | 1.5  | 1.5    | 1.8  | 2.3  | 2.0    | 3.1  | 3.5  | 3.3    | 2.9  | 2.1  | 2.5    | 2.4  | 3.1  | 2.7    | 2.3  | 2.5  | 2.4    |            |     |        |     |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 4.7   | 2.1  | 3.4    | 6.2  | 4.4  | 5.2    | 7.7  | 9.4  | 8.4    | 13.5 | 8.6  | 11.0   | 13.5 | 12.8 | 13.2   | 8.7  | 7.1  | 7.9    |            |     |        |     |
| MAKES ME FEEL GOOD                                                                   | 5.4   | 6.3  | 5.8    | 6.9  | 5.4  | 6.0    | 11.2 | 6.4  | 8.8    | 14.1 | 13.2 | 13.6   | 12.4 | 7.7  | 10.1   | 9.6  | 7.6  | 8.6    |            |     |        |     |
| OTHER REASON                                                                         | 12.8  | 18.3 | 15.4   | 16.2 | 16.7 | 16.3   | 13.4 | 18.4 | 15.9   | 16.4 | 22.0 | 19.3   | 14.8 | 18.1 | 16.4   | 14.6 | 16.6 | 16.5   |            |     |        |     |
| Q40(MOD): REASON FOR STILL USING ALCOHOL (RESPONSES FOR THOSE WHO STILL USE ALCOHOL) |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |     |        |     |
| IT IS FUN                                                                            | 30.4  | 20.4 | 26.5   | 25.0 | 40.5 | 34.3   | 36.3 | 39.2 | 38.0   | 33.6 | 30.2 | 32.1   | 39.9 | 42.3 | 41.1   | 33.6 | 35.4 | 34.8   |            |     |        |     |
| FRIENDS STILL DRINK                                                                  | 10.4  | 5.3  | 8.0    | 9.6  | 7.5  | 8.3    | 3.9  | 4.0  | 3.9    | 2.8  | 3.4  | 3.1    | 3.2  | 2.3  | 2.8    | 5.6  | 4.4  | 5.0    |            |     |        |     |
| CANNOT STOP DRINKING                                                                 | 0.0   | 1.9  | 0.9    | 2.3  | 0.6  | 1.3    | 1.1  | 1.8  | 1.4    | 1.2  | 0.3  | 0.7    | 0.3  | 0.6  | 0.4    | 0.9  | 1.0  | 1.0    |            |     |        |     |
| TO GET ALONG WITH FRIENDS                                                            | 1.3   | 2.9  | 2.0    | 3.4  | 3.8  | 3.5    | 1.5  | 0.9  | 1.2    | 3.0  | 1.3  | 2.2    | 2.3  | 3.2  | 2.7    | 2.3  | 2.3  | 2.3    |            |     |        |     |
| EASIER TO DO SCHOOL WORK                                                             | 1.6   | 0.0  | 0.9    | 0.0  | 0.0  | 0.0    | 1.2  | 0.6  | 0.9    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.6  | 0.1  | 0.4    |            |     |        |     |
| GOOD FOR MY HEALTH                                                                   | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 1.9  | 0.0  | 0.9    | 0.6  | 0.0  | 0.3    | 0.4  | 0.0  | 0.2    | 0.7  | 0.0  | 0.3    |            |     |        |     |
| CALMS ME DOWN                                                                        | 3.0   | 0.0  | 1.6    | 3.5  | 0.0  | 1.6    | 2.5  | 1.3  | 1.9    | 2.0  | 1.7  | 1.9    | 0.4  | 0.6  | 0.5    | 2.2  | 0.8  | 1.5    |            |     |        |     |
| FORGET HOME/SCHOOL PROBLEMS                                                          | 4.1   | 7.6  | 5.6    | 3.1  | 5.8  | 4.5    | 4.6  | 3.8  | 4.1    | 1.2  | 6.6  | 4.0    | 2.6  | 0.0  | 1.3    | 3.1  | 4.6  | 3.8    |            |     |        |     |
| ADULTS SAY IT IS NOT GOOD                                                            | 1.8   | 0.0  | 1.0    | 0.7  | 0.0  | 0.3    | 0.6  | 0.6  | 0.6    | 0.0  | 0.0  | 0.0    | 0.0  | 0.4  | 0.2    | 0.6  | 0.2  | 0.4    |            |     |        |     |
| BORED, NOTHING ELSE TO DO                                                            | 2.7   | 3.3  | 3.0    | 3.1  | 3.4  | 3.2    | 4.1  | 4.4  | 4.2    | 3.4  | 2.6  | 3.0    | 2.8  | 3.8  | 3.3    | 3.3  | 3.5  | 3.4    |            |     |        |     |
| OLD ENOUGH TO DRINK CAREFULLY                                                        | 9.2   | 4.5  | 7.0    | 10.5 | 6.4  | 8.2    | 10.1 | 11.9 | 10.9   | 16.0 | 10.6 | 13.3   | 16.0 | 15.5 | 15.8   | 12.4 | 10.1 | 11.2   |            |     |        |     |
| MAKES ME FEEL GOOD                                                                   | 10.5  | 13.8 | 11.9   | 11.6 | 7.8  | 9.4    | 14.7 | 8.1  | 11.4   | 16.7 | 16.2 | 16.4   | 14.6 | 9.4  | 12.1   | 13.8 | 10.9 | 12.3   |            |     |        |     |
| OTHER REASON                                                                         | 25.0  | 40.2 | 31.7   | 27.3 | 24.3 | 25.3   | 17.6 | 23.3 | 20.5   | 19.4 | 27.0 | 23.2   | 17.5 | 22.0 | 19.7   | 20.9 | 26.5 | 23.6   |            |     |        |     |

NOTE: Q40(MOD) IS A MODIFIED RESPONSE SET FOR Q40 AND INCLUDES ONLY THOSE WHO STILL USE ALCOHOL

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q41 = 2,555<br>Q42 = 2,562 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |   |
|-------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|---|
|                                                             | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      | 12         |      |        |   |
|                                                             | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE       |      | FEMALE |   |
|                                                             | X     | Z    | X      | Z    | X    | Z    | X      | Z    | X    | Z    | X      | Z    | X    | Z    | X      | Z    | X          | Z    | X      | Z |
| Q41: FREQUENCY OF BEING TIGHT IN LAST 4 WEEKS               |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |
| DO NOT DRINK ALCOHOL                                        | 24.1  | 29.1 | 26.5   | 22.5 | 20.6 | 21.6 | 10.2   | 8.6  | 9.4  | 8.2  | 8.7    | 8.4  | 8.4  | 8.4  | 10.6   | 9.4  | 15.5       | 16.2 | 15.8   |   |
| NO ALCOHOL IN LAST 4 WEEKS                                  | 29.8  | 33.1 | 31.3   | 27.2 | 19.2 | 23.0 | 22.6   | 26.0 | 24.1 | 17.0 | 16.4   | 16.9 | 7.8  | 13.5 | 10.9   | 21.9 | 22.5       | 22.2 |        |   |
| NOT BEEN TIGHT LAST 4 WEEKS                                 | 24.2  | 22.3 | 23.2   | 25.8 | 29.6 | 27.4 | 27.3   | 33.8 | 30.5 | 27.5 | 35.2   | 31.7 | 37.6 | 37.6 | 37.5   | 27.9 | 31.1       | 29.5 |        |   |
| ONCE IN LAST 4 WEEKS                                        | 9.9   | 6.0  | 8.0    | 9.0  | 16.7 | 13.2 | 17.3   | 18.3 | 17.9 | 17.3 | 23.3   | 20.3 | 15.9 | 23.8 | 19.8   | 13.6 | 18.9       | 15.3 |        |   |
| TWICE IN LAST 4 WEEKS                                       | 5.6   | 5.9  | 5.7    | 7.6  | 5.7  | 8.9  | 8.7    | 6.9  | 7.8  | 9.0  | 10.2   | 9.6  | 10.0 | 6.9  | 8.5    | 8.0  | 7.0        | 7.5  |        |   |
| 3 TIMES IN LAST 4 WEEKS                                     | 3.4   | 1.8  | 2.7    | 2.4  | 4.7  | 3.5  | 5.4    | 2.2  | 4.0  | 3.8  | 2.7    | 3.2  | 4.9  | 1.8  | 3.3    | 3.9  | 2.6        | 3.3  |        |   |
| 4 TIMES IN LAST 4 WEEKS                                     | 0.7   | 0.7  | 0.7    | 2.0  | 2.1  | 2.0  | 3.6    | 2.5  | 3.0  | 6.8  | 1.4    | 3.9  | 7.8  | 2.8  | 5.3    | 3.8  | 1.8        | 2.8  |        |   |
| 5 OR MORE TIMES LAST 4 WEEKS                                | 2.3   | 1.1  | 1.9    | 3.5  | 1.5  | 2.5  | 5.0    | 1.6  | 3.3  | 10.5 | 2.1    | 6.0  | 7.7  | 3.1  | 5.4    | 5.4  | 1.8        | 3.6  |        |   |
| Q42: FREQUENCY OF BEING DRUNK IN LAST 4 WEEKS               |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |
| DO NOT DRINK ALCOHOL                                        | 25.5  | 29.5 | 27.3   | 22.7 | 19.9 | 21.3 | 11.5   | 9.1  | 10.3 | 8.8  | 8.6    | 8.6  | 8.3  | 10.6 | 9.4    | 16.3 | 16.3       | 16.3 |        |   |
| NO ALCOHOL IN LAST 4 WEEKS                                  | 26.2  | 29.2 | 27.6   | 27.1 | 19.8 | 23.2 | 19.5   | 25.8 | 22.5 | 17.4 | 16.0   | 16.8 | 8.4  | 12.1 | 10.5   | 20.6 | 21.4       | 20.9 |        |   |
| NOT BEEN DRUNK LAST 4 WEEKS                                 | 24.5  | 26.6 | 25.4   | 25.8 | 29.9 | 27.8 | 35.1   | 37.7 | 36.2 | 33.4 | 46.8   | 40.3 | 45.1 | 48.2 | 46.5   | 31.9 | 36.8       | 34.2 |        |   |
| ONCE IN LAST 4 WEEKS                                        | 10.4  | 5.8  | 8.1    | 12.8 | 16.7 | 14.7 | 12.9   | 19.2 | 16.1 | 22.5 | 17.9   | 20.1 | 18.8 | 17.5 | 16.2   | 14.8 | 15.0       | 14.9 |        |   |
| TWICE IN LAST 4 WEEKS                                       | 5.7   | 4.7  | 5.2    | 4.9  | 6.5  | 5.7  | 9.2    | 3.2  | 6.7  | 5.2  | 5.3    | 5.2  | 9.2  | 4.9  | 7.1    | 6.8  | 4.9        | 5.9  |        |   |
| 3 TIMES IN LAST 4 WEEKS                                     | 4.2   | 1.8  | 3.1    | 2.7  | 2.9  | 2.8  | 4.3    | 1.6  | 3.0  | 2.4  | 2.3    | 2.3  | 2.8  | 3.9  | 3.4    | 3.4  | 2.4        | 2.9  |        |   |
| 4 TIMES IN LAST 4 WEEKS                                     | 1.1   | 1.6  | 1.3    | 2.5  | 3.4  | 2.9  | 3.0    | 1.8  | 2.4  | 4.5  | 2.3    | 3.3  | 3.8  | 2.3  | 3.0    | 2.8  | 2.2        | 2.5  |        |   |
| 5 OR MORE TIMES LAST 4 WEEKS                                | 2.5   | 0.9  | 1.9    | 1.9  | 0.8  | 1.5  | 4.3    | 1.6  | 3.0  | 5.8  | 0.9    | 3.2  | 3.5  | 0.5  | 2.0    | 3.5  | 1.0        | 2.3  |        |   |

NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q43 = 2,555<br>Q44 = 2,565                          | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      | ALL GRADES |      |   |   |     |   |      |   |
|--------------------------------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------------|------|---|---|-----|---|------|---|
|                                                                                      | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |      |        |      |            |      |   |   | 12  |   |      |   |
|                                                                                      | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      |            |      |   |   | ALL |   | MALE |   |
|                                                                                      | %     | N    | %      | N    | %    | N    | %    | N    | %      | N    | %    | N    | %    | N    | %      | N    | %          | N    | % | N | %   | N | %    | N |
| Q43: FREQ. OF HAVING 5 OR MORE ALCOHOLIC DRINKS ON THE SAME OCCASION IN LAST 4 WEEKS |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |   |   |     |   |      |   |
| DO NOT DRINK ALCOHOL                                                                 | 25.0  | 31.4 | 28.1   | 23.3 | 21.1 | 22.2 | 12.4 | 8.9  | 10.6   | 8.6  | 8.5  | 8.5  | 8.8  | 10.5 | 9.6    | 16.5 | 18.9       | 16.6 |   |   |     |   |      |   |
| NO ALCOHOL IN LAST 4 WEEKS                                                           | 26.0  | 31.6 | 28.7   | 28.6 | 20.4 | 24.2 | 18.6 | 27.2 | 22.7   | 16.2 | 18.2 | 17.4 | 8.2  | 13.8 | 11.2   | 20.4 | 23.0       | 21.7 |   |   |     |   |      |   |
| NOT ON SAME OCCASION LAST 4 WK                                                       | 23.9  | 24.0 | 23.9   | 22.6 | 25.7 | 24.4 | 23.8 | 28.3 | 26.1   | 16.8 | 26.6 | 21.9 | 20.7 | 25.7 | 23.2   | 21.9 | 26.0       | 24.0 |   |   |     |   |      |   |
| ONCE IN LAST 4 WEEKS                                                                 | 9.8   | 6.8  | 8.3    | 9.7  | 16.2 | 12.9 | 11.8 | 17.1 | 18.3   | 16.8 | 19.6 | 18.3 | 16.2 | 19.6 | 17.9   | 13.1 | 15.4       | 14.3 |   |   |     |   |      |   |
| TWICE IN LAST 4 WEEKS                                                                | 6.8   | 1.9  | 4.4    | 7.6  | 6.6  | 7.2  | 13.7 | 6.6  | 10.1   | 10.9 | 10.2 | 10.5 | 9.8  | 10.6 | 10.1   | 9.6  | 6.8        | 8.2  |   |   |     |   |      |   |
| 3 TIMES IN LAST 4 WEEKS                                                              | 3.3   | 1.3  | 2.5    | 3.1  | 6.1  | 4.7  | 4.3  | 2.8  | 3.6    | 8.4  | 6.6  | 7.4  | 6.0  | 6.6  | 6.3    | 4.8  | 4.4        | 4.7  |   |   |     |   |      |   |
| 4 TIMES IN LAST 4 WEEKS                                                              | 0.3   | 0.0  | 0.1    | 2.4  | 1.7  | 2.0  | 5.4  | 4.6  | 5.0    | 7.3  | 4.8  | 6.0  | 13.6 | 4.7  | 9.2    | 5.2  | 3.0        | 4.0  |   |   |     |   |      |   |
| 5 OR MORE TIMES                                                                      | 4.9   | 2.9  | 4.1    | 2.7  | 2.4  | 2.5  | 7.0  | 4.5  | 5.7    | 15.0 | 5.4  | 9.9  | 16.7 | 8.3  | 12.5   | 8.5  | 4.5        | 6.5  |   |   |     |   |      |   |
| Q44: FREQUENCY OF GOING ON WEEKEND DRINKING SPIRITS                                  |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |   |   |     |   |      |   |
| HAVE NEVER DRUNK ALCOHOL                                                             | 17.2  | 19.2 | 18.1   | 12.3 | 14.2 | 13.1 | 5.4  | 4.7  | 5.0    | 4.3  | 6.6  | 5.5  | 3.4  | 6.0  | 4.7    | 9.2  | 10.6       | 9.9  |   |   |     |   |      |   |
| NEVER GONE ON WEEKEND SPREE                                                          | 44.6  | 52.3 | 48.2   | 45.5 | 42.1 | 43.5 | 40.9 | 46.4 | 43.3   | 33.2 | 39.5 | 36.9 | 33.2 | 40.8 | 37.0   | 40.3 | 44.7       | 42.4 |   |   |     |   |      |   |
| ONCE IN MY LIFE                                                                      | 14.4  | 13.4 | 13.8   | 12.1 | 13.8 | 13.0 | 12.3 | 16.7 | 14.6   | 13.9 | 13.0 | 13.4 | 13.6 | 12.6 | 13.1   | 13.2 | 14.0       | 13.6 |   |   |     |   |      |   |
| TWICE IN MY LIFE                                                                     | 6.1   | 3.6  | 4.9    | 10.1 | 6.4  | 8.2  | 6.9  | 8.2  | 7.5    | 9.1  | 7.0  | 8.0  | 8.4  | 9.5  | 8.9    | 8.0  | 6.8        | 7.3  |   |   |     |   |      |   |
| 3 OR MORE TIMES IN MY LIFE                                                           | 17.8  | 11.5 | 15.0   | 20.0 | 23.5 | 22.2 | 34.6 | 24.0 | 29.5   | 39.4 | 33.8 | 36.3 | 41.5 | 31.3 | 36.3   | 29.3 | 23.9       | 26.8 |   |   |     |   |      |   |







... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q48 = 2,544<br>Q49 = 2,572<br>Q50 = 2,574 | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      | ALL GRADES |      |   |     |     |     |      |     |
|----------------------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------------|------|---|-----|-----|-----|------|-----|
|                                                                            | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |      |        |      |            |      |   |     | 12  |     |      |     |
|                                                                            | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      |            |      |   |     | ALL |     | MALE |     |
|                                                                            | %     | ALL  | %      | ALL  | %    | ALL  | %    | ALL  | %      | ALL  | %    | ALL  | %    | ALL  | %      | ALL  | %          | ALL  | % | ALL | %   | ALL | %    | ALL |
| Q48: AVERAGE BOTTLES OF BEER CONSUMED AT ONE TIME                          |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |   |     |     |     |      |     |
| NONE, DO NOT DRINK BEER                                                    | 36.1  | 53.5 | 44.6   | 34.9 | 34.5 | 34.7 | 23.6 | 24.0 | 23.6   | 16.6 | 28.7 | 23.1 | 10.6 | 34.7 | 22.6   | 25.6 | 35.7       | 30.7 |   |     |     |     |      |     |
| 1 TO 3 BOTTLES                                                             | 36.1  | 32.8 | 34.5   | 33.2 | 29.6 | 31.0 | 21.7 | 36.2 | 28.6   | 19.5 | 38.2 | 29.2 | 23.2 | 32.6 | 27.8   | 27.4 | 33.8       | 30.5 |   |     |     |     |      |     |
| 4 TO 6 BOTTLES                                                             | 13.3  | 8.1  | 10.7   | 17.0 | 25.8 | 21.5 | 22.7 | 24.6 | 23.7   | 24.0 | 23.6 | 23.9 | 26.4 | 18.5 | 22.5   | 20.1 | 19.8       | 20.0 |   |     |     |     |      |     |
| 7 OR MORE BOTTLES                                                          | 14.5  | 5.6  | 10.3   | 14.9 | 10.0 | 12.7 | 31.9 | 15.3 | 24.1   | 39.9 | 9.5  | 23.8 | 39.8 | 14.2 | 27.1   | 26.9 | 10.7       | 18.9 |   |     |     |     |      |     |
| Q49: AVERAGE GLASSES OF WINE CONSUMED AT ONE TIME                          |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |   |     |     |     |      |     |
| NONE, DO NOT DRINK WINE                                                    | 50.4  | 47.9 | 49.2   | 54.5 | 45.2 | 50.0 | 59.9 | 35.1 | 47.6   | 51.7 | 36.7 | 43.6 | 62.1 | 39.4 | 51.0   | 55.5 | 41.2       | 48.3 |   |     |     |     |      |     |
| 1 TO 3 GLASSES                                                             | 41.8  | 46.2 | 43.8   | 38.8 | 43.0 | 40.5 | 27.2 | 47.0 | 37.2   | 34.6 | 45.1 | 40.5 | 28.9 | 40.5 | 34.5   | 34.7 | 44.6       | 39.6 |   |     |     |     |      |     |
| 4 TO 6 GLASSES                                                             | 3.6   | 2.6  | 3.1    | 3.4  | 5.0  | 4.5  | 6.0  | 14.2 | 10.0   | 7.1  | 12.6 | 10.0 | 4.5  | 14.5 | 9.4    | 4.8  | 9.4        | 7.1  |   |     |     |     |      |     |
| 7 OR MORE GLASSES                                                          | 4.1   | 3.3  | 3.9    | 3.2  | 6.8  | 5.0  | 7.0  | 3.6  | 5.3    | 6.5  | 5.6  | 6.0  | 4.5  | 5.6  | 5.0    | 5.0  | 4.9        | 5.0  |   |     |     |     |      |     |
| Q50: AVERAGE DRINKS OF HARD LIQUOR CONSUMED AT ONE TIME                    |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |   |     |     |     |      |     |
| NONE, DO NOT DRINK HARD LIQUOR                                             | 53.6  | 65.5 | 59.3   | 46.8 | 39.4 | 43.0 | 28.3 | 37.6 | 32.7   | 22.3 | 35.5 | 24.4 | 28.5 | 29.2 | 28.8   | 37.3 | 42.8       | 40.0 |   |     |     |     |      |     |
| 1 TO 3 DRINKS                                                              | 29.7  | 25.4 | 27.5   | 30.0 | 42.4 | 35.9 | 32.1 | 41.3 | 36.8   | 31.0 | 42.5 | 37.0 | 29.9 | 43.7 | 36.9   | 30.6 | 38.4       | 34.5 |   |     |     |     |      |     |
| 4 TO 6 DRINKS                                                              | 10.4  | 4.8  | 7.8    | 16.1 | 11.6 | 13.7 | 22.7 | 12.5 | 17.8   | 20.8 | 14.2 | 17.3 | 17.8 | 17.2 | 17.5   | 17.3 | 11.5       | 14.4 |   |     |     |     |      |     |
| 7 OR MORE DRINKS                                                           | 6.2   | 4.3  | 5.5    | 7.0  | 6.7  | 7.4  | 16.8 | 8.7  | 12.7   | 25.9 | 7.8  | 16.3 | 23.8 | 9.9  | 16.9   | 14.8 | 7.3        | 11.2 |   |     |     |     |      |     |

1

|                                                                                           | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-------------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                           | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      | MALE       | FEMALE | ALL  |
|                                                                                           | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |        |      |
| NUMBER OF VALID RESPONSES TO:<br>Q51 = 2,577<br>Q52 = 2,569<br>Q53 = 2,585<br>Q54 = 2,537 |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| Q51: EVER ARRESTED OR WARNED BY POLICE FOR DRUG USE                                       |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DO NOT USE DRUGS                                                                          | 64.6  | 76.0   | 70.0 | 66.8 | 53.8   | 60.0 | 38.8 | 44.6   | 41.4 | 32.2 | 37.9   | 35.4 | 34.1 | 39.6   | 36.7 | 49.0       | 51.9   | 50.3 |
| YES                                                                                       | 3.7   | 1.0    | 2.6  | 6.6  | 2.3    | 4.6  | 9.9  | 3.8    | 6.8  | 10.0 | 4.8    | 7.2  | 9.5  | 4.5    | 7.2  | 7.6        | 3.2    | 5.5  |
| NO                                                                                        | 31.7  | 23.0   | 27.5 | 26.7 | 43.9   | 35.4 | 51.3 | 51.6   | 51.7 | 57.8 | 57.3   | 57.4 | 56.5 | 55.5   | 56.1 | 43.3       | 44.9   | 44.2 |
| Q52: WISH YOU COULD USE DRUGS LESS THAN YOU DO NOW                                        |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DO NOT USE DRUGS                                                                          | 76.0  | 84.9   | 80.1 | 78.5 | 71.5   | 74.5 | 57.5 | 66.9   | 61.9 | 54.5 | 57.9   | 56.3 | 52.9 | 65.1   | 59.0 | 65.1       | 70.2   | 67.5 |
| YES                                                                                       | 5.6   | 2.8    | 4.4  | 6.2  | 6.4    | 6.4  | 9.1  | 7.6    | 8.5  | 8.3  | 7.7    | 8.1  | 9.7  | 6.3    | 8.0  | 7.6        | 6.1    | 7.0  |
| NO                                                                                        | 18.4  | 12.3   | 15.5 | 15.3 | 22.1   | 19.0 | 33.5 | 25.5   | 29.5 | 37.2 | 34.4   | 35.5 | 37.4 | 28.5   | 32.9 | 27.3       | 23.7   | 25.6 |
| Q53: EVER WARNED BY POLICE BECAUSE OF ALCOHOL USE                                         |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DO NOT USE ALCOHOL                                                                        | 34.8  | 44.1   | 39.2 | 28.3 | 25.7   | 27.1 | 15.3 | 15.9   | 15.5 | 11.1 | 10.7   | 11.1 | 11.7 | 12.9   | 12.3 | 21.5       | 23.1   | 22.3 |
| YES                                                                                       | 6.4   | 3.7    | 5.3  | 11.0 | 5.9    | 8.7  | 16.8 | 10.5   | 13.9 | 24.6 | 14.4   | 19.1 | 29.4 | 16.3   | 22.8 | 16.4       | 9.6    | 13.1 |
| NO                                                                                        | 58.7  | 52.3   | 55.5 | 60.7 | 68.4   | 64.2 | 67.9 | 73.5   | 70.6 | 64.3 | 74.9   | 69.8 | 58.9 | 70.8   | 64.9 | 62.1       | 67.3   | 64.6 |
| Q54: WISH YOU COULD DRINK LESS THAN YOU DO NOW                                            |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DO NOT USE ALCOHOL                                                                        | 37.8  | 47.5   | 42.4 | 32.3 | 29.3   | 30.9 | 18.5 | 20.1   | 19.1 | 14.6 | 14.5   | 14.7 | 11.7 | 15.9   | 13.7 | 24.2       | 26.8   | 25.5 |
| YES                                                                                       | 9.9   | 6.8    | 8.3  | 6.7  | 6.6    | 6.6  | 8.3  | 8.0    | 8.1  | 6.7  | 6.8    | 6.9  | 7.7  | 7.3    | 7.5  | 8.0        | 7.1    | 7.5  |
| NO                                                                                        | 52.3  | 45.7   | 49.3 | 60.9 | 64.1   | 62.5 | 73.1 | 71.9   | 72.7 | 78.8 | 78.6   | 78.3 | 80.5 | 76.8   | 78.8 | 67.8       | 66.1   | 67.0 |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q55 = 2,576<br>Q56 = 2,572<br>Q57 = 2,567 | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |     |   |
|----------------------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|-----|---|
|                                                                            | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      |            |        | 12  |   |
|                                                                            | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL | % |
|                                                                            | %     | %      | %    | %    | %    | %      | %    | %    | %    | %      | %    | %    | %    | %      | %    | %    | %          | %      | %   | % |
| Q55: PARENTS THINK YOU DRINK TOO MUCH ALCOHOL                              |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| DO NOT USE ALCOHOL                                                         | 33.4  | 44.5   | 38.7 | 29.2 | 26.5 | 28.0   | 15.4 | 17.1 | 16.1 | 13.4   | 11.1 | 12.4 | 10.8 | 14.1   | 12.4 | 21.6 | 23.9       | 22.7   |     |   |
| YES                                                                        | 2.8   | 1.5    | 2.1  | 4.8  | 2.4  | 3.7    | 7.8  | 2.9  | 5.3  | 10.2   | 3.3  | 6.5  | 13.4 | 5.8    | 9.6  | 7.2  | 3.0        | 5.1    |     |   |
| NO                                                                         | 23.6  | 20.7   | 22.1 | 25.0 | 22.6 | 23.9   | 34.7 | 34.0 | 34.3 | 33.4   | 37.9 | 35.9 | 46.6 | 48.0   | 47.4 | 31.7 | 31.5       | 31.6   |     |   |
| DON'T KNOW                                                                 | 10.5  | 7.3    | 9.1  | 12.4 | 9.2  | 10.7   | 13.7 | 10.9 | 12.3 | 13.7   | 10.1 | 11.8 | 9.6  | 9.2    | 9.4  | 12.0 | 9.3        | 10.6   |     |   |
| THEY DON'T KNOW HOW MUCH I DRK                                             | 29.7  | 26.0   | 28.0 | 28.6 | 39.3 | 33.7   | 28.6 | 35.1 | 32.0 | 29.3   | 37.6 | 33.5 | 19.7 | 22.8   | 21.2 | 27.5 | 32.3       | 29.9   |     |   |
| Q56: ACCIDENT WHILE YOU WERE DRIVING IN LAST 12 MONTHS                     |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| NO                                                                         | 94.0  | 97.0   | 95.5 | 95.0 | 96.6 | 95.9   | 94.6 | 98.7 | 95.6 | 84.5   | 91.2 | 88.1 | 78.4 | 86.0   | 82.2 | 90.2 | 94.0       | 92.1   |     |   |
| ONCE                                                                       | 3.6   | 1.0    | 2.3  | 4.2  | 1.8  | 2.9    | 3.3  | 2.0  | 2.7  | 9.7    | 7.7  | 8.6  | 14.4 | 10.1   | 12.2 | 6.4  | 4.1        | 5.2    |     |   |
| TWICE                                                                      | 1.1   | 0.7    | 0.9  | 0.8  | 1.6  | 1.2    | 0.4  | 1.3  | 0.8  | 4.8    | 0.7  | 2.6  | 5.1  | 2.1    | 3.6  | 2.2  | 1.2        | 1.7    |     |   |
| 3 TIMES                                                                    | 0.0   | 0.4    | 0.2  | 0.0  | 0.0  | 0.0    | 0.9  | 0.0  | 0.4  | 1.0    | 0.0  | 0.5  | 1.2  | 0.9    | 1.0  | 0.5  | 0.2        | 0.4    |     |   |
| 4 TIMES                                                                    | 0.3   | 0.0    | 0.1  | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2  | 0.0    | 0.4  | 0.2  | 0.4  | 0.9    | 0.7  | 0.2  | 0.2        | 0.2    |     |   |
| 5 OR MORE TIMES                                                            | 1.0   | 0.9    | 0.9  | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.4  | 0.0    | 0.2  | 0.4  | 0.2        | 0.3    |     |   |
| Q57: ACCIDENT WHILE DRIVING AFTER DRINKING LAST 12 MO.                     |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| NO                                                                         | 97.1  | 97.6   | 97.3 | 98.7 | 98.6 | 98.7   | 96.7 | 99.6 | 98.1 | 96.5   | 97.5 | 97.0 | 94.2 | 97.0   | 95.6 | 96.8 | 98.1       | 97.5   |     |   |
| ONCE                                                                       | 1.7   | 0.3    | 1.0  | 0.9  | 0.7  | 0.8    | 1.5  | 0.0  | 0.7  | 1.6    | 2.2  | 1.9  | 3.2  | 2.1    | 2.7  | 1.7  | 1.0        | 1.3    |     |   |
| TWICE                                                                      | 0.3   | 0.9    | 0.6  | 0.0  | 0.7  | 0.3    | 0.6  | 0.4  | 0.5  | 1.5    | 0.0  | 0.7  | 2.6  | 0.5    | 1.5  | 0.9  | 0.5        | 0.7    |     |   |
| 3 TIMES                                                                    | 0.0   | 0.3    | 0.2  | 0.0  | 0.0  | 0.0    | 0.4  | 0.0  | 0.2  | 0.0    | 0.3  | 0.2  | 0.0  | 0.0    | 0.0  | 0.1  | 0.1        | 0.1    |     |   |
| 4 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.3  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.5  | 0.2  | 0.1        | 0.1    |     |   |
| 5 OR MORE TIMES                                                            | 0.9   | 0.9    | 0.9  | 0.0  | 0.0  | 0.0    | 0.7  | 0.0  | 0.4  | 0.4    | 0.0  | 0.2  | 0.0  | 0.0    | 0.0  | 0.4  | 0.2        | 0.3    |     |   |

| NUMBER OF VALID RESPONSES TO:<br>Q56 = 2,571<br>Q59 = 2,584<br>Q60 = 2,571 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|----------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      |            |        |      | 12   |        |      |
|                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  | MALE | FEMALE | ALL  |
| Q58: EVER CONVICTED OF A<br>DRINKING-DRIVING OFFENSE                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NEVER                                                                      | 97.8  | 100.0  | 98.9 | 98.3 | 99.6   | 98.9 | 98.2 | 99.1   | 98.7 | 99.5 | 100.0  | 99.7 | 97.0       | 99.6   | 98.3 | 98.1 | 99.7   | 98.9 |
| ONCE                                                                       | 0.4   | 0.0    | 0.2  | 1.3  | 0.4    | 0.8  | 1.0  | 0.9    | 0.9  | 0.5  | 0.0    | 0.3  | 3.0        | 0.4    | 1.7  | 1.2  | 0.3    | 0.8  |
| TWICE                                                                      | 0.4   | 0.0    | 0.2  | 0.5  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.2  | 0.0    | 0.1  |
| 3 TIMES                                                                    | 0.3   | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.1  | 0.0    | 0.0  |
| 4 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  |
| 5 OR MORE TIMES                                                            | 1.0   | 0.0    | 0.5  | 0.0  | 0.0    | 0.0  | 0.7  | 0.0    | 0.4  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  |
| Q59: HAD ALCOHOL/DRUG EDUCATION<br>IN SCHOOL SINCE SEPTEMBER               |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| YES                                                                        | 50.9  | 54.0   | 52.6 | 31.4 | 37.1   | 33.9 | 33.4 | 35.7   | 34.3 | 27.4 | 37.1   | 32.4 | 18.4       | 24.9   | 21.5 | 33.8 | 38.8   | 36.2 |
| NO                                                                         | 38.7  | 38.7   | 37.6 | 55.2 | 47.6   | 51.7 | 54.7 | 55.8   | 55.3 | 60.4 | 51.5   | 55.9 | 68.6       | 67.9   | 68.3 | 54.1 | 50.8   | 52.5 |
| DON'T KNOW                                                                 | 10.4  | 9.3    | 9.8  | 13.4 | 15.3   | 14.4 | 11.9 | 8.5    | 10.4 | 12.3 | 11.4   | 11.8 | 13.0       | 7.2    | 10.1 | 12.1 | 10.4   | 11.3 |
| Q60: TOTAL ALCOHOL OR DRUG<br>CLASSES EVER HAD                             |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| NONE                                                                       | 25.6  | 15.3   | 20.5 | 27.0 | 27.2   | 27.7 | 29.6 | 23.3   | 27.0 | 29.3 | 21.8   | 25.5 | 27.2       | 21.3   | 24.2 | 27.7 | 21.7   | 24.9 |
| 1 OR 2                                                                     | 42.8  | 48.2   | 45.5 | 48.0 | 43.4   | 45.3 | 44.7 | 46.3   | 45.2 | 45.6 | 45.8   | 45.6 | 50.7       | 52.7   | 51.8 | 46.0 | 47.1   | 46.4 |
| 3 TO 5                                                                     | 18.4  | 25.2   | 21.7 | 19.4 | 22.7   | 20.9 | 17.1 | 16.6   | 16.7 | 18.4 | 20.5   | 19.6 | 14.8       | 19.5   | 17.1 | 17.7 | 21.1   | 19.3 |
| 6 TO 10                                                                    | 5.5   | 5.4    | 5.4  | 3.3  | 3.9    | 3.6  | 5.6  | 7.4    | 6.4  | 4.2  | 7.7    | 6.0  | 4.5        | 3.7    | 4.1  | 4.7  | 5.7    | 5.1  |
| 11 TO 20                                                                   | 3.5   | 3.5    | 3.5  | 0.8  | 0.3    | 0.6  | 1.6  | 2.7    | 2.1  | 1.0  | 2.8    | 1.9  | 1.7        | 0.9    | 1.3  | 1.8  | 2.1    | 2.0  |
| MORE THAN 20                                                               | 4.2   | 2.3    | 3.4  | 1.5  | 2.4    | 1.9  | 1.5  | 3.8    | 2.6  | 1.6  | 1.4    | 1.5  | 1.0        | 1.9    | 1.4  | 2.1  | 2.4    | 2.3  |

|                                                                               | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |      |   |        |   |
|-------------------------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|------|---|--------|---|
|                                                                               | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      |            |      | 12   |   |        |   |
|                                                                               | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      |            |      | MALE |   | FEMALE |   |
|                                                                               | %     | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    |            |      | %    | N | %      | N |
| NUMBER OF VALID RESPONSES TO:<br>Q81A = 2,319<br>Q81B = 2,332<br>Q81C = 2,302 |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |   |
| Q81A: FREQUENCY OF DRINKING AT<br>TEEN PARTIES WHEN ADULTS ARE<br>NOT PRESENT |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |   |
| DO NOT DRINK IN THIS SETTING                                                  | 45.9  | 42.8 | 44.2   | 31.4 | 29.3 | 30.4 | 17.1   | 20.7 | 18.7 | 10.0 | 14.5   | 12.7 | 6.8  | 15.6 | 11.1   | 23.6 | 25.1       | 24.3 |      |   |        |   |
| SOMETIMES                                                                     | 28.8  | 31.8 | 30.1   | 33.3 | 21.9 | 27.2 | 22.6   | 25.9 | 24.0 | 21.9 | 32.4   | 27.2 | 19.7 | 26.8 | 23.4   | 25.5 | 27.7       | 26.5 |      |   |        |   |
| FREQUENTLY                                                                    | 7.5   | 4.9  | 6.4    | 10.2 | 14.8 | 12.3 | 14.8   | 15.1 | 14.8 | 16.8 | 14.4   | 15.4 | 20.3 | 17.0 | 18.6   | 13.5 | 13.0       | 13.2 |      |   |        |   |
| MOST OF THE TIME                                                              | 17.9  | 20.5 | 19.3   | 25.1 | 34.2 | 30.1 | 45.8   | 38.3 | 42.4 | 51.5 | 38.7   | 44.8 | 53.2 | 40.5 | 46.9   | 37.5 | 34.1       | 36.0 |      |   |        |   |
| Q81B: FREQUENCY OF DRINKING AT<br>HOME ON SPECIAL OCCASIONS                   |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |   |
| DO NOT DRINK IN THIS SETTING                                                  | 19.3  | 17.2 | 18.3   | 18.8 | 18.0 | 18.6 | 17.5   | 12.4 | 14.9 | 14.0 | 12.1   | 12.9 | 18.3 | 14.2 | 15.2   | 17.4 | 14.8       | 16.1 |      |   |        |   |
| SOMETIMES                                                                     | 54.5  | 55.1 | 54.6   | 50.9 | 48.5 | 49.5 | 47.2   | 53.3 | 50.5 | 49.9 | 51.4   | 50.9 | 48.7 | 50.9 | 49.9   | 50.4 | 51.9       | 51.2 |      |   |        |   |
| FREQUENTLY                                                                    | 11.7  | 9.7  | 10.9   | 14.0 | 16.5 | 15.3 | 21.3   | 18.2 | 19.6 | 16.7 | 19.8   | 18.3 | 16.0 | 19.0 | 17.4   | 15.9 | 16.5       | 16.2 |      |   |        |   |
| MOST OF THE TIME                                                              | 14.4  | 17.9 | 16.2   | 16.3 | 17.0 | 16.6 | 13.9   | 16.2 | 14.9 | 19.3 | 16.7   | 17.9 | 19.0 | 16.0 | 17.5   | 16.3 | 18.8       | 16.5 |      |   |        |   |
| Q81C: FREQUENCY OF DRINKING IN<br>A CAR AT NIGHT                              |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |      |   |        |   |
| DO NOT DRINK IN THIS SETTING                                                  | 77.5  | 81.8 | 79.2   | 80.1 | 72.8 | 76.1 | 59.7   | 63.1 | 61.2 | 54.2 | 60.9   | 57.7 | 44.7 | 50.7 | 47.8   | 64.3 | 68.5       | 65.3 |      |   |        |   |
| SOMETIMES                                                                     | 13.3  | 10.0 | 11.7   | 15.0 | 16.9 | 16.0 | 28.7   | 24.4 | 26.4 | 28.1 | 28.3   | 28.2 | 32.9 | 37.2 | 35.0   | 23.1 | 22.8       | 22.8 |      |   |        |   |
| FREQUENTLY                                                                    | 4.3   | 4.9  | 4.8    | 4.3  | 4.1  | 4.5  | 8.5    | 6.3  | 8.8  | 10.1 | 6.0    | 7.9  | 13.7 | 6.9  | 10.3   | 7.9  | 6.1        | 7.2  |      |   |        |   |
| MOST OF THE TIME                                                              | 4.9   | 3.3  | 4.4    | 0.6  | 6.1  | 3.4  | 3.1    | 4.2  | 3.6  | 7.6  | 4.8    | 6.1  | 8.7  | 5.1  | 8.9    | 4.8  | 4.7        | 4.7  |      |   |        |   |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS. IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION.



NORTH

| NUMBER OF VALID RESPONSES TO:<br>Q8ID = 2,307<br>Q8IE = 2,310<br>Q8IF = 2,313              | GRADE |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |
|--------------------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|
|                                                                                            | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12         |      |        |
|                                                                                            | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |      | FEMALE |
|                                                                                            | ALL   | ALL  | ALL    | ALL  | ALL  | ALL    | ALL  | ALL  | ALL    | ALL  | ALL  | ALL    | ALL        | ALL  | ALL    |
| Q8ID: FREQUENCY OF DRINKING AT<br>DINNER AT HOME WITH FAMILY                               |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| DO NOT DRINK IN THIS SETTING                                                               | 58.5  | 54.8 | 56.5   | 58.0 | 56.8 | 58.0   | 56.6 | 57.1 | 51.8   | 55.9 | 53.9 | 48.8   | 56.7       | 52.8 | 55.6   |
| SOMETIMES                                                                                  | 35.6  | 38.0 | 36.6   | 35.5 | 39.6 | 37.8   | 37.2 | 35.0 | 40.8   | 36.8 | 38.8 | 48.3   | 40.9       | 44.5 | 37.9   |
| FREQUENTLY                                                                                 | 4.0   | 4.2  | 4.3    | 3.7  | 2.8  | 3.2    | 3.0  | 6.1  | 4.9    | 4.0  | 4.4  | 1.8    | 1.7        | 1.7  | 3.5    |
| MOST OF THE TIME                                                                           | 1.9   | 3.0  | 2.6    | 2.8  | 1.6  | 2.1    | 1.8  | 2.3  | 2.5    | 3.3  | 2.9  | 1.1    | 0.8        | 1.0  | 2.2    |
| Q8IE: FREQUENCY OF DRINKING AT<br>TEEN HANGOUTS WHEN ADULTS<br>ARE NOT PRESENT             |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| DO NOT DRINK IN THIS SETTING                                                               | 52.3  | 53.6 | 52.7   | 42.8 | 37.3 | 39.9   | 24.9 | 34.0 | 29.2   | 22.1 | 28.8 | 25.8   | 29.8       | 25.2 | 33.5   |
| SOMETIMES                                                                                  | 24.6  | 25.7 | 25.0   | 32.7 | 24.4 | 28.2   | 33.8 | 33.7 | 33.7   | 32.5 | 35.8 | 34.0   | 35.3       | 35.3 | 31.5   |
| FREQUENTLY                                                                                 | 8.9   | 6.1  | 7.8    | 13.7 | 14.4 | 14.4   | 18.1 | 14.2 | 15.5   | 17.2 | 18.9 | 18.2   | 16.6       | 19.8 | 15.3   |
| MOST OF THE TIME                                                                           | 14.3  | 14.5 | 14.6   | 10.9 | 23.8 | 17.5   | 25.1 | 18.1 | 21.5   | 28.1 | 16.6 | 22.0   | 21.1       | 18.4 | 19.7   |
| Q8IF: FREQUENCY OF DRINKING<br>DURING/AFTER SCHOOL ACTIVITY<br>WHEN ADULTS ARE NOT PRESENT |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |
| DO NOT DRINK IN THIS SETTING                                                               | 58.7  | 67.1 | 62.4   | 56.7 | 43.9 | 49.9   | 38.4 | 30.1 | 36.0   | 27.1 | 37.5 | 32.7   | 30.7       | 41.3 | 42.9   |
| SOMETIMES                                                                                  | 26.2  | 18.7 | 22.6   | 22.5 | 30.2 | 26.1   | 35.5 | 36.4 | 36.1   | 31.2 | 31.9 | 31.6   | 33.9       | 34.7 | 29.8   |
| FREQUENTLY                                                                                 | 7.4   | 3.9  | 5.9    | 11.6 | 9.6  | 10.8   | 11.9 | 13.2 | 12.7   | 19.0 | 12.7 | 15.4   | 14.6       | 12.4 | 12.5   |
| MOST OF THE TIME                                                                           | 7.7   | 10.3 | 9.1    | 9.2  | 16.3 | 13.2   | 16.7 | 14.3 | 15.1   | 22.7 | 18.4 | 20.3   | 20.8       | 11.7 | 14.8   |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS  
IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION



APPENDIX D (continued)

Item Responses by Sex within Grade within Region

...

Vancouver Island, Gulf Islands, and Powell River Region

## VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

|                                      | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |      |   |        |   |     |   | ALL GRADES |   |        |   |     |   |  |
|--------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------|------|------|---|--------|---|-----|---|------------|---|--------|---|-----|---|--|
|                                      | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |      |        |      | 12   |      |      |   |        |   |     |   |            |   |        |   |     |   |  |
|                                      | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |   | FEMALE |   | ALL |   | MALE       |   | FEMALE |   | ALL |   |  |
|                                      | X     | %    | X      | %    | X    | %    | X    | %    | X      | %    | X    | %    | X    | %    | X      | %    | X    | %    | X    | % | X      | % | X   | % | X          | % | X      | % | X   | % |  |
| TOBACCO: Q8                          | 20.5  | 26.4 | 23.4   | 27.7 | 35.4 | 31.8 | 28.0 | 35.3 | 31.3   | 32.5 | 42.1 | 37.5 | 29.9 | 45.3 | 37.2   | 27.6 | 36.5 | 32.0 |      |   |        |   |     |   |            |   |        |   |     |   |  |
| ALCOHOL: Q9                          | 57.0  | 60.5 | 58.7   | 72.9 | 75.9 | 74.5 | 86.7 | 86.2 | 86.6   | 86.3 | 87.6 | 87.1 | 90.0 | 87.9 | 89.2   | 78.4 | 79.0 | 78.7 |      |   |        |   |     |   |            |   |        |   |     |   |  |
| CANNABIS: Q10                        | 18.3  | 15.3 | 17.0   | 33.0 | 27.7 | 30.4 | 35.8 | 38.1 | 37.1   | 49.2 | 44.2 | 46.8 | 44.2 | 44.2 | 44.0   | 35.6 | 33.2 | 34.6 |      |   |        |   |     |   |            |   |        |   |     |   |  |
| GLUE: Q11                            | 3.6   | 3.2  | 3.5    | 5.4  | 4.5  | 4.9  | 2.5  | 2.5  | 2.4    | 1.6  | 1.1  | 1.3  | 1.1  | 1.4  | 1.2    | 2.9  | 2.6  | 2.8  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| SOLVENTS (PAINT THINNER, GAS): Q12   | 4.9   | 6.2  | 5.6    | 6.2  | 8.4  | 7.3  | 2.4  | 3.3  | 2.8    | 2.5  | 1.8  | 2.1  | 1.1  | 1.4  | 1.2    | 3.5  | 4.5  | 4.0  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| * INHALANTS (GLUE OR SOLVENTS)       | 6.3   | 6.5  | 6.5    | 9.1  | 9.3  | 9.2  | 4.0  | 4.5  | 4.2    | 3.2  | 2.5  | 2.8  | 1.4  | 2.3  | 1.8    | 4.9  | 5.3  | 5.1  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| LSD: Q26                             | 7.0   | 4.7  | 6.1    | 13.4 | 8.1  | 10.6 | 14.3 | 9.7  | 12.2   | 12.1 | 11.1 | 11.6 | 15.3 | 9.6  | 12.5   | 12.4 | 8.5  | 10.5 |      |   |        |   |     |   |            |   |        |   |     |   |  |
| PCP: Q24                             | 2.6   | 1.4  | 2.1    | 3.6  | 2.3  | 2.9  | 1.8  | 2.0  | 1.9    | 2.0  | 2.1  | 2.0  | 0.8  | 0.4  | 0.6    | 2.2  | 1.7  | 2.0  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| HALLUCINOGENS (EXCL. LSD & PCP): Q25 | 9.3   | 4.6  | 7.1    | 14.2 | 12.4 | 13.2 | 17.4 | 15.4 | 16.5   | 21.5 | 14.8 | 17.9 | 10.6 | 14.5 | 15.5   | 15.7 | 12.2 | 13.9 |      |   |        |   |     |   |            |   |        |   |     |   |  |
| * ANY HALLUCINOGEN                   | 10.3  | 6.8  | 9.0    | 18.7 | 15.6 | 17.0 | 21.6 | 16.8 | 19.4   | 22.6 | 17.2 | 19.7 | 20.4 | 17.6 | 19.0   | 18.7 | 14.7 | 16.1 |      |   |        |   |     |   |            |   |        |   |     |   |  |
| COCAINE: Q17                         | 4.9   | 2.5  | 3.8    | 8.4  | 4.3  | 6.3  | 5.3  | 7.7  | 6.3    | 11.2 | 6.7  | 8.9  | 9.8  | 9.4  | 9.7    | 7.8  | 5.9  | 6.9  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| CRACK: Q18                           | 2.0   | 0.7  | 1.3    | 3.9  | 1.9  | 2.9  | 2.4  | 1.3  | 1.9    | 2.8  | 0.7  | 1.7  | 0.7  | 0.0  | 0.4    | 2.4  | 1.0  | 1.7  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| HEROIN: Q15                          | 3.3   | 2.5  | 2.8    | 3.0  | 1.2  | 2.1  | 1.6  | 1.3  | 1.5    | 1.4  | 0.7  | 1.0  | 0.4  | 0.4  | 0.4    | 2.0  | 1.2  | 1.6  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| SPEED: Q16                           | 4.9   | 4.9  | 4.8    | 9.4  | 7.1  | 8.2  | 8.0  | 6.6  | 7.4    | 11.0 | 6.9  | 8.9  | 7.3  | 4.9  | 6.5    | 8.1  | 6.2  | 7.2  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| STIMULANTS (W/O PRESCRIPTION): Q20   | 5.9   | 7.6  | 6.6    | 8.8  | 16.3 | 12.6 | 7.0  | 15.4 | 10.7   | 8.4  | 12.8 | 10.6 | 6.6  | 6.7  | 6.6    | 7.3  | 12.0 | 9.6  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| STIMULANTS (WITH PRESCRIPTION): Q21  | 7.3   | 8.3  | 7.7    | 9.1  | 7.9  | 8.5  | 6.5  | 7.8  | 7.2    | 5.5  | 6.6  | 6.0  | 4.1  | 6.0  | 5.1    | 6.6  | 7.4  | 7.0  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| BARBITURATES (W/O PRESCRIPTION): Q13 | 2.8   | 4.5  | 3.6    | 5.8  | 7.2  | 6.5  | 4.1  | 7.0  | 5.3    | 3.2  | 4.1  | 3.6  | 4.4  | 3.6  | 4.2    | 4.1  | 5.3  | 4.7  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| TRANQUILIZERS (W/O PRESCR.): Q22     | 4.8   | 4.8  | 4.7    | 7.3  | 8.7  | 8.0  | 4.8  | 4.5  | 4.8    | 5.7  | 7.2  | 6.4  | 3.1  | 4.7  | 3.8    | 5.2  | 6.2  | 5.6  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| * DEPRESSANTS (W/O PRESCRIPTION)     | 6.4   | 7.3  | 6.8    | 10.6 | 12.5 | 11.5 | 7.4  | 9.0  | 8.2    | 6.7  | 9.1  | 7.9  | 6.5  | 6.7  | 6.7    | 7.6  | 9.1  | 8.3  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| BARBITURATES (W. PRESCRIPTION): Q14  | 8.5   | 12.9 | 10.7   | 12.3 | 14.6 | 13.4 | 15.6 | 15.6 | 15.7   | 12.2 | 14.3 | 13.2 | 11.0 | 12.9 | 11.9   | 12.0 | 14.1 | 13.0 |      |   |        |   |     |   |            |   |        |   |     |   |  |
| TRANQUILIZERS (W. PRESCRIPTION): Q23 | 5.8   | 4.9  | 5.3    | 7.4  | 7.9  | 7.6  | 6.3  | 10.7 | 8.3    | 7.8  | 5.6  | 6.7  | 7.3  | 7.6  | 7.5    | 6.9  | 7.3  | 7.1  |      |   |        |   |     |   |            |   |        |   |     |   |  |
| * DEPRESSANTS (WITH PRESCRIPTION)    | 12.9  | 15.6 | 14.3   | 16.2 | 19.0 | 17.6 | 18.3 | 20.0 | 19.2   | 16.7 | 17.8 | 17.2 | 16.5 | 17.5 | 17.2   | 16.2 | 16.0 | 17.1 |      |   |        |   |     |   |            |   |        |   |     |   |  |
| PRESCRIPTION (S/M, BARB, TRANS)      | 17.1  | 20.3 | 18.6   | 19.3 | 23.4 | 21.3 | 20.5 | 22.4 | 21.5   | 18.6 | 21.3 | 19.8 | 18.9 | 15.0 | 19.2   | 18.9 | 21.4 | 20.1 |      |   |        |   |     |   |            |   |        |   |     |   |  |

NOTES:

- REPRESENTS A COMBINATION OF DRUGS. "ANALGENTS" REFERS TO USE OF GLUE OR SOLVENTS. "ANY HALLUCINOGEN" REFERS TO USE OF LSD, PCP, OR OTHER HALLUCINOGENS. "DEPRESSANTS (W/O PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITHOUT A PRESCRIPTION. "DEPRESSANTS (WITH PRESCRIPTION)" REFERS TO USE OF BARBITURATES OR TRANQUILIZERS WITH A PRESCRIPTION. "PHRESCRIPTION (STIM, BARB, TRANQ)" REFERS TO USE OF STIMULANTS, BARBITURATES, OR TRANQUILIZERS WITH A PRESCRIPTION.

TOBACCO USERS EXCLUDE THOSE WHO ONLY TRIED ONE CIGARETTE ALCOHOL USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE REFER TO APPROPRIATE QUESTIONNAIRE ITEMS TO DETERMINE WHAT INDIVIDUAL DRUGS ARE INCLUDED WITHIN EACH CATEGORY





|                                                            | GRADE |      |        |      |      |      |      |      |        |      |      |      | ALL GRADES |      |        |      |      |      |      |   |        |   |     |   |
|------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------------|------|--------|------|------|------|------|---|--------|---|-----|---|
|                                                            | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      |            |      |        |      | 11   |      |      |   | 12     |   |     |   |
|                                                            | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE       |      | FEMALE |      | ALL  |      | MALE |   | FEMALE |   | ALL |   |
|                                                            | %     | Σ    | %      | Σ    | %    | Σ    | %    | Σ    | %      | Σ    | %    | Σ    | %          | Σ    | %      | Σ    | %    | Σ    | %    | Σ | %      | Σ | %   | Σ |
| NUMBER OF VAL ID RESPONSES TO:<br>Q7 = 2,901<br>Q8 = 2,685 |       |      |        |      |      |      |      |      |        |      |      |      |            |      |        |      |      |      |      |   |        |   |     |   |
| Q7: WEEKLY SPENDING MONEY                                  |       |      |        |      |      |      |      |      |        |      |      |      |            |      |        |      |      |      |      |   |        |   |     |   |
| LESS THAN \$5                                              | 16.4  | 18.5 | 17.5   | 16.5 | 17.0 | 16.7 | 9.7  | 8.2  | 9.0    | 8.4  | 9.1  | 8.8  | 4.0        | 8.1  | 5.9    | 11.2 | 12.6 | 11.9 |      |   |        |   |     |   |
| \$5 TO \$10                                                | 44.9  | 42.4 | 43.3   | 37.2 | 40.7 | 39.0 | 35.2 | 42.5 | 38.3   | 27.2 | 24.7 | 26.3 | 13.4       | 19.1 | 16.3   | 32.2 | 34.6 | 33.4 |      |   |        |   |     |   |
| \$10 TO \$20                                               | 20.3  | 25.7 | 23.3   | 23.9 | 25.0 | 24.7 | 28.0 | 29.9 | 29.0   | 29.3 | 29.1 | 29.0 | 27.8       | 26.3 | 27.0   | 25.8 | 27.1 | 26.5 |      |   |        |   |     |   |
| \$20 TO \$30                                               | 8.2   | 9.2  | 8.6    | 8.0  | 11.5 | 9.8  | 11.2 | 9.8  | 10.5   | 9.0  | 15.1 | 12.0 | 18.5       | 20.6 | 18.3   | 10.4 | 13.0 | 11.6 |      |   |        |   |     |   |
| \$30 TO \$50                                               | 4.9   | 2.8  | 3.8    | 5.8  | 3.0  | 4.3  | 6.9  | 4.0  | 5.7    | 12.2 | 11.7 | 11.9 | 15.2       | 10.5 | 13.3   | 8.7  | 6.1  | 7.5  |      |   |        |   |     |   |
| OVER \$50                                                  | 5.3   | 1.4  | 3.5    | 8.6  | 2.8  | 5.5  | 9.1  | 5.6  | 7.5    | 14.0 | 10.3 | 12.0 | 23.0       | 15.4 | 19.3   | 11.6 | 8.6  | 9.2  |      |   |        |   |     |   |
| Q8: TOBACCO USE IN LAST 12 MO.                             |       |      |        |      |      |      |      |      |        |      |      |      |            |      |        |      |      |      |      |   |        |   |     |   |
| NONE                                                       | 65.6  | 56.1 | 61.0   | 55.8 | 49.4 | 52.5 | 54.8 | 43.5 | 49.9   | 51.7 | 41.5 | 46.5 | 56.0       | 40.2 | 48.6   | 56.8 | 46.5 | 51.8 |      |   |        |   |     |   |
| TRIED ONE CIGARETTE                                        | 13.8  | 17.5 | 15.6   | 16.5 | 15.2 | 15.7 | 17.2 | 21.1 | 18.8   | 15.8 | 16.5 | 18.0 | 14.1       | 14.5 | 14.1   | 15.8 | 16.9 | 16.1 |      |   |        |   |     |   |
| LESS THAN 1 DAILY                                          | 5.8   | 11.0 | 8.3    | 8.1  | 12.2 | 10.2 | 8.7  | 10.5 | 9.7    | 11.9 | 13.9 | 13.0 | 6.1        | 10.3 | 8.0    | 8.1  | 11.7 | 9.9  |      |   |        |   |     |   |
| 1 TO 2 DAILY                                               | 1.3   | 4.3  | 2.7    | 2.7  | 6.0  | 4.4  | 3.6  | 3.0  | 3.4    | 1.9  | 5.9  | 3.9  | 3.3        | 4.5  | 3.9    | 2.8  | 4.8  | 3.7  |      |   |        |   |     |   |
| 3 TO 5 DAILY                                               | 4.6   | 5.9  | 5.1    | 6.2  | 4.6  | 5.4  | 4.6  | 8.0  | 6.1    | 3.9  | 7.8  | 5.8  | 3.0        | 4.8  | 4.0    | 4.5  | 6.2  | 5.3  |      |   |        |   |     |   |
| 6 TO 10 DAILY                                              | 5.2   | 4.2  | 4.7    | 4.6  | 7.3  | 6.0  | 5.3  | 7.8  | 6.4    | 4.1  | 5.1  | 4.8  | 6.1        | 10.2 | 8.0    | 5.1  | 6.8  | 5.9  |      |   |        |   |     |   |
| 11 TO 15 DAILY                                             | 2.0   | 0.4  | 1.3    | 3.2  | 3.4  | 3.3  | 2.7  | 4.6  | 3.5    | 4.0  | 4.2  | 4.1  | 3.6        | 7.7  | 5.5    | 3.1  | 3.9  | 3.5  |      |   |        |   |     |   |
| 16 TO 20 DAILY                                             | 0.9   | 0.7  | 0.8    | 1.9  | 0.9  | 1.4  | 1.6  | 1.5  | 1.5    | 5.4  | 4.6  | 5.0  | 6.2        | 6.1  | 6.4    | 3.1  | 2.6  | 2.9  |      |   |        |   |     |   |
| MORE THAN 20 DAILY                                         | 0.7   | 0.0  | 0.5    | 1.0  | 1.0  | 1.1  | 1.4  | 0.0  | 0.8    | 1.4  | 0.7  | 1.0  | 1.5        | 1.5  | 1.5    | 1.2  | 0.6  | 1.0  |      |   |        |   |     |   |

VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q9 = 2,902<br>Q10 = 2,903 | GRADE |      |        |   |     |      |      |      |        |      |      |      |      |      | ALL GRADES |      |      |      |      |   |        |   |     |   |
|------------------------------------------------------------|-------|------|--------|---|-----|------|------|------|--------|------|------|------|------|------|------------|------|------|------|------|---|--------|---|-----|---|
|                                                            | 8     |      |        |   | 9   |      |      |      | 10     |      |      |      | 11   |      |            |      | 12   |      |      |   |        |   |     |   |
|                                                            | MALE  |      | FEMALE |   | ALL |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE     |      | ALL  |      | MALE |   | FEMALE |   | ALL |   |
|                                                            | X     | %    | X      | % | X   | %    | X    | %    | X      | %    | X    | %    | X    | %    | X          | %    | X    | %    | X    | % | X      | % | X   | % |
| Q9: ALCOHOL USE IN LAST 12 MO.                             |       |      |        |   |     |      |      |      |        |      |      |      |      |      |            |      |      |      |      |   |        |   |     |   |
| NONE                                                       | 32.3  | 27.3 | 29.8   |   |     | 15.9 | 15.8 | 12.0 | 9.2    | 10.8 | 11.1 | 8.7  | 9.8  | 8.4  | 10.3       | 9.2  | 16.1 | 14.6 | 15.3 |   |        |   |     |   |
| ONE SIP                                                    | 10.7  | 12.2 | 11.5   |   |     | 8.3  | 9.6  | 1.3  | 4.5    | 2.7  | 2.6  | 3.7  | 3.1  | 1.5  | 1.7        | 1.6  | 5.5  | 6.4  | 5.9  |   |        |   |     |   |
| SPECIAL EVENTS ONLY                                        | 24.4  | 24.3 | 24.5   |   |     | 24.1 | 24.0 | 20.5 | 22.4   | 21.2 | 10.2 | 18.1 | 14.1 | 10.7 | 14.1       | 12.4 | 18.3 | 20.9 | 19.6 |   |        |   |     |   |
| ONCE MONTHLY OR LESS                                       | 13.6  | 15.8 | 14.7   |   |     | 24.6 | 21.2 | 23.2 | 25.0   | 24.0 | 25.0 | 29.8 | 27.6 | 21.6 | 29.5       | 25.1 | 20.2 | 24.7 | 22.4 |   |        |   |     |   |
| 2 TO 3 TIMES MONTHLY                                       | 10.2  | 10.0 | 10.0   |   |     | 14.6 | 15.8 | 21.0 | 26.3   | 23.4 | 23.6 | 20.7 | 22.1 | 20.1 | 23.7       | 22.3 | 18.4 | 18.6 | 18.5 |   |        |   |     |   |
| ONCE PER WEEK                                              | 4.9   | 6.6  | 5.7    |   |     | 8.0  | 8.5  | 12.3 | 8.6    | 10.8 | 15.0 | 10.4 | 12.6 | 20.4 | 13.5       | 17.1 | 12.0 | 9.2  | 10.7 |   |        |   |     |   |
| 2 OR 3 TIMES WEEKLY                                        | 2.5   | 3.0  | 2.7    |   |     | 3.3  | 3.7  | 9.2  | 4.0    | 6.9  | 11.5 | 7.6  | 9.6  | 14.2 | 6.2        | 10.4 | 8.1  | 4.7  | 6.5  |   |        |   |     |   |
| 4 OR 5 TIMES WEEKLY                                        | 0.3   | 0.0  | 0.3    |   |     | 0.9  | 0.9  | 0.3  | 0.0    | 0.1  | 0.4  | 0.7  | 0.5  | 7.1  | 0.9        | 1.5  | 0.8  | 0.5  | 0.7  |   |        |   |     |   |
| 6 TO 7 TIMES WEEKLY                                        | 0.9   | 0.7  | 0.8    |   |     | 0.3  | 0.5  | 0.3  | 0.0    | 0.2  | 0.6  | 0.4  | 0.5  | 0.7  | 0.0        | 0.4  | 0.6  | 0.3  | 0.5  |   |        |   |     |   |
| Q10: CANNABIS USE IN LAST 12 MONTHS                        |       |      |        |   |     |      |      |      |        |      |      |      |      |      |            |      |      |      |      |   |        |   |     |   |
| DON'T KNOW WHAT IT IS                                      | 13.7  | 9.4  | 11.8   |   |     | 4.9  | 5.5  | 4.7  | 3.9    | 4.4  | 4.3  | 3.5  | 3.9  | 4.6  | 5.2        | 4.8  | 6.7  | 5.4  | 6.1  |   |        |   |     |   |
| NONE                                                       | 68.0  | 75.2 | 71.3   |   |     | 67.3 | 64.1 | 59.5 | 58.0   | 58.6 | 46.5 | 52.3 | 49.3 | 51.2 | 50.5       | 51.1 | 57.6 | 61.4 | 59.3 |   |        |   |     |   |
| 1 OR 2 TIMES                                               | 7.4   | 7.7  | 7.6    |   |     | 9.7  | 12.0 | 10.5 | 13.1   | 11.7 | 14.7 | 18.9 | 17.0 | 14.4 | 16.9       | 15.4 | 12.1 | 13.0 | 12.6 |   |        |   |     |   |
| 3 TO 5 TIMES                                               | 2.6   | 2.0  | 2.3    |   |     | 5.5  | 5.1  | 4.2  | 9.4    | 6.4  | 8.8  | 5.5  | 7.1  | 8.0  | 7.3        | 7.6  | 5.4  | 5.8  | 5.6  |   |        |   |     |   |
| 6 TO 9 TIMES                                               | 2.9   | 1.1  | 2.0    |   |     | 2.7  | 3.0  | 4.8  | 6.1    | 5.3  | 3.6  | 5.1  | 4.5  | 3.6  | 3.8        | 3.7  | 3.7  | 3.7  | 3.7  |   |        |   |     |   |
| 10 TO 19 TIMES                                             | 2.1   | 2.1  | 2.3    |   |     | 2.6  | 3.6  | 3.8  | 3.7    | 3.9  | 8.8  | 5.3  | 7.0  | 4.5  | 3.9        | 4.2  | 4.7  | 3.5  | 4.2  |   |        |   |     |   |
| 20 TO 39 TIMES                                             | 1.0   | 1.4  | 1.2    |   |     | 2.8  | 2.4  | 5.4  | 2.9    | 4.5  | 1.9  | 5.0  | 3.4  | 4.1  | 3.2        | 3.9  | 2.9  | 3.0  | 3.0  |   |        |   |     |   |
| 40 OR MORE TIMES                                           | 2.3   | 1.1  | 1.7    |   |     | 4.3  | 4.3  | 7.0  | 2.9    | 5.2  | 11.5 | 4.3  | 7.8  | 9.6  | 9.1        | 9.3  | 6.8  | 4.2  | 5.5  |   |        |   |     |   |

| NUMBER OF VALID RESPONSES 10:<br>Q8(MOD) = 921<br>Q9(MOD) = 2,291<br>Q10(MOD) = 1,002 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      | ALL GRADES |     |  |
|---------------------------------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|------------|-----|--|
|                                                                                       | 8     |      |        | 9    |      |      | 10     |      |      | 11   |        |      | 12   |      |        |      |      |      |            |     |  |
|                                                                                       | MALE  |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE     | ALL |  |
|                                                                                       | Σ     | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ          | Σ   |  |
| Q8(MOD): TOBACCO USE IN LAST 12 MONTHS                                                | 28.4  | 41.7 | 35.2   | 29.2 | 34.3 | 32.0 | 31.0   | 29.6 | 31.0 | 36.4 | 32.9   | 34.5 | 20.3 | 22.8 | 21.4   | 29.3 | 31.9 | 30.7 |            |     |  |
| LESS THAN 1 CIGARETTE DAILY                                                           | 6.5   | 16.2 | 11.7   | 9.9  | 16.9 | 13.9 | 13.0   | 8.5  | 10.7 | 5.8  | 13.9   | 10.4 | 11.2 | 10.0 | 10.3   | 9.5  | 13.2 | 11.4 |            |     |  |
| 1 TO 2 DAILY                                                                          | 22.2  | 22.2 | 21.9   | 22.3 | 13.1 | 16.9 | 16.5   | 22.6 | 19.3 | 11.9 | 18.4   | 15.5 | 10.2 | 10.6 | 10.8   | 16.3 | 16.9 | 16.6 |            |     |  |
| 3 TO 5 DAILY                                                                          | 25.6  | 15.8 | 19.9   | 16.6 | 20.6 | 18.8 | 19.1   | 22.1 | 20.3 | 12.6 | 12.0   | 12.7 | 20.4 | 22.8 | 21.4   | 18.4 | 18.6 | 18.4 |            |     |  |
| 6 TO 10 DAILY                                                                         | 9.7   | 1.4  | 5.7    | 11.7 | 9.6  | 10.4 | 9.7    | 13.0 | 11.2 | 12.3 | 10.1   | 10.9 | 12.1 | 17.0 | 14.7   | 11.1 | 10.6 | 10.8 |            |     |  |
| 11 TO 15 DAILY                                                                        | 4.3   | 2.7  | 3.4    | 6.9  | 2.7  | 4.4  | 5.8    | 4.1  | 4.9  | 16.6 | 11.0   | 13.2 | 20.9 | 13.4 | 17.3   | 11.1 | 7.1  | 9.0  |            |     |  |
| 16 TO 20 DAILY                                                                        | 3.3   | 0.0  | 2.2    | 3.4  | 2.7  | 3.5  | 4.9    | 0.0  | 2.5  | 4.3  | 1.7    | 2.8  | 5.0  | 3.4  | 4.0    | 4.3  | 1.7  | 3.0  |            |     |  |
| MORE THAN 20 DAILY                                                                    |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| Q9(MOD): ALCOHOL USE IN LAST 12 MONTHS                                                |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| SPECIAL EVENTS ONLY                                                                   | 42.8  | 40.1 | 41.7   | 32.6 | 31.8 | 32.2 | 23.6   | 26.0 | 24.5 | 11.8 | 20.7   | 16.2 | 11.9 | 16.0 | 13.9   | 23.4 | 26.5 | 24.9 |            |     |  |
| ONCE MONTHLY OR LESS                                                                  | 23.9  | 26.2 | 25.0   | 24.3 | 32.4 | 28.4 | 26.8   | 29.0 | 27.7 | 28.9 | 34.0   | 31.7 | 24.0 | 33.5 | 28.1   | 25.8 | 31.3 | 28.4 |            |     |  |
| 2 TO 3 TIMES MONTHLY                                                                  | 18.0  | 16.8 | 17.1   | 23.6 | 19.2 | 21.2 | 24.2   | 30.5 | 27.0 | 27.4 | 23.6   | 25.4 | 22.4 | 27.0 | 25.0   | 23.5 | 23.5 | 23.5 |            |     |  |
| ONCE PER WEEK                                                                         | 8.7   | 10.9 | 9.7    | 11.6 | 10.6 | 11.4 | 14.1   | 9.9  | 12.4 | 17.4 | 11.9   | 14.4 | 22.7 | 15.3 | 19.1   | 15.3 | 11.7 | 13.5 |            |     |  |
| 2 OR 3 TIMES WEEKLY                                                                   | 4.4   | 5.0  | 4.6    | 5.6  | 4.4  | 4.9  | 10.6   | 4.6  | 8.0  | 13.3 | 8.6    | 11.1 | 15.8 | 7.1  | 11.7   | 10.3 | 6.0  | 8.2  |            |     |  |
| 4 OR 5 TIMES WEEKLY                                                                   | 0.6   | 0.0  | 0.6    | 1.3  | 1.2  | 1.2  | 0.3    | 0.0  | 0.2  | 0.5  | 0.7    | 0.6  | 2.4  | 1.0  | 1.7    | 1.0  | 0.6  | 0.9  |            |     |  |
| 6 TO 7 TIMES WEEKLY                                                                   | 1.7   | 1.2  | 1.4    | 1.0  | 0.4  | 0.7  | 0.4    | 0.0  | 0.2  | 0.7  | 0.4    | 0.6  | 0.8  | 0.0  | 0.4    | 0.8  | 0.4  | 0.6  |            |     |  |
| Q10(MOD): CANNABIS USE IN LAST 12 MONTHS                                              |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |            |     |  |
| 1 OR 2 TIMES                                                                          | 40.2  | 50.1 | 44.7   | 43.5 | 34.9 | 39.5 | 29.5   | 34.4 | 31.7 | 29.8 | 42.7   | 36.4 | 32.5 | 38.2 | 35.0   | 34.0 | 39.1 | 36.5 |            |     |  |
| 3 TO 5 TIMES                                                                          | 14.1  | 13.2 | 13.4   | 13.5 | 19.8 | 16.8 | 11.7   | 24.7 | 17.3 | 17.8 | 12.5   | 15.1 | 18.0 | 16.7 | 17.2   | 15.2 | 17.5 | 16.2 |            |     |  |
| 6 TO 9 TIMES                                                                          | 16.0  | 7.0  | 11.7   | 9.8  | 9.9  | 9.7  | 13.4   | 16.0 | 14.4 | 7.3  | 11.6   | 9.7  | 8.2  | 8.6  | 8.4    | 10.3 | 11.1 | 10.7 |            |     |  |
| 10 TO 19 TIMES                                                                        | 11.7  | 13.8 | 13.4   | 14.4 | 9.4  | 11.9 | 10.6   | 9.7  | 10.6 | 17.9 | 12.0   | 14.9 | 10.2 | 8.9  | 9.5    | 13.2 | 10.5 | 12.0 |            |     |  |
| 20 TO 39 TIMES                                                                        | * 5.6 | 8.8  | 6.9    | 5.8  | 10.3 | 7.8  | 15.2   | 7.5  | 12.0 | 3.8  | 11.3   | 7.3  | 9.3  | 7.3  | 8.8    | 8.2  | 9.2  | 8.7  |            |     |  |
| 40 OR MORE TIMES                                                                      | 12.5  | 7.0  | 9.9    | 13.0 | 15.7 | 14.2 | 19.5   | 7.7  | 14.0 | 23.4 | 9.8    | 16.6 | 21.8 | 20.5 | 21.1   | 19.0 | 12.6 | 15.9 |            |     |  |

NOTE: Q8(WDD), Q9(WDD), AND Q10(WDD) ARE MODIFIED RESPONSE SETS FOR Q8, Q9, AND Q10, RESPECTIVELY, AND INCLUDE ONLY THOSE WHO USED THESE DRUGS DURING THE LAST 12 MONTHS. TOBACCO USERS EXCLUDE THOSE WHO ONLY HAD A SIP OF ALCOHOL TO SEE WHAT IT WAS LIKE

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q11 = 2,900<br>Q12 = 2,897 | GRADE |      |        |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        | ALL GRADES |      |   |        |     |
|-------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------------|------|---|--------|-----|
|                                                             | 8     |      |        | 9    |      |        | 10   |      |      | 11     |      |      | 12   |        |      |      |      |        |            |      |   |        |     |
|                                                             | MALE  |      | FEMALE | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL  | MALE |      | FEMALE | ALL        | MALE |   | FEMALE | ALL |
|                                                             | Z     |      | Z      |      | Z    |        | Z    |      | Z    |        | Z    |      | Z    |        | Z    |      | Z    |        | Z          |      | Z |        |     |
|                                                             |       |      |        |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |      |   |        |     |
| Q11: GLUE USE IN LAST 12 MO.                                |       |      |        |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |      |   |        |     |
| NONE                                                        | 96.4  | 96.8 | 96.5   | 94.6 | 95.5 | 95.1   | 97.5 | 97.5 | 97.6 | 98.4   | 98.9 | 98.7 | 98.9 | 98.6   | 98.8 | 97.1 | 97.4 | 97.2   |            |      |   |        |     |
| 1 OR 2 TIMES                                                | 2.0   | 2.1  | 2.3    | 4.1  | 3.1  | 3.6    | 2.2  | 1.6  | 1.9  | 0.6    | 1.1  | 0.8  | 0.7  | 1.4    | 1.0  | 2.1  | 1.9  | 2.0    |            |      |   |        |     |
| 3 TO 5 TIMES                                                | 0.7   | 0.7  | 0.7    | 0.3  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.3  | 0.0    | 0.2  | 0.3  | 0.1  | 0.2    |            |      |   |        |     |
| 6 TO 9 TIMES                                                | 0.3   | 0.0  | 0.2    | 0.0  | 0.3  | 0.2    | 0.3  | 0.9  | 0.5  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.1  | 0.2  | 0.2    |            |      |   |        |     |
| 10 TO 19 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    |            |      |   |        |     |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    |            |      |   |        |     |
| 40 OR MORE TIMES                                            | 0.0   | 0.4  | 0.3    | 1.0  | 1.0  | 1.0    | 0.0  | 0.0  | 0.0  | 1.0    | 0.0  | 0.5  | 0.0  | 0.0    | 0.0  | 0.4  | 0.3  | 0.4    |            |      |   |        |     |
| Q12: SOLVENT USE IN LAST 12 MO                              |       |      |        |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |            |      |   |        |     |
| NONE                                                        | 95.1  | 93.8 | 94.4   | 93.8 | 91.6 | 92.7   | 97.6 | 96.7 | 97.2 | 97.5   | 98.2 | 97.9 | 98.9 | 98.6   | 98.8 | 96.5 | 95.5 | 96.0   |            |      |   |        |     |
| 1 OR 2 TIMES                                                | 3.6   | 4.0  | 3.9    | 2.9  | 5.2  | 4.1    | 2.1  | 2.4  | 2.2  | 1.9    | 1.8  | 1.8  | 0.7  | 0.5    | 0.6  | 2.3  | 3.0  | 2.6    |            |      |   |        |     |
| 3 TO 5 TIMES                                                | 1.0   | 1.0  | 1.0    | 0.7  | 0.9  | 0.8    | 0.0  | 0.9  | 0.4  | 0.0    | 0.0  | 0.0  | 0.4  | 0.0    | 0.2  | 0.4  | 0.6  | 0.5    |            |      |   |        |     |
| 6 TO 9 TIMES                                                | 0.4   | 0.4  | 0.4    | 0.3  | 1.0  | 0.7    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.5    | 0.2  | 0.1  | 0.4  | 0.3    |            |      |   |        |     |
| 10 TO 19 TIMES                                              | 0.0   | 0.7  | 0.4    | 0.7  | 0.0  | 0.3    | 0.0  | 0.0  | 0.0  | 0.3    | 0.0  | 0.1  | 0.0  | 0.0    | 0.0  | 0.2  | 0.2  | 0.2    |            |      |   |        |     |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.3  | 0.0  | 0.1    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.1  | 0.0  | 0.0    |            |      |   |        |     |
| 40 OR MORE TIMES                                            | 0.0   | 0.0  | 0.0    | 1.4  | 1.3  | 1.4    | 0.3  | 0.0  | 0.2  | 0.3    | 0.0  | 0.2  | 0.0  | 0.4    | 0.2  | 0.4  | 0.4  | 0.4    |            |      |   |        |     |

## VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q13 = 2,912<br>Q14 = 2,697 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |      |      |        |   |
|-------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|------|------|--------|---|
|                                                             | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      | 12   |      |        |      |            |      |      |      |        |   |
|                                                             | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      |            |      | MALE |      | FEMALE |   |
|                                                             | %     | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    | %    | N    | %      | N    |            |      | %    | N    | %      | N |
| Q13: BARBITURATE USE WITHOUT PRESC. IN LAST 12 MONTHS       | 35.8  | 41.3 | 38.6   | 28.6 | 31.1 | 29.8 | 22.4   | 29.1 | 25.2 | 27.4 | 26.0   | 26.6 | 26.6 | 26.6 | 26.6   | 26.6 | 26.6 | 26.6 | 26.6   | 26.6 | 26.6       | 26.6 | 26.6 | 26.6 |        |   |
| DON'T KNOW WHAT IT IS                                       | 61.4  | 54.2 | 57.8   | 65.6 | 61.7 | 63.7 | 73.5   | 63.9 | 69.5 | 69.5 | 69.9   | 69.8 | 68.9 | 69.6 | 69.3   | 69.3 | 68.9 | 69.3 | 67.8   | 63.5 | 65.8       | 65.8 | 65.8 |      |        |   |
| NONE                                                        | 1.6   | 2.4  | 2.0    | 4.6  | 4.4  | 4.5  | 2.6    | 3.6  | 3.0  | 1.4  | 2.3    | 1.8  | 3.2  | 1.4  | 2.5    | 2.7  | 2.9  | 2.9  | 2.9    | 2.8  | 2.8        | 2.8  | 2.8  |      |        |   |
| 1 TO 2 TIMES                                                | 0.9   | 1.0  | 0.9    | 0.0  | 0.6  | 0.3  | 0.7    | 0.9  | 0.8  | 0.4  | 1.0    | 0.7  | 0.6  | 1.4  | 0.9    | 0.5  | 0.9  | 0.7  | 0.7    | 0.7  | 0.7        | 0.7  | 0.7  |      |        |   |
| 3 TO 5 TIMES                                                | 0.0   | 0.4  | 0.2    | 0.3  | 0.6  | 0.5  | 0.0    | 1.2  | 0.5  | 0.4  | 0.8    | 0.6  | 0.3  | 0.0  | 0.1    | 0.2  | 0.6  | 0.5  | 0.2    | 0.3  | 0.3        | 0.3  | 0.3  |      |        |   |
| 6 TO 9 TIMES                                                | 0.3   | 0.0  | 0.2    | 0.3  | 0.3  | 0.3  | 0.9    | 0.0  | 0.5  | 0.4  | 0.0    | 0.2  | 0.4  | 0.8  | 0.6    | 0.5  | 0.2  | 0.3  | 0.1    | 0.1  | 0.1        | 0.1  | 0.1  |      |        |   |
| 10 TO 19 TIMES                                              | 0.0   | 0.3  | 0.2    | 0.0  | 0.3  | 0.2  | 0.0    | 0.8  | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0  | 0.0  |      |        |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.3  | 0.2    | 0.7  | 1.0  | 0.8  | 0.0    | 0.4  | 0.2  | 0.6  | 0.0    | 0.3  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0  | 0.0  |      |        |   |
| 40 OR MORE TIMES                                            | 0.0   | 0.3  | 0.2    | 0.7  | 1.0  | 0.8  | 0.0    | 0.4  | 0.2  | 0.6  | 0.0    | 0.3  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0  | 0.0  |      |        |   |
| Q14: BARBITURATE USE WITH PRESC. IN LAST 12 MONTHS          | 34.1  | 42.4 | 38.1   | 27.5 | 29.7 | 28.5 | 23.2   | 28.7 | 25.4 | 25.7 | 24.9   | 25.3 | 25.8 | 28.2 | 26.7   | 27.2 | 30.9 | 28.9 | 28.9   | 28.9 | 28.9       | 28.9 | 28.9 |      |        |   |
| DON'T KNOW WHAT IT IS                                       | 57.4  | 44.7 | 51.2   | 60.2 | 55.8 | 58.1 | 61.2   | 55.7 | 58.9 | 62.1 | 60.8   | 61.6 | 63.2 | 59.0 | 61.4   | 60.8 | 55.0 | 58.1 | 58.1   | 58.1 | 58.1       | 58.1 | 58.1 |      |        |   |
| NONE                                                        | 7.5   | 7.4  | 7.4    | 7.9  | 8.1  | 8.0  | 9.2    | 8.6  | 9.0  | 8.0  | 8.2    | 8.0  | 7.2  | 9.4  | 8.3    | 8.0  | 8.3  | 8.1  | 8.1    | 8.1  | 8.1        | 8.1  | 8.1  |      |        |   |
| 1 TO 2 TIMES                                                | 0.6   | 3.1  | 1.8    | 1.9  | 3.1  | 2.5  | 2.3    | 4.2  | 3.1  | 1.1  | 4.3    | 2.7  | 1.0  | 2.0  | 1.4    | 1.4  | 3.3  | 2.3  | 2.3    | 2.3  | 2.3        | 2.3  | 2.3  |      |        |   |
| 3 TO 5 TIMES                                                | 0.3   | 0.0  | 0.2    | 1.3  | 1.4  | 1.4  | 1.6    | 0.8  | 1.2  | 0.4  | 0.0    | 0.2  | 0.7  | 1.6  | 1.1    | 0.9  | 0.7  | 0.8  | 0.8    | 0.8  | 0.8        | 0.8  |      |      |        |   |
| 6 TO 9 TIMES                                                | 0.0   | 1.4  | 0.7    | 0.8  | 0.7  | 0.6  | 0.3    | 0.4  | 0.3  | 0.7  | 1.5    | 1.1  | 1.0  | 0.0  | 0.5    | 0.5  | 0.8  | 0.6  | 0.6    | 0.6  | 0.6        | 0.6  |      |      |        |   |
| 10 TO 19 TIMES                                              | 0.0   | 0.7  | 0.5    | 0.3  | 0.3  | 0.3  | 1.3    | 0.8  | 1.1  | 0.8  | 0.0    | 0.4  | 1.1  | 0.0  | 0.6    | 0.7  | 0.4  | 0.6  | 0.4    | 0.4  | 0.4        | 0.4  |      |      |        |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.3  | 0.1    | 0.3  | 1.0  | 0.7  | 0.9    | 0.9  | 0.9  | 1.3  | 0.3    | 0.8  | 0.0  | 0.0  | 0.0    | 0.5  | 0.5  | 0.5  | 0.5    | 0.5  | 0.5        | 0.5  |      |      |        |   |
| 40 OR MORE TIMES                                            | 0.0   | 0.3  | 0.1    | 0.3  | 1.0  | 0.7  | 0.9    | 0.9  | 0.9  | 1.3  | 0.3    | 0.8  | 0.0  | 0.0  | 0.0    | 0.5  | 0.5  | 0.5  | 0.5    | 0.5  | 0.5        | 0.5  |      |      |        |   |



## VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q17 = 2,900<br>Q18 = 2,902 | GRADE |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      | ALL GRADES |        |    |     |      |   |        |      |     |
|-------------------------------------------------------------|-------|------|--------|------|------|------|------|--------|------|------|------|------|--------|------|------|------|------------|--------|----|-----|------|---|--------|------|-----|
|                                                             | 8     |      |        |      | 9    |      |      |        | 10   |      |      |      | 11     |      |      |      |            |        | 12 |     |      |   |        |      |     |
|                                                             | MALE  |      | FEMALE |      | ALL  | MALE |      | FEMALE |      | ALL  | MALE |      | FEMALE |      | ALL  | MALE |            | FEMALE |    | ALL | MALE |   | FEMALE |      | ALL |
|                                                             | %     | %    | %      | %    | %    | %    | %    | %      | %    | %    | %    | %    | %      | %    | %    | %    | %          | %      | %  | %   | %    | % | %      | %    |     |
| Q17: COCAINE USE IN LAST 12 MO.                             |       |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |            |        |    |     |      |   |        |      |     |
| DON'T KNOW WHAT IT IS                                       |       |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |            |        |    |     |      |   |        |      |     |
| NONE                                                        | 5.3   | 4.7  | 5.3    | 3.2  | 2.0  | 2.6  | 2.3  | 1.5    | 1.9  |      |      |      |        |      |      |      | 2.2        | 2.8    |    |     |      |   | 2.5    | 2.8  |     |
| 1 TO 2 TIMES                                                | 89.8  | 92.8 | 90.9   | 88.4 | 93.8 | 91.2 | 92.4 | 90.8   | 91.7 | 87.3 | 92.3 | 89.9 | 87.9   | 87.2 | 87.5 | 89.3 | 91.6       | 90.4   |    |     |      |   | 91.6   | 90.4 |     |
| 3 TO 5 TIMES                                                | 2.9   | 1.4  | 2.3    | 4.7  | 1.6  | 3.1  | 3.2  | 5.2    | 4.0  | 7.2  | 5.1  | 6.1  | 7.0    | 3.4  | 5.3  | 4.9  | 3.2        | 4.1    |    |     |      |   | 3.2    | 4.1  |     |
| 6 TO 9 TIMES                                                | 1.4   | 0.0  | 0.7    | 1.7  | 2.0  | 1.9  | 1.5  | 1.3    | 1.4  | 1.5  | 0.7  | 1.0  | 1.6    | 3.1  | 2.4  | 1.6  | 1.4        | 1.5    |    |     |      |   | 1.4    | 1.5  |     |
| 10 TO 19 TIMES                                              | 0.0   | 0.7  | 0.3    | 0.4  | 0.0  | 0.2  | 0.0  | 0.4    | 0.2  | 1.6  | 0.6  | 1.1  | 0.3    | 1.2  | 0.9  | 0.4  | 0.5        | 0.5    |    |     |      |   | 0.4    | 0.5  |     |
| 20 TO 39 TIMES                                              | 0.4   | 0.0  | 0.2    | 1.0  | 0.3  | 0.7  | 0.6  | 0.9    | 0.7  | 0.0  | 0.0  | 0.0  | 0.4    | 0.9  | 0.6  | 0.5  | 0.4        | 0.4    |    |     |      |   | 0.5    | 0.4  |     |
| 40 OR MORE TIMES                                            | 0.0   | 0.0  | 0.0    | 0.3  | 0.0  | 0.1  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0  | 0.2  | 0.4    | 0.5  | 0.4  | 0.2  | 0.1        | 0.1    |    |     |      |   | 0.2    | 0.1  |     |
|                                                             | 0.3   | 0.4  | 0.3    | 0.3  | 0.3  | 0.3  | 0.0  | 0.0    | 0.0  | 0.6  | 0.4  | 0.5  | 0.0    | 0.4  | 0.2  | 0.2  | 0.3        | 0.3    |    |     |      |   | 0.2    | 0.3  |     |
| Q18: CRACK USE IN LAST 12 MO.                               |       |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |            |        |    |     |      |   |        |      |     |
| DON'T KNOW WHAT IT IS                                       |       |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |            |        |    |     |      |   |        |      |     |
| NONE                                                        | 12.9  | 14.7 | 14.1   | 6.2  | 8.4  | 7.3  | 5.7  | 7.7    | 6.5  | 6.7  | 7.5  | 7.1  | 4.3    | 15.0 | 9.4  | 7.2  | 10.5       | 8.8    |    |     |      |   |        |      |     |
| 1 TO 2 TIMES                                                | 85.1  | 84.6 | 84.6   | 89.8 | 89.7 | 89.8 | 91.9 | 91.0   | 91.6 | 90.5 | 91.8 | 91.2 | 95.0   | 85.0 | 90.3 | 90.4 | 88.5       | 89.5   |    |     |      |   |        |      |     |
| 3 TO 5 TIMES                                                | 1.3   | 0.0  | 0.6    | 1.7  | 1.3  | 1.5  | 1.5  | 0.9    | 1.2  | 1.5  | 0.7  | 1.1  | 0.7    | 0.0  | 0.4  | 1.4  | 0.6        | 1.0    |    |     |      |   |        |      |     |
| 6 TO 9 TIMES                                                | 0.7   | 0.4  | 0.5    | 1.0  | 0.3  | 0.7  | 0.9  | 0.5    | 0.7  | 0.6  | 0.0  | 0.3  | 0.0    | 0.0  | 0.0  | 0.7  | 0.2        | 0.5    |    |     |      |   |        |      |     |
| 10 TO 19 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.4  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.1  | 0.0        | 0.0    |    |     |      |   |        |      |     |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.3  | 0.0  | 0.1  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.1  | 0.0        | 0.0    |    |     |      |   |        |      |     |
| 40 OR MORE TIMES                                            | 0.0   | 0.3  | 0.2    | 0.6  | 0.3  | 0.5  | 0.0  | 0.0    | 0.0  | 0.3  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.2  | 0.1        | 0.2    |    |     |      |   |        |      |     |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q19 = 2,910<br>Q20 = 2,902 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |   |      |   |        |   |     |   |
|-------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|---|------|---|--------|---|-----|---|
|                                                             | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      |            |      | 12     |   |      |   |        |   |     |   |
|                                                             | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE       |      | FEMALE |   | MALE |   | FEMALE |   | ALL |   |
|                                                             | X     | Z    | X      | Z    | X    | Z    | X      | Z    | X    | Z    | X      | Z    | X    | Z    | X      | Z    | X          | Z    | X      | Z | X    | Z | X      | Z | X   | Z |
| Q19: BINDRO USE IN LAST 12 MO.                              |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |      |   |        |   |     |   |
| DON'T KNOW WHAT IT IS                                       | 42.6  | 48.8 | 45.8   | 43.8 | 43.6 | 43.5 | 38.6   | 46.3 | 41.9 | 53.8 | 51.7   | 52.8 | 54.0 | 58.2 | 55.7   | 46.0 | 49.3       | 47.5 |        |   |      |   |        |   |     |   |
| NONE                                                        | 56.1  | 50.6 | 53.2   | 54.9 | 56.1 | 55.7 | 80.7   | 53.4 | 57.6 | 45.4 | 48.3   | 46.8 | 46.0 | 41.8 | 44.3   | 53.1 | 50.5       | 51.9 |        |   |      |   |        |   |     |   |
| 1 TO 2 TIMES                                                | 1.0   | 0.7  | 0.8    | 0.9  | 0.0  | 0.5  | 0.0    | 0.4  | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.4  | 0.2        | 0.3  |        |   |      |   |        |   |     |   |
| 3 TO 5 TIMES                                                | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.7    | 0.0  | 0.4  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.2        | 0.0  | 0.1    |   |      |   |        |   |     |   |
| 6 TO 9 TIMES                                                | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0  | 0.0    |   |      |   |        |   |     |   |
| 10 TO 19 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0  | 0.0    |   |      |   |        |   |     |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0  | 0.0    |   |      |   |        |   |     |   |
| 40 OR MORE TIMES                                            | 0.3   | 0.0  | 0.2    | 0.3  | 0.3  | 0.3  | 0.0    | 0.0  | 0.0  | 0.7  | 0.0    | 0.4  | 0.0  | 0.0  | 0.0    | 0.3  | 0.1        | 0.2  |        |   |      |   |        |   |     |   |
| Q20: STIMULANT USE WITHOUT PRESC. IN LAST 12 MONTHS         |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |   |      |   |        |   |     |   |
| DON'T KNOW WHAT IT IS                                       | 12.8  | 14.0 | 13.7   | 7.5  | 6.5  | 7.0  | 6.8    | 3.5  | 5.4  | 6.7  | 5.0    | 6.0  | 5.6  | 6.3  | 5.9    | 7.9  | 7.1        | 7.6  |        |   |      |   |        |   |     |   |
| NONE                                                        | 81.3  | 78.4 | 79.7   | 83.7 | 77.2 | 80.4 | 86.2   | 91.1 | 83.9 | 84.8 | 82.3   | 83.4 | 87.8 | 87.0 | 87.5   | 84.7 | 80.8       | 82.8 |        |   |      |   |        |   |     |   |
| 1 TO 2 TIMES                                                | 2.3   | 4.1  | 3.1    | 6.4  | 9.7  | 8.1  | 3.7    | 9.7  | 6.2  | 4.9  | 8.1    | 6.5  | 4.7  | 3.3  | 4.0    | 4.4  | 7.1        | 5.7  |        |   |      |   |        |   |     |   |
| 3 TO 5 TIMES                                                | 2.3   | 1.4  | 1.8    | 0.6  | 2.0  | 1.3  | 1.8    | 2.8  | 2.3  | 2.6  | 2.9    | 2.7  | 0.7  | 1.2  | 0.9    | 1.6  | 2.1        | 1.8  |        |   |      |   |        |   |     |   |
| 6 TO 9 TIMES                                                | 0.3   | 0.4  | 0.3    | 0.8  | 1.0  | 0.9  | 1.0    | 0.8  | 0.9  | 0.4  | 1.0    | 0.7  | 0.3  | 0.9  | 0.6    | 0.6  | 0.8        | 0.7  |        |   |      |   |        |   |     |   |
| 10 TO 19 TIMES                                              | 0.7   | 1.1  | 0.8    | 0.3  | 1.6  | 1.0  | 0.0    | 1.7  | 0.7  | 0.0  | 0.0    | 0.0  | 0.4  | 1.3  | 0.8    | 0.3  | 1.1        | 0.7  |        |   |      |   |        |   |     |   |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 1.0  | 0.5  | 0.3    | 0.9  | 0.6  | 0.0  | 0.7    | 0.4  | 0.0  | 0.0  | 0.0    | 0.1  | 0.5        | 0.3  |        |   |      |   |        |   |     |   |
| 40 OR MORE TIMES                                            | 0.4   | 0.7  | 0.5    | 0.7  | 1.0  | 0.8  | 0.0    | 0.0  | 0.0  | 0.6  | 0.0    | 0.3  | 0.4  | 0.0  | 0.2    | 0.4  | 0.4        | 0.4  |        |   |      |   |        |   |     |   |

NOTE: "BINDRO" IS A FICTITIOUS DRUG IT WAS INCLUDED AS A QUESTIONNAIRE ITEM FOR PURPOSES OF EXAMINING RESPONSE VALIDITY

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q21 = 2,893<br>Q22 = 2,889 | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |     |   |      |        |     |
|-------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|-----|---|------|--------|-----|
|                                                             | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      | 12         |        |     |   | MALE | FEMALE | ALL |
|                                                             | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL | % |      |        |     |
| Q21: STIMULANT USE WITH PRESC. IN LAST 12 MONTHS            |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |      |        |     |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |      |        |     |
| NONE                                                        | 13.5  | 17.9   | 16.0 | 9.8  | 8.8  | 9.2    | 8.8  | 5.0  | 7.1  | 4.5    | 5.9  | 4.4  | 6.5  | 5.3    | 5.3  | 6.8  | 8.7        | 8.9    |     |   |      |        |     |
| 1 TO 2 TIMES                                                | 79.2  | 73.9   | 76.3 | 81.1 | 83.3 | 82.3   | 84.7 | 87.1 | 85.7 | 87.4   | 88.9 | 88.0 | 91.5 | 87.5   | 89.6 | 84.6 | 83.9       | 84.1   |     |   |      |        |     |
| 3 TO 5 TIMES                                                | 4.3   | 5.9    | 5.0  | 5.0  | 5.7  | 5.3    | 4.6  | 5.4  | 5.1  | 2.9    | 5.1  | 4.0  | 1.5  | 3.8    | 2.6  | 3.7  | 5.2        | 4.5    |     |   |      |        |     |
| 6 TO 9 TIMES                                                | 1.6   | 1.3    | 1.5  | 2.5  | 0.6  | 1.6    | 1.0  | 0.9  | 0.9  | 1.1    | 0.7  | 0.9  | 1.0  | 1.7    | 1.3  | 1.5  | 1.0        | 1.2    |     |   |      |        |     |
| 10 TO 19 TIMES                                              | 0.7   | 0.4    | 0.5  | 0.4  | 0.3  | 0.3    | 0.0  | 0.0  | 0.0  | 0.0    | 0.4  | 0.2  | 0.3  | 0.0    | 0.2  | 0.3  | 0.2        | 0.2    |     |   |      |        |     |
| 20 TO 39 TIMES                                              | 0.0   | 0.3    | 0.2  | 0.0  | 0.3  | 0.2    | 0.9  | 0.4  | 0.7  | 0.4    | 0.4  | 0.4  | 0.6  | 0.4    | 0.5  | 0.4  | 0.4        | 0.4    |     |   |      |        |     |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 0.6  | 0.3  | 0.5    | 0.0  | 0.8  | 0.3  | 0.4    | 0.0  | 0.2  | 0.7  | 0.0    | 0.5  | 0.3  | 0.2        | 0.3    |     |   |      |        |     |
|                                                             | 0.7   | 0.4    | 0.5  | 0.6  | 0.6  | 0.6    | 0.0  | 0.4  | 0.2  | 0.7    | 0.0  | 0.3  | 0.0  | 0.0    | 0.0  | 0.4  | 0.3        | 0.4    |     |   |      |        |     |
| Q22: TRANQUILIZER USE WITHOUT PRESC. IN LAST 12 MONTHS      |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |      |        |     |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |      |        |     |
| NONE                                                        | 9.0   | 7.1    | 8.4  | 5.8  | 3.5  | 4.5    | 6.5  | 4.0  | 5.4  | 4.3    | 1.7  | 3.0  | 3.6  | 2.6    | 3.1  | 5.9  | 3.8        | 4.9    |     |   |      |        |     |
| 1 TO 2 TIMES                                                | 86.2  | 88.1   | 86.8 | 87.0 | 87.9 | 87.5   | 88.7 | 91.5 | 89.8 | 90.0   | 91.0 | 90.6 | 93.3 | 92.7   | 93.1 | 88.9 | 90.0       | 89.4   |     |   |      |        |     |
| 3 TO 5 TIMES                                                | 2.7   | 3.4    | 3.0  | 3.7  | 4.8  | 4.2    | 3.8  | 2.0  | 3.0  | 3.5    | 4.0  | 3.7  | 2.0  | 3.1    | 2.5  | 3.2  | 3.5        | 3.3    |     |   |      |        |     |
| 6 TO 9 TIMES                                                | 1.3   | 1.1    | 1.2  | 2.2  | 1.0  | 1.5    | 0.3  | 1.2  | 0.7  | 0.4    | 1.6  | 1.0  | 0.7  | 1.6    | 1.1  | 1.0  | 1.3        | 1.1    |     |   |      |        |     |
| 10 TO 19 TIMES                                              | 0.4   | 0.0    | 0.2  | 0.0  | 1.0  | 0.5    | 0.0  | 0.5  | 0.2  | 0.8    | 1.3  | 1.1  | 0.4  | 0.0    | 0.2  | 0.3  | 0.6        | 0.4    |     |   |      |        |     |
| 20 TO 39 TIMES                                              | 0.0   | 0.0    | 0.0  | 0.4  | 1.0  | 0.7    | 0.3  | 0.4  | 0.5  | 0.4    | 0.3  | 0.3  | 0.0  | 0.0    | 0.0  | 0.2  | 0.4        | 0.3    |     |   |      |        |     |
| 40 OR MORE TIMES                                            | 0.0   | 0.4    | 0.2  | 0.3  | 0.3  | 0.3    | 0.3  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.1        | 0.1    |     |   |      |        |     |
|                                                             | 0.4   | 0.0    | 0.2  | 0.7  | 0.7  | 0.7    | 0.7  | 0.0  | 0.2  | 0.6    | 0.0  | 0.3  | 0.0  | 0.0    | 0.0  | 0.3  | 0.2        | 0.3    |     |   |      |        |     |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q23 = 2,490<br>Q24 = 2,902 | GRADE |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      | ALL GRADES |      |        |      |
|-------------------------------------------------------------|-------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------------|------|--------|------|
|                                                             | 8     |      |        |      | 9    |      |        |      | 10   |      |        |      | 11   |      |        |      | 12         |      |        |      |
|                                                             | MALE  |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE       |      | FEMALE |      |
|                                                             | X     | Z    | X      | Z    | X    | Z    | X      | Z    | X    | Z    | X      | Z    | X    | Z    | X      | Z    | X          | Z    | X      | Z    |
| Q23: TRANQUILIZER USE WITH<br>PRESC. IN LAST 12 MONTHS      |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |
| DON'T KNOW WHAT IT IS                                       | 9.0   | 7.8  | 8.8    |      | 6.1  | 3.8  | 4.8    |      | 6.5  | 3.7  | 5.2    |      | 4.8  | 1.3  | 3.0    |      | 2.9        | 3.4  | 3.1    | 5.1  |
| NONE                                                        | 85.2  | 87.3 | 86.0   | 86.5 | 88.4 | 87.6 | 85.6   | 86.4 | 87.4 | 85.6 | 86.4   | 87.4 | 89.0 | 89.4 | 89.0   | 89.3 | 87.2       | 88.7 | 87.9   | 87.9 |
| 1 TO 2 TIMES                                                | 4.8   | 3.8  | 4.2    | 5.4  | 4.7  | 5.0  | 3.1    | 7.9  | 5.3  | 5.3  | 4.3    | 4.7  | 5.5  | 4.8  | 5.1    | 4.7  | 5.0        | 4.9  | 5.0    | 4.9  |
| 3 TO 5 TIMES                                                | 0.3   | 0.4  | 0.3    | 0.7  | 1.5  | 1.1  | 1.9    | 0.8  | 1.4  | 0.7  | 0.4    | 0.5  | 0.4  | 1.0  | 0.6    | 0.8  | 0.8        | 0.8  | 0.8    | 0.8  |
| 6 TO 9 TIMES                                                | 0.0   | 0.0  | 0.0    | 0.3  | 0.3  | 0.3  | 0.3    | 1.3  | 0.7  | 0.3  | 0.7    | 0.5  | 0.4  | 0.8  | 0.5    | 0.3  | 0.6        | 0.4  | 0.6    | 0.4  |
| 10 TO 19 TIMES                                              | 0.0   | 0.7  | 0.3    | 0.3  | 0.7  | 0.5  | 1.0    | 0.8  | 0.9  | 1.1  | 0.0    | 0.5  | 0.4  | 0.3  | 0.5    | 0.6  | 0.5        | 0.5  | 0.6    | 0.6  |
| 20 TO 39 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.1  | 0.1        | 0.1  | 0.1    | 0.1  |
| 40 OR MORE TIMES                                            | 0.7   | 0.0  | 0.4    | 0.7  | 0.6  | 0.7  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.4  | 0.3  | 0.4  | 0.3    | 0.1  | 0.4        | 0.3  | 0.3    | 0.3  |
| Q24: PCP USE IN LAST 12 MONTHS                              |       |      |        |      |      |      |        |      |      |      |        |      |      |      |        |      |            |      |        |      |
| DON'T KNOW WHAT IT IS                                       | 10.8  | 16.1 | 13.9   |      | 8.1  | 7.9  | 7.9    |      | 8.0  | 5.7  | 7.1    |      | 6.4  | 4.8  | 5.5    |      | 5.6        | 7.8  | 6.6    | 8.3  |
| NONE                                                        | 86.7  | 82.5 | 84.0   | 88.3 | 89.9 | 89.2 | 90.1   | 92.3 | 91.0 | 91.5 | 91.0   | 91.5 | 93.2 | 92.4 | 93.6   | 91.9 | 92.8       | 89.9 | 89.8   | 89.8 |
| 1 TO 2 TIMES                                                | 1.2   | 0.4  | 1.0    | 2.3  | 1.9  | 2.1  | 1.5    | 1.3  | 1.4  | 1.4  | 1.4    | 1.4  | 2.1  | 1.8  | 0.8    | 0.4  | 0.6        | 1.5  | 1.3    | 1.4  |
| 3 TO 5 TIMES                                                | 0.7   | 0.0  | 0.3    | 0.7  | 0.0  | 0.3  | 0.3    | 0.0  | 0.2  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.4  | 0.0    | 0.2  |
| 6 TO 9 TIMES                                                | 0.7   | 0.7  | 0.7    | 0.0  | 0.0  | 0.0  | 0.0    | 0.3  | 0.1  | 0.0  | 0.3    | 0.1  | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.1  | 0.2    | 0.2  |
| 10 TO 19 TIMES                                              | 0.0   | 0.0  | 0.0    | 0.3  | 0.0  | 0.1  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.1  | 0.0    | 0.0  |
| 20 TO 39 TIMES                                              | 0.0   | 0.3  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.0  | 0.1    | 0.0  |
| 40 OR MORE TIMES                                            | 0.0   | 0.0  | 0.0    | 0.3  | 0.3  | 0.3  | 0.0    | 0.4  | 0.2  | 0.4  | 0.2    | 0.6  | 0.0  | 0.3  | 0.0    | 0.0  | 0.0        | 0.2  | 0.2    | 0.2  |



\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q25 = 2,903<br>Q26 = 2,902 | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |     |   |
|-------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|-----|---|
|                                                             | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      | 12         |        |     |   |
|                                                             | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL | % |
| Q25: HALLUCINOGEN USE IN LAST 12 MO. (EXCLUDING LSD & PCP)  |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| NONE                                                        |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| 1 TO 2 TIMES                                                | 16.3  | 24.0   | 20.4 | 10.5 | 12.3 | 11.4   | 9.3  | 11.2 | 10.1 | 7.4    | 6.3  | 6.8  | 8.9  | 7.8    | 8.3  | 10.5 | 12.5       | 11.5   |     |   |
| 3 TO 5 TIMES                                                | 74.5  | 71.4   | 72.5 | 75.2 | 75.3 | 75.4   | 73.2 | 73.4 | 73.4 | 71.1   | 78.9 | 75.3 | 74.5 | 77.7   | 76.2 | 73.7 | 75.3       | 74.5   |     |   |
| 6 TO 9 TIMES                                                | 4.6   | 2.1    | 3.3  | 6.7  | 8.1  | 7.4    | 9.7  | 10.2 | 9.9  | 10.4   | 5.7  | 7.9  | 7.1  | 9.7    | 8.2  | 7.7  | 7.0        | 7.3    |     |   |
| 10 TO 19 TIMES                                              | 1.7   | 0.7    | 1.2  | 2.6  | 2.3  | 2.4    | 3.0  | 1.7  | 2.4  | 7.1    | 6.2  | 6.6  | 4.7  | 1.9    | 3.4  | 3.7  | 2.6        | 3.1    |     |   |
| 20 TO 39 TIMES                                              | 1.7   | 0.7    | 1.4  | 2.4  | 0.0  | 1.1    | 1.9  | 1.4  | 1.7  | 1.1    | 0.4  | 0.8  | 2.3  | 1.9    | 2.1  | 1.9  | 0.8        | 1.4    |     |   |
| 40 OR MORE TIMES                                            | 0.0   | 0.0    | 0.0  | 1.3  | 1.0  | 1.1    | 2.6  | 1.2  | 2.0  | 1.5    | 1.5  | 1.5  | 1.8  | 1.0    | 1.4  | 1.5  | 0.9        | 1.2    |     |   |
|                                                             | 0.3   | 0.7    | 0.5  | 0.4  | 0.7  | 0.5    | 0.0  | 0.0  | 0.0  | 0.0    | 0.3  | 0.2  | 0.6  | 0.0    | 0.3  | 0.2  | 0.4        | 0.3    |     |   |
|                                                             | 1.0   | 0.4    | 0.7  | 0.9  | 0.3  | 0.6    | 0.3  | 0.9  | 0.5  | 1.4    | 0.8  | 1.1  | 0.0  | 0.0    | 0.0  | 0.7  | 0.5        | 0.6    |     |   |
| Q26: LSD USE IN LAST 12 MONTHS                              |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| DON'T KNOW WHAT IT IS                                       |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| NONE                                                        | 13.8  | 20.1   | 17.3 | 6.3  | 7.5  | 7.8    | 5.9  | 5.0  | 5.6  | 5.4    | 4.3  | 4.8  | 4.2  | 5.1    | 4.6  | 7.6  | 8.6        | 8.2    |     |   |
| 1 TO 2 TIMES                                                | 79.2  | 75.3   | 76.6 | 78.3 | 84.4 | 81.0   | 79.8 | 85.4 | 82.2 | 82.5   | 84.5 | 83.6 | 80.5 | 85.3   | 82.9 | 80.0 | 82.9       | 81.3   |     |   |
| 3 TO 5 TIMES                                                | 3.3   | 1.6    | 2.7  | 6.8  | 3.2  | 4.9    | 6.6  | 3.9  | 5.4  | 4.9    | 6.6  | 5.7  | 10.4 | 6.8    | 8.7  | 6.2  | 4.3        | 5.4    |     |   |
| 6 TO 9 TIMES                                                | 1.7   | 0.7    | 1.4  | 2.0  | 1.6  | 1.8    | 2.2  | 2.8  | 2.4  | 3.0    | 2.3  | 2.6  | 3.1  | 1.4    | 2.3  | 2.3  | 1.8        | 2.1    |     |   |
| 10 TO 19 TIMES                                              | 0.7   | 0.4    | 0.5  | 2.6  | 1.3  | 1.9    | 2.4  | 2.6  | 2.4  | 2.1    | 1.5  | 1.8  | 0.3  | 1.4    | 0.8  | 1.7  | 1.4        | 1.5    |     |   |
| 20 TO 39 TIMES                                              | 0.3   | 0.7    | 0.5  | 0.4  | 1.0  | 0.7    | 2.3  | 0.4  | 1.5  | 1.6    | 0.4  | 1.0  | 1.4  | 0.0    | 0.7  | 1.2  | 0.5        | 0.9    |     |   |
| 40 OR MORE TIMES                                            | 0.7   | 0.7    | 0.7  | 1.0  | 0.3  | 0.6    | 0.5  | 0.0  | 0.3  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.5  | 0.2        | 0.3    |     |   |
|                                                             | 0.4   | 0.4    | 0.4  | 0.7  | 0.6  | 0.7    | 0.3  | 0.0  | 0.2  | 0.6    | 0.4  | 0.5  | 0.0  | 0.0    | 0.0  | 0.4  | 0.3        | 0.3    |     |   |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY 1987 ...  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q27 = 2,895<br>Q28 = 2,898 | GRADE |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |      |        |      |
|-------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|------|--------|------|
|                                                             | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12         |      |        | ALL  |
|                                                             | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |      | FEMALE |      |
|                                                             | Σ     | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ          | Σ    | Σ      | Σ    |
| Q27: CIGARETTE USE IN LAST 4 WEEKS                          |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| NONE                                                        | 76.5  | 71.7 | 74.1   | 69.3 | 82.3 | 65.7   | 63.8 | 60.8 | 65.8   | 65.6 | 58.5 | 61.9   | 69.3       | 55.5 | 62.7   | 62.1 |
| 1 OR 2 TIMES                                                | 8.4   | 12.5 | 10.3   | 8.5  | 14.0 | 11.3   | 8.4  | 15.4 | 11.7   | 12.2 | 10.8 | 11.6   | 6.5        | 10.3 | 8.2    | 12.7 |
| 1 OR 2 TIMES WEEKLY                                         | 2.1   | 3.3  | 2.7    | 2.1  | 3.2  | 2.6    | 2.7  | 1.3  | 2.1    | 1.7  | 2.0  | 1.8    | 3.5        | 2.2  | 2.9    | 2.4  |
| 3 OR 4 TIMES WEEKLY                                         | 0.6   | 1.8  | 1.2    | 2.9  | 1.9  | 2.4    | 1.7  | 1.5  | 1.6    | 1.5  | 4.3  | 2.9    | 1.5        | 1.8  | 1.6    | 2.3  |
| 5 OR 6 TIMES WEEKLY                                         | 1.7   | 3.5  | 2.5    | 3.1  | 2.6  | 2.8    | 1.6  | 2.1  | 1.8    | 2.2  | 2.3  | 2.2    | 0.3        | 3.4  | 1.7    | 2.8  |
| ONCE DAILY                                                  | 0.7   | 0.4  | 0.5    | 0.3  | 1.2  | 0.7    | 1.5  | 1.1  | 1.3    | 0.4  | 4.1  | 2.3    | 0.9        | 1.7  | 1.3    | 1.7  |
| MORE THAN ONCE DAILY                                        | 10.0  | 6.9  | 8.7    | 14.0 | 14.8 | 14.5   | 14.4 | 17.8 | 15.8   | 16.4 | 18.0 | 17.3   | 18.1       | 25.1 | 21.7   | 16.0 |
| Q28: CANNABIS USE IN LAST 4 WEEKS                           |       |      |        |      |      |        |      |      |        |      |      |        |            |      |        |      |
| DON'T KNOW WHAT IT IS                                       | 6.6   | 8.0  | 7.7    | 5.5  | 4.8  | 5.1    | 4.7  | 1.1  | 3.1    | 3.0  | 2.1  | 2.5    | 3.5        | 5.5  | 4.4    | 4.4  |
| NONE                                                        | 82.4  | 84.1 | 82.8   | 72.5 | 80.7 | 76.5   | 70.2 | 77.9 | 73.3   | 65.5 | 75.7 | 70.7   | 71.0       | 68.2 | 69.8   | 74.9 |
| 1 OR 2 TIMES                                                | 5.9   | 4.4  | 5.1    | 13.0 | 8.2  | 10.6   | 12.6 | 14.3 | 13.6   | 18.7 | 14.8 | 16.8   | 10.3       | 15.7 | 12.9   | 11.1 |
| 1 OR 2 TIMES WEEKLY                                         | 2.6   | 1.8  | 2.3    | 3.8  | 3.0  | 3.5    | 6.3  | 2.7  | 4.7    | 4.1  | 3.9  | 4.0    | 6.1        | 3.4  | 4.8    | 2.9  |
| 3 OR 4 TIMES WEEKLY                                         | 1.2   | 1.4  | 1.3    | 1.2  | 0.6  | 0.9    | 2.3  | 2.1  | 2.2    | 3.0  | 1.8  | 2.3    | 4.6        | 2.4  | 3.6    | 1.6  |
| 5 OR 6 TIMES WEEKLY                                         | 1.0   | 0.0  | 0.5    | 1.7  | 1.0  | 1.3    | 1.9  | 1.2  | 1.6    | 1.6  | 1.4  | 1.5    | 1.5        | 2.9  | 2.1    | 1.2  |
| ONCE DAILY                                                  | 0.0   | 0.0  | 0.0    | 1.0  | 0.3  | 0.6    | 0.3  | 0.8  | 0.5    | 0.8  | 0.0  | 0.4    | 1.2        | 0.0  | 0.6    | 0.2  |
| MORE THAN ONCE DAILY                                        | 0.4   | 0.3  | 0.3    | 1.4  | 1.3  | 1.3    | 1.6  | 0.0  | 0.9    | 3.4  | 0.4  | 1.8    | 1.7        | 1.9  | 1.8    | 0.8  |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q29 = 2,913<br>Q30A = 2,857<br>Q30B = 2,866 | GRADE |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   | ALL GRADES |        |      |   |
|------------------------------------------------------------------------------|-------|--------|------|---|------|--------|------|---|------|--------|------|---|------|--------|------|---|------------|--------|------|---|
|                                                                              | 8     |        |      |   | 9    |        |      |   | 10   |        |      |   | 11   |        |      |   | 12         |        |      |   |
|                                                                              | MALE  | FEMALE | ALL  | X | MALE | FEMALE | ALL  | X | MALE | FEMALE | ALL  | X | MALE | FEMALE | ALL  | X | MALE       | FEMALE | ALL  | X |
| Q29: ALCOHOL USE IN LAST 4 WEEKS                                             |       |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   |            |        |      |   |
| NONE                                                                         | 55.9  | 48.7   | 52.7 |   | 40.7 | 41.9   | 41.1 |   | 32.2 | 33.4   | 32.5 |   | 25.0 | 25.1   | 25.1 |   | 19.3       | 25.6   | 22.0 |   |
| 1 OR 2 TIMES                                                                 | 31.0  | 41.6   | 35.9 |   | 36.2 | 44.1   | 41.2 |   | 41.8 | 48.9   | 44.8 |   | 45.6 | 52.5   | 49.1 |   | 39.2       | 50.8   | 45.0 |   |
| 1 OR 2 TIMES WEEKLY                                                          | 8.9   | 6.9    | 7.8  |   | 12.9 | 10.2   | 11.6 |   | 19.0 | 15.0   | 17.5 |   | 23.5 | 18.9   | 21.2 |   | 31.3       | 18.3   | 25.0 |   |
| 3 OR 4 TIMES WEEKLY                                                          | 2.6   | 2.1    | 2.5  |   | 5.3  | 2.6    | 4.0  |   | 4.8  | 2.0    | 3.5  |   | 4.1  | 2.3    | 3.2  |   | 6.9        | 3.1    | 5.1  |   |
| 5 OR 6 TIMES WEEKLY                                                          | 0.9   | 0.4    | 0.6  |   | 1.0  | 0.9    | 0.9  |   | 1.0  | 0.8    | 0.9  |   | 1.4  | 0.7    | 1.0  |   | 2.7        | 1.7    | 2.2  |   |
| ONCE DAILY                                                                   | 0.0   | 0.3    | 0.2  |   | 0.4  | 0.0    | 0.2  |   | 0.3  | 0.0    | 0.2  |   | 0.0  | 0.0    | 0.0  |   | 0.6        | 0.5    | 0.6  |   |
| MORE THAN ONCE DAILY                                                         | 0.7   | 0.0    | 0.3  |   | 1.6  | 0.3    | 0.9  |   | 0.9  | 0.0    | 0.5  |   | 0.3  | 0.4    | 0.3  |   | 0.0        | 0.0    | 0.0  |   |
| Q30A: DIFFICULTY GETTING ALCOHOL                                             |       |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   |            |        |      |   |
| IMPOSSIBLE                                                                   | 2.4   | 3.4    | 2.9  |   | 0.3  | 1.3    | 0.8  |   | 0.6  | 0.4    | 0.5  |   | 1.1  | 1.2    | 1.1  |   | 0.0        | 0.7    | 0.3  |   |
| DIFFICULT                                                                    | 9.1   | 7.9    | 8.4  |   | 7.6  | 4.3    | 5.8  |   | 3.9  | 1.5    | 2.9  |   | 1.4  | 1.9    | 1.6  |   | 2.7        | 0.7    | 1.7  |   |
| FAIRLY EASY                                                                  | 39.8  | 36.3   | 38.4 |   | 35.6 | 40.1   | 38.0 |   | 35.7 | 39.2   | 37.4 |   | 27.2 | 28.0   | 27.6 |   | 23.7       | 22.4   | 23.1 |   |
| VERY EASY                                                                    | 39.7  | 43.6   | 41.3 |   | 49.8 | 48.6   | 49.1 |   | 55.5 | 55.7   | 55.5 |   | 67.7 | 67.2   | 67.5 |   | 72.1       | 74.7   | 73.4 |   |
| DON'T KNOW                                                                   | 9.0   | 8.7    | 9.1  |   | 6.9  | 5.7    | 6.3  |   | 4.3  | 3.2    | 3.8  |   | 2.6  | 1.7    | 2.1  |   | 1.5        | 1.5    | 1.5  |   |
| Q30B: DIFFICULTY GETTING TOBACCO                                             |       |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   |            |        |      |   |
| IMPOSSIBLE                                                                   | 6.6   | 6.4    | 6.4  |   | 2.3  | 1.3    | 1.8  |   | 0.0  | 0.4    | 0.2  |   | 0.7  | 0.8    | 0.7  |   | 0.4        | 0.8    | 0.8  |   |
| DIFFICULT                                                                    | 4.8   | 2.7    | 4.1  |   | 1.5  | 1.8    | 1.6  |   | 0.7  | 2.9    | 1.6  |   | 0.8  | 0.7    | 0.8  |   | 0.0        | 0.4    | 0.2  |   |
| FAIRLY EASY                                                                  | 13.8  | 19.1   | 16.2 |   | 10.1 | 13.6   | 12.0 |   | 5.2  | 6.7    | 5.8  |   | 3.1  | 3.4    | 3.2  |   | 4.7        | 3.6    | 4.1  |   |
| VERY EASY                                                                    | 62.1  | 59.4   | 60.6 |   | 76.0 | 73.3   | 74.4 |   | 87.9 | 84.1   | 86.3 |   | 91.3 | 90.5   | 91.0 |   | 91.7       | 91.6   | 91.7 |   |
| DON'T KNOW                                                                   | 12.7  | 12.5   | 12.7 |   | 10.2 | 10.0   | 10.2 |   | 6.2  | 5.8    | 6.0  |   | 4.0  | 4.6    | 4.3  |   | 3.3        | 3.5    | 3.4  |   |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q30C = 2,778<br>Q30D = 2,854<br>Q30E = 2,842 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |   |        |
|-------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|---|--------|
|                                                                               | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        |            |   |        |
|                                                                               | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE       |   | FEMALE |
|                                                                               | Σ     | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ    | Σ    | Σ      | Σ          | Σ | Σ      |
| Q30C: DIFFICULTY GETTING CANNABIS                                             |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |
| IMPOSSIBLE                                                                    | 12.6  | 13.6 | 13.1   | 5.5  | 5.6  | 5.5    | 2.0  | 3.7  | 2.8    | 1.9  | 2.0  | 1.9    | 2.1  | 1.5  | 1.8    | 4.8  | 5.5  | 5.1    |            |   |        |
| DIFFICULT                                                                     | 19.2  | 18.3 | 18.7   | 13.7 | 10.5 | 12.0   | 9.8  | 10.9 | 10.2   | 4.5  | 5.5  | 5.2    | 5.0  | 6.3  | 5.6    | 10.6 | 10.5 | 10.5   |            |   |        |
| FAIRLY EASY                                                                   | 18.6  | 20.1 | 19.3   | 33.5 | 30.0 | 31.7   | 38.8 | 38.5 | 38.6   | 40.8 | 40.8 | 40.7   | 38.1 | 42.0 | 39.9   | 34.0 | 33.7 | 33.8   |            |   |        |
| VERY EASY                                                                     | 17.1  | 8.7  | 13.1   | 21.5 | 18.2 | 19.9   | 29.5 | 23.3 | 27.0   | 35.8 | 30.9 | 33.3   | 39.9 | 32.7 | 36.7   | 28.4 | 22.2 | 25.5   |            |   |        |
| DON'T KNOW                                                                    | 32.4  | 39.3 | 35.7   | 25.7 | 35.7 | 31.0   | 19.8 | 23.6 | 21.4   | 17.0 | 20.7 | 18.9   | 14.9 | 17.4 | 16.0   | 22.1 | 28.1 | 25.0   |            |   |        |
| Q30D: DIFFICULTY GETTING HALLUCINOGENS                                        |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |
| IMPOSSIBLE                                                                    | 20.9  | 19.0 | 19.8   | 11.6 | 7.7  | 9.7    | 8.3  | 5.2  | 6.9    | 5.2  | 3.5  | 4.3    | 6.9  | 4.2  | 5.6    | 10.7 | 8.1  | 9.4    |            |   |        |
| DIFFICULT                                                                     | 21.5  | 15.2 | 18.5   | 26.3 | 17.6 | 21.8   | 21.6 | 23.8 | 22.6   | 24.4 | 21.3 | 22.9   | 23.9 | 23.7 | 24.3   | 23.5 | 20.0 | 22.0   |            |   |        |
| FAIRLY EASY                                                                   | 9.1   | 7.3  | 8.3    | 13.6 | 14.1 | 13.8   | 19.6 | 16.5 | 18.3   | 18.0 | 21.8 | 19.8   | 23.0 | 21.1 | 21.9   | 16.5 | 15.9 | 16.2   |            |   |        |
| VERY EASY                                                                     | 5.9   | 2.7  | 4.4    | 6.5  | 6.1  | 6.3    | 7.9  | 4.2  | 6.4    | 8.8  | 5.7  | 7.2    | 5.6  | 4.4  | 5.0    | 7.0  | 4.7  | 5.9    |            |   |        |
| DON'T KNOW                                                                    | 42.7  | 55.7 | 49.0   | 41.9 | 54.6 | 48.4   | 42.6 | 50.3 | 45.8   | 43.5 | 47.7 | 45.8   | 40.6 | 46.5 | 43.2   | 42.3 | 51.3 | 46.6   |            |   |        |
| Q30E: DIFFICULTY GETTING AMPHETAMINES                                         |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |        |
| IMPOSSIBLE                                                                    | 18.6  | 17.1 | 17.8   | 12.8 | 7.7  | 10.1   | 9.0  | 7.7  | 8.4    | 6.0  | 2.4  | 4.1    | 3.9  | 4.3  | 4.0    | 10.2 | 8.0  | 9.1    |            |   |        |
| DIFFICULT                                                                     | 22.0  | 17.3 | 19.6   | 23.1 | 15.5 | 19.1   | 27.2 | 24.5 | 26.1   | 26.6 | 21.5 | 23.8   | 25.0 | 19.4 | 22.6   | 24.8 | 19.4 | 22.1   |            |   |        |
| FAIRLY EASY                                                                   | 11.2  | 8.7  | 10.0   | 13.6 | 17.3 | 15.4   | 15.1 | 17.0 | 18.2   | 15.7 | 21.4 | 18.6   | 19.1 | 22.5 | 20.7   | 14.8 | 17.2 | 16.0   |            |   |        |
| VERY EASY                                                                     | 3.5   | 2.0  | 2.7    | 6.1  | 7.1  | 6.8    | 3.3  | 2.7  | 3.0    | 7.0  | 6.4  | 6.6    | 5.4  | 5.8  | 5.9    | 5.0  | 4.9  | 5.0    |            |   |        |
| DON'T KNOW                                                                    | 44.6  | 54.9 | 49.8   | 44.4 | 52.4 | 48.7   | 45.5 | 48.0 | 46.3   | 44.8 | 48.3 | 46.8   | 46.6 | 47.9 | 46.8   | 45.2 | 50.5 | 47.7   |            |   |        |

## VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

[illegible]



... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q30J = 2,840<br>Q30K = 2,834<br>Q30L = 2,853 | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      | ALL GRADES |   |      |   |        |   |     |   |      |   |        |   |     |  |
|-------------------------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------|------|------------|---|------|---|--------|---|-----|---|------|---|--------|---|-----|--|
|                                                                               | 8     |      |        |      |      |      | 9    |      |        |      |      |      | 10   |      |        |      |      |      |            |   | 11   |   |        |   |     |   | 12   |   |        |   |     |  |
|                                                                               | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      |            |   | MALE |   | FEMALE |   | ALL |   | MALE |   | FEMALE |   | ALL |  |
|                                                                               | X     | Z    | X      | Z    | X    | Z    | X    | Z    | X      | Z    | X    | Z    | X    | Z    | X      | Z    | X    | Z    | X          | Z | X    | Z | X      | Z | X   | Z | X    | Z | X      | Z |     |  |
| Q30J: DIFFICULTY GETTING TRANQUILIZERS                                        |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| IMPOSSIBLE                                                                    | 17.1  | 14.3 | 15.7   | 10.8 | 3.4  | 7.1  | 7.2  | 4.8  | 6.1    | 7.1  | 1.5  | 4.2  | 5.1  | 4.9  | 5.1    | 9.5  | 5.8  | 7.7  |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| DIFFICULT                                                                     | 15.7  | 14.9 | 15.3   | 16.2 | 15.1 | 15.6 | 17.4 | 13.1 | 15.6   | 13.6 | 14.6 | 14.2 | 17.4 | 16.4 | 16.8   | 16.1 | 14.8 | 15.5 |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| FAIRLY EASY                                                                   | 14.9  | 20.0 | 17.4   | 17.4 | 22.1 | 19.8 | 19.4 | 33.2 | 25.5   | 21.4 | 28.6 | 25.1 | 19.3 | 29.2 | 24.1   | 18.5 | 26.2 | 22.3 |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| VERY EASY                                                                     | 9.1   | 7.6  | 8.4    | 12.5 | 13.3 | 12.8 | 8.8  | 8.7  | 8.9    | 12.0 | 12.4 | 12.1 | 11.5 | 8.0  | 10.0   | 10.7 | 10.2 | 10.5 |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| DON'T KNOW                                                                    | 43.0  | 43.1 | 43.1   | 43.0 | 46.2 | 44.8 | 47.2 | 40.2 | 43.9   | 45.9 | 42.9 | 44.4 | 46.6 | 41.5 | 44.0   | 45.1 | 43.0 | 44.0 |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| Q30K: DIFFICULTY GETTING BARBITURATES                                         |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| IMPOSSIBLE                                                                    | 19.2  | 15.2 | 17.1   | 12.5 | 6.3  | 9.2  | 9.8  | 5.2  | 7.7    | 6.4  | 4.4  | 5.3  | 6.1  | 2.9  | 4.9    | 10.9 | 7.0  | 9.0  |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| DIFFICULT                                                                     | 13.5  | 13.0 | 13.3   | 14.3 | 14.0 | 14.1 | 16.2 | 11.4 | 14.2   | 14.3 | 11.3 | 12.7 | 19.2 | 16.0 | 18.5   | 15.5 | 13.5 | 14.4 |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| FAIRLY EASY                                                                   | 10.9  | 8.6  | 10.0   | 11.9 | 9.5  | 10.6 | 14.4 | 14.2 | 14.2   | 17.1 | 14.7 | 16.2 | 10.0 | 13.4 | 11.5   | 12.9 | 11.9 | 12.5 |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| VERY EASY                                                                     | 4.8   | 4.5  | 4.8    | 7.6  | 8.1  | 7.8  | 5.8  | 5.4  | 5.8    | 4.3  | 7.1  | 5.7  | 7.6  | 3.5  | 5.8    | 6.0  | 5.9  | 6.0  |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| DON'T KNOW                                                                    | 51.6  | 58.7 | 54.8   | 53.7 | 62.1 | 58.3 | 53.8 | 63.8 | 58.1   | 57.8 | 62.6 | 60.1 | 57.0 | 62.1 | 59.3   | 54.7 | 61.8 | 58.1 |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| Q30L: DIFFICULTY GETTING SOLVENTS                                             |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |      |      |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| IMPOSSIBLE                                                                    | 4.4   | 3.6  | 3.9    | 2.3  | 0.0  | 1.1  | 0.3  | 1.5  | 0.8    | 0.7  | 0.0  | 0.3  | 0.3  | 0.7  | 0.5    | 1.6  | 1.1  | 1.4  |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| DIFFICULT                                                                     | 4.1   | 2.9  | 3.5    | 0.7  | 1.0  | 0.8  | 0.6  | 0.9  | 0.7    | 0.0  | 0.4  | 0.2  | 0.3  | 1.0  | 0.6    | 1.1  | 1.2  | 1.2  |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| FAIRLY EASY                                                                   | 9.9   | 9.6  | 9.8    | 4.0  | 9.2  | 6.6  | 6.5  | 6.6  | 6.7    | 8.8  | 8.9  | 8.7  | 3.6  | 8.4  | 6.0    | 6.6  | 8.6  | 7.6  |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| VERY EASY                                                                     | 68.4  | 64.2 | 66.2   | 80.5 | 75.6 | 77.7 | 79.6 | 73.0 | 76.6   | 76.1 | 76.2 | 76.2 | 83.0 | 79.1 | 81.2   | 77.5 | 73.5 | 75.5 |            |   |      |   |        |   |     |   |      |   |        |   |     |  |
| DON'T KNOW                                                                    | 13.3  | 19.6 | 16.6   | 12.6 | 14.2 | 13.7 | 13.0 | 18.0 | 15.1   | 14.4 | 14.5 | 14.5 | 12.7 | 10.9 | 11.8   | 13.2 | 15.6 | 14.4 |            |   |      |   |        |   |     |   |      |   |        |   |     |  |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES 10:<br>Q31 = 2,678<br>Q31(MOD) = 1,121                   | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |
|------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|
|                                                                                    | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |      |        |      | MALE       | FEMALE |
|                                                                                    | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |        |
| Q31: REASON FOR TRYING CANNABIS                                                    |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |
| DON'T KNOW WHAT IT IS                                                              | 3.5   | 4.7    | 4.2  | 2.6  | 1.7    | 2.1  | 1.4  | 1.6    | 1.5  | 2.1  | 1.2    | 1.6  | 2.7  | 1.3    | 2.0  | 2.4  | 2.2    | 2.3  |            |        |
| NEVER TRIED IT                                                                     | 74.5  | 77.8   | 75.7 | 60.1 | 69.9   | 65.1 | 53.1 | 52.4   | 52.5 | 37.9 | 45.8   | 41.7 | 39.0 | 42.8   | 40.4 | 53.4 | 59.0   | 55.9 |            |        |
| TO SEE WHAT IT WAS LIKE                                                            | 9.1   | 7.1    | 8.2  | 19.4 | 12.7   | 15.9 | 25.3 | 25.5   | 25.6 | 35.2 | 37.5   | 36.7 | 35.5 | 39.4   | 37.5 | 24.5 | 23.3   | 24.1 |            |        |
| FRIENDS WERE USING IT                                                              | 1.5   | 1.5    | 1.5  | 2.7  | 2.8    | 2.7  | 4.5  | 3.4    | 4.0  | 6.9  | 4.0    | 5.4  | 6.4  | 6.3    | 6.5  | 4.3  | 3.5    | 3.9  |            |        |
| SEEMED LIKE FUN                                                                    | 2.2   | 2.7    | 2.6  | 4.0  | 2.1    | 3.2  | 3.3  | 4.0    | 3.6  | 6.9  | 5.3    | 6.1  | 3.0  | 4.3    | 3.8  | 3.9  | 3.6    | 3.8  |            |        |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.4  | 0.5    | 0.4  | 0.3  | 1.1    | 0.7  | 0.0  | 0.0    | 0.0  | 0.1  | 0.3    | 0.2  |            |        |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 2.7   | 1.2    | 2.1  | 2.9  | 2.1    | 2.5  | 2.9  | 2.5    | 2.9  | 2.7  | 2.5    | 2.3  | 2.4  | 1.8    | 2.1  | 2.6  | 2.0    | 2.4  |            |        |
| OLD ENOUGH TO USE SAFELY                                                           | 0.7   | 0.0    | 0.3  | 0.4  | 0.0    | 0.2  | 1.0  | 0.4    | 0.8  | 0.4  | 0.0    | 0.2  | 0.5  | 0.0    | 0.2  | 0.6  | 0.1    | 0.4  |            |        |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 0.6   | 1.5    | 1.0  | 1.3  | 1.3    | 1.3  | 1.1  | 1.7    | 1.4  | 1.2  | 1.1    | 1.2  | 2.8  | 0.0    | 1.5  | 1.4  | 1.2    | 1.3  |            |        |
| BORED, NOTHING ELSE TO DO                                                          | 1.3   | 0.7    | 1.0  | 1.4  | 1.9    | 1.6  | 2.7  | 1.8    | 2.3  | 1.9  | 0.7    | 1.3  | 4.0  | 0.9    | 2.5  | 2.2  | 1.2    | 1.7  |            |        |
| OTHER REASON                                                                       | 4.0   | 2.9    | 3.4  | 5.3  | 5.6    | 5.4  | 4.3  | 6.1    | 5.1  | 4.9  | 0.8    | 2.8  | 3.7  | 3.0    | 3.4  | 4.5  | 3.7    | 4.1  |            |        |
| Q31(MOD): REASON FOR TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |
| TO SEE WHAT IT WAS LIKE                                                            | 41.2  | 40.3   | 40.6 | 51.9 | 44.8   | 48.5 | 55.6 | 55.5   | 55.7 | 58.7 | 70.9   | 64.7 | 60.9 | 70.6   | 65.2 | 55.6 | 59.9   | 57.6 |            |        |
| FRIENDS WERE USING IT                                                              | 6.6   | 8.7    | 7.3  | 7.1  | 9.7    | 8.2  | 9.2  | 7.3    | 8.6  | 11.5 | 7.5    | 9.6  | 11.0 | 11.3   | 11.2 | 9.8  | 8.9    | 9.3  |            |        |
| SEEMED LIKE FUN                                                                    | 9.9   | 15.2   | 12.8 | 10.7 | 7.5    | 9.7  | 7.3  | 8.8    | 7.9  | 11.6 | 9.9    | 10.7 | 5.2  | 7.8    | 6.6  | 8.7  | 9.2    | 9.1  |            |        |
| THOUGHT IT WOULD CALM ME DOWN                                                      | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.8  | 1.1    | 0.9  | 0.5  | 2.1    | 1.2  | 0.0  | 0.0    | 0.0  | 0.3  | 0.8    | 0.5  |            |        |
| ESCAPE HOME/SCHOOL WORRIES                                                         | 12.3  | 6.7    | 10.5 | 7.8  | 7.5    | 7.6  | 6.4  | 5.5    | 6.3  | 3.7  | 4.7    | 4.1  | 4.1  | 3.3    | 3.7  | 6.0  | 5.2    | 5.7  |            |        |
| OLD ENOUGH TO USE SAFELY                                                           | 3.1   | 0.0    | 1.7  | 1.0  | 0.0    | 0.5  | 2.3  | 1.0    | 1.7  | 0.7  | 0.0    | 0.4  | 0.8  | 0.0    | 0.4  | 1.4  | 0.2    | 0.8  |            |        |
| HEARD COULD MAKE ME FEEL GOOD                                                      | 2.9   | 8.4    | 5.1  | 3.6  | 4.4    | 3.9  | 2.4  | 3.8    | 3.0  | 2.1  | 2.1    | 2.1  | 4.7  | 0.0    | 2.6  | 3.1  | 3.0    | 3.0  |            |        |
| BORED, NOTHING ELSE TO DO                                                          | 5.7   | 4.1    | 4.9  | 3.6  | 6.6    | 4.9  | 5.9  | 3.9    | 5.0  | 3.1  | 1.3    | 2.3  | 6.9  | 1.6    | 4.4  | 5.0  | 3.2    | 4.1  |            |        |
| OTHER REASON                                                                       | 18.3  | 16.6   | 17.1 | 14.2 | 19.7   | 16.5 | 9.5  | 13.2   | 11.0 | 8.1  | 1.4    | 5.0  | 6.4  | 5.4    | 5.9  | 10.1 | 9.6    | 9.7  |            |        |

NOTE: Q31(MOD) IS A MODIFIED RESPONSE SET FOR Q31 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

|                                                                                   | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|-----------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                                   | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                                                   | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| NUMBER OF VALID RESPONSES TO:<br>Q32 = 2,639<br>Q32(MOD) = 1,263                  |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| Q32: WHEN FIRST TRIED CANNABIS                                                    |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                                                             |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NEVER TRIED IT                                                                    |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| GRADE 4 OR BEFORE                                                                 | 3.4   | 3.8    | 3.9  | 3.2  | 1.9    | 2.5  | 0.7  | 2.0    | 1.3  |      |        |      |      |        |      | 1.8        | 2.2    | 2.3  |
|                                                                                   | 71.1  | 78.9   | 74.6 | 53.0 | 67.1   | 60.2 | 52.5 | 51.0   | 51.6 | 36.8 | 39.3   | 38.0 | 36.7 | 40.7   | 38.2 | 50.5       | 56.5   | 53.2 |
| GRADE 5                                                                           | 2.8   | 2.2    | 2.5  | 4.5  | 1.9    | 3.1  | 2.5  | 0.8    | 1.8  | 3.7  | 0.3    | 1.9  | 2.3  | 0.4    | 1.4  | 3.2        | 1.2    | 2.2  |
| GRADE 6                                                                           | 4.1   | 0.7    | 2.4  | 2.6  | 1.9    | 2.3  | 2.5  | 1.2    | 1.9  | 1.1  | 0.7    | 0.9  | 1.0  | 0.7    | 0.8  | 2.3        | 1.1    | 1.7  |
| GRADE 7                                                                           | 4.9   | 1.7    | 3.3  | 4.3  | 3.1    | 3.7  | 4.4  | 0.9    | 2.8  | 2.9  | 2.6    | 2.7  | 3.9  | 2.6    | 3.2  | 4.1        | 2.2    | 3.2  |
| GRADE 8                                                                           | 7.6   | 7.3    | 7.7  | 11.6 | 5.0    | 8.6  | 8.6  | 9.4    | 8.9  | 7.2  | 7.7    | 7.4  | 8.6  | 5.6    | 7.1  | 8.8        | 7.2    | 8.0  |
| GRADE 9                                                                           | 5.4   | 5.4    | 5.3  | 12.9 | 11.8   | 12.4 | 14.1 | 14.5   | 14.4 | 13.6 | 15.7   | 14.6 | 13.2 | 16.4   | 14.7 | 11.9       | 12.6   | 12.2 |
| GRADE 10                                                                          | 0.0   | 0.0    | 0.0  | 7.7  | 6.1    | 6.8  | 10.2 | 15.1   | 12.6 | 11.9 | 17.2   | 14.9 | 10.0 | 15.1   | 12.6 | 7.9        | 10.3   | 9.2  |
| GRADE 11                                                                          | 0.4   | 0.0    | 0.2  | 0.0  | 0.0    | 0.2  | 4.5  | 5.1    | 4.7  | 14.7 | 11.9   | 13.2 | 9.6  | 10.1   | 9.8  | 5.6        | 5.1    | 5.3  |
| GRADE 12                                                                          | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 6.2  | 2.9    | 4.7  | 9.1  | 4.2    | 7.0  | 2.8        | 1.3    | 2.1  |
| GRADE 12                                                                          | 0.4   | 0.0    | 0.2  | 0.0  | 0.3    | 0.7  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 3.7  | 2.2    | 3.2  | 0.7        | 0.4    | 0.6  |
| Q32(MOD): WHEN FIRST TRIED CANNABIS (RESPONSES FOR THOSE WHO HAVE TRIED CANNABIS) |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| GRADE 4 OR BEFORE                                                                 | 11.0  | 12.6   | 11.4 | 10.2 | 6.1    | 6.4  | 5.4  | 1.7    | 3.7  | 6.0  | 0.5    | 3.2  | 3.8  | 0.7    | 2.4  | 6.7        | 2.9    | 4.9  |
| GRADE 5                                                                           | 16.0  | 4.0    | 11.0 | 6.5  | 6.0    | 6.2  | 5.4  | 2.5    | 4.1  | 1.8  | 1.2    | 1.5  | 1.6  | 1.3    | 1.4  | 5.0        | 2.6    | 3.8  |
| GRADE 6                                                                           | 19.3  | 9.8    | 15.2 | 9.7  | 10.1   | 9.8  | 9.4  | 1.8    | 6.0  | 4.8  | 4.3    | 4.5  | 6.3  | 4.5    | 5.4  | 8.7        | 5.4    | 7.1  |
| GRADE 7                                                                           | 29.7  | 42.3   | 35.8 | 26.5 | 19.0   | 23.0 | 18.4 | 20.0   | 18.9 | 11.7 | 13.0   | 12.2 | 14.0 | 9.8    | 11.9 | 18.5       | 17.3   | 17.9 |
| GRADE 8                                                                           | 21.1  | 31.4   | 24.8 | 29.5 | 37.9   | 33.3 | 30.1 | 30.9   | 30.5 | 22.2 | 26.6   | 24.2 | 21.5 | 28.5   | 24.6 | 25.1       | 30.4   | 27.4 |
| GRADE 9                                                                           | 0.0   | 0.0    | 0.0  | 17.6 | 19.7   | 18.4 | 21.8 | 32.0   | 26.7 | 19.4 | 29.2   | 24.7 | 16.3 | 26.3   | 21.1 | 16.8       | 24.9   | 20.7 |
| GRADE 10                                                                          | 1.5   | 0.0    | 0.9  | 0.0  | 0.0    | 0.4  | 9.6  | 10.9   | 10.1 | 24.0 | 20.2   | 21.9 | 15.6 | 17.6   | 16.3 | 11.8       | 12.2   | 11.9 |
| GRADE 11                                                                          | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 10.1 | 5.0    | 7.8  | 14.9 | 7.4    | 11.6 | 5.9        | 3.2    | 4.8  |
| GRADE 12                                                                          | 1.5   | 0.0    | 0.8  | 0.0  | 1.1    | 0.5  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 6.1  | 3.9    | 5.3  | 1.6        | 1.1    | 1.4  |

NOTE: Q32(MOD) IS A MODIFIED RESPONSE SET FOR Q32 AND INCLUDES ONLY THOSE WHO HAVE TRIED CANNABIS

| NUMBER OF VALID RESPONSES TO:<br>Q33 = 2,496<br>Q33(MOD) = 1,593                           | GRADE |      |        |      |      |      |        |   |      |      |        |      |      |      |        |      | ALL GRADES |      |        |      |
|--------------------------------------------------------------------------------------------|-------|------|--------|------|------|------|--------|---|------|------|--------|------|------|------|--------|------|------------|------|--------|------|
|                                                                                            | 8     |      |        |      | 9    |      |        |   | 10   |      |        |      | 11   |      |        |      | 12         |      |        |      |
|                                                                                            | MALE  |      | FEMALE |      | MALE |      | FEMALE |   | MALE |      | FEMALE |      | MALE |      | FEMALE |      | MALE       |      | FEMALE |      |
|                                                                                            | Σ     | %    | Σ      | %    | Σ    | %    | Σ      | % | Σ    | %    | Σ      | %    | Σ    | %    | Σ      | %    | Σ          | %    | Σ      | %    |
| Q33: REASON FOR NOT TRYING CANNABIS                                                        |       |      |        |      |      |      |        |   |      |      |        |      |      |      |        |      |            |      |        |      |
| DON'T KNOW WHAT IT IS                                                                      | 3.4   | 4.1  | 3.7    | 4.3  | 1.5  | 2.8  |        |   | 2.3  | 1.8  | 2.1    | 2.3  | 1.7  | 2.0  | 2.5    | 1.5  | 2.0        | 3.0  | 2.2    | 2.6  |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 24.9  | 14.0 | 19.2   | 20.2 | 13.0 | 16.6 |        |   | 18.1 | 7.0  | 13.1   | 10.1 | 5.5  | 7.7  | 14.7   | 7.5  | 11.2       | 17.9 | 9.7    | 13.9 |
| MIGHT BE ADDICTIVE                                                                         | 2.3   | 2.6  | 2.4    | 2.2  | 3.4  | 2.8  |        |   | 2.7  | 3.0  | 2.8    | 2.0  | 0.9  | 1.4  | 2.0    | 1.5  | 1.7        | 2.3  | 2.3    | 2.3  |
| ILLEGAL TO USE IT                                                                          | 2.5   | 0.8  | 1.6    | 1.4  | 0.4  | 0.9  |        |   | 2.6  | 0.0  | 1.4    | 1.4  | 0.8  | 1.1  | 1.2    | 0.7  | 1.0        | 1.9  | 0.5    | 1.2  |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 1.8   | 4.9  | 3.3    | 4.3  | 1.8  | 3.0  |        |   | 2.3  | 1.3  | 2.1    | 0.0  | 0.7  | 0.3  | 0.0    | 1.0  | 0.5        | 1.8  | 2.1    | 2.0  |
| TROUBLE WITH POLICE                                                                        | 1.5   | 0.7  | 1.1    | 0.0  | 0.0  | 0.0  |        |   | 0.0  | 0.5  | 0.2    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.3  | 0.2    | 0.3  |
| CAN NOT GET ANY                                                                            | 1.1   | 1.1  | 1.1    | 0.4  | 0.4  | 0.4  |        |   | 0.8  | 1.0  | 0.9    | 0.0  | 0.0  | 0.0  | 0.0    | 0.6  | 0.3        | 0.5  | 0.6    | 0.5  |
| CAN NOT AFFORD IT                                                                          | 0.8   | 0.8  | 0.8    | 0.4  | 0.7  | 0.6  |        |   | 0.4  | 0.5  | 0.4    | 0.4  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0        | 0.4  | 0.4    | 0.4  |
| NOT INTERESTED                                                                             | 26.5  | 36.2 | 31.3   | 24.0 | 35.9 | 30.1 |        |   | 26.6 | 32.6 | 29.2   | 24.4 | 29.5 | 27.1 | 16.1   | 28.8 | 22.1       | 23.8 | 32.9   | 28.2 |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 9.7   | 8.2  | 8.9    | 5.2  | 9.7  | 7.5  |        |   | 1.3  | 0.9  | 1.1    | 3.5  | 3.4  | 3.4  | 2.8    | 2.1  | 2.4        | 4.5  | 5.2    | 4.8  |
| OTHER THINGS I ENJOY DOING                                                                 | 6.2   | 10.7 | 8.7    | 4.2  | 9.3  | 6.8  |        |   | 5.0  | 7.2  | 6.0    | 7.1  | 6.8  | 6.9  | 6.5    | 3.8  | 5.2        | 5.7  | 7.8    | 6.8  |
| FRIENDS DON'T USE IT                                                                       | 0.4   | 1.8  | 1.1    | 0.3  | 0.8  | 0.5  |        |   | 1.1  | 0.0  | 0.6    | 0.8  | 0.4  | 0.6  | 0.3    | 1.7  | 1.0        | 0.6  | 0.9    | 0.8  |
| OTHER REASON                                                                               | 4.8   | 3.0  | 3.8    | 0.8  | 2.2  | 1.5  |        |   | 4.2  | 3.2  | 3.7    | 0.5  | 2.1  | 1.3  | 2.8    | 1.2  | 2.0        | 2.7  | 2.4    | 2.5  |
| HAVE TRIED IT                                                                              | 14.0  | 11.1 | 12.8   | 32.2 | 21.0 | 26.5 |        |   | 32.6 | 40.6 | 36.3   | 47.5 | 48.2 | 47.9 | 51.1   | 49.6 | 50.7       | 34.5 | 32.6   | 33.7 |
| Q33(MOD): REASON FOR NOT TRYING CANNABIS (RESPONSES FOR THOSE WHO HAVE NOT TRIED CANNABIS) |       |      |        |      |      |      |        |   |      |      |        |      |      |      |        |      |            |      |        |      |
| MIGHT BE HARMFUL TO MY HEALTH                                                              | 30.1  | 16.5 | 23.0   | 31.8 | 16.8 | 23.4 |        |   | 27.9 | 12.1 | 21.3   | 20.2 | 11.1 | 15.4 | 31.7   | 15.4 | 23.7       | 28.7 | 14.9   | 21.8 |
| MIGHT BE ADDICTIVE                                                                         | 2.8   | 3.1  | 2.9    | 3.5  | 4.3  | 4.0  |        |   | 4.1  | 5.2  | 4.5    | 4.0  | 1.7  | 2.8  | 4.3    | 3.0  | 3.7        | 3.6  | 3.6    | 3.6  |
| ILLEGAL TO USE IT                                                                          | 3.1   | 0.9  | 2.0    | 2.2  | 0.5  | 1.2  |        |   | 3.9  | 0.0  | 2.3    | 2.8  | 1.5  | 2.1  | 2.6    | 1.5  | 2.1        | 3.0  | 0.8    | 1.9  |
| TROUBLE WITH PARENTS/TEACHERS                                                              | 2.2   | 5.8  | 4.0    | 6.8  | 2.3  | 4.2  |        |   | 3.5  | 3.4  | 3.4    | 0.0  | 1.3  | 0.7  | 0.0    | 2.0  | 1.0        | 2.9  | 3.3    | 3.1  |
| TROUBLE WITH POLICE                                                                        | 1.8   | 0.9  | 1.3    | 0.0  | 0.0  | 0.0  |        |   | 0.0  | 0.8  | 0.3    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0        | 0.5  | 0.4    | 0.4  |
| CAN NOT GET ANY                                                                            | 1.4   | 1.3  | 1.3    | 0.6  | 0.5  | 0.5  |        |   | 1.2  | 1.7  | 1.4    | 0.0  | 0.0  | 0.0  | 0.0    | 1.1  | 0.6        | 0.8  | 0.9    | 0.9  |
| CAN NOT AFFORD IT                                                                          | 0.9   | 0.9  | 0.9    | 0.7  | 1.0  | 0.8  |        |   | 0.6  | 0.8  | 0.7    | 0.8  | 0.0  | 0.4  | 0.0    | 0.0  | 0.0        | 0.6  | 0.7    | 0.6  |
| NOT INTERESTED                                                                             | 32.1  | 42.6 | 37.5   | 37.8 | 46.3 | 42.6 |        |   | 40.9 | 56.5 | 47.2   | 48.7 | 58.9 | 54.1 | 34.7   | 58.9 | 46.7       | 38.1 | 50.4   | 44.3 |
| AFRAID WHAT IT MIGHT DO TO ME                                                              | 11.8  | 9.7  | 10.7   | 8.2  | 12.5 | 10.6 |        |   | 2.0  | 1.6  | 1.8    | 6.9  | 6.7  | 6.8  | 6.0    | 4.3  | 5.2        | 7.2  | 8.0    | 7.6  |
| OTHER THINGS I ENJOY DOING                                                                 | 7.5   | 12.6 | 10.4   | 6.6  | 12.0 | 9.7  |        |   | 7.8  | 12.5 | 9.7    | 14.1 | 13.6 | 13.8 | 14.0   | 7.7  | 10.9       | 9.2  | 12.0   | 10.7 |
| FRIENDS DON'T USE IT                                                                       | 0.5   | 2.2  | 1.3    | 0.5  | 1.0  | 0.8  |        |   | 1.7  | 0.0  | 1.0    | 1.6  | 0.9  | 1.2  | 0.7    | 3.4  | 2.1        | 1.0  | 1.4    | 1.2  |
| OTHER REASON                                                                               | 5.8   | 3.5  | 4.6    | 1.3  | 2.8  | 2.1  |        |   | 6.5  | 5.5  | 6.1    | 1.0  | 4.2  | 2.6  | 6.0    | 2.4  | 4.2        | 4.3  | 3.6    | 4.0  |

NOTE: Q33(MOD) IS A MODIFIED RESPONSE SET FOR Q33 AND INCLUDES ONLY THOSE WHO HAVE NOT TRIED CANNABIS THOSE WHO DON'T KNOW WHAT CANNABIS IS HAVE BEEN EXCLUDED







VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q35 = 2,689<br>Q35(MOD) = 555                         | GRADE |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      | ALL GRADES |      |      |   |        |   |     |   |
|----------------------------------------------------------------------------------------|-------|------|--------|------|------|------|------|------|--------|------|------|------|------|------|--------|------|------------|------|------|---|--------|---|-----|---|
|                                                                                        | 8     |      |        |      | 9    |      |      |      | 10     |      |      |      | 11   |      |        |      |            |      | 12   |   |        |   |     |   |
|                                                                                        | MALE  |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL  |      | MALE |      | FEMALE |      | ALL        |      | MALE |   | FEMALE |   | ALL |   |
|                                                                                        | Σ     | Σ    | Σ      | Σ    | Σ    | Σ    | Σ    | Σ    | Σ      | Σ    | Σ    | Σ    | Σ    | Σ    | Σ      | Σ    | Σ          | Σ    | Σ    | Σ | Σ      | Σ | Σ   | Σ |
| Q35: REASON FOR STILL USING CANNABIS                                                   |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |      |   |        |   |     |   |
| DON'T KNOW WHAT IT IS                                                                  | 3.8   | 2.7  | 3.6    | 2.8  | 2.4  | 2.6  | 1.5  | 1.3  | 1.4    | 1.7  | 2.0  | 1.8  | 2.1  | 1.3  | 1.7    | 2.4  | 2.0        | 2.3  |      |   |        |   |     |   |
| NEVER USED IT                                                                          | 73.4  | 80.9 | 76.7   | 54.5 | 70.0 | 62.3 | 54.5 | 52.4 | 53.3   | 39.6 | 42.3 | 41.0 | 38.5 | 43.5 | 40.5   | 52.8 | 59.2       | 55.7 |      |   |        |   |     |   |
| STOPPED USING IT                                                                       | 11.2  | 8.9  | 9.1    | 20.0 | 14.1 | 17.0 | 21.0 | 25.3 | 22.9   | 28.9 | 30.6 | 29.6 | 32.5 | 29.1 | 31.2   | 22.2 | 20.4       | 21.4 |      |   |        |   |     |   |
| IT IS FUN                                                                              | 2.5   | 2.2  | 2.5    | 6.2  | 3.5  | 4.8  | 7.0  | 3.7  | 5.7    | 9.4  | 12.4 | 11.1 | 7.4  | 8.1  | 7.9    | 6.4  | 5.8        | 6.2  |      |   |        |   |     |   |
| FRIENDS STILL USE IT                                                                   | 0.7   | 0.0  | 0.4    | 1.1  | 0.3  | 0.7  | 0.3  | 0.8  | 0.5    | 2.0  | 0.3  | 1.2  | 1.0  | 1.8  | 1.4    | 1.0  | 0.6        | 0.8  |      |   |        |   |     |   |
| CANNOT STOP USING IT                                                                   | 0.0   | 0.0  | 0.0    | 0.6  | 0.7  | 0.7  | 0.4  | 0.0  | 0.2    | 0.0  | 0.0  | 0.0  | 0.3  | 0.4  | 0.4    | 0.3  | 0.2        | 0.3  |      |   |        |   |     |   |
| TO GET ALONG WITH FRIENDS                                                              | 0.0   | 0.0  | 0.0    | 0.9  | 0.0  | 0.4  | 0.7  | 0.5  | 0.6    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.3        | 0.1  | 0.2  |   |        |   |     |   |
| EASIER TO DO SCHOOL WORK                                                               | 1.0   | 0.0  | 0.5    | 0.0  | 0.4  | 0.2  | 0.8  | 0.8  | 0.8    | 1.1  | 0.0  | 0.5  | 0.0  | 0.0  | 0.0    | 0.6  | 0.2        | 0.4  |      |   |        |   |     |   |
| GOOD FOR MY HEALTH                                                                     | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.7  | 0.0  | 0.4    | 0.3  | 0.4  | 0.4  | 0.0  | 0.0  | 0.0    | 0.2  | 0.1        | 0.1  |      |   |        |   |     |   |
| CALMS ME DOWN                                                                          | 0.0   | 1.5  | 0.7    | 1.1  | 0.0  | 0.5  | 0.0  | 1.0  | 0.4    | 0.4  | 0.4  | 0.4  | 0.4  | 0.4  | 0.4    | 0.4  | 0.4        | 0.6  | 0.5  |   |        |   |     |   |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 2.7   | 1.5  | 2.1    | 2.3  | 1.1  | 1.7  | 3.0  | 2.3  | 2.7    | 1.9  | 1.0  | 1.5  | 2.9  | 1.4  | 2.2    | 2.6  | 1.4        | 2.0  |      |   |        |   |     |   |
| ADULTS SAY IT IS NOT GOOD                                                              | 0.3   | 0.0  | 0.2    | 0.4  | 0.4  | 0.4  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.5  | 0.2    | 0.2  | 0.2        | 0.2  |      |   |        |   |     |   |
| BORED, NOTHING ELSE TO DO                                                              | 0.4   | 0.4  | 0.4    | 1.4  | 0.3  | 0.8  | 1.1  | 2.2  | 1.6    | 0.8  | 0.4  | 0.6  | 1.9  | 0.8  | 1.4    | 1.1  | 0.8        | 0.9  |      |   |        |   |     |   |
| OLD ENOUGH TO USE CAREFULLY                                                            | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 1.1  | 1.0  | 1.0    | 1.6  | 1.3  | 1.4  | 0.0  | 1.2  | 0.6    | 0.5  | 0.6        | 0.6  |      |   |        |   |     |   |
| TO FEEL GOOD                                                                           | 2.1   | 2.2  | 2.2    | 3.9  | 3.5  | 3.8  | 3.0  | 5.6  | 4.1    | 5.4  | 5.2  | 5.3  | 7.2  | 2.8  | 5.1    | 4.2  | 3.8        | 4.0  |      |   |        |   |     |   |
| OTHER REASON                                                                           | 1.8   | 1.7  | 1.7    | 4.8  | 3.5  | 4.1  | 5.0  | 3.2  | 4.4    | 6.9  | 3.6  | 5.2  | 5.7  | 8.5  | 7.0    | 4.8  | 3.9        | 4.4  |      |   |        |   |     |   |
| Q35(MOD): REASON FOR STILL USING CANNABIS (RESPONSES FOR THOSE WHO STILL USE CANNABIS) |       |      |        |      |      |      |      |      |        |      |      |      |      |      |        |      |            |      |      |   |        |   |     |   |
| IT IS FUN                                                                              | 21.8  | 22.9 | 23.7   | 27.3 | 25.6 | 26.4 | 30.2 | 17.6 | 25.5   | 31.4 | 49.3 | 40.1 | 27.5 | 31.2 | 29.8   | 28.4 | 31.4       | 30.1 |      |   |        |   |     |   |
| FRIENDS STILL USE IT                                                                   | 6.2   | 0.0  | 3.4    | 4.7  | 2.5  | 3.8  | 1.3  | 4.0  | 2.4    | 6.7  | 1.3  | 4.2  | 3.8  | 6.8  | 5.1    | 4.4  | 3.2        | 3.8  |      |   |        |   |     |   |
| CANNOT STOP USING IT                                                                   | 0.0   | 0.0  | 0.0    | 2.8  | 5.0  | 3.6  | 1.6  | 0.0  | 0.9    | 0.0  | 0.0  | 0.0  | 1.2  | 1.7  | 1.4    | 1.2  | 1.3        | 1.2  |      |   |        |   |     |   |
| TO GET ALONG WITH FRIENDS                                                              | 0.0   | 0.0  | 0.0    | 4.0  | 0.0  | 2.4  | 3.1  | 2.2  | 2.7    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0    | 1.5  | 0.5        | 1.1  |      |   |        |   |     |   |
| EASIER TO DO SCHOOL WORK                                                               | 8.6   | 0.0  | 4.7    | 0.0  | 2.7  | 1.0  | 3.3  | 4.0  | 3.5    | 3.6  | 0.0  | 1.9  | 0.0  | 0.0  | 0.0    | 2.5  | 1.3        | 2.0  |      |   |        |   |     |   |
| GOOD FOR MY HEALTH                                                                     | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 2.9  | 0.0  | 1.7    | 1.1  | 1.6  | 1.3  | 0.0  | 0.0  | 0.0    | 0.9  | 0.4        | 0.7  |      |   |        |   |     |   |
| CALMS ME DOWN                                                                          | 0.0   | 15.4 | 6.7    | 4.8  | 0.0  | 2.9  | 0.0  | 4.7  | 1.9    | 1.4  | 1.7  | 1.6  | 1.5  | 1.4  | 1.4    | 1.7  | 3.5        | 2.4  |      |   |        |   |     |   |
| FORGET HOME/SCHOOL PROBLEMS                                                            | 23.1  | 15.8 | 19.5   | 10.2 | 8.0  | 9.3  | 13.2 | 10.8 | 12.0   | 6.4  | 4.1  | 5.3  | 10.9 | 5.4  | 8.3    | 11.5 | 7.8        | 9.8  |      |   |        |   |     |   |
| ADULTS SAY IT IS NOT GOOD                                                              | 3.0   | 0.0  | 1.6    | 1.7  | 2.7  | 2.1  | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0  | 2.0  | 0.9    | 0.7  | 0.9        | 0.8  |      |   |        |   |     |   |
| BORED, NOTHING ELSE TO DO                                                              | 3.2   | 4.0  | 3.5    | 8.1  | 1.9  | 4.4  | 4.8  | 10.4 | 7.0    | 2.8  | 1.7  | 2.3  | 7.2  | 3.1  | 5.3    | 4.9  | 4.1        | 4.5  |      |   |        |   |     |   |
| OLD ENOUGH TO USE CAREFULLY                                                            | 0.0   | 0.0  | 0.0    | 0.0  | 0.0  | 0.0  | 4.6  | 4.7  | 4.5    | 5.4  | 5.0  | 5.2  | 0.0  | 4.7  | 2.2    | 2.4  | 3.5        | 2.8  |      |   |        |   |     |   |
| TO FEEL GOOD                                                                           | 18.6  | 23.5 | 20.4   | 17.1 | 26.1 | 21.3 | 13.2 | 26.6 | 18.4   | 18.1 | 20.8 | 19.2 | 26.9 | 10.9 | 19.4   | 18.7 | 20.9       | 19.6 |      |   |        |   |     |   |
| OTHER REASON                                                                           | 15.5  | 16.3 | 16.4   | 21.3 | 25.6 | 22.7 | 21.8 | 15.1 | 19.5   | 23.1 | 14.4 | 19.0 | 21.1 | 32.6 | 26.2   | 21.2 | 21.2       | 21.1 |      |   |        |   |     |   |

NOTE: Q35(MOD) IS A MODIFIED RESPONSE SET FOR Q35 AND INCLUDES ONLY THOSE WHO STILL USE CANNABIS

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q36 = 2,858 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|----------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                              | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      |
|                                              | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
| Q36: CANNABIS USE IN LAST MONTH              |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DON'T KNOW WHAT IT IS                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE                                         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| 1 OR 2 TIMES                                 | 6.8   | 7.0    | 7.3  | 5.1  | 3.8    | 4.4  | 3.5  | 1.8    | 2.6  | 2.4  | 2.5    | 2.4  | 3.0        | 2.6    | 4.0  |
| 3 TO 5 TIMES                                 | 80.9  | 84.3   | 82.2 | 71.8 | 80.2   | 76.1 | 69.9 | 75.5   | 72.1 | 63.9 | 73.4   | 68.8 | 69.2       | 68.5   | 76.9 |
| 6 TO 9 TIMES                                 | 5.1   | 3.8    | 4.4  | 10.8 | 8.0    | 9.3  | 12.1 | 13.3   | 12.9 | 17.0 | 13.8   | 15.4 | 11.2       | 15.8   | 11.0 |
| 10 TO 19 TIMES                               | 2.7   | 2.4    | 2.5  | 4.2  | 2.5    | 3.5  | 4.0  | 4.9    | 4.4  | 4.9  | 5.2    | 5.0  | 4.1        | 4.0    | 3.9  |
| 20 TO 39 TIMES                               | 2.0   | 0.7    | 1.3  | 3.7  | 1.5    | 2.6  | 4.6  | 1.8    | 3.4  | 2.7  | 2.2    | 2.4  | 4.0        | 1.9    | 2.5  |
| 40 OR MORE TIMES                             | 1.0   | 1.4    | 1.4  | 1.3  | 1.7    | 1.5  | 2.0  | 1.7    | 1.8  | 2.6  | 1.3    | 1.9  | 3.6        | 2.9    | 1.9  |
|                                              | 0.7   | 0.3    | 0.5  | 1.3  | 1.0    | 1.2  | 2.0  | 1.2    | 1.6  | 3.1  | 1.1    | 2.1  | 3.1        | 2.6    | 1.6  |
|                                              | 0.7   | 0.0    | 0.3  | 1.7  | 1.3    | 1.5  | 2.0  | 0.0    | 1.1  | 3.5  | 0.4    | 1.9  | 1.8        | 1.7    | 1.3  |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q37 = 2,898<br>Q37(MOD) = 2,556                 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |  |  |
|----------------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|--|--|
|                                                                                  | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        |            |  |  |
|                                                                                  | MALE  |      | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL        |  |  |
|                                                                                  | %     |      | %      | %    |      | %      | %    | %    |        | %    | %    | %      |      | %    |        | %    | %    |        | %          |  |  |
| Q37: REASON FOR TRYING ALCOHOL                                                   |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |  |  |
| NEVER TRIED IT                                                                   | 24.2  | 26.4 | 25.1   | 12.5 | 13.7 | 13.1   | 9.6  | 5.8  | 7.9    | 8.3  | 4.8  | 6.5    | 4.5  | 4.4  | 4.6    | 12.0 | 11.5 | 11.7   |            |  |  |
| TO SEE WHAT IT WAS LIKE                                                          | 36.1  | 31.2 | 34.1   | 34.3 | 39.5 | 37.0   | 36.1 | 41.8 | 38.9   | 38.5 | 47.2 | 43.0   | 42.1 | 45.9 | 43.9   | 37.2 | 40.9 | 39.1   |            |  |  |
| FRIENDS WERE DRINKING                                                            | 5.0   | 4.6  | 4.9    | 7.4  | 5.8  | 6.6    | 8.4  | 7.2  | 7.8    | 9.9  | 5.5  | 8.0    | 12.5 | 9.6  | 11.2   | 8.5  | 6.4  | 7.6    |            |  |  |
| SEEMED LIKE FUN                                                                  | 5.7   | 13.0 | 9.1    | 12.8 | 11.7 | 12.3   | 16.2 | 16.0 | 16.0   | 13.3 | 17.1 | 15.1   | 14.3 | 13.1 | 13.6   | 12.5 | 14.1 | 13.2   |            |  |  |
| THOUGHT IT WOULD CALM ME DOWN                                                    | 0.3   | 0.7  | 0.5    | 1.0  | 0.0  | 0.5    | 0.0  | 0.4  | 0.2    | 0.3  | 0.4  | 0.3    | 0.0  | 0.0  | 0.0    | 0.3  | 0.3  | 0.3    |            |  |  |
| ESCAPE HOME/SCHOOL WORRIES                                                       | 2.0   | 2.3  | 2.1    | 3.2  | 3.1  | 3.1    | 1.8  | 2.4  | 2.0    | 2.1  | 2.8  | 2.4    | 2.6  | 1.8  | 2.7    | 2.3  | 2.5  | 2.4    |            |  |  |
| OLD ENOUGH TO USE SAFELY                                                         | 3.6   | 0.7  | 2.2    | 3.7  | 1.3  | 2.4    | 3.8  | 3.2  | 3.5    | 6.2  | 4.0  | 5.0    | 2.7  | 5.8  | 4.1    | 4.0  | 2.8  | 3.4    |            |  |  |
| HEARD COULD MAKE ME FEEL GOOD                                                    | 0.0   | 0.7  | 0.3    | 2.7  | 0.6  | 1.6    | 1.9  | 1.6  | 1.7    | 0.7  | 1.3  | 1.0    | 2.3  | 1.1  | 1.7    | 1.5  | 1.0  | 1.3    |            |  |  |
| BORED, NOTHING ELSE TO DO                                                        | 2.5   | 1.4  | 1.9    | 1.5  | 3.0  | 2.3    | 2.5  | 3.7  | 3.0    | 1.9  | 1.7  | 1.8    | 1.5  | 0.7  | 1.1    | 2.0  | 2.2  | 2.1    |            |  |  |
| OTHER REASON                                                                     | 20.7  | 19.1 | 19.8   | 20.9 | 21.3 | 21.2   | 19.8 | 17.9 | 18.9   | 18.9 | 15.2 | 16.9   | 17.4 | 17.6 | 17.5   | 19.6 | 18.4 | 19.0   |            |  |  |
| Q37(MOD): REASON FOR TRYING ALCOHOL (RESPONSES FOR THOSE WHO HAVE TRIED ALCOHOL) |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |  |  |
| TO SEE WHAT IT WAS LIKE                                                          | 47.5  | 42.4 | 45.5   | 39.2 | 45.7 | 42.5   | 39.9 | 44.4 | 42.2   | 42.0 | 49.6 | 46.0   | 44.1 | 48.0 | 46.0   | 42.3 | 46.2 | 44.3   |            |  |  |
| FRIENDS WERE DRINKING                                                            | 6.5   | 6.2  | 6.5    | 8.5  | 6.8  | 7.6    | 9.3  | 7.6  | 8.5    | 10.8 | 5.8  | 8.5    | 13.1 | 10.0 | 11.8   | 9.7  | 7.2  | 8.6    |            |  |  |
| SEEMED LIKE FUN                                                                  | 7.5   | 17.7 | 12.2   | 14.6 | 13.6 | 14.2   | 17.9 | 17.0 | 17.4   | 14.5 | 17.9 | 16.2   | 14.9 | 13.7 | 14.3   | 14.2 | 15.9 | 15.0   |            |  |  |
| THOUGHT IT WOULD CALM ME DOWN                                                    | 0.4   | 0.9  | 0.7    | 1.1  | 0.0  | 0.5    | 0.0  | 0.4  | 0.2    | 0.3  | 0.4  | 0.4    | 0.0  | 0.0  | 0.0    | 0.4  | 0.3  | 0.3    |            |  |  |
| ESCAPE HOME/SCHOOL WORRIES                                                       | 2.6   | 3.2  | 2.9    | 3.8  | 3.6  | 3.6    | 2.0  | 2.5  | 2.2    | 2.2  | 2.9  | 2.6    | 2.8  | 1.9  | 2.3    | 2.6  | 2.9  | 2.7    |            |  |  |
| OLD ENOUGH TO USE SAFELY                                                         | 4.8   | 0.9  | 2.9    | 4.3  | 1.5  | 2.8    | 4.2  | 3.4  | 3.6    | 6.8  | 4.2  | 5.4    | 2.9  | 6.0  | 4.3    | 4.5  | 3.2  | 3.8    |            |  |  |
| HEARD COULD MAKE ME FEEL GOOD                                                    | 0.0   | 0.9  | 0.4    | 3.1  | 0.7  | 1.8    | 2.1  | 1.7  | 1.9    | 0.8  | 1.4  | 1.1    | 2.4  | 1.1  | 1.8    | 1.7  | 1.2  | 1.4    |            |  |  |
| BORED, NOTHING ELSE TO DO                                                        | 3.3   | 1.8  | 2.6    | 1.8  | 3.5  | 2.6    | 2.7  | 3.9  | 3.2    | 2.0  | 1.8  | 1.9    | 1.6  | 0.8  | 1.2    | 2.3  | 2.4  | 2.3    |            |  |  |
| OTHER REASON                                                                     | 27.3  | 25.9 | 26.5   | 23.9 | 24.7 | 24.3   | 21.9 | 19.0 | 20.5   | 20.6 | 16.0 | 18.0   | 18.3 | 18.4 | 18.4   | 22.3 | 20.7 | 21.5   |            |  |  |

NOTE: Q37(MOD) IS A MODIFIED RESPONSE SET FOR Q37 AND INCLUDES ONLY THOSE WHO HAVE TRIED ALCOHOL

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS, ADOLESCENT SURVEY, 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q39 = 2,604<br>Q39(MOD) = 709                         | GRADE |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      | ALL GRADES |        |     |   |
|----------------------------------------------------------------------------------------|-------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------------|--------|-----|---|
|                                                                                        | 8     |        |      |      | 9    |        |      |      | 10   |        |      |      | 11   |        |      |      | 12         |        |     |   |
|                                                                                        | MALE  | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL  | %    | MALE       | FEMALE | ALL | % |
| Q39: REASON FOR STOPPING ALCOHOL USE                                                   |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| HAVE NEVER DRUNK ALCOHOL                                                               | 30.3  | 32.7   | 31.3 | 17.9 | 17.3 | 17.5   | 11.8 | 6.8  | 9.6  | 8.5    | 5.8  | 7.0  | 5.3  | 5.2    | 5.2  | 14.9 | 14.1       | 14.4   |     |   |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 6.7   | 2.8    | 4.7  | 5.1  | 1.0  | 2.9    | 4.3  | 2.6  | 3.5  | 2.9    | 1.6  | 2.2  | 1.6  | 2.3    | 1.9  | 4.2  | 2.0        | 3.1    |     |   |
| MIGHT BE ADDICTIVE                                                                     | 1.2   | 1.4    | 1.3  | 1.8  | 1.7  | 1.8    | 1.8  | 0.5  | 1.2  | 0.9    | 0.3  | 0.8  | 2.6  | 0.8    | 1.8  | 1.7  | 1.0        | 1.4    |     |   |
| PARENTS MADE ME STOP                                                                   | 1.1   | 0.4    | 0.9  | 1.5  | 0.4  | 0.9    | 0.4  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.8  | 0.0    | 0.4  | 0.8  | 0.2        | 0.5    |     |   |
| ILLEGAL TO USE IT                                                                      | 1.2   | 0.0    | 0.6  | 0.7  | 0.0  | 0.4    | 1.1  | 0.0  | 0.6  | 0.4    | 0.4  | 0.4  | 0.3  | 0.0    | 0.2  | 0.8  | 0.1        | 0.4    |     |   |
| WAS JUST EXPERIMENTING                                                                 | 7.6   | 10.7   | 9.2  | 5.9  | 10.5 | 8.3    | 2.9  | 6.8  | 4.6  | 3.0    | 4.5  | 3.7  | 2.1  | 3.1    | 2.6  | 4.4  | 7.4        | 5.8    |     |   |
| NOT INTERESTED ANYMORE                                                                 | 3.4   | 3.0    | 3.2  | 4.4  | 5.4  | 4.9    | 4.7  | 5.5  | 5.0  | 3.5    | 3.8  | 3.8  | 2.7  | 2.7    | 2.7  | 3.8  | 4.2        | 4.0    |     |   |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 1.4   | 1.1    | 1.4  | 1.0  | 2.1  | 1.6    | 0.4  | 0.9  | 0.6  | 0.0    | 0.3  | 0.2  | 0.0  | 0.3    | 0.2  | 0.6  | 1.0        | 0.8    |     |   |
| FRIENDS STOPPED USING IT                                                               | 0.4   | 0.0    | 0.2  | 0.7  | 0.4  | 0.5    | 0.6  | 0.0  | 0.3  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 0.4  | 0.1        | 0.2    |     |   |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.0   | 0.4    | 0.2  | 1.0  | 1.1  | 1.1    | 0.3  | 0.0  | 0.2  | 0.0    | 0.0  | 0.0  | 0.8  | 0.0    | 0.4  | 0.4  | 0.3        | 0.4    |     |   |
| DIDN'T LIKE EFFECTS                                                                    | 0.4   | 1.2    | 0.8  | 1.4  | 1.4  | 1.4    | 1.0  | 0.9  | 0.9  | 1.2    | 3.2  | 2.2  | 1.4  | 2.1    | 1.7  | 1.1  | 1.8        | 1.4    |     |   |
| OTHER THINGS I ENJOY DOING                                                             | 5.0   | 1.9    | 3.6  | 4.3  | 3.5  | 3.9    | 3.6  | 5.8  | 4.5  | 2.8    | 3.4  | 3.1  | 2.9  | 3.8    | 3.3  | 3.7  | 3.6        | 3.7    |     |   |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.0   | 0.0    | 0.0  | 0.4  | 0.0  | 0.2    | 0.4  | 0.5  | 0.4  | 0.0    | 0.0  | 0.0  | 0.5  | 0.0    | 0.2  | 0.3  | 0.1        | 0.2    |     |   |
| OTHER REASON                                                                           | 9.9   | 5.5    | 7.6  | 6.4  | 5.0  | 5.8    | 4.3  | 9.9  | 6.7  | 4.1    | 3.1  | 3.6  | 4.0  | 2.8    | 3.4  | 5.8  | 5.2        | 5.5    |     |   |
| STILL USE IT                                                                           | 31.5  | 38.7   | 34.9 | 47.4 | 50.3 | 49.0   | 62.5 | 59.7 | 61.5 | 72.7   | 73.6 | 73.0 | 75.0 | 76.8   | 76.0 | 57.4 | 59.0       | 58.2   |     |   |
| Q39(MOD): REASON FOR STOPPING ALCOHOL USE (RESPONSES FOR THOSE WHO HAVE STOPPED USING) |       |        |      |      |      |        |      |      |      |        |      |      |      |        |      |      |            |        |     |   |
| MIGHT BE HARMFUL TO MY HEALTH                                                          | 17.6  | 9.8    | 14.0 | 14.8 | 3.0  | 8.8    | 16.6 | 7.9  | 12.2 | 15.3   | 8.0  | 11.2 | 8.1  | 12.7   | 10.2 | 15.1 | 7.4        | 11.3   |     |   |
| MIGHT BE ADDICTIVE                                                                     | 3.1   | 5.1    | 3.8  | 5.2  | 5.4  | 5.2    | 7.0  | 1.5  | 4.2  | 4.7    | 1.5  | 4.0  | 13.4 | 4.5    | 9.4  | 6.0  | 3.7        | 5.0    |     |   |
| PARENTS MADE ME STOP                                                                   | 2.9   | 1.3    | 2.8  | 4.4  | 1.1  | 2.7    | 1.4  | 0.0  | 0.7  | 0.0    | 0.0  | 0.0  | 4.1  | 0.0    | 2.2  | 2.7  | 0.6        | 1.8    |     |   |
| ILLEGAL TO USE IT                                                                      | 3.0   | 0.0    | 1.7  | 2.1  | 0.0  | 1.1    | 4.1  | 0.0  | 2.1  | 2.1    | 1.9  | 2.0  | 1.6  | 0.0    | 0.9  | 2.7  | 0.3        | 1.5    |     |   |
| WAS JUST EXPERIMENTING                                                                 | 20.0  | 37.6   | 27.4 | 17.0 | 32.5 | 24.7   | 11.4 | 20.3 | 15.9 | 15.8   | 21.8 | 18.6 | 10.8 | 17.2   | 13.7 | 15.7 | 27.4       | 21.3   |     |   |
| NOT INTERESTED ANYMORE                                                                 | 8.9   | 10.7   | 9.5  | 12.7 | 16.6 | 14.6   | 18.2 | 16.6 | 17.4 | 18.8   | 18.4 | 19.0 | 13.6 | 15.2   | 14.3 | 13.7 | 15.4       | 14.5   |     |   |
| TROUBLE WITH PARENTS/TEACHERS                                                          | 3.6   | 3.9    | 4.1  | 2.9  | 6.4  | 4.6    | 1.4  | 2.7  | 2.1  | 0.0    | 1.6  | 0.8  | 0.0  | 1.9    | 0.9  | 2.0  | 3.8        | 3.0    |     |   |
| FRIENDS STOPPED USING IT                                                               | 1.1   | 0.0    | 0.6  | 2.0  | 1.1  | 1.5    | 2.3  | 0.0  | 1.2  | 0.0    | 0.0  | 0.0  | 0.0  | 0.0    | 0.0  | 1.3  | 0.3        | 0.8    |     |   |
| GOT INTO TROUBLE WITH POLICE                                                           | 0.0   | 1.5    | 0.6  | 3.0  | 3.4  | 3.2    | 1.2  | 0.0  | 0.6  | 0.0    | 0.0  | 0.0  | 4.3  | 0.0    | 2.3  | 1.6  | 1.3        | 1.4    |     |   |
| DIDN'T LIKE EFFECTS                                                                    | 1.0   | 4.3    | 2.3  | 4.1  | 4.4  | 4.2    | 4.0  | 2.6  | 3.3  | 6.3    | 15.3 | 10.9 | 6.9  | 11.7   | 9.1  | 3.9  | 6.5        | 5.1    |     |   |
| OTHER THINGS I ENJOY DOING                                                             | 13.0  | 8.6    | 10.6 | 12.4 | 10.7 | 11.5   | 14.1 | 17.3 | 15.7 | 14.8   | 16.7 | 15.5 | 14.6 | 21.0   | 17.5 | 13.5 | 13.4       | 13.5   |     |   |
| RESULT OF EDUCATIONAL EFFORTS                                                          | 0.0   | 0.0    | 0.0  | 1.1  | 0.0  | 0.6    | 1.5  | 1.5  | 1.5  | 0.0    | 0.0  | 0.0  | 2.4  | 0.0    | 1.3  | 0.9  | 0.3        | 0.6    |     |   |
| OTHER REASON                                                                           | 25.8  | 19.3   | 22.6 | 18.3 | 15.4 | 17.3   | 16.9 | 29.7 | 23.3 | 22.0   | 14.9 | 17.9 | 20.2 | 15.7   | 18.2 | 20.8 | 19.4       | 20.1   |     |   |

NOTE: Q39(MOD) IS A MODIFIED RESPONSE SET FOR Q39 AND INCLUDES ONLY THOSE WHO USED TO DRINK ALCOHOL BUT WHO DO NOT DRINK NOW



VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q40 = 2,663<br>Q40(MOD) = 1,632                     | GRADE  |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        | ALL GRADES |      |        |     |
|--------------------------------------------------------------------------------------|--------|---|-----|------|---|--------|-----|------|---|--------|-----|------|----|--------|-----|------|---|--------|------------|------|--------|-----|
|                                                                                      | 8      |   |     | 9    |   |        | 10  |      |   | 11     |     |      | 12 |        |     |      |   |        |            |      |        |     |
|                                                                                      | FEMALE |   | ALL | MALE |   | FEMALE | ALL | MALE |   | FEMALE | ALL | MALE |    | FEMALE | ALL | MALE |   | FEMALE | ALL        | MALE | FEMALE | ALL |
|                                                                                      | Σ      | Σ | Σ   | Σ    | Σ | Σ      | Σ   | Σ    | Σ | Σ      | Σ   | Σ    | Σ  | Σ      | Σ   | Σ    | Σ | Σ      | Σ          | Σ    | Σ      |     |
| Q40: REASON FOR STILL USING ALCOHOL                                                  |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| DON'T KNOW WHAT IT IS                                                                |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| HAVE NEVER DRUNK ALCOHOL                                                             |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| STOPPED DRINKING ALCOHOL                                                             |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| IT IS FUN                                                                            |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| FRIENDS STILL DRINK                                                                  |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| CANNOT STOP DRINKING                                                                 |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| TO GET ALONG WITH FRIENDS                                                            |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| EASIER TO DO SCHOOL WORK                                                             |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| GOOD FOR MY HEALTH                                                                   |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| CALMS ME DOWN                                                                        |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| FORGET HOME/SCHOOL PROBLEMS                                                          |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| ADULTS SAY IT IS NOT GOOD                                                            |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| BORED, NOTHING ELSE TO DO                                                            |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| OLD ENOUGH TO DRINK CAREFULLY                                                        |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| MAKES ME FEEL GOOD                                                                   |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| OTHER REASON                                                                         |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| Q40(MOD): REASON FOR STILL USING ALCOHOL (RESPONSES FOR THOSE WHO STILL USE ALCOHOL) |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| IT IS FUN                                                                            |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| FRIENDS STILL DRINK                                                                  |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| CANNOT STOP DRINKING                                                                 |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| TO GET ALONG WITH FRIENDS                                                            |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| EASIER TO DO SCHOOL WORK                                                             |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| GOOD FOR MY HEALTH                                                                   |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| CALMS ME DOWN                                                                        |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| FORGET HOME/SCHOOL PROBLEMS                                                          |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| ADULTS SAY IT IS NOT GOOD                                                            |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| BORED, NOTHING ELSE TO DO                                                            |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| OLD ENOUGH TO DRINK CAREFULLY                                                        |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| MAKES ME FEEL GOOD                                                                   |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |
| OTHER REASON                                                                         |        |   |     |      |   |        |     |      |   |        |     |      |    |        |     |      |   |        |            |      |        |     |

NOTE: Q40(MOD) IS A MODIFIED RESPONSE SET FOR Q40 AND INCLUDES ONLY THOSE WHO STILL USE ALCOHOL



\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q41 = 2,885<br>Q42 = 2,885 | GRADE |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   | ALL GRADES |        |      |   |
|-------------------------------------------------------------|-------|--------|------|---|------|--------|------|---|------|--------|------|---|------|--------|------|---|------------|--------|------|---|
|                                                             | 8     |        |      |   | 9    |        |      |   | 10   |        |      |   | 11   |        |      |   | 12         |        |      |   |
|                                                             | MALE  | FEMALE | ALL  | % | MALE | FEMALE | ALL  | % | MALE | FEMALE | ALL  | % | MALE | FEMALE | ALL  | % | MALE       | FEMALE | ALL  | % |
| Q41: FREQUENCY OF BEING TIGHT IN LAST 4 WEEKS               |       |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   |            |        |      |   |
| DO NOT DRINK ALCOHOL                                        | 33.4  | 33.4   | 33.5 |   | 20.9 | 20.1   | 20.5 |   | 12.7 | 9.9    | 11.4 |   | 12.7 | 8.6    | 10.5 |   | 8.0        | 9.7    | 8.7  |   |
| NO ALCOHOL IN LAST 4 WEEKS                                  | 32.0  | 22.7   | 27.7 |   | 24.3 | 26.4   | 25.3 |   | 22.0 | 26.1   | 23.7 |   | 13.4 | 18.5   | 16.1 |   | 12.2       | 17.2   | 14.4 |   |
| NOT BEEN TIGHT LAST 4 WEEKS                                 | 16.8  | 23.3   | 19.7 |   | 25.5 | 25.7   | 25.7 |   | 29.6 | 32.3   | 30.8 |   | 30.6 | 35.5   | 33.4 |   | 33.5       | 40.6   | 37.2 |   |
| ONCE IN LAST 4 WEEKS                                        | 6.8   | 11.2   | 8.8  |   | 12.3 | 14.7   | 13.5 |   | 15.1 | 14.4   | 15.0 |   | 21.8 | 24.3   | 22.9 |   | 18.8       | 20.3   | 19.3 |   |
| TWICE IN LAST 4 WEEKS                                       | 4.1   | 4.1    | 4.0  |   | 8.4  | 6.8    | 7.5  |   | 8.8  | 9.8    | 9.2  |   | 5.3  | 6.5    | 5.9  |   | 11.3       | 6.3    | 9.0  |   |
| 3 TIMES IN LAST 4 WEEKS                                     | 3.0   | 2.5    | 2.7  |   | 2.3  | 2.8    | 2.6  |   | 4.7  | 3.3    | 4.1  |   | 7.1  | 2.6    | 4.8  |   | 6.1        | 3.9    | 5.0  |   |
| 4 TIMES IN LAST 4 WEEKS                                     | 2.0   | 0.7    | 1.3  |   | 2.6  | 1.3    | 1.9  |   | 2.6  | 2.8    | 2.7  |   | 4.3  | 1.5    | 2.8  |   | 4.2        | 0.7    | 2.5  |   |
| 5 OR MORE TIMES LAST 4 WEEKS                                | 2.0   | 2.2    | 2.2  |   | 3.7  | 2.2    | 3.0  |   | 4.5  | 1.3    | 3.1  |   | 4.8  | 2.5    | 3.6  |   | 6.1        | 1.3    | 3.8  |   |
| Q42: FREQUENCY OF BEING DRUNK IN LAST 4 WEEKS               |       |        |      |   |      |        |      |   |      |        |      |   |      |        |      |   |            |        |      |   |
| DO NOT DRINK ALCOHOL                                        | 32.9  | 33.8   | 33.4 |   | 21.1 | 20.4   | 20.8 |   | 12.4 | 9.8    | 11.2 |   | 12.3 | 8.9    | 10.5 |   | 8.7        | 9.8    | 9.1  |   |
| NO ALCOHOL IN LAST 4 WEEKS                                  | 29.6  | 19.2   | 24.6 |   | 25.1 | 26.7   | 25.8 |   | 21.8 | 27.1   | 24.0 |   | 13.1 | 18.7   | 16.0 |   | 10.7       | 17.6   | 13.8 |   |
| NOT BEEN DRUNK LAST 4 WEEKS                                 | 18.9  | 26.7   | 22.5 |   | 23.4 | 27.7   | 25.7 |   | 34.8 | 33.2   | 34.2 |   | 41.1 | 46.2   | 43.7 |   | 47.5       | 53.1   | 50.4 |   |
| ONCE IN LAST 4 WEEKS                                        | 8.6   | 10.9   | 9.8  |   | 13.6 | 16.7   | 15.1 |   | 15.9 | 16.7   | 16.3 |   | 19.0 | 17.2   | 18.2 |   | 17.4       | 14.3   | 15.8 |   |
| TWICE IN LAST 4 WEEKS                                       | 2.4   | 5.8    | 4.0  |   | 6.6  | 4.4    | 5.4  |   | 7.6  | 5.3    | 6.6  |   | 4.3  | 3.7    | 4.0  |   | 7.5        | 3.1    | 5.5  |   |
| 3 TIMES IN LAST 4 WEEKS                                     | 3.7   | 1.0    | 2.3  |   | 4.9  | 2.8    | 3.7  |   | 2.0  | 3.8    | 2.8  |   | 3.0  | 2.0    | 2.5  |   | 3.3        | 0.3    | 1.9  |   |
| 4 TIMES IN LAST 4 WEEKS                                     | 2.6   | 0.7    | 1.7  |   | 2.0  | 0.3    | 1.1  |   | 2.5  | 1.9    | 2.3  |   | 2.2  | 2.5    | 2.3  |   | 1.4        | 0.5    | 1.0  |   |
| 5 OR MORE TIMES LAST 4 WEEKS                                | 1.3   | 1.8    | 1.7  |   | 3.3  | 1.0    | 2.2  |   | 3.0  | 2.1    | 2.6  |   | 5.0  | 0.7    | 2.8  |   | 3.5        | 1.3    | 2.4  |   |

| NUMBER OF VALID RESPONSES TO:<br>Q43 = 2,687<br>Q44 = 2,683                          | GRADE |        |      |   |      |        |     |      |      |        |      |      |      |        |     |      |      |        |     |      |      |        |     |   | ALL GRADES |  |
|--------------------------------------------------------------------------------------|-------|--------|------|---|------|--------|-----|------|------|--------|------|------|------|--------|-----|------|------|--------|-----|------|------|--------|-----|---|------------|--|
|                                                                                      | 6     |        |      |   | 9    |        |     |      | 10   |        |      |      | 11   |        |     |      | 12   |        |     |      |      |        |     |   |            |  |
|                                                                                      | MALE  | FEMALE | ALL  | % | MALE | FEMALE | ALL | %    | MALE | FEMALE | ALL  | %    | MALE | FEMALE | ALL | %    | MALE | FEMALE | ALL | %    | MALE | FEMALE | ALL | % |            |  |
| Q43: FREQ. OF HAVING 5 OR MORE ALCOHOLIC DRINKS ON THE SAME OCCASION IN LAST 4 WEEKS |       |        |      |   |      |        |     |      |      |        |      |      |      |        |     |      |      |        |     |      |      |        |     |   |            |  |
| DO NOT DRINK ALCOHOL                                                                 | 34.2  | 34.5   | 34.4 |   | 19.9 | 20.9   |     | 20.5 | 13.2 | 9.6    | 11.6 | 12.3 | 8.5  | 10.3   |     | 8.3  | 9.8  | 8.9    |     | 17.7 | 17.2 | 17.4   |     |   |            |  |
| NO ALCOHOL IN LAST 4 WEEKS                                                           | 29.1  | 20.8   | 25.4 |   | 27.4 | 26.0   |     | 26.6 | 23.7 | 26.9   | 25.0 | 13.7 | 19.0 | 16.5   |     | 12.4 | 16.8 | 14.5   |     | 21.6 | 22.1 | 21.9   |     |   |            |  |
| NOT ON SAME OCCASION LAST 4 WK                                                       | 18.3  | 26.1   | 21.9 |   | 17.3 | 27.0   |     | 22.4 | 21.4 | 30.5   | 25.2 | 21.1 | 33.8 | 27.7   |     | 19.5 | 33.3 | 26.2   |     | 19.5 | 29.9 | 24.5   |     |   |            |  |
| ONCE IN LAST 4 WEEKS                                                                 | 8.9   | 9.2    | 9.0  |   | 14.7 | 14.6   |     | 14.6 | 17.9 | 14.3   | 16.4 | 15.9 | 17.9 | 16.8   |     | 16.7 | 18.5 | 17.4   |     | 14.9 | 14.8 | 14.7   |     |   |            |  |
| TWICE IN LAST 4 WEEKS                                                                | 2.6   | 4.4    | 3.4  |   | 6.1  | 5.0    |     | 5.5  | 7.7  | 7.3    | 7.7  | 13.5 | 7.6  | 10.6   |     | 11.8 | 9.1  | 10.4   |     | 8.2  | 6.5  | 7.4    |     |   |            |  |
| 3 TIMES IN LAST 4 WEEKS                                                              | 1.3   | 2.1    | 1.7  |   | 5.1  | 3.5    |     | 4.3  | 7.4  | 4.6    | 6.3  | 6.2  | 5.1  | 5.6    |     | 8.1  | 5.3  | 6.9    |     | 5.6  | 4.0  | 4.9    |     |   |            |  |
| 4 TIMES IN LAST 4 WEEKS                                                              | 2.3   | 1.4    | 1.8  |   | 3.4  | 1.3    |     | 2.3  | 2.9  | 2.6    | 2.8  | 9.1  | 4.6  | 6.7    |     | 11.9 | 2.5  | 7.5    |     | 5.7  | 2.5  | 4.1    |     |   |            |  |
| 5 OR MORE TIMES LAST 4 WEEKS                                                         | 3.3   | 1.4    | 2.5  |   | 6.1  | 1.6    |     | 3.9  | 5.8  | 4.2    | 5.1  | 8.3  | 3.5  | 5.8    |     | 11.4 | 4.8  | 8.2    |     | 6.8  | 3.0  | 5.0    |     |   |            |  |
| Q44: FREQUENCY OF GOING ON WEEKEND DRINKING SPREES                                   |       |        |      |   |      |        |     |      |      |        |      |      |      |        |     |      |      |        |     |      |      |        |     |   |            |  |
| HAVE NEVER DRUNK ALCOHOL                                                             | 25.7  | 24.3   | 24.8 |   | 12.9 | 14.1   |     | 13.4 | 8.0  | 4.9    | 6.6  | 5.9  | 4.9  | 5.4    |     | 3.7  | 4.6  | 4.1    |     | 11.4 | 11.0 | 11.2   |     |   |            |  |
| NEVER GONE ON WEEKEND SPREE                                                          | 46.0  | 50.6   | 48.1 |   | 49.4 | 52.3   |     | 50.8 | 41.1 | 47.5   | 43.7 | 42.0 | 48.9 | 45.7   |     | 37.8 | 48.5 | 42.6   |     | 43.4 | 49.7 | 46.4   |     |   |            |  |
| ONCE IN MY LIFE                                                                      | 10.7  | 9.1    | 10.0 |   | 11.2 | 12.2   |     | 11.6 | 16.8 | 18.8   | 16.9 | 14.7 | 15.5 | 15.2   |     | 12.9 | 10.6 | 11.7   |     | 13.3 | 12.8 | 13.1   |     |   |            |  |
| TWICE IN MY LIFE                                                                     | 4.7   | 4.6    | 4.6  |   | 7.1  | 6.0    |     | 6.7  | 12.3 | 9.1    | 11.2 | 7.0  | 8.7  | 7.8    |     | 7.9  | 9.4  | 8.7    |     | 7.9  | 7.4  | 7.7    |     |   |            |  |
| 3 OR MORE TIMES IN MY LIFE                                                           | 12.9  | 11.4   | 12.5 |   | 19.5 | 15.4   |     | 17.4 | 21.8 | 21.6   | 21.6 | 30.4 | 22.1 | 25.9   |     | 37.8 | 26.9 | 32.9   |     | 24.0 | 19.0 | 21.6   |     |   |            |  |

\* \* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q45 = 2.894<br>Q46 = 2.897<br>Q47 = 2.892 | GRADE |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        | ALL GRADES |   |   |   |      |   |
|----------------------------------------------------------------------------|-------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------------|---|---|---|------|---|
|                                                                            | 8     |      |        | 9    |      |        | 10   |      |        | 11   |      |        | 12   |      |        |      |      |        |            |   |   |   |      |   |
|                                                                            | MALE  |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE | MALE |      | FEMALE |            |   |   |   | MALE |   |
|                                                                            | N     | %    | N      | %    | N    | %      | N    | %    | N      | %    | N    | %      | N    | %    | N      | %    | N    | %      | N          | % | N | % | N    | % |
| Q45: FREQ. OF DRINKING PRIOR TO OR INSTEAD OF BREAKFAST                    |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |   |   |      |   |
| HAVE NEVER DRUNK ALCOHOL                                                   | 26.9  | 25.1 | 25.8   | 11.8 | 13.7 | 12.8   | 7.7  | 5.3  | 6.6    | 5.9  | 4.5  | 5.2    | 3.7  | 4.1  | 3.9    | 11.3 | 11.0 | 11.1   |            |   |   |   |      |   |
| NEVER DRANK PRIOR TO BREAKFAST                                             | 21.3  | 65.4 | 63.4   | 72.8 | 73.8 | 73.3   | 75.1 | 77.2 | 76.0   | 69.3 | 74.5 | 72.2   | 64.7 | 75.6 | 69.6   | 68.9 | 73.2 | 71.0   |            |   |   |   |      |   |
| ONCE IN MY LIFE                                                            | 4.5   | 6.3  | 5.5    | 7.1  | 5.1  | 6.0    | 7.8  | 8.5  | 8.0    | 8.3  | 10.6 | 9.4    | 10.8 | 10.9 | 10.9   | 7.6  | 8.1  | 7.8    |            |   |   |   |      |   |
| TWICE IN MY LIFE                                                           | 3.3   | 1.1  | 2.3    | 4.0  | 2.0  | 3.0    | 2.8  | 5.0  | 3.7    | 6.6  | 4.5  | 5.5    | 5.6  | 2.4  | 4.3    | 4.4  | 2.9  | 3.7    |            |   |   |   |      |   |
| 3 OR MORE TIMES IN MY LIFE                                                 | 4.0   | 2.1  | 3.0    | 4.3  | 5.4  | 5.0    | 6.7  | 4.0  | 5.6    | 9.9  | 5.9  | 7.8    | 15.3 | 6.9  | 11.5   | 7.8  | 4.8  | 6.4    |            |   |   |   |      |   |
| Q46: FREQ. OF AGGRESSIVE BEHAVIOUR DUE TO ALCOHOL                          |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |   |   |      |   |
| HAVE NEVER DRUNK ALCOHOL                                                   | 27.1  | 25.4 | 26.1   | 12.8 | 15.0 | 13.9   | 7.9  | 5.6  | 6.9    | 6.3  | 4.9  | 5.5    | 4.1  | 4.6  | 4.3    | 11.8 | 11.6 | 11.6   |            |   |   |   |      |   |
| NEVER AGGRESS. DUE TO ALCOHOL                                              | 56.3  | 67.7 | 63.2   | 67.7 | 71.9 | 69.9   | 66.1 | 76.0 | 71.5   | 56.7 | 81.4 | 70.6   | 60.5 | 78.1 | 68.5   | 63.0 | 74.8 | 68.8   |            |   |   |   |      |   |
| ONCE IN MY LIFE                                                            | 7.4   | 3.4  | 5.3    | 8.4  | 8.8  | 8.7    | 9.5  | 7.9  | 8.9    | 8.8  | 7.4  | 8.0    | 10.5 | 8.0  | 9.6    | 8.9  | 7.1  | 8.1    |            |   |   |   |      |   |
| TWICE IN MY LIFE                                                           | 2.4   | 1.4  | 1.9    | 4.2  | 2.1  | 3.1    | 4.3  | 4.4  | 4.3    | 9.3  | 2.8  | 5.9    | 8.5  | 5.3  | 7.1    | 5.6  | 3.1  | 4.3    |            |   |   |   |      |   |
| 3 OR MORE TIMES IN MY LIFE                                                 | 4.8   | 2.1  | 3.4    | 6.9  | 2.2  | 4.4    | 10.4 | 6.1  | 8.5    | 16.8 | 3.5  | 9.9    | 16.3 | 4.0  | 10.5   | 10.8 | 3.5  | 7.2    |            |   |   |   |      |   |
| Q47: FREQ. OF MEMORY LOSS W/O PASSING OUT AFTER DRINKING                   |       |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |            |   |   |   |      |   |
| HAVE NEVER DRUNK ALCOHOL                                                   | 26.9  | 25.6 | 26.1   | 13.6 | 14.6 | 14.1   | 8.3  | 5.8  | 7.2    | 6.3  | 4.9  | 5.5    | 4.5  | 4.9  | 4.6    | 12.0 | 11.6 | 11.8   |            |   |   |   |      |   |
| NEVER MEMORY LOSS AFTER DRINK                                              | 51.7  | 57.6 | 54.8   | 55.3 | 56.0 | 55.6   | 56.8 | 55.5 | 56.1   | 51.0 | 54.7 | 52.7   | 52.1 | 60.1 | 55.7   | 53.6 | 56.7 | 55.0   |            |   |   |   |      |   |
| ONCE IN MY LIFE                                                            | 13.0  | 8.6  | 10.7   | 15.6 | 15.1 | 15.4   | 17.3 | 16.7 | 17.1   | 16.6 | 18.3 | 17.8   | 15.6 | 19.4 | 17.6   | 15.7 | 15.4 | 15.6   |            |   |   |   |      |   |
| TWICE IN MY LIFE                                                           | 3.9   | 3.8  | 3.8    | 7.3  | 5.4  | 6.3    | 5.0  | 10.6 | 7.6    | 7.3  | 11.6 | 9.6    | 10.6 | 7.5  | 9.2    | 6.7  | 7.6  | 7.2    |            |   |   |   |      |   |
| 3 OR MORE TIMES IN MY LIFE                                                 | 4.6   | 4.5  | 4.7    | 8.2  | 8.9  | 8.6    | 12.6 | 11.5 | 12.0   | 18.8 | 10.5 | 14.4   | 17.2 | 8.1  | 12.8   | 12.0 | 8.7  | 10.4   |            |   |   |   |      |   |

VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q48 = 2,856<br>Q49 = 2,877<br>Q50 = 2,886 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|----------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
|                                                                            | %     | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %          | %      | %    |
| Q48: AVERAGE BOTTLES OF BEER CONSUMED AT ONE TIME                          |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE, DO NOT DRINK BEER                                                    | 51.4  | 56.3   | 53.9 | 35.1 | 45.6   | 40.4 | 21.4 | 39.3   | 29.1 | 22.2 | 31.4   | 26.9 | 16.1 | 37.3   | 26.2 | 29.3       | 42.2   | 35.6 |
| 1 TO 3 BOTTLES                                                             | 30.8  | 31.1   | 30.5 | 26.6 | 32.2   | 29.7 | 26.2 | 31.2   | 28.4 | 20.1 | 32.2   | 26.2 | 20.4 | 28.7   | 24.1 | 25.0       | 31.2   | 27.9 |
| 4 TO 6 BOTTLES                                                             | 11.1  | 7.0    | 9.3  | 22.4 | 14.9   | 18.4 | 21.5 | 20.3   | 21.2 | 27.7 | 24.1   | 26.2 | 27.2 | 25.0   | 26.3 | 21.8       | 17.9   | 20.1 |
| 7 OR MORE BOTTLES                                                          | 6.7   | 5.6    | 6.2  | 15.9 | 7.3    | 11.5 | 30.8 | 9.2    | 21.3 | 30.0 | 12.3   | 20.7 | 36.2 | 9.0    | 23.4 | 23.8       | 8.6    | 16.4 |
| Q49: AVERAGE GLASSES OF WINE CONSUMED AT ONE TIME                          |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE, DO NOT DRINK WINE                                                    | 59.5  | 49.1   | 54.5 | 50.4 | 40.2   | 44.8 | 47.2 | 37.9   | 43.1 | 48.6 | 33.7   | 40.9 | 54.1 | 34.3   | 44.5 | 51.8       | 39.2   | 45.6 |
| 1 TO 3 GLASSES                                                             | 33.0  | 43.0   | 37.7 | 32.7 | 48.6   | 41.3 | 35.7 | 44.0   | 39.3 | 35.4 | 48.3   | 41.9 | 33.3 | 53.0   | 42.7 | 34.1       | 47.3   | 40.5 |
| 4 TO 6 GLASSES                                                             | 5.5   | 6.1    | 5.7  | 10.9 | 6.2    | 8.4  | 8.8  | 12.1   | 10.4 | 7.3  | 11.8   | 9.9  | 5.9  | 7.1    | 6.6  | 7.8        | 8.6    | 8.3  |
| 7 OR MORE GLASSES                                                          | 2.0   | 1.8    | 2.1  | 6.0  | 5.0    | 5.4  | 8.2  | 6.0    | 7.2  | 8.6  | 6.1    | 7.3  | 6.7  | 5.6    | 6.3  | 6.3        | 4.9    | 5.6  |
| Q50: AVERAGE DRINKS OF HARD LIQUOR CONSUMED AT ONE TIME                    |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NONE, DO NOT DRINK HARD LIQUOR                                             | 64.3  | 62.1   | 63.5 | 48.4 | 50.5   | 49.4 | 38.0 | 41.0   | 39.1 | 33.4 | 36.7   | 35.0 | 34.5 | 34.1   | 34.0 | 43.8       | 45.5   | 44.6 |
| 1 TO 3 DRINKS                                                              | 25.3  | 29.9   | 27.2 | 27.2 | 30.6   | 29.0 | 28.5 | 41.1   | 34.1 | 27.1 | 35.7   | 31.4 | 26.6 | 39.3   | 32.4 | 27.0       | 34.9   | 30.8 |
| 4 TO 6 DRINKS                                                              | 5.8   | 6.6    | 6.3  | 13.8 | 13.8   | 13.9 | 19.6 | 13.1   | 12.7 | 23.2 | 19.1   | 21.3 | 19.9 | 19.3   | 19.8 | 16.4       | 14.2   | 15.4 |
| 7 OR MORE DRINKS                                                           | 4.6   | 1.4    | 3.0  | 10.7 | 5.1    | 7.7  | 13.9 | 4.9    | 10.1 | 16.3 | 8.6    | 12.3 | 19.1 | 7.3    | 13.8 | 12.8       | 5.4    | 9.2  |

... THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 ...  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q51 = 2,904<br>Q52 = 2,882<br>Q53 = 2,902<br>Q54 = 2,849 | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |
|-------------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|
|                                                                                           | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12         |        |      | ALL  |
|                                                                                           | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |      |
| Q51: EVER ARRESTED OR WARNED BY POLICE FOR DRUG USE                                       |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DO NOT USE DRUGS                                                                          | 70.4  | 71.2   | 70.7 | 51.4 | 53.7   | 57.8 | 51.1 | 49.0   | 50.1 | 41.0 | 45.2   | 43.0 | 39.4       | 40.0   | 39.5 | 51.1 |
| YES                                                                                       | 5.5   | 2.5    | 4.1  | 3.8  | 4.1    | 3.9  | 10.2 | 4.9    | 7.9  | 6.7  | 3.1    | 4.8  | 9.4        | 5.5    | 7.5  | 7.2  |
| NO                                                                                        | 24.1  | 26.3   | 25.2 | 44.7 | 32.2   | 38.3 | 38.7 | 46.1   | 42.0 | 52.3 | 51.7   | 52.1 | 51.2       | 54.5   | 53.0 | 41.7 |
| Q52: WISH YOU COULD USE DRUGS LESS THAN YOU DO NOW                                        |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DO NOT USE DRUGS                                                                          | 82.6  | 83.1   | 82.8 | 67.9 | 75.5   | 71.7 | 66.3 | 69.5   | 67.7 | 61.3 | 67.5   | 64.5 | 63.1       | 64.6   | 63.7 | 68.4 |
| YES                                                                                       | 2.9   | 3.8    | 3.3  | 7.5  | 6.0    | 6.7  | 8.4  | 5.8    | 7.2  | 6.0  | 2.0    | 4.1  | 5.1        | 4.0    | 4.5  | 6.1  |
| NO                                                                                        | 14.4  | 13.0   | 13.9 | 24.7 | 18.4   | 21.6 | 25.3 | 24.7   | 25.1 | 32.7 | 30.5   | 31.3 | 31.9       | 31.4   | 31.8 | 25.5 |
| Q53: EVER WARNED BY POLICE BECAUSE OF ALCOHOL USE                                         |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DO NOT USE ALCOHOL                                                                        | 46.2  | 43.6   | 45.0 | 29.5 | 27.9   | 28.6 | 18.9 | 17.6   | 18.3 | 15.9 | 11.3   | 13.7 | 10.7       | 13.2   | 11.8 | 24.6 |
| YES                                                                                       | 8.1   | 4.6    | 6.5  | 9.5  | 7.8    | 8.7  | 17.9 | 13.4   | 16.2 | 22.3 | 15.8   | 18.8 | 31.5       | 14.0   | 23.5 | 17.5 |
| NO                                                                                        | 45.7  | 51.8   | 48.6 | 61.0 | 64.3   | 62.7 | 63.1 | 68.9   | 65.5 | 61.8 | 72.9   | 67.5 | 57.8       | 72.7   | 64.7 | 58.0 |
| Q54: WISH YOU COULD DRINK LESS THAN YOU DO NOW                                            |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |
| DO NOT USE ALCOHOL                                                                        | 49.4  | 45.1   | 47.3 | 35.4 | 31.8   | 33.3 | 21.7 | 23.4   | 22.3 | 17.3 | 15.1   | 16.3 | 14.2       | 15.4   | 14.6 | 27.9 |
| YES                                                                                       | 5.7   | 4.9    | 5.6  | 4.0  | 6.3    | 5.2  | 7.2  | 9.5    | 8.1  | 5.0  | 4.6    | 5.0  | 7.0        | 6.1    | 6.5  | 5.8  |
| NO                                                                                        | 44.9  | 50.0   | 47.1 | 60.6 | 61.9   | 61.5 | 71.1 | 67.1   | 69.5 | 77.7 | 80.3   | 78.8 | 78.8       | 78.5   | 78.8 | 66.3 |



\* \* \* \* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \* \* \* \*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q55 = 2,902<br>Q56 = 2,891<br>Q57 = 2,887 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |
|----------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|
|                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |            |        |      |
|                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  |
|                                                                            | %     | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %          | %      | %    |
| Q55: PARENTS THINK YOU DRINK TOO MUCH ALCOHOL                              |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| DO NOT USE ALCOHOL                                                         | 45.5  | 42.7   | 44.2 | 31.0 | 29.5   | 30.1 | 18.0 | 17.8   | 17.8 | 16.5 | 13.1   | 14.6 | 12.0 | 13.3   | 12.5 | 24.9       | 24.0   | 24.4 |
| YES                                                                        | 3.6   | 2.5    | 3.2  | 3.9  | 1.9    | 2.8  | 5.9  | 2.9    | 4.6  | 10.0 | 3.8    | 6.8  | 12.1 | 4.2    | 8.3  | 6.9        | 3.0    | 5.0  |
| NO                                                                         | 21.3  | 17.2   | 19.2 | 23.5 | 25.3   | 24.8 | 29.8 | 33.4   | 31.2 | 32.2 | 39.3   | 35.9 | 39.9 | 50.8   | 45.2 | 29.0       | 32.2   | 30.6 |
| DON'T KNOW                                                                 | 5.8   | 8.4    | 7.0  | 8.5  | 6.2    | 7.3  | 13.1 | 8.3    | 11.0 | 6.3  | 8.5    | 7.4  | 9.9  | 7.3    | 8.6  | 8.9        | 7.7    | 8.2  |
| THEY DON'T KNOW HOW MUCH I DRK                                             | 23.7  | 29.1   | 26.4 | 33.1 | 37.1   | 35.0 | 33.2 | 37.5   | 35.4 | 35.0 | 35.4   | 35.3 | 26.0 | 24.4   | 25.4 | 30.3       | 33.1   | 31.7 |
| Q56: ACCIDENT WHILE YOU WERE DRIVING IN LAST 12 MONTHS                     |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NO                                                                         | 93.9  | 98.0   | 96.0 | 95.7 | 97.5   | 96.7 | 95.5 | 98.0   | 96.6 | 80.6 | 89.3   | 85.2 | 73.4 | 86.5   | 79.5 | 88.5       | 94.2   | 91.3 |
| ONCE                                                                       | 4.1   | 1.1    | 2.5  | 1.6  | 1.3    | 1.4  | 3.6  | 1.2    | 2.6  | 13.2 | 9.3    | 11.1 | 19.8 | 11.5   | 15.9 | 8.0        | 4.6    | 6.3  |
| TWICE                                                                      | 0.9   | 0.3    | 0.6  | 0.7  | 0.6    | 0.6  | 0.6  | 0.8    | 0.6  | 3.5  | 0.7    | 2.1  | 5.3  | 2.0    | 3.7  | 2.1        | 0.8    | 1.5  |
| 3 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.6  | 0.0    | 0.3  | 0.0  | 0.0    | 0.0  | 1.7  | 0.4    | 1.0  | 1.5  | 0.0    | 0.8  | 0.7        | 0.1    | 0.4  |
| 4 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.7  | 0.3    | 0.5  | 0.3  | 0.0    | 0.1  | 0.7  | 0.0    | 0.3  | 0.0  | 0.0    | 0.0  | 0.3        | 0.1    | 0.2  |
| 5 OR MORE TIMES                                                            | 1.1   | 0.7    | 0.9  | 0.7  | 0.3    | 0.5  | 0.0  | 0.0    | 0.0  | 0.3  | 0.3    | 0.3  | 0.0  | 0.0    | 0.0  | 0.4        | 0.3    | 0.3  |
| Q57: ACCIDENT WHILE DRIVING AFTER DRINKING LAST 12 MO.                     |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |        |      |
| NO                                                                         | 97.9  | 99.3   | 98.6 | 97.0 | 99.7   | 98.4 | 97.9 | 99.6   | 98.6 | 97.2 | 98.3   | 97.8 | 93.9 | 98.8   | 96.2 | 96.6       | 99.2   | 98.0 |
| ONCE                                                                       | 1.0   | 0.0    | 0.5  | 0.9  | 0.0    | 0.4  | 1.3  | 0.0    | 0.7  | 1.6  | 1.4    | 1.5  | 6.1  | 1.2    | 3.8  | 2.1        | 0.5    | 1.3  |
| TWICE                                                                      | 0.7   | 0.0    | 0.4  | 0.4  | 0.0    | 0.2  | 0.5  | 0.4    | 0.4  | 0.8  | 0.3    | 0.6  | 0.0  | 0.0    | 0.0  | 0.5        | 0.1    | 0.3  |
| 3 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.4  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.0    | 0.0  |
| 4 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.7  | 0.0    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1        | 0.0    | 0.1  |
| 5 OR MORE TIMES                                                            | 0.3   | 0.7    | 0.5  | 0.7  | 0.3    | 0.5  | 0.3  | 0.0    | 0.2  | 0.4  | 0.0    | 0.2  | 0.0  | 0.0    | 0.0  | 0.4        | 0.2    | 0.3  |

\*\*\* THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987 \*\*\*  
 ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)  
 VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

| NUMBER OF VALID RESPONSES TO:<br>Q58 = 2,898<br>Q59 = 2,907<br>Q60 = 2,900 | GRADE |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |  |  |
|----------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--|--|
|                                                                            | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      | 12   |        |      |      |        |      |            |  |  |
|                                                                            | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  |            |  |  |
|                                                                            | %     | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    | %    | %      | %    |            |  |  |
| Q58: EVER CONVICTED OF A<br>DRINKING-DRIVING OFFENCE                       |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |  |  |
| NEVER                                                                      | 98.6  | 99.0   | 98.8 | 98.6 | 99.7   | 99.2 | 99.4 | 99.6   | 99.5 | 99.7 | 99.6   | 99.7 | 98.3 | 100.0  | 99.1 | 98.9 | 99.6   | 99.2 |            |  |  |
| ONCE                                                                       | 1.1   | 0.3    | 0.7  | 0.0  | 0.0    | 0.0  | 0.3  | 0.0    | 0.2  | 0.0  | 0.4    | 0.2  | 1.7  | 0.0    | 0.9  | 0.6  | 0.1    | 0.4  |            |  |  |
| TWICE                                                                      | 0.0   | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.3  | 0.4    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1  | 0.1    | 0.1  |            |  |  |
| 3 TIMES                                                                    | 0.0   | 0.0    | 0.0  | 0.7  | 0.0    | 0.3  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1  | 0.0    | 0.1  |            |  |  |
| 4 TIMES                                                                    | 0.4   | 0.4    | 0.4  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.0  | 0.0    | 0.0  | 0.1  | 0.1    | 0.1  |            |  |  |
| 5 OR MORE TIMES                                                            | 0.0   | 0.3    | 0.1  | 0.7  | 0.3    | 0.5  | 0.0  | 0.0    | 0.0  | 0.3  | 0.0    | 0.1  | 0.0  | 0.0    | 0.0  | 0.2  | 0.1    | 0.2  |            |  |  |
| Q59: HAD ALCOHOL/DRUG EDUCATION<br>IN SCHOOL SINCE SEPTEMBER               |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |  |  |
| YES                                                                        | 49.5  | 48.8   | 49.2 | 34.6 | 47.3   | 41.4 | 40.8 | 48.5   | 44.1 | 15.8 | 29.8   | 23.2 | 16.0 | 30.4   | 22.9 | 32.3 | 41.5   | 36.9 |            |  |  |
| NO                                                                         | 39.2  | 39.0   | 39.2 | 54.8 | 41.6   | 47.8 | 51.1 | 44.3   | 48.3 | 74.1 | 62.7   | 68.1 | 76.8 | 64.5   | 70.9 | 58.3 | 49.6   | 54.1 |            |  |  |
| DON'T KNOW                                                                 | 11.3  | 12.2   | 11.6 | 10.6 | 11.1   | 10.8 | 8.0  | 7.2    | 7.6  | 10.0 | 7.5    | 8.7  | 7.2  | 5.1    | 6.1  | 9.4  | 8.9    | 9.1  |            |  |  |
| Q60: TOTAL ALCOHOL OR DRUG<br>CLASSES EVER HAD                             |       |        |      |      |        |      |      |        |      |      |        |      |      |        |      |      |        |      |            |  |  |
| NONE                                                                       | 23.1  | 21.8   | 22.5 | 27.2 | 16.8   | 21.8 | 24.6 | 19.5   | 22.3 | 25.4 | 18.3   | 21.6 | 20.9 | 17.2   | 19.2 | 24.3 | 18.7   | 21.5 |            |  |  |
| 1 OR 2                                                                     | 41.3  | 38.5   | 40.1 | 40.1 | 40.2   | 43.4 | 37.8 | 39.7   | 38.8 | 38.3 | 44.9   | 42.1 | 47.9 | 42.8   | 45.4 | 40.9 | 42.6   | 41.9 |            |  |  |
| 3 TO 5                                                                     | 20.0  | 21.4   | 20.6 | 18.3 | 23.8   | 21.0 | 21.9 | 21.0   | 21.6 | 22.7 | 19.5   | 20.9 | 19.8 | 31.1   | 25.0 | 20.5 | 23.1   | 21.7 |            |  |  |
| 6 TO 10                                                                    | 7.5   | 10.0   | 8.7  | 8.8  | 7.2    | 7.9  | 7.6  | 11.1   | 9.1  | 7.5  | 10.6   | 9.0  | 6.7  | 5.8    | 6.4  | 7.6  | 9.0    | 8.3  |            |  |  |
| 11 TO 20                                                                   | 4.3   | 3.4    | 3.8  | 1.0  | 3.8    | 2.5  | 4.3  | 4.5    | 4.4  | 3.5  | 3.5    | 3.5  | 2.3  | 1.5    | 1.9  | 3.1  | 3.4    | 3.2  |            |  |  |
| MORE THAN 20                                                               | 3.8   | 4.9    | 4.3  | 4.6  | 2.3    | 3.4  | 3.8  | 4.2    | 3.9  | 2.6  | 3.2    | 2.9  | 2.4  | 1.8    | 2.1  | 3.5  | 3.3    | 3.4  |            |  |  |

VANCOUVER ISLAND, GULF ISLANDS AND POWELL RIVER

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS. IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION.

THE BRITISH COLUMBIA ALCOHOL AND DRUG PROGRAMS ADOLESCENT SURVEY: 1987  
ITEM RESPONSES BY SEX WITHIN GRADE WITHIN REGION (WEIGHTED)

| NUMBER OF VALID RESPONSES TO:<br>Q81D = 2,553<br>Q81E = 2,559<br>Q81F = 2,557        | GRADE |        |      |      |        |      |      |        |      |      |        |      | ALL GRADES |        |      |      |        |      |
|--------------------------------------------------------------------------------------|-------|--------|------|------|--------|------|------|--------|------|------|--------|------|------------|--------|------|------|--------|------|
|                                                                                      | 8     |        |      | 9    |        |      | 10   |        |      | 11   |        |      |            |        |      | 12   |        |      |
|                                                                                      | MALE  | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE | FEMALE | ALL  | MALE       | FEMALE | ALL  | MALE | FEMALE | ALL  |
| Q81D: FREQUENCY OF DRINKING AT DINNER AT HOME WITH FAMILY                            |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                         | 60.8  | 59.2   | 60.3 | 57.6 | 58.0   | 57.7 | 52.2 | 49.4   | 51.1 | 50.7 | 50.1   | 50.6 | 54.1       | 46.6   | 50.6 | 54.9 | 52.9   | 54.0 |
| SOMETIMES                                                                            | 34.4  | 35.5   | 34.6 | 36.6 | 36.2   | 36.4 | 39.9 | 45.1   | 41.9 | 45.4 | 36.0   | 40.3 | 40.8       | 48.6   | 44.4 | 39.5 | 39.9   | 39.5 |
| FREQUENTLY                                                                           | 1.2   | 3.0    | 2.1  | 3.0  | 4.7    | 4.1  | 3.9  | 3.6    | 3.8  | 3.1  | 9.6    | 6.6  | 4.1        | 2.3    | 3.2  | 3.1  | 4.8    | 4.0  |
| MOST OF THE TIME                                                                     | 3.5   | 2.3    | 3.1  | 2.8  | 1.1    | 1.9  | 4.0  | 1.9    | 3.3  | 0.8  | 4.3    | 2.6  | 1.1        | 2.6    | 1.8  | 2.5  | 2.4    | 2.5  |
| Q81E: FREQUENCY OF DRINKING AT TEEN HANGOUTS WHEN ADULTS ARE NOT PRESENT             |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                         | 58.6  | 48.3   | 53.5 | 39.3 | 40.9   | 40.1 | 26.7 | 30.9   | 28.3 | 27.9 | 37.5   | 33.1 | 26.2       | 37.6   | 31.4 | 35.1 | 39.1   | 37.0 |
| SOMETIMES                                                                            | 20.2  | 23.2   | 21.8 | 28.3 | 27.2   | 27.8 | 32.4 | 28.7   | 31.0 | 34.5 | 30.8   | 32.4 | 39.2       | 31.0   | 35.3 | 31.1 | 28.2   | 29.7 |
| FREQUENTLY                                                                           | 8.6   | 10.4   | 9.4  | 12.7 | 12.5   | 12.5 | 19.8 | 19.8   | 19.8 | 16.6 | 14.4   | 15.3 | 14.8       | 19.8   | 17.3 | 14.8 | 15.2   | 15.0 |
| MOST OF THE TIME                                                                     | 12.6  | 18.1   | 15.4 | 19.7 | 19.4   | 19.6 | 21.1 | 20.6   | 20.8 | 21.0 | 17.3   | 19.2 | 19.8       | 11.5   | 16.0 | 19.0 | 17.6   | 18.3 |
| Q81F: FREQUENCY OF DRINKING DURING/AFTER SCHOOL ACTIVITY WHEN ADULTS ARE NOT PRESENT |       |        |      |      |        |      |      |        |      |      |        |      |            |        |      |      |        |      |
| DO NOT DRINK IN THIS SETTING                                                         | 72.4  | 67.6   | 69.8 | 64.5 | 63.1   | 63.8 | 49.4 | 52.3   | 50.7 | 42.9 | 45.3   | 44.4 | 35.5       | 50.1   | 42.0 | 52.7 | 55.7   | 54.1 |
| SOMETIMES                                                                            | 15.1  | 20.5   | 18.0 | 20.6 | 20.5   | 20.6 | 28.4 | 25.8   | 27.3 | 33.9 | 32.3   | 32.8 | 31.9       | 30.3   | 31.4 | 26.2 | 25.8   | 26.0 |
| FREQUENTLY                                                                           | 5.6   | 6.0    | 5.7  | 7.9  | 7.8    | 7.8  | 10.4 | 10.7   | 10.5 | 8.0  | 12.0   | 10.0 | 16.9       | 11.9   | 14.6 | 9.8  | 9.7    | 9.7  |
| MOST OF THE TIME                                                                     | 6.9   | 5.9    | 6.6  | 7.0  | 8.6    | 7.8  | 11.8 | 11.2   | 11.5 | 15.2 | 10.4   | 12.8 | 15.6       | 7.8    | 11.9 | 11.3 | 8.9    | 10.1 |

NOTE: SOME PROPORTION OF THOSE WHO DO NOT DRINK HAVE INAPPROPRIATELY RESPONDED TO THESE QUESTIONS. IT IS PROBABLE THAT THESE PERSONS ANSWERED 'DO NOT DRINK IN THIS SETTING' TO EACH QUESTION.